



Full wwPDB X-ray Structure Validation Report

Aug 20, 2023 – 04:47 PM EDT

PDB ID : 2O4M
Title : Structure of Phosphotriesterase mutant I106G/F132G/H257Y
Authors : Kim, J.; Ramagopal, U.A.; Tsai, P.; Raushel, F.M.; Almo, S.C.
Deposited on : 2006-12-04
Resolution : 1.64 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3122 (1.66-1.62)
Clashscore	141614	3268 (1.66-1.62)
Ramachandran outliers	138981	3215 (1.66-1.62)
Sidechain outliers	138945	3215 (1.66-1.62)
RSRZ outliers	127900	3079 (1.66-1.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	331	 0% 86% 12%
1	B	331	 5% 87% 12%
1	C	331	 4% 87% 12%
1	P	331	 3% 84% 15%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 11956 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Parathion hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	330	2571	1624	457	483	7	0	9	0
1	B	331	2561	1616	462	476	7	0	8	0
1	C	331	2574	1630	457	480	7	0	11	0
1	P	331	2571	1620	462	482	7	0	7	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	106	GLY	ILE	engineered mutation	UNP P0A434
A	132	GLY	PHE	engineered mutation	UNP P0A434
A	257	TYR	HIS	engineered mutation	UNP P0A434
B	106	GLY	ILE	engineered mutation	UNP P0A434
B	132	GLY	PHE	engineered mutation	UNP P0A434
B	257	TYR	HIS	engineered mutation	UNP P0A434
C	106	GLY	ILE	engineered mutation	UNP P0A434
C	132	GLY	PHE	engineered mutation	UNP P0A434
C	257	TYR	HIS	engineered mutation	UNP P0A434
P	106	GLY	ILE	engineered mutation	UNP P0A434
P	132	GLY	PHE	engineered mutation	UNP P0A434
P	257	TYR	HIS	engineered mutation	UNP P0A434

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	6	Total	Zn	0	0
			6	6		
2	B	5	Total	Zn	0	0
			5	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	6	Total Zn 6 6	0	0
2	P	6	Total Zn 6 6	0	0

- Molecule 3 is CACODYLATE ION (three-letter code: CAC) (formula: $C_2H_6AsO_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total As C O 5 1 2 2	0	0
3	B	1	Total As C O 5 1 2 2	0	0
3	C	1	Total As C O 5 1 2 2	0	0
3	P	1	Total As C O 5 1 2 2	0	0

- Molecule 4 is ACETIC ACID (three-letter code: ACY) (formula: $C_2H_4O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	P	1	Total	C	O	0	0
			6	3	3		
5	P	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	414	Total	O	0	0
			414	414		
6	B	395	Total	O	0	0
			395	395		
6	C	408	Total	O	0	0
			408	408		
6	P	377	Total	O	0	0
			377	377		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Parathion hydrolase




- Molecule 1: Parathion hydrolase




- Molecule 1: Parathion hydrolase



- Molecule 1: Parathion hydrolase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	56.76Å 68.91Å 89.67Å 90.03° 100.29° 94.12°	Depositor
Resolution (Å)	28.33 – 1.64 28.33 – 1.64	Depositor EDS
% Data completeness (in resolution range)	95.3 (28.33-1.64) 95.3 (28.33-1.64)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.02 (at 1.64Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.189 , 0.244 0.187 , 0.241	Depositor DCC
R_{free} test set	7763 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	16.8	Xtrriage
Anisotropy	0.116	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 62.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11956	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, GOL, CAC, KCX, ACY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.79	1/2621 (0.0%)	0.78	0/3557
1	B	0.73	0/2610	0.77	2/3540 (0.1%)
1	C	0.73	0/2638	0.78	0/3583
1	P	0.76	0/2612	0.78	0/3544
All	All	0.75	1/10481 (0.0%)	0.78	2/14224 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	P	0	2
All	All	0	5

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	56	GLU	CB-CG	5.15	1.61	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	141	ARG	NE-CZ-NH2	-5.97	117.31	120.30
1	B	152	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	252	LEU	Peptide
1	B	252	LEU	Peptide
1	C	252	LEU	Peptide
1	P	202	THR	Peptide
1	P	235	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2571	0	2596	44	0
1	B	2561	0	2593	29	0
1	C	2574	0	2624	33	0
1	P	2571	0	2585	47	0
2	A	6	0	0	0	0
2	B	5	0	0	0	0
2	C	6	0	0	0	0
2	P	6	0	0	0	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	P	5	0	0	0	0
4	A	4	0	3	0	0
4	B	4	0	3	0	0
4	C	4	0	3	0	0
5	B	6	0	8	1	0
5	C	12	0	14	1	0
5	P	12	0	15	1	0
6	A	414	0	0	14	0
6	B	395	0	0	17	0
6	C	408	0	0	4	0
6	P	377	0	0	14	0
All	All	11956	0	10444	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:ASP:HB2	6:A:6151:HOH:O	1.54	1.07
1:A:207:ARG:HD2	6:A:6310:HOH:O	1.54	1.04
1:A:114:ALA:O	1:A:118:ARG:HG3	1.70	0.91
1:P:160:ASP:HB3	6:P:5135:HOH:O	1.69	0.91
1:C:249[B]:LEU:HD13	1:C:297:LEU:HD11	1.56	0.87
1:C:249[B]:LEU:HD12	1:C:357:PHE:CD1	2.12	0.84
1:P:41[A]:ARG:HD3	1:P:118:ARG:HG2	1.58	0.82
1:A:41[B]:ARG:HD2	1:A:118:ARG:HG2	1.64	0.78
1:A:175[A]:LYS:HA	1:A:175[A]:LYS:HE2	1.67	0.76
1:A:285:LYS:HE2	6:A:6278:HOH:O	1.84	0.75
1:P:41[A]:ARG:HD3	1:P:118:ARG:CG	2.16	0.75
1:C:173[B]:THR:HG21	6:C:6348:HOH:O	1.86	0.74
1:C:333[A]:ILE:HG23	1:C:346:LEU:HD13	1.70	0.72
1:A:312:ASN:HA	6:A:6119:HOH:O	1.91	0.71
1:P:184:LEU:CD1	6:P:5259:HOH:O	2.38	0.70
1:A:175[A]:LYS:HE2	1:A:175[A]:LYS:CA	2.21	0.69
1:A:77:LYS:HD3	6:A:6152:HOH:O	1.92	0.69
1:P:67:ARG:HD3	6:P:5231:HOH:O	1.93	0.69
1:B:285:LYS:HE3	6:B:6360:HOH:O	1.94	0.67
1:C:333[A]:ILE:CG2	1:C:346:LEU:HD13	2.25	0.66
1:P:333:ILE:HG23	1:P:346:LEU:HD13	1.77	0.66
1:B:46:ILE:HG23	1:B:355:ALA:HB1	1.78	0.66
5:B:5002:GOL:H2	6:B:6138:HOH:O	1.95	0.66
1:P:286:ALA:O	1:P:290:GLN:HG2	1.98	0.64
1:A:337:ARG:HD3	1:A:343:GLN:OE1	1.97	0.64
1:P:265:ASN:HB2	6:P:5238:HOH:O	1.99	0.62
1:P:244:ALA:O	1:P:295[B]:GLN:NE2	2.33	0.62
1:B:264:ASP:HA	6:B:6235:HOH:O	1.98	0.62
1:A:160:ASP:O	1:P:337[B]:ARG:NH1	2.33	0.61
1:A:175[A]:LYS:HG2	6:A:6200:HOH:O	2.01	0.61
1:B:34:GLY:HA3	1:B:360:PRO:O	2.02	0.60
1:P:46:ILE:HG23	1:P:355:ALA:HB1	1.84	0.60
1:P:337[B]:ARG:HD2	1:P:343:GLN:OE1	2.01	0.60
1:C:249[B]:LEU:HD23	1:C:295:GLN:HA	1.82	0.60
1:B:363:ARG:HD2	6:B:6041:HOH:O	2.01	0.60
1:A:156[A]:TYR:OH	1:P:343:GLN:HG3	2.02	0.60
1:B:333:ILE:HG23	1:B:346:LEU:HD13	1.83	0.60
1:P:264:ASP:HB2	6:P:5309:HOH:O	2.02	0.59
1:A:156[A]:TYR:CZ	1:P:343:GLN:HG3	2.38	0.59
1:P:271:LEU:HD12	5:P:5003:GOL:H31	1.82	0.59
1:P:337[B]:ARG:NH1	1:P:343:GLN:HB2	2.19	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:47:SER:HB3	6:C:6177:HOH:O	2.04	0.57
1:B:363:ARG:HG2	6:B:6119:HOH:O	2.05	0.57
1:P:249:LEU:HD22	1:P:357:PHE:CD1	2.39	0.57
1:B:41[A]:ARG:NH2	6:B:6138:HOH:O	2.39	0.56
1:C:356[B]:ARG:HG3	6:C:6196:HOH:O	2.05	0.56
1:P:184:LEU:HD13	6:P:5259:HOH:O	2.04	0.56
1:P:131:TRP:CG	1:P:132:GLY:N	2.74	0.55
1:B:285:LYS:NZ	1:B:289:ASP:OD2	2.39	0.55
1:P:38:ASN:ND2	6:P:5116:HOH:O	2.39	0.55
1:C:46:ILE:CG2	1:C:355:ALA:HB1	2.37	0.55
1:A:38:ASN:ND2	6:A:6105:HOH:O	2.39	0.54
1:A:293:MET:HA	1:A:296:ILE:HD12	1.90	0.54
1:C:173[B]:THR:HG22	1:C:201:HIS:HE2	1.73	0.53
1:C:249[B]:LEU:CD1	1:C:357:PHE:CD1	2.90	0.53
1:A:264:ASP:OD2	1:A:264:ASP:N	2.42	0.53
1:P:246:ARG:HD2	6:P:5321:HOH:O	2.07	0.53
1:C:262:LEU:O	1:C:264:ASP:N	2.42	0.53
1:C:121:ASP:OD1	5:C:5004:GOL:H2	2.09	0.52
1:C:298[B]:VAL:CG1	1:C:328:ILE:HD12	2.38	0.52
1:A:57:HIS:O	1:A:303:LEU:HA	2.09	0.52
1:P:264:ASP:OD2	1:P:264:ASP:N	2.32	0.52
1:A:41[B]:ARG:CD	1:A:118:ARG:HG2	2.35	0.52
1:A:205:SER:HB2	6:A:6382:HOH:O	2.09	0.51
1:C:196:VAL:HG13	1:C:197:PRO:HD2	1.92	0.51
1:A:156[A]:TYR:CZ	1:P:343:GLN:CG	2.93	0.51
1:C:249[B]:LEU:HD13	1:C:297:LEU:CD1	2.36	0.51
1:B:312:ASN:HA	6:B:6185:HOH:O	2.11	0.50
1:A:41[A]:ARG:NH2	6:A:6201:HOH:O	2.31	0.50
1:B:353:ASN:HB2	1:B:354:PRO:HD3	1.92	0.50
1:A:156[B]:TYR:O	1:P:343:GLN:NE2	2.45	0.50
1:C:262:LEU:C	1:C:264:ASP:N	2.65	0.49
1:C:173[B]:THR:HG23	6:C:6099:HOH:O	2.11	0.49
1:A:156[A]:TYR:CE2	1:P:343:GLN:HG2	2.49	0.48
1:P:363:ARG:NH2	6:P:5343:HOH:O	2.46	0.48
1:B:333:ILE:HB	1:B:334:PRO:HD3	1.95	0.48
1:P:67:ARG:NH1	6:P:5271:HOH:O	2.46	0.48
1:P:249:LEU:HD12	1:P:249:LEU:N	2.29	0.48
1:B:356[B]:ARG:NH2	6:B:6189:HOH:O	2.35	0.48
1:P:353:ASN:HB2	1:P:354:PRO:HD3	1.96	0.48
1:C:235:ASP:OD2	1:C:275:ARG:NE	2.43	0.47
1:B:35:ASP:OD2	1:B:36:ARG:NH1	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:166:GLY:O	1:C:196:VAL:HG13	2.14	0.47
1:C:298[B]:VAL:HG12	1:C:328:ILE:HD12	1.95	0.47
1:A:67:ARG:HG3	6:B:6264:HOH:O	2.14	0.47
1:A:110:VAL:CG2	1:A:163:ILE:HG21	2.45	0.47
1:A:343:GLN:HA	1:A:346:LEU:HD12	1.96	0.47
1:B:264:ASP:CA	6:B:6235:HOH:O	2.60	0.47
1:P:57:HIS:O	1:P:303:LEU:HA	2.14	0.47
1:A:363:ARG:HD2	6:A:6398:HOH:O	2.15	0.47
1:A:202:THR:HB	1:A:208:ASP:HB2	1.95	0.46
1:P:285:LYS:NZ	1:P:289:ASP:OD2	2.42	0.46
1:B:294:LYS:O	1:B:356[B]:ARG:NH1	2.48	0.46
1:P:41[A]:ARG:HD3	1:P:118:ARG:HG3	1.97	0.46
1:C:57:HIS:O	1:C:303:LEU:HA	2.16	0.46
1:B:170:VAL:HG21	1:B:184:LEU:HD23	1.99	0.45
1:P:337[B]:ARG:HH11	1:P:343:GLN:HB2	1.80	0.45
1:B:356[A]:ARG:HD3	6:B:6382:HOH:O	2.16	0.45
1:C:262:LEU:C	1:C:264:ASP:H	2.20	0.45
1:P:202:THR:HB	1:P:208:ASP:HB2	1.97	0.45
1:P:207:ARG:NH1	1:P:210:GLU:OE1	2.48	0.45
1:B:192:LEU:HD22	1:B:363:ARG:HD3	1.98	0.45
1:P:338:GLU:HB3	6:P:5313:HOH:O	2.17	0.45
1:A:175[A]:LYS:HG2	1:A:175[A]:LYS:H	1.60	0.45
1:C:131:TRP:CG	1:C:132:GLY:N	2.84	0.45
1:B:57:HIS:O	1:B:303:LEU:HA	2.17	0.44
1:C:261:GLY:H	1:C:263:GLU:CD	2.20	0.44
1:C:46:ILE:HG22	1:C:355:ALA:HB1	2.00	0.44
1:P:67:ARG:CD	6:P:5231:HOH:O	2.61	0.43
1:A:237:LEU:O	1:A:241:THR:HG23	2.18	0.43
1:B:319:ARG:HG3	6:B:6182:HOH:O	2.18	0.43
1:P:247:GLY:HA2	1:P:295[B]:GLN:HE22	1.83	0.43
1:A:175[A]:LYS:HD2	6:A:6301:HOH:O	2.17	0.43
1:A:156[A]:TYR:OH	1:P:343:GLN:CG	2.67	0.43
1:B:166:GLY:O	1:B:196:VAL:HG13	2.18	0.43
1:P:123:HIS:HD2	6:P:5042:HOH:O	2.01	0.43
1:B:356[A]:ARG:NH1	6:B:6095:HOH:O	2.52	0.43
1:C:337:ARG:NE	1:C:343:GLN:OE1	2.51	0.42
1:A:109:ASP:OD1	1:A:109:ASP:C	2.57	0.42
1:C:300:ASN:OD1	1:C:327:PHE:HB3	2.18	0.42
1:C:363:ARG:HD3	1:C:364:ALA:O	2.19	0.42
1:P:261:GLY:O	1:P:262:LEU:HD23	2.19	0.42
1:C:293:MET:HA	1:C:296:ILE:HD12	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:175[A]:LYS:NZ	1:A:175[A]:LYS:HB3	2.35	0.42
1:A:353:ASN:HB2	1:A:354:PRO:HD3	2.01	0.42
1:P:290:GLN:HB2	1:P:292:TYR:HD1	1.85	0.42
1:A:77:LYS:HE3	6:A:6097:HOH:O	2.20	0.41
1:P:34:GLY:HA3	1:P:360:PRO:O	2.20	0.41
1:A:123:HIS:HD2	6:A:6044:HOH:O	2.03	0.41
1:B:54:THR:HG23	6:B:6127:HOH:O	2.20	0.41
1:A:67:ARG:HD3	1:A:67:ARG:HA	1.49	0.41
1:A:200:THR:O	1:A:229:GLY:HA3	2.20	0.41
1:A:333:ILE:HG23	1:A:346:LEU:HD13	2.02	0.41
1:B:34:GLY:HA2	6:B:6159:HOH:O	2.19	0.41
1:A:81:GLU:HG3	6:A:6304:HOH:O	2.20	0.41
1:A:285:LYS:NZ	1:A:289:ASP:OD2	2.54	0.41
1:B:302:TRP:CH2	1:B:321:ASN:HB3	2.56	0.41
1:C:298[B]:VAL:HG12	1:C:328:ILE:CD1	2.51	0.41
1:C:311:THR:O	1:C:312:ASN:HB2	2.21	0.41
1:P:46:ILE:N	1:P:46:ILE:CD1	2.84	0.41
1:B:356[A]:ARG:NE	6:B:6189:HOH:O	2.54	0.40
1:C:249[A]:LEU:HD22	1:C:297:LEU:HD11	2.02	0.40
1:P:259:ALA:O	1:P:260:ILE:C	2.59	0.40
1:P:363:ARG:CZ	6:P:5343:HOH:O	2.69	0.40
1:A:46:ILE:HG22	1:A:355:ALA:HB1	2.04	0.40
1:B:123:HIS:HD2	6:B:6038:HOH:O	2.04	0.40
1:B:131:TRP:CG	1:B:132:GLY:N	2.88	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	336/331 (102%)	325 (97%)	11 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	334/331 (101%)	321 (96%)	13 (4%)	0	100	100
1	C	339/331 (102%)	328 (97%)	11 (3%)	0	100	100
1	P	335/331 (101%)	326 (97%)	8 (2%)	1 (0%)	41	21
All	All	1344/1324 (102%)	1300 (97%)	43 (3%)	1 (0%)	51	29

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	P	260	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/262 (103%)	264 (97%)	7 (3%)	46	19
1	B	268/262 (102%)	260 (97%)	8 (3%)	41	14
1	C	273/262 (104%)	267 (98%)	6 (2%)	52	25
1	P	269/262 (103%)	262 (97%)	7 (3%)	46	19
All	All	1081/1048 (103%)	1053 (97%)	28 (3%)	47	19

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	ARG
1	A	175[A]	LYS
1	A	175[B]	LYS
1	A	299	SER
1	A	303	LEU
1	A	343	GLN
1	A	362	LEU
1	B	43	PRO
1	B	262	LEU
1	B	299	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	303	LEU
1	B	314	MET
1	B	356[A]	ARG
1	B	356[B]	ARG
1	B	362	LEU
1	C	47	SER
1	C	299	SER
1	C	303	LEU
1	C	338	GLU
1	C	343	GLN
1	C	362	LEU
1	P	46	ILE
1	P	175	LYS
1	P	238	SER
1	P	299	SER
1	P	303	LEU
1	P	306	PHE
1	P	314	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	ASN
1	P	38	ASN
1	P	312	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	KCX	A	169	1,2	9,11,12	1.18	1 (11%)	5,12,14	0.87	0
1	KCX	B	169	1,2	9,11,12	0.84	0	5,12,14	2.19	1 (20%)
1	KCX	C	169	1,2	9,11,12	0.76	0	5,12,14	1.84	1 (20%)
1	KCX	P	169	1,2	9,11,12	0.80	0	5,12,14	1.35	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	169	1,2	-	0/9/10/12	-
1	KCX	B	169	1,2	-	0/9/10/12	-
1	KCX	C	169	1,2	-	0/9/10/12	-
1	KCX	P	169	1,2	-	0/9/10/12	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	169	KCX	OQ1-CX	2.74	1.26	1.21

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	169	KCX	OQ1-CX-NZ	-4.59	117.85	124.96
1	C	169	KCX	OQ1-CX-NZ	-3.67	119.27	124.96
1	P	169	KCX	OQ1-CX-NZ	-2.36	121.29	124.96

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 35 ligands modelled in this entry, 23 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	B	5002	-	5,5,5	0.27	0	5,5,5	0.25	0
4	ACY	B	6002	2	3,3,3	0.77	0	3,3,3	0.97	0
3	CAC	P	4004	2	0,4,4	-	-	0,6,6	-	-
3	CAC	A	4001	2	0,4,4	-	-	0,6,6	-	-
5	GOL	P	5003	2	5,5,5	0.24	0	5,5,5	1.46	1 (20%)
4	ACY	A	6003	2	3,3,3	0.89	0	3,3,3	0.98	0
3	CAC	C	4003	2	0,4,4	-	-	0,6,6	-	-
5	GOL	C	5004	2	5,5,5	0.32	0	5,5,5	0.44	0
4	ACY	C	6001	2	3,3,3	0.78	0	3,3,3	0.96	0
3	CAC	B	4002	2	0,4,4	-	-	0,6,6	-	-
5	GOL	P	5001	-	5,5,5	0.34	0	5,5,5	0.86	0
5	GOL	C	5005	2	5,5,5	0.28	0	5,5,5	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	B	5002	-	-	2/4/4/4	-
5	GOL	P	5003	2	-	2/4/4/4	-
5	GOL	C	5004	2	-	2/4/4/4	-
5	GOL	P	5001	-	-	2/4/4/4	-
5	GOL	C	5005	2	-	0/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	P	5003	GOL	C3-C2-C1	-2.33	102.64	111.70

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	B	5002	GOL	C1-C2-C3-O3
5	B	5002	GOL	O2-C2-C3-O3
5	C	5004	GOL	O1-C1-C2-C3
5	P	5001	GOL	O1-C1-C2-C3
5	P	5003	GOL	O1-C1-C2-C3
5	C	5004	GOL	O1-C1-C2-O2
5	P	5001	GOL	O1-C1-C2-O2
5	P	5003	GOL	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	5002	GOL	1	0
5	P	5003	GOL	1	0
5	C	5004	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	329/331 (99%)	0.00	4 (1%) 79 79	9, 15, 27, 40	0
1	B	330/331 (99%)	0.24	15 (4%) 33 30	10, 17, 29, 47	2 (0%)
1	C	330/331 (99%)	0.18	13 (3%) 39 37	11, 17, 31, 44	0
1	P	330/331 (99%)	0.14	10 (3%) 50 48	9, 16, 29, 49	2 (0%)
All	All	1319/1324 (99%)	0.14	42 (3%) 47 46	9, 16, 29, 49	4 (0%)

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	P	34	GLY	7.4
1	P	262	LEU	5.5
1	B	263	GLU	5.4
1	B	262	LEU	4.9
1	B	235	ASP	4.6
1	P	364	ALA	4.6
1	C	235	ASP	4.6
1	B	364	ALA	4.4
1	P	263	GLU	4.3
1	B	264	ASP	4.0
1	C	34	GLY	4.0
1	B	363	ARG	4.0
1	A	264	ASP	3.9
1	P	261	GLY	3.9
1	A	34	GLY	3.6
1	A	156[A]	TYR	3.6
1	B	34	GLY	3.5
1	C	364	ALA	3.5
1	C	363	ARG	3.5
1	P	264	ASP	3.3
1	C	263	GLU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	P	35	ASP	3.0
1	A	338	GLU	2.8
1	P	363	ARG	2.8
1	C	261	GLY	2.8
1	C	264	ASP	2.6
1	C	274	ILE	2.6
1	C	298[A]	VAL	2.6
1	B	53	LEU	2.6
1	B	319	ARG	2.6
1	B	274	ILE	2.5
1	C	35	ASP	2.4
1	C	338	GLU	2.4
1	B	312	ASN	2.3
1	B	261	GLY	2.3
1	P	338	GLU	2.3
1	B	35	ASP	2.3
1	B	270	ALA	2.2
1	C	53	LEU	2.2
1	P	298[A]	VAL	2.1
1	C	160	ASP	2.1
1	B	245	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	P	169	12/13	0.94	0.13	10,12,16,18	0
1	KCX	B	169	12/13	0.95	0.10	11,13,16,18	0
1	KCX	C	169	12/13	0.95	0.12	10,12,16,17	0
1	KCX	A	169	12/13	0.95	0.09	8,10,14,15	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ACY	C	6001	4/4	0.70	0.22	35,37,38,38	0
5	GOL	B	5002	6/6	0.79	0.16	30,33,35,39	0
5	GOL	C	5004	6/6	0.81	0.12	22,32,39,40	0
2	ZN	P	3022	1/1	0.83	0.15	18,18,18,18	1
4	ACY	A	6003	4/4	0.84	0.18	18,24,25,26	4
5	GOL	C	5005	6/6	0.87	0.20	14,35,36,43	0
5	GOL	P	5001	6/6	0.87	0.14	23,26,31,41	0
5	GOL	P	5003	6/6	0.87	0.13	22,27,33,35	0
2	ZN	A	3024	1/1	0.89	0.09	20,20,20,20	1
4	ACY	B	6002	4/4	0.90	0.14	31,32,35,38	0
2	ZN	B	3019	1/1	0.94	0.07	21,21,21,21	1
2	ZN	C	3020	1/1	0.95	0.05	22,22,22,22	1
2	ZN	A	3018	1/1	0.97	0.05	23,23,23,23	1
2	ZN	C	3015	1/1	0.97	0.04	21,21,21,21	1
2	ZN	A	3013	1/1	0.97	0.06	21,21,21,21	1
2	ZN	B	3014	1/1	0.98	0.03	23,23,23,23	1
2	ZN	P	3012	1/1	0.98	0.07	19,19,19,19	1
2	ZN	P	3021	1/1	0.98	0.12	12,12,12,12	1
2	ZN	C	3017	1/1	0.99	0.04	15,15,15,15	1
3	CAC	B	4002	5/5	0.99	0.13	8,15,18,18	5
2	ZN	B	3010	1/1	0.99	0.06	18,18,18,18	1
2	ZN	A	3009	1/1	0.99	0.07	16,16,16,16	0
2	ZN	C	3016	1/1	0.99	0.06	16,16,16,16	1
3	CAC	A	4001	5/5	1.00	0.14	7,10,14,15	5
2	ZN	A	3001	1/1	1.00	0.10	9,9,9,9	1
3	CAC	C	4003	5/5	1.00	0.15	8,13,18,23	5
3	CAC	P	4004	5/5	1.00	0.14	7,13,16,16	5
2	ZN	A	3003	1/1	1.00	0.08	10,10,10,10	1
2	ZN	B	3005	1/1	1.00	0.09	12,12,12,12	0
2	ZN	P	3002	1/1	1.00	0.12	8,8,8,8	1
2	ZN	P	3004	1/1	1.00	0.09	10,10,10,10	1
2	ZN	P	3011	1/1	1.00	0.06	14,14,14,14	0
2	ZN	C	3007	1/1	1.00	0.09	12,12,12,12	0
2	ZN	C	3008	1/1	1.00	0.06	14,14,14,14	0
2	ZN	B	3006	1/1	1.00	0.06	14,14,14,14	0

6.5 Other polymers [i](#)

There are no such residues in this entry.