Full wwPDB NMR Structure Validation Report (i)

Feb 17, 2022 – 10:29 AM EST

PDB ID	:	1O5P
Title	:	Solution Structure of holo-Neocarzinostatin
Authors	:	Takashima, H.; Ishino, T.; Yoshida, T.; Hasuda, K.; Ohkubo, T.; Kobayashi, Y.
Deposited on	:	2003-10-04

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/NMRValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	2.26
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.26

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain
1	A	113	17% 59% 15% • 7%

2 Ensemble composition and analysis (i)

This entry contains 60 models. Model 36 is the overall representative, medoid model (most similar to other models). The authors have identified model 60 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	**Residue range (total)**	**Backbone RMSD (Å)**	**Medoid model**
1	A:5-A:98, A:102-A:112 (105)	0.11	36

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 9 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 2, 7, 9, 12, 14, 15, 16, 18, 24, 33, 36, 37, 39, 49, 54, 60
2	3, 13, 19, 20, 29, 34, 38, 40, 42, 48, 50, 51, 55, 56, 57, 58
3	4, 5, 10, 35, 43
4	6, 8, 32, 41
5	23, 25, 31, 46
6	11, 17, 22, 47
7	21, 28, 30, 52
8	26, 27
9	45, 59
Single-model clusters	44; 53

3 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 1588 atoms, of which 762 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Neocarzinostatin.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	113	1508	476	730	132	166	4	0

- Molecule 2 is NEOCARZINOSTATIN-CHROMOPHORE (three-letter code: CHR) (formula: $C_{35}H_{33}NO_{12}$).



Mol	Chain	Residues	Atoms				
			Total	C	H	N	O
2	A	1	80	35	32	1	12

4 Residue-property plots (i)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: Neocarzinostatin

Chain A: 17% 59% 15% • 7%



4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

• Molecule 1: Neocarzinostatin

Chain A: 18% 56% 18% • 7%



4.2.2 Score per residue for model 2

• Molecule 1: Neocarzinostatin

Chain A: 18% 56% 17% • 7%



4.2.3 Score per residue for model 3

- Molecule 1: Neocarzinostatin

Chain A:





4.2.4 Score per residue for model 4

- Molecule 1: Neocarzinostatin

Chain A:



4.2.5 Score per residue for model 5

- Molecule 1: Neocarzinostatin

Chain A:





4.2.6 Score per residue for model 6

- Molecule 1: Neocarzinostatin

Chain A: 17% 58% 17% • 7%

A1 A2 P3 T4 A5 T6 V7 T8 P9 S10 S11 G12 L13 S14 D15 G16 T17 V18 V19 K20 V21 A22 G23 A24 G25 L26 Q27 A28 G29 T30 A31 Y32 D33 V34 G35 Q36 C37 A38 W39 V40 D41 V44 L45 A46 C47 N48 P49 A50 D51 F52 S53 S54 V55 T56 A57 D58 A59 N60 G61

S62 A63 S64 T65 S66 L67 T68 V69 R70 R71 S72 F73 E74 G75 F76 L77 F78 D79 G80 T81 R82 W83 G84 T85 V86 D87 C88 T89 T90 C93 Q94 V95 G96 L97 S98 D99 A100 A101 G102 N103 G104 P105 A109 I110 S111 F112 N113

4.2.7 Score per residue for model 7

- Molecule 1: Neocarzinostatin

Chain A: 18% 57% 17% • 7%

A1 A2 P3 T4 A5 T6 V7 T8 P9 S10 S11 G12 L13 S14 D15 G16 T17 V18 V19 K20 V21 A22 G23 A24 G25 L26 Q27 A28 G29 T30 A31 Y32 D33 V34 G35 Q36 W39 V40 D41 T42 G43 V44 L45 A46 C47 N48 P49 A50 D51 F52 S53 S54 V55 T56 A57 D58 A59 N60 G61

S62 A63 S64 T65 S66 L67 T68 V69 R70 R71 S72 F73 E74 G75 F76 L77 F78 D79 G80 T81 R82 W83 G84 T85 V86 D87 C88 T89 T90 C93 Q94 L97 S98 D99 A100 A101 G102 N103 G104 P105 A109 I110 S111 F112 N113

4.2.8 Score per residue for model 8

- Molecule 1: Neocarzinostatin

Chain A: 19% 52% 19% • 7%

A1 A2 P3 T4 A5 T6 V7 T8 P9 S10 S11 G12 L13 S14 D15 G16 T17 V18 V19 K20 V21 A22 G23 A24 G25 L26 Q27 A28 G29 T30 A31 Y32 D33 V34 G35 Q36 W39 V40 D41 V44 L45 A46 C47 N48 P49 A50 D51 F52 S53 S54 V55 T56 A57 D58 A59 N60 G61 S62

A63 S64 T65 S66 L67 T68 V69 R70 R71 S72 F73 E74 G75 F76 L77 F78 D79 G80 T81 R82 W83 G84 T85 V86 D87 C88 T89 T90 C93 Q94 L97 S98 D99 A100 A101 G102 N103 G104 P105 A109 I110 S111 F112 N113

4.2.9 Score per residue for model 9

- Molecule 1: Neocarzinostatin

Chain A: 18% 56% 17% • 7%

A1 A2 P3 T4 A5 T6 V7 T8 P9 S10 S11 G12 L13 S14 D15 G16 T17 V18 V19 K20 V21 A22 G23 A24 G25 L26 Q27 A28 G29 T30 A31 Y32 D33 V34 G35 Q36 W39 V40 D41 T42 G43 V44 L45 A46 C47 N48 P49 A50 D51 F52 S53 S54 V55 T56 A57 D58 A59 N60 G61

S62 A63 S64 T65 S66 L67 T68 V69 R70 R71 S72 F73 E74 G75 F76 L77 F78 D79 G80 T81 R82 W83 G84 T85 V86 D87 C88 T89 T90 A91 A92 C93 Q94 V95 G96 L97 S98 D99 A100 A101 G102 N103 G104 P105 A109 I110 S111 F112 N113

4.2.10 Score per residue for model 10

- Molecule 1: Neocarzinostatin

Chain A: 21% 53% 17% • 7%



4.2.11 Score per residue for model 11

- Molecule 1: Neocarzinostatin

Chain A: 19% 53% 19% • 7%



4.2.12 Score per residue for model 12

- Molecule 1: Neocarzinostatin

Chain A: 17% 58% 15% • 7%



4.2.13 Score per residue for model 13

- Molecule 1: Neocarzinostatin

Chain A: 21% 54% 15% • 7%



4.2.14 Score per residue for model 14

- Molecule 1: Neocarzinostatin

Chain A: 22% 55% 14% • 7%



4.2.15 Score per residue for model 15

- Molecule 1: Neocarzinostatin

Chain A: 21% 51% 18% • 7%



4.2.16 Score per residue for model 16

- Molecule 1: Neocarzinostatin

Chain A: 19% 54% 17% • 7%



4.2.17 Score per residue for model 17

- Molecule 1: Neocarzinostatin

Chain A: 20% 51% 19% • 7%



4.2.18 Score per residue for model 18

- Molecule 1: Neocarzinostatin

Chain A: 18% 59% 13% • 7%



4.2.19 Score per residue for model 19

- Molecule 1: Neocarzinostatin

Chain A: 20% 52% 18% • 7%



4.2.20 Score per residue for model 20

- Molecule 1: Neocarzinostatin

Chain A: 16% 58% 16% • 7%



4.2.21 Score per residue for model 21

- Molecule 1: Neocarzinostatin

Chain A: 19% 54% 19% • 7%

4.2.22 Score per residue for model 22

- Molecule 1: Neocarzinostatin

Chain A: 19% 55% 18% • 7%



4.2.23 Score per residue for model 23

- Molecule 1: Neocarzinostatin

Chain A: 19% 58% 14% • 7%



4.2.24 Score per residue for model 24

- Molecule 1: Neocarzinostatin

Chain A: 18% 55% 18% • 7%



4.2.25 Score per residue for model 25

- Molecule 1: Neocarzinostatin

Chain A: 18% 57% 17% • 7%



4.2.26 Score per residue for model 26

- Molecule 1: Neocarzinostatin

Chain A: 20% 53% 17% • 7%



4.2.27 Score per residue for model 27

- Molecule 1: Neocarzinostatin

Chain A: 23% 56% 12% • 7%



4.2.28 Score per residue for model 28

- Molecule 1: Neocarzinostatin

Chain A: 20% 54% 18% • 7%



4.2.29 Score per residue for model 29

- Molecule 1: Neocarzinostatin

Chain A: 18% 55% 18% • 7%



4.2.30 Score per residue for model 30

- Molecule 1: Neocarzinostatin

Chain A: 19% 53% 19% • 7%



4.2.31 Score per residue for model 31

- Molecule 1: Neocarzinostatin

Chain A: 20% 56% 16% • 7%



4.2.32 Score per residue for model 32

- Molecule 1: Neocarzinostatin

Chain A: 19% 52% 19% • 7%



4.2.33 Score per residue for model 33

- Molecule 1: Neocarzinostatin

Chain A: 19% 56% 16% • 7%



4.2.34 Score per residue for model 34

- Molecule 1: Neocarzinostatin

Chain A: 19% 53% 18% • 7%



4.2.35 Score per residue for model 35

- Molecule 1: Neocarzinostatin

Chain A: 19% 54% 19% • 7%



4.2.36 Score per residue for model 36 (medoid)

- Molecule 1: Neocarzinostatin

Chain A: 21% 51% 18% • 7%



4.2.37 Score per residue for model 37

- Molecule 1: Neocarzinostatin

Chain A: 18% 56% 17% • 7%



4.2.38 Score per residue for model 38

- Molecule 1: Neocarzinostatin

Chain A: 19% 56% 15% • 7%



4.2.39 Score per residue for model 39

- Molecule 1: Neocarzinostatin

Chain A: 19% 56% 15% • 7%



4.2.40 Score per residue for model 40

- Molecule 1: Neocarzinostatin

Chain A: 19% 52% 20% • 7%



4.2.41 Score per residue for model 41

- Molecule 1: Neocarzinostatin

Chain A: 20% 50% 20% • 7%



4.2.42 Score per residue for model 42

- Molecule 1: Neocarzinostatin

Chain A: 18% 57% 16% • 7%



4.2.43 Score per residue for model 43

- Molecule 1: Neocarzinostatin

Chain A: 18% 54% 19% • 7%



4.2.44 Score per residue for model 44

- Molecule 1: Neocarzinostatin

Chain A: 19% 53% 19% • 7%



4.2.45 Score per residue for model 45

- Molecule 1: Neocarzinostatin

Chain A: 19% 58% 14% • 7%



4.2.46 Score per residue for model 46

- Molecule 1: Neocarzinostatin

Chain A: 19% 55% 18% • 7%



4.2.47 Score per residue for model 47

- Molecule 1: Neocarzinostatin

Chain A: 16% 58% 17% • 7%



4.2.48 Score per residue for model 48

- Molecule 1: Neocarzinostatin

Chain A: 23% 50% 18% • 7%



4.2.49 Score per residue for model 49

- Molecule 1: Neocarzinostatin

Chain A: 19% 54% 17% • 7%



4.2.50 Score per residue for model 50

- Molecule 1: Neocarzinostatin

Chain A: 20% 54% 17% • 7%



4.2.51 Score per residue for model 51

- Molecule 1: Neocarzinostatin

Chain A: 21% 52% 19% • 7%



4.2.52 Score per residue for model 52

- Molecule 1: Neocarzinostatin

Chain A: 19% 57% 16% • 7%



4.2.53 Score per residue for model 53

- Molecule 1: Neocarzinostatin

Chain A: 25% 47% 19% • 7%



4.2.54 Score per residue for model 54

- Molecule 1: Neocarzinostatin

Chain A: 19% 56% 16% • 7%



4.2.55 Score per residue for model 55

- Molecule 1: Neocarzinostatin

Chain A: 19% 52% 19% • 7%



4.2.56 Score per residue for model 56

- Molecule 1: Neocarzinostatin

Chain A: 20% 55% 16% • 7%



4.2.57 Score per residue for model 57

- Molecule 1: Neocarzinostatin

Chain A: 16% 55% 19% • 7%



4.2.58 Score per residue for model 58

- Molecule 1: Neocarzinostatin

Chain A: 20% 54% 17% • 7%



4.2.59 Score per residue for model 59

- Molecule 1: Neocarzinostatin

Chain A: 21% 54% 16% • 7%



4.2.60 Score per residue for model 60

- Molecule 1: Neocarzinostatin

Chain A: 23% 52% 15% • 7%



5 Refinement protocol and experimental data overview (i)

The models were refined using the following method: *distance geometry, simulated annealing with random array initial structures.*

Of the 16000 calculated structures, 60 were deposited, based on the following criterion: *structures with the lowest energy.*

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR	refinement	NIH 2.0.6

No chemical shift data was provided.

6 Model quality (i)

6.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CHR

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	727	684	684	143±9
2	A	48	32	33	14±2
All	All	46500	42960	43020	8778

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 98.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:7:VAL:HG22	1:A:21:VAL:HG23	1.03	1.31	45	60
1:A:46:ALA:HB1	1:A:75:GLY:CA	1.01	1.86	6	60
1:A:34:VAL:HG11	1:A:65:THR:HG21	0.94	1.38	53	30
1:A:27:GLN:O	1:A:57:ALA:HB3	0.93	1.63	12	60
1:A:6:THR:OG1	1:A:22:ALA:HB3	0.92	1.63	46	28
1:A:55:VAL:CG1	1:A:63:ALA:HB1	0.91	1.94	53	60
1:A:21:VAL:HG12	1:A:67:LEU:HD11	0.91	1.37	46	25
1:A:55:VAL:HG11	1:A:63:ALA:HB1	0.89	1.44	5	59
1:A:57:ALA:HB1	1:A:61:GLY:HA3	0.89	1.45	22	60
1:A:51:ASP:OD1	1:A:67:LEU:HD22	0.87	1.69	14	1
1:A:102:GLY:HA2	2:A:114:CHR:H192	0.86	1.47	5	52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:34:VAL:HG11	1:A:65:THR:HG23	0.86	1.48	24	1
1:A:110:ILE:HD12	1:A:112:PHE:CE1	0.85	2.06	4	18
1:A:21:VAL:HG11	1:A:67:LEU:HD11	0.85	1.48	54	4
1:A:7:VAL:CG2	1:A:21:VAL:HG23	0.82	2.04	45	53
1:A:110:ILE:HD12	1:A:112:PHE:CZ	0.81	2.10	44	50
1:A:110:ILE:HD12	1:A:112:PHE:CE2	0.80	2.12	19	36
1:A:21:VAL:CG1	1:A:67:LEU:HD11	0.80	2.05	46	14
1:A:39:TRP:NE1	1:A:45:LEU:HD13	0.79	1.92	6	60
1:A:51:ASP:OD2	1:A:69:VAL:HG13	0.78	1.79	12	15
1:A:13:LEU:CA	1:A:17:THR:HG21	0.77	2.08	48	60
1:A:57:ALA:HB1	1:A:61:GLY:CA	0.77	2.09	5	60
1:A:46:ALA:HB1	1:A:75:GLY:HA2	0.77	1.57	6	60
1:A:51:ASP:OD2	1:A:67:LEU:HD22	0.77	1.78	4	1
1:A:6:THR:HG22	1:A:22:ALA:HB3	0.76	1.57	57	32
1:A:18:VAL:HG22	1:A:68:THR:HG22	0.76	1.55	19	43
1:A:102:GLY:CA	2:A:114:CHR:H192	0.75	2.11	54	29
1:A:48:ASN:OD1	1:A:50:ALA:HB3	0.75	1.81	45	19
1:A:18:VAL:HG13	1:A:67:LEU:O	0.74	1.82	4	60
1:A:46:ALA:HB1	1:A:75:GLY:HA3	0.73	1.60	29	42
1:A:34:VAL:HG11	1:A:65:THR:CG2	0.72	2.13	53	18
1:A:41:ASP:CB	1:A:44:VAL:HG21	0.72	2.15	35	60
1:A:42:THR:O	1:A:42:THR:HG23	0.72	1.84	43	24
1:A:45:LEU:HD22	2:A:114:CHR:H182	0.72	1.61	46	41
1:A:51:ASP:OD2	1:A:67:LEU:HD13	0.71	1.85	4	2
1:A:18:VAL:HG13	1:A:67:LEU:C	0.71	2.05	41	60
1:A:67:LEU:HD12	1:A:67:LEU:N	0.71	2.01	17	33
1:A:7:VAL:HG13	1:A:21:VAL:CA	0.70	2.16	16	26
1:A:7:VAL:HG13	1:A:21:VAL:HA	0.70	1.62	16	23
1:A:51:ASP:HB3	1:A:67:LEU:HD22	0.70	1.62	33	13
1:A:51:ASP:OD1	1:A:69:VAL:HG13	0.69	1.87	4	2
1:A:7:VAL:HG22	1:A:21:VAL:CG2	0.69	2.17	59	28
1:A:7:VAL:HG13	1:A:21:VAL:CB	0.69	2.16	16	20
1:A:67:LEU:HD12	1:A:67:LEU:H	0.68	1.48	4	40
1:A:45:LEU:HD23	2:A:114:CHR:H8	0.68	1.66	53	57
1:A:57:ALA:CA	1:A:61:GLY:HA2	0.68	2.18	26	60
1:A:39:TRP:CD1	1:A:45:LEU:HD13	0.68	2.23	12	60
1:A:48:ASN:ND2	1:A:50:ALA:HB3	0.67	2.04	36	25
1:A:39:TRP:CE2	1:A:45:LEU:HD13	0.67	2.25	58	60
1:A:6:THR:O	1:A:6:THR:HG23	0.67	1.90	49	32
1:A:28:ALA:HB1	1:A:59:ALA:O	0.67	1.90	23	60
1:A:66:SER:O	1:A:67:LEU:HD23	0.66	1.90	9	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:13:LEU:HA	1:A:17:THR:HG21	0.66	1.68	31	60
1:A:34:VAL:HG13	1:A:34:VAL:O	0.65	1.90	58	44
1:A:30:THR:CG2	1:A:32:TYR:CE1	0.65	2.80	23	3
1:A:34:VAL:CG1	1:A:53:SER:CB	0.64	2.75	19	59
1:A:36:GLN:NE2	1:A:73:PHE:CD2	0.64	2.65	53	52
1:A:30:THR:CG2	1:A:32:TYR:CE2	0.64	2.81	13	13
1:A:45:LEU:HD23	2:A:114:CHR:H10	0.63	1.70	23	14
1:A:13:LEU:HD13	1:A:69:VAL:HG23	0.63	1.70	59	7
1:A:110:ILE:CD1	1:A:112:PHE:CZ	0.63	2.81	44	14
1:A:34:VAL:CG1	1:A:67:LEU:HD21	0.62	2.23	33	1
1:A:30:THR:CG2	1:A:32:TYR:CZ	0.62	2.81	51	2
1:A:13:LEU:CB	1:A:17:THR:HG21	0.62	2.24	48	29
1:A:36:GLN:HB3	1:A:69:VAL:HG12	0.62	1.71	49	39
1:A:50:ALA:HB1	1:A:68:THR:CG2	0.62	2.24	26	7
1:A:55:VAL:HG13	1:A:63:ALA:HB1	0.62	1.70	57	28
1:A:13:LEU:HD13	1:A:19:VAL:CG1	0.62	2.25	37	20
1:A:71:ARG:O	1:A:73:PHE:CD2	0.61	2.53	53	8
1:A:41:ASP:HB2	1:A:44:VAL:HG21	0.61	1.71	38	60
1:A:73:PHE:CD1	1:A:73:PHE:N	0.61	2.69	10	51
1:A:73:PHE:CE1	1:A:88:CYS:SG	0.61	2.94	26	6
1:A:32:TYR:CE2	1:A:105:PRO:CD	0.61	2.84	56	3
1:A:21:VAL:HG11	1:A:34:VAL:HG22	0.60	1.72	60	37
1:A:77:LEU:HD13	1:A:83:TRP:HB2	0.60	1.72	27	60
1:A:36:GLN:HG3	1:A:36:GLN:O	0.60	1.95	44	22
1:A:41:ASP:CB	1:A:44:VAL:CG2	0.60	2.80	35	60
1:A:98:SER:CB	2:A:114:CHR:C21	0.60	2.80	45	31
1:A:19:VAL:HG13	1:A:69:VAL:CG2	0.60	2.27	5	13
1:A:13:LEU:CD1	1:A:19:VAL:CG1	0.60	2.80	30	39
1:A:55:VAL:CG1	1:A:63:ALA:CB	0.60	2.79	51	60
1:A:73:PHE:CD1	1:A:86:VAL:O	0.60	2.55	26	51
1:A:51:ASP:CG	1:A:67:LEU:HD13	0.60	2.17	14	1
1:A:98:SER:CB	2:A:114:CHR:C20	0.59	2.80	21	60
2:A:114:CHR:C7	2:A:114:CHR:C2	0.59	2.80	53	60
1:A:29:GLY:N	1:A:57:ALA:O	0.59	2.35	17	60
1:A:51:ASP:OD2	1:A:69:VAL:HG12	0.59	1.97	59	2
1:A:13:LEU:HB3	1:A:17:THR:CG2	0.59	2.28	48	60
1:A:19:VAL:CG1	1:A:69:VAL:CG2	0.59	2.81	35	12
1:A:51:ASP:CG	1:A:67:LEU:HD22	0.58	2.18	4	1
1:A:36:GLN:NE2	1:A:73:PHE:CE2	0.58	2.71	48	9
1:A:34:VAL:HG12	1:A:53:SER:CB	0.58	2.29	5	46
1:A:71:ARG:O	1:A:73:PHE:CD1	0.58	2.57	58	45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:27:GLN:CB	1:A:30:THR:CG2	0.58	2.81	23	15
1:A:32:TYR:CG	1:A:98:SER:O	0.58	2.57	60	3
1:A:74:GLU:OE2	1:A:76:PHE:CD1	0.58	2.57	20	1
1:A:7:VAL:HG13	1:A:21:VAL:HB	0.57	1.76	24	36
1:A:71:ARG:HA	1:A:88:CYS:HB2	0.57	1.75	26	6
1:A:30:THR:HG21	1:A:32:TYR:CZ	0.57	2.34	51	2
1:A:46:ALA:CB	1:A:86:VAL:HG21	0.57	2.29	47	60
1:A:30:THR:OG1	1:A:32:TYR:CE2	0.57	2.57	45	24
1:A:77:LEU:HD23	1:A:79:ASP:OD2	0.57	1.99	9	1
1:A:36:GLN:O	1:A:36:GLN:CG	0.57	2.52	26	60
1:A:27:GLN:O	1:A:29:GLY:N	0.57	2.38	42	60
1:A:73:PHE:CZ	1:A:93:CYS:SG	0.57	2.97	25	45
1:A:31:ALA:CA	1:A:56:THR:OG1	0.57	2.53	26	60
1:A:57:ALA:CB	1:A:61:GLY:CA	0.56	2.83	4	60
1:A:49:PRO:HG3	1:A:76:PHE:CE1	0.56	2.35	53	30
1:A:67:LEU:N	1:A:67:LEU:CD1	0.56	2.68	30	19
1:A:7:VAL:HG11	1:A:95:VAL:CG1	0.56	2.30	9	17
1:A:30:THR:HG23	1:A:32:TYR:CE1	0.56	2.35	56	3
1:A:5:ALA:HB1	1:A:22:ALA:O	0.56	2.01	6	26
2:A:114:CHR:O6	2:A:114:CHR:H27	0.56	2.00	17	60
1:A:49:PRO:CG	1:A:76:PHE:CE1	0.56	2.89	53	4
1:A:36:GLN:O	1:A:36:GLN:HG3	0.56	2.01	19	37
1:A:34:VAL:HG23	1:A:97:LEU:HD23	0.56	1.77	32	2
1:A:51:ASP:OD2	1:A:69:VAL:CG1	0.56	2.54	39	11
1:A:11:SER:CB	1:A:111:SER:HG	0.56	2.14	54	1
1:A:87:ASP:HB3	1:A:90:THR:HG23	0.55	1.77	45	30
1:A:34:VAL:O	1:A:34:VAL:CG1	0.55	2.54	6	19
1:A:21:VAL:HG11	1:A:34:VAL:HG13	0.55	1.78	24	1
1:A:13:LEU:CD1	1:A:19:VAL:HG11	0.55	2.31	51	35
1:A:18:VAL:CG1	1:A:67:LEU:O	0.55	2.55	25	55
1:A:28:ALA:CB	1:A:59:ALA:O	0.55	2.55	16	60
1:A:34:VAL:CG1	1:A:34:VAL:O	0.55	2.54	14	36
1:A:41:ASP:HB3	1:A:44:VAL:HG21	0.55	1.78	47	60
1:A:34:VAL:HG12	1:A:53:SER:HB2	0.55	1.77	33	4
1:A:6:THR:O	1:A:6:THR:CG2	0.55	2.54	24	32
1:A:55:VAL:HG13	1:A:63:ALA:CB	0.55	2.32	57	35
1:A:77:LEU:O	1:A:79:ASP:N	0.55	2.39	5	58
1:A:42:THR:O	1:A:42:THR:CG2	0.55	2.55	17	24
1:A:48:ASN:OD1	1:A:50:ALA:CB	0.55	2.55	51	18
1:A:71:ARG:HD2	1:A:112:PHE:CD1	0.55	2.37	53	1
1:A:19:VAL:HG23	1:A:67:LEU:CD1	0.55	2.32	35	9

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:30:THR:CG2	1:A:30:THR:O	0.55	2.55	23	15
1:A:98:SER:OG	2:A:114:CHR:C21	0.55	2.55	1	10
1:A:13:LEU:HD11	1:A:19:VAL:HG11	0.55	1.78	9	29
1:A:11:SER:OG	1:A:111:SER:CB	0.54	2.56	57	19
1:A:44:VAL:HG12	1:A:77:LEU:HD11	0.54	1.77	43	14
1:A:23:GLY:O	1:A:62:SER:HA	0.54	2.02	17	60
1:A:30:THR:O	1:A:30:THR:CG2	0.54	2.55	20	1
1:A:30:THR:O	1:A:32:TYR:CD2	0.54	2.61	35	16
1:A:34:VAL:CG1	1:A:53:SER:OG	0.54	2.56	6	3
1:A:34:VAL:O	1:A:34:VAL:HG13	0.54	2.02	60	11
1:A:13:LEU:HB3	1:A:17:THR:HG21	0.54	1.80	48	3
1:A:34:VAL:HG12	1:A:53:SER:C	0.54	2.23	15	15
1:A:30:THR:O	1:A:30:THR:HG23	0.54	2.02	8	15
1:A:7:VAL:HG11	1:A:95:VAL:HB	0.54	1.80	47	17
1:A:27:GLN:CB	1:A:30:THR:OG1	0.54	2.56	38	44
1:A:34:VAL:O	1:A:51:ASP:O	0.54	2.26	23	60
1:A:93:CYS:O	1:A:110:ILE:CG1	0.54	2.56	32	49
1:A:13:LEU:O	1:A:17:THR:CG2	0.53	2.55	58	60
1:A:98:SER:HB2	2:A:114:CHR:C20	0.53	2.34	54	40
1:A:88:CYS:SG	1:A:112:PHE:CE1	0.53	3.01	4	7
1:A:53:SER:OG	1:A:54:SER:N	0.53	2.41	58	1
1:A:34:VAL:CG1	1:A:53:SER:HB3	0.53	2.33	58	36
1:A:46:ALA:HB3	1:A:86:VAL:HG21	0.53	1.81	31	55
1:A:98:SER:OG	2:A:114:CHR:C20	0.53	2.56	22	15
1:A:26:LEU:O	1:A:28:ALA:N	0.53	2.42	47	60
1:A:34:VAL:CG1	1:A:53:SER:HB2	0.53	2.34	21	58
1:A:77:LEU:CD2	1:A:79:ASP:OD2	0.53	2.56	9	1
1:A:74:GLU:HB3	1:A:76:PHE:CE1	0.53	2.39	31	3
1:A:36:GLN:OE1	1:A:69:VAL:CB	0.53	2.56	39	47
1:A:49:PRO:HG3	1:A:76:PHE:CZ	0.53	2.39	7	39
1:A:73:PHE:CE1	1:A:86:VAL:HB	0.53	2.38	59	8
1:A:27:GLN:HB3	1:A:30:THR:CG2	0.53	2.33	23	58
1:A:73:PHE:C	1:A:73:PHE:CD1	0.53	2.82	27	2
1:A:55:VAL:HG11	1:A:63:ALA:CB	0.53	2.34	31	54
1:A:51:ASP:OD1	1:A:69:VAL:CG1	0.53	2.56	4	1
1:A:41:ASP:HB3	1:A:44:VAL:CG2	0.53	2.34	35	60
1:A:5:ALA:CB	1:A:22:ALA:O	0.53	2.57	25	21
1:A:10:SER:HA	1:A:110:ILE:HG22	0.53	1.81	3	57
1:A:51:ASP:O	1:A:67:LEU:CD2	0.53	2.57	50	22
1:A:102:GLY:O	1:A:103:ASN:ND2	0.53	2.40	32	10
1:A:110:ILE:HD12	1:A:112:PHE:HE1	0.52	1.62	42	5

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:33:ASP:N	1:A:98:SER:O	0.52	2.42	49	47
1:A:98:SER:HB3	2:A:114:CHR:C20	0.52	2.34	9	12
1:A:47:CYS:HB3	1:A:52:PHE:CE2	0.52	2.39	17	2
1:A:30:THR:OG1	1:A:32:TYR:CE1	0.52	2.59	60	3
1:A:10:SER:O	1:A:110:ILE:CB	0.52	2.57	33	57
1:A:31:ALA:HA	1:A:56:THR:OG1	0.52	2.04	20	60
1:A:48:ASN:OD1	1:A:50:ALA:N	0.52	2.43	40	15
1:A:48:ASN:OD1	1:A:74:GLU:N	0.52	2.43	19	9
1:A:22:ALA:HA	1:A:63:ALA:O	0.52	2.05	12	60
1:A:71:ARG:HG3	1:A:112:PHE:CD2	0.52	2.40	7	2
1:A:110:ILE:HD12	1:A:112:PHE:HE2	0.52	1.60	13	3
1:A:34:VAL:HG13	1:A:67:LEU:HD21	0.52	1.80	33	4
1:A:51:ASP:OD1	1:A:68:THR:N	0.52	2.42	45	3
1:A:49:PRO:CD	1:A:74:GLU:HB2	0.52	2.35	59	13
1:A:49:PRO:HD3	1:A:76:PHE:CE1	0.52	2.39	31	1
1:A:13:LEU:CD2	1:A:19:VAL:HG12	0.52	2.35	54	18
1:A:30:THR:O	1:A:32:TYR:CD1	0.52	2.63	60	3
1:A:73:PHE:CD1	1:A:73:PHE:O	0.51	2.62	27	2
1:A:51:ASP:O	1:A:67:LEU:HD22	0.51	2.05	14	3
1:A:51:ASP:O	1:A:53:SER:N	0.51	2.43	49	8
1:A:98:SER:HB3	2:A:114:CHR:C27	0.51	2.36	4	38
1:A:36:GLN:O	1:A:47:CYS:SG	0.51	2.69	30	54
1:A:71:ARG:NH1	1:A:72:SER:OG	0.51	2.43	34	2
1:A:71:ARG:HA	1:A:112:PHE:CE2	0.51	2.41	44	2
1:A:50:ALA:O	1:A:68:THR:HG22	0.51	2.06	43	6
1:A:57:ALA:C	1:A:61:GLY:HA2	0.51	2.26	4	60
1:A:102:GLY:N	2:A:114:CHR:H193	0.51	2.20	46	4
1:A:74:GLU:OE1	1:A:75:GLY:N	0.51	2.43	58	2
1:A:34:VAL:HG22	1:A:97:LEU:HD23	0.51	1.82	24	1
1:A:15:ASP:HA	1:A:70:ARG:CB	0.51	2.36	48	54
1:A:51:ASP:CG	1:A:69:VAL:CG1	0.51	2.79	4	1
1:A:51:ASP:OD2	1:A:68:THR:N	0.51	2.43	9	3
1:A:51:ASP:OD2	1:A:68:THR:O	0.51	2.28	49	14
1:A:77:LEU:CB	1:A:81:THR:O	0.51	2.59	23	36
1:A:58:ASP:OD2	1:A:59:ALA:N	0.50	2.44	7	7
1:A:21:VAL:HG11	1:A:34:VAL:CG2	0.50	2.37	16	5
1:A:74:GLU:HB3	1:A:76:PHE:CD1	0.50	2.40	53	3
1:A:73:PHE:CE1	1:A:86:VAL:O	0.50	2.65	26	44
1:A:98:SER:HB2	2:A:114:CHR:C21	0.50	2.36	33	20
1:A:71:ARG:N	1:A:112:PHE:CE2	0.50	2.79	10	5
1:A:39:TRP:CZ2	2:A:114:CHR:H23	0.50	2.41	30	11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:112:PHE:N	1:A:112:PHE:CD1	0.50	2.79	60	4
1:A:34:VAL:CG2	1:A:97:LEU:HD23	0.50	2.36	24	3
1:A:6:THR:CG2	1:A:22:ALA:HB3	0.50	2.35	7	15
1:A:104:GLY:O	1:A:105:PRO:O	0.50	2.30	19	59
1:A:103:ASN:ND2	2:A:114:CHR:O9	0.50	2.45	24	8
1:A:32:TYR:CE2	1:A:105:PRO:HD3	0.50	2.42	23	3
1:A:51:ASP:OD1	1:A:67:LEU:CB	0.50	2.59	45	1
1:A:32:TYR:CA	1:A:98:SER:O	0.50	2.60	52	15
1:A:7:VAL:HG22	1:A:21:VAL:CB	0.50	2.37	47	10
1:A:51:ASP:OD1	1:A:67:LEU:CD2	0.50	2.54	14	1
1:A:78:PHE:CD2	2:A:114:CHR:H15	0.50	2.42	15	60
1:A:57:ALA:HA	1:A:61:GLY:HA2	0.50	1.83	12	60
1:A:75:GLY:HA3	1:A:86:VAL:HG23	0.50	1.83	44	7
1:A:51:ASP:HA	1:A:67:LEU:CB	0.50	2.37	41	35
1:A:19:VAL:CG2	1:A:67:LEU:CD1	0.50	2.90	35	5
1:A:57:ALA:CB	1:A:61:GLY:HA3	0.50	2.30	12	10
1:A:49:PRO:CD	1:A:74:GLU:CB	0.50	2.90	59	2
1:A:36:GLN:HB3	1:A:69:VAL:CG1	0.50	2.36	54	43
1:A:30:THR:HG22	1:A:32:TYR:CE2	0.50	2.42	47	11
1:A:21:VAL:HG12	1:A:67:LEU:CD1	0.50	2.32	23	2
1:A:74:GLU:OE1	1:A:74:GLU:N	0.49	2.43	34	1
1:A:71:ARG:O	1:A:88:CYS:HB2	0.49	2.07	28	30
1:A:73:PHE:O	1:A:74:GLU:C	0.49	2.50	1	52
1:A:82:ARG:HG3	1:A:82:ARG:NH1	0.49	2.22	25	5
1:A:32:TYR:CE1	1:A:105:PRO:CD	0.49	2.95	8	7
1:A:98:SER:HB3	2:A:114:CHR:C26	0.49	2.37	42	17
1:A:19:VAL:HG22	1:A:69:VAL:HG22	0.49	1.83	40	5
1:A:98:SER:HB2	2:A:114:CHR:C27	0.49	2.37	20	6
1:A:93:CYS:O	1:A:110:ILE:HG12	0.49	2.08	3	59
1:A:30:THR:HG23	1:A:32:TYR:CD1	0.49	2.42	12	2
1:A:21:VAL:O	1:A:21:VAL:HG13	0.49	2.07	23	3
1:A:5:ALA:HB2	1:A:97:LEU:HD11	0.49	1.83	46	4
1:A:71:ARG:HA	1:A:88:CYS:CB	0.49	2.37	50	41
1:A:70:ARG:HG2	1:A:70:ARG:NH1	0.49	2.22	48	4
1:A:71:ARG:HG2	1:A:112:PHE:CG	0.49	2.43	5	10
1:A:71:ARG:HA	1:A:88:CYS:HB3	0.49	1.85	13	46
1:A:71:ARG:HG3	1:A:112:PHE:CD1	0.49	2.43	58	2
1:A:51:ASP:OD1	1:A:67:LEU:HD13	0.49	2.08	14	1
1:A:51:ASP:HB3	1:A:67:LEU:CB	0.49	2.37	46	9
1:A:48:ASN:OD1	1:A:74:GLU:CB	0.49	2.61	20	1
1:A:27:GLN:HB3	1:A:30:THR:OG1	0.49	2.08	18	44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:39:TRP:CH2	2:A:114:CHR:H23	0.49	2.43	49	11
1:A:47:CYS:O	1:A:74:GLU:O	0.49	2.31	5	54
1:A:51:ASP:HB2	1:A:67:LEU:HD22	0.49	1.84	24	3
1:A:26:LEU:HG	1:A:61:GLY:O	0.48	2.08	57	60
1:A:71:ARG:HG2	1:A:112:PHE:CD1	0.48	2.43	21	8
1:A:51:ASP:CB	1:A:67:LEU:HB3	0.48	2.38	9	7
1:A:110:ILE:CD1	1:A:112:PHE:CE1	0.48	2.91	4	7
1:A:49:PRO:HG3	1:A:76:PHE:CE2	0.48	2.43	28	11
1:A:19:VAL:HG13	1:A:69:VAL:HG22	0.48	1.85	44	3
1:A:51:ASP:OD2	1:A:67:LEU:CB	0.48	2.62	54	5
1:A:51:ASP:CB	1:A:67:LEU:HB2	0.48	2.39	49	5
1:A:82:ARG:O	1:A:82:ARG:CG	0.48	2.62	44	1
1:A:55:VAL:HG22	1:A:56:THR:N	0.48	2.22	17	8
1:A:94:GLN:HG3	1:A:109:ALA:HA	0.48	1.85	39	41
1:A:78:PHE:HA	2:A:114:CHR:C6	0.48	2.38	53	1
1:A:5:ALA:CA	1:A:22:ALA:O	0.48	2.61	19	25
1:A:51:ASP:OD1	1:A:68:THR:O	0.48	2.32	38	13
1:A:32:TYR:CE1	1:A:105:PRO:HD2	0.48	2.44	22	6
1:A:88:CYS:HB3	1:A:112:PHE:CE1	0.48	2.43	26	2
1:A:75:GLY:O	1:A:76:PHE:C	0.48	2.52	51	58
1:A:51:ASP:OD2	1:A:67:LEU:CD2	0.48	2.57	4	1
1:A:98:SER:HB3	2:A:114:CHR:C21	0.48	2.38	34	6
1:A:32:TYR:CB	1:A:98:SER:O	0.48	2.61	52	3
1:A:36:GLN:OE1	1:A:69:VAL:CA	0.48	2.62	49	38
1:A:78:PHE:HB2	2:A:114:CHR:C7	0.48	2.39	7	59
1:A:110:ILE:CD1	1:A:112:PHE:CE2	0.48	2.96	14	4
1:A:48:ASN:ND2	1:A:50:ALA:CB	0.48	2.77	44	21
1:A:98:SER:OG	2:A:114:CHR:O7	0.48	2.32	27	10
1:A:11:SER:HB2	1:A:111:SER:CB	0.48	2.39	58	3
1:A:52:PHE:CE1	2:A:114:CHR:H311	0.47	2.44	17	1
1:A:35:GLY:HA2	1:A:51:ASP:O	0.47	2.09	11	44
1:A:13:LEU:HD21	1:A:19:VAL:HG12	0.47	1.86	19	17
1:A:15:ASP:HA	1:A:70:ARG:HB3	0.47	1.84	58	27
1:A:70:ARG:O	1:A:71:ARG:O	0.47	2.33	41	20
1:A:48:ASN:OD1	1:A:49:PRO:N	0.47	2.48	49	11
1:A:51:ASP:OD1	1:A:67:LEU:HB2	0.47	2.09	45	2
1:A:36:GLN:OE1	1:A:69:VAL:HA	0.47	2.10	60	37
1:A:46:ALA:HB1	1:A:75:GLY:C	0.47	2.30	10	27
1:A:51:ASP:OD1	1:A:51:ASP:O	0.47	2.33	14	1
1:A:40:VAL:O	1:A:41:ASP:OD1	0.47	2.33	23	3
1:A:32:TYR:HA	1:A:98:SER:O	0.47	2.09	23	39

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:51:ASP:OD2	1:A:67:LEU:HB2	0.47	2.10	23	12
1:A:27:GLN:HB2	1:A:30:THR:CG2	0.47	2.40	23	8
1:A:74:GLU:OE1	1:A:74:GLU:CA	0.47	2.62	56	1
1:A:94:GLN:HA	1:A:108:VAL:O	0.47	2.09	57	4
1:A:30:THR:HG23	1:A:30:THR:O	0.47	2.10	56	1
1:A:5:ALA:HA	1:A:22:ALA:O	0.47	2.09	20	59
1:A:58:ASP:N	1:A:61:GLY:HA2	0.47	2.26	15	60
1:A:73:PHE:N	1:A:73:PHE:HD1	0.47	2.08	58	43
1:A:38:ALA:HB2	1:A:73:PHE:HZ	0.47	1.70	43	4
1:A:50:ALA:O	1:A:51:ASP:OD1	0.47	2.33	59	1
1:A:51:ASP:OD2	1:A:67:LEU:CD1	0.46	2.61	4	1
1:A:34:VAL:O	1:A:34:VAL:HG12	0.46	2.10	24	1
1:A:45:LEU:HD23	2:A:114:CHR:C8	0.46	2.39	53	1
1:A:15:ASP:O	1:A:15:ASP:OD2	0.46	2.34	2	7
1:A:82:ARG:NH1	1:A:82:ARG:CG	0.46	2.79	43	15
1:A:71:ARG:NH1	1:A:71:ARG:CG	0.46	2.79	33	6
1:A:13:LEU:HD13	1:A:69:VAL:CG2	0.46	2.39	59	2
1:A:74:GLU:OE1	1:A:76:PHE:N	0.46	2.49	44	1
1:A:74:GLU:OE1	1:A:76:PHE:CD2	0.46	2.69	44	1
1:A:71:ARG:HG2	1:A:112:PHE:CB	0.46	2.40	44	1
1:A:68:THR:O	1:A:68:THR:HG23	0.46	2.10	49	1
1:A:82:ARG:HG2	1:A:82:ARG:NH1	0.46	2.25	53	1
1:A:7:VAL:HA	1:A:20:LYS:O	0.46	2.11	46	49
1:A:73:PHE:CE1	1:A:93:CYS:SG	0.46	3.08	9	32
1:A:21:VAL:CG1	1:A:34:VAL:CG2	0.46	2.94	22	7
1:A:71:ARG:CG	1:A:112:PHE:CD2	0.46	2.99	7	1
1:A:11:SER:CB	1:A:111:SER:HB2	0.46	2.41	23	7
1:A:79:ASP:O	1:A:79:ASP:OD1	0.46	2.34	54	1
1:A:11:SER:OG	1:A:111:SER:HB2	0.46	2.11	20	24
1:A:71:ARG:O	1:A:88:CYS:SG	0.46	2.74	47	2
1:A:48:ASN:OD1	1:A:48:ASN:C	0.46	2.54	49	12
1:A:49:PRO:HD3	1:A:76:PHE:CD1	0.46	2.46	53	2
1:A:77:LEU:CG	1:A:79:ASP:OD2	0.46	2.64	9	1
1:A:48:ASN:HD21	1:A:50:ALA:HB3	0.46	1.70	41	1
1:A:7:VAL:HG11	1:A:95:VAL:HG11	0.46	1.87	49	2
1:A:58:ASP:OD1	1:A:61:GLY:N	0.46	2.47	57	1
2:A:114:CHR:O6	2:A:114:CHR:C27	0.45	2.64	17	60
1:A:17:THR:OG1	1:A:18:VAL:N	0.45	2.49	48	11
1:A:82:ARG:HG2	1:A:82:ARG:O	0.45	2.11	22	38
1:A:82:ARG:O	1:A:82:ARG:HG2	0.45	2.11	49	18
1:A:71:ARG:CZ	1:A:72:SER:OG	0.45	2.64	39	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:48:ASN:HD22	1:A:50:ALA:HB3	0.45	1.71	42	5
1:A:10:SER:O	1:A:110:ILE:CA	0.45	2.65	34	23
1:A:57:ALA:O	1:A:58:ASP:O	0.45	2.34	33	12
1:A:82:ARG:CG	1:A:82:ARG:NH1	0.45	2.78	44	1
1:A:11:SER:OG	1:A:111:SER:OG	0.45	2.33	36	4
1:A:36:GLN:CB	1:A:69:VAL:HG12	0.45	2.42	38	4
1:A:10:SER:O	1:A:110:ILE:HB	0.45	2.11	5	38
1:A:44:VAL:CG1	1:A:77:LEU:HD11	0.45	2.42	43	2
1:A:71:ARG:HG2	1:A:71:ARG:NH1	0.45	2.27	41	2
1:A:11:SER:CB	1:A:111:SER:OG	0.45	2.65	54	1
1:A:33:ASP:O	1:A:97:LEU:HA	0.45	2.11	8	53
1:A:55:VAL:CG2	1:A:56:THR:N	0.45	2.79	17	24
1:A:82:ARG:NH1	1:A:82:ARG:HG3	0.45	2.27	23	2
1:A:49:PRO:HD3	1:A:74:GLU:CB	0.45	2.42	35	2
1:A:48:ASN:ND2	1:A:49:PRO:HD2	0.45	2.27	55	9
1:A:77:LEU:HB3	1:A:81:THR:O	0.45	2.12	12	17
1:A:27:GLN:CB	1:A:30:THR:HG21	0.45	2.41	23	12
1:A:51:ASP:OD2	1:A:68:THR:C	0.45	2.55	18	4
1:A:48:ASN:OD1	1:A:74:GLU:HB2	0.45	2.12	20	5
1:A:11:SER:CB	1:A:111:SER:HB3	0.45	2.42	29	1
1:A:49:PRO:CD	1:A:74:GLU:HB3	0.45	2.42	44	1
1:A:98:SER:HB2	2:A:114:CHR:C26	0.45	2.42	11	4
1:A:15:ASP:CG	1:A:15:ASP:O	0.44	2.56	48	45
1:A:31:ALA:HA	1:A:56:THR:HA	0.44	1.89	49	54
1:A:15:ASP:O	1:A:15:ASP:CG	0.44	2.55	27	13
1:A:34:VAL:HG13	1:A:53:SER:OG	0.44	2.12	6	3
1:A:52:PHE:CE1	2:A:114:CHR:C31	0.44	3.00	17	1
1:A:39:TRP:HE1	2:A:114:CHR:H182	0.44	1.71	10	4
1:A:71:ARG:NH1	1:A:71:ARG:HG2	0.44	2.27	36	3
1:A:77:LEU:HB2	1:A:81:THR:O	0.44	2.13	53	1
1:A:36:GLN:OE1	1:A:69:VAL:HB	0.44	2.12	24	40
1:A:11:SER:HB3	1:A:111:SER:HG	0.44	1.72	54	1
1:A:48:ASN:OD1	1:A:49:PRO:HD2	0.44	2.13	57	20
1:A:6:THR:OG1	1:A:22:ALA:CB	0.44	2.56	15	3
1:A:71:ARG:CA	1:A:88:CYS:HB2	0.44	2.42	26	1
1:A:47:CYS:HB3	1:A:52:PHE:CE1	0.44	2.48	43	1
1:A:51:ASP:HB3	1:A:67:LEU:HB3	0.44	1.89	9	5
1:A:53:SER:OG	1:A:67:LEU:HD23	0.44	2.13	57	2
1:A:57:ALA:CA	1:A:61:GLY:CA	0.44	2.96	22	18
1:A:13:LEU:O	1:A:14:SER:HB3	0.44	2.13	58	51
1:A:11:SER:HB3	1:A:111:SER:CB	0.44	2.42	17	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:49:PRO:HG3	1:A:76:PHE:CD2	0.44	2.48	50	1
1:A:97:LEU:O	1:A:98:SER:OG	0.44	2.33	51	1
1:A:36:GLN:HG2	1:A:48:ASN:ND2	0.44	2.28	59	1
1:A:97:LEU:O	1:A:98:SER:HB2	0.43	2.13	32	5
1:A:35:GLY:CA	1:A:51:ASP:O	0.43	2.66	24	1
1:A:71:ARG:CD	1:A:71:ARG:N	0.43	2.80	53	1
1:A:78:PHE:CD1	2:A:114:CHR:C2	0.43	3.01	57	5
1:A:51:ASP:HB3	1:A:67:LEU:CD2	0.43	2.41	59	4
1:A:13:LEU:O	1:A:17:THR:HB	0.43	2.13	25	28
1:A:88:CYS:CB	1:A:112:PHE:CE2	0.43	3.02	41	2
1:A:53:SER:O	1:A:54:SER:HB2	0.43	2.13	58	47
1:A:25:GLY:HA2	1:A:60:ASN:OD1	0.43	2.14	20	1
1:A:71:ARG:NH1	1:A:112:PHE:HB3	0.43	2.29	23	3
1:A:49:PRO:HD2	1:A:74:GLU:HB2	0.43	1.91	6	12
1:A:27:GLN:HB2	1:A:30:THR:HG21	0.43	1.90	56	4
1:A:13:LEU:CD2	1:A:19:VAL:CG1	0.43	2.97	43	1
1:A:7:VAL:HG22	1:A:21:VAL:HA	0.43	1.91	47	2
1:A:49:PRO:CD	1:A:76:PHE:CE1	0.43	3.02	31	1
1:A:97:LEU:HD12	1:A:105:PRO:HB2	0.43	1.91	50	1
1:A:18:VAL:HA	1:A:67:LEU:O	0.42	2.14	28	13
1:A:21:VAL:CG1	1:A:34:VAL:HG13	0.42	2.43	24	1
1:A:34:VAL:CG1	1:A:67:LEU:CD2	0.42	2.95	33	2
1:A:78:PHE:HB2	2:A:114:CHR:C8	0.42	2.43	44	2
1:A:26:LEU:O	1:A:27:GLN:C	0.42	2.57	13	37
1:A:19:VAL:O	1:A:67:LEU:HD12	0.42	2.15	10	1
1:A:51:ASP:CB	1:A:67:LEU:CB	0.42	2.98	59	1
1:A:51:ASP:O	1:A:67:LEU:HD23	0.42	2.14	13	5
1:A:27:GLN:O	1:A:57:ALA:CB	0.42	2.55	43	9
1:A:51:ASP:CG	1:A:68:THR:O	0.42	2.57	49	5
1:A:13:LEU:CB	1:A:17:THR:CG2	0.42	2.98	31	8
1:A:67:LEU:CD1	1:A:67:LEU:N	0.42	2.83	5	2
1:A:60:ASN:OD1	1:A:61:GLY:N	0.42	2.52	7	1
1:A:77:LEU:HG	1:A:79:ASP:OD2	0.42	2.14	9	1
1:A:90:THR:OG1	1:A:91:ALA:N	0.42	2.53	26	3
1:A:19:VAL:CG1	1:A:69:VAL:HG21	0.42	2.45	59	2
1:A:98:SER:CB	2:A:114:CHR:C26	0.42	2.96	32	2
1:A:49:PRO:HD3	1:A:74:GLU:HB3	0.42	1.91	59	2
1:A:102:GLY:HA2	2:A:114:CHR:C19	0.42	2.44	3	2
1:A:73:PHE:CE1	1:A:86:VAL:HG12	0.42	2.49	46	4
1:A:40:VAL:O	1:A:41:ASP:OD2	0.42	2.38	40	1
1:A:51:ASP:HB3	1:A:67:LEU:HB2	0.42	1.91	12	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:34:VAL:HG13	1:A:67:LEU:CD2	0.42	2.44	32	2
1:A:35:GLY:HA2	1:A:51:ASP:OD1	0.42	2.15	14	1
1:A:98:SER:OG	2:A:114:CHR:C27	0.42	2.67	23	1
1:A:51:ASP:HA	1:A:67:LEU:HB2	0.42	1.91	41	3
1:A:78:PHE:O	1:A:78:PHE:CG	0.42	2.73	44	1
1:A:78:PHE:CD2	1:A:78:PHE:O	0.41	2.72	23	2
1:A:13:LEU:C	1:A:17:THR:HG21	0.41	2.34	25	1
1:A:11:SER:OG	1:A:111:SER:HB3	0.41	2.14	54	2
1:A:36:GLN:CB	1:A:69:VAL:CG1	0.41	2.98	38	1
1:A:71:ARG:N	1:A:71:ARG:HD3	0.41	2.30	43	1
1:A:74:GLU:OE2	1:A:76:PHE:CE1	0.41	2.73	3	1
1:A:51:ASP:CG	1:A:69:VAL:HG13	0.41	2.34	4	1
1:A:17:THR:O	1:A:68:THR:HA	0.41	2.16	57	6
1:A:30:THR:N	1:A:56:THR:HG23	0.41	2.30	51	4
1:A:13:LEU:HD11	1:A:19:VAL:CG1	0.41	2.44	55	1
1:A:27:GLN:CB	1:A:30:THR:HG22	0.41	2.43	25	6
1:A:50:ALA:HB1	1:A:68:THR:HG23	0.41	1.92	21	1
1:A:26:LEU:O	1:A:60:ASN:O	0.41	2.39	4	1
1:A:26:LEU:HB3	1:A:32:TYR:CE2	0.41	2.50	12	1
1:A:11:SER:HB3	1:A:111:SER:OG	0.41	2.14	54	3
1:A:30:THR:HG21	1:A:32:TYR:CE1	0.41	2.49	12	1
1:A:20:LYS:NZ	1:A:64:SER:HB2	0.41	2.30	20	1
1:A:25:GLY:CA	1:A:60:ASN:OD1	0.41	2.69	20	1
1:A:73:PHE:CE2	1:A:93:CYS:SG	0.41	3.14	50	3
1:A:41:ASP:HB2	1:A:44:VAL:CG2	0.41	2.45	39	10
1:A:87:ASP:CB	1:A:90:THR:HG23	0.41	2.45	26	1
1:A:21:VAL:CG1	1:A:67:LEU:CD1	0.41	2.97	54	1
1:A:60:ASN:CG	1:A:61:GLY:N	0.41	2.73	57	2
1:A:94:GLN:CA	1:A:108:VAL:O	0.41	2.68	57	1
1:A:21:VAL:CG1	1:A:34:VAL:HG22	0.41	2.44	1	1
1:A:98:SER:HB3	2:A:114:CHR:O7	0.41	2.16	20	3
1:A:72:SER:HA	1:A:87:ASP:HA	0.41	1.93	48	1
1:A:82:ARG:O	1:A:82:ARG:HD2	0.41	2.16	58	1
1:A:51:ASP:OD1	1:A:69:VAL:HG12	0.40	2.16	7	1
1:A:22:ALA:HB2	1:A:64:SER:OG	0.40	2.16	22	1
1:A:96:GLY:HA3	1:A:107:GLY:CA	0.40	2.46	22	1
1:A:49:PRO:HG2	1:A:74:GLU:OE1	0.40	2.16	29	1
1:A:71:ARG:N	1:A:71:ARG:CD	0.40	2.84	43	1
1:A:48:ASN:OD1	1:A:49:PRO:CD	0.40	2.69	49	1
1:A:96:GLY:HA3	1:A:107:GLY:HA2	0.40	1.93	32	1
1:A:15:ASP:HA	1:A:70:ARG:HB2	0.40	1.93	49	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:46:ALA:HA	1:A:76:PHE:O	0.40	2.17	27	1
1:A:98:SER:HB2	2:A:114:CHR:O7	0.40	2.17	52	1
1:A:11:SER:HB2	1:A:111:SER:HB3	0.40	1.94	29	1
1:A:26:LEU:HD22	1:A:105:PRO:HG3	0.40	1.92	37	1
1:A:7:VAL:HG22	1:A:21:VAL:CA	0.40	2.46	47	1
1:A:45:LEU:HD23	2:A:114:CHR:C10	0.40	2.45	54	1
1:A:72:SER:HB3	1:A:85:THR:CG2	0.40	2.46	57	1
1:A:23:GLY:N	1:A:63:ALA:O	0.40	2.54	23	1
1:A:57:ALA:CB	1:A:61:GLY:HA2	0.40	2.46	26	1
1:A:18:VAL:HA	1:A:68:THR:HA	0.40	1.94	41	1

6.3 Torsion angles (i)

6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	105/113 (93%)	80±2 (77±2%)	18±2 (17±2%)	7±1 (7±1%)	2 18
All	All	6300/6780 (93%)	4824 (77%)	1056 (17%)	420 (7%)	2 18

All 9 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	27	GLN	60
1	A	28	ALA	60
1	A	58	ASP	60
1	A	105	PRO	60
1	A	14	SER	59
1	A	78	PHE	58
1	A	71	ARG	40
1	A	102	GLY	13
1	A	52	PHE	10

6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	76/80 (95%)	52±2 (68±3%)	24±2 (32±3%)	1 13
All	All	4560/4800 (95%)	3097 (68%)	1463 (32%)	1 13

All 47 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	8	THR	60
1	A	27	GLN	60
1	A	33	ASP	60
1	A	39	TRP	60
1	A	41	ASP	60
1	A	53	SER	60
1	A	67	LEU	60
1	A	72	SER	60
1	A	85	THR	60
1	A	97	LEU	60
1	A	103	ASN	60
1	A	73	PHE	57
1	A	54	SER	55
1	A	14	SER	54
1	A	65	THR	54
1	A	87	ASP	53
1	A	36	GLN	49
1	A	71	ARG	49
1	A	51	ASP	44
1	A	111	SER	44
1	A	82	ARG	42
1	A	55	VAL	36
1	A	52	PHE	33
1	A	98	SER	26
1	A	20	LYS	26
1	A	81	THR	21
1	A	60	ASN	20
1	A	42	THR	18
1	A	26	LEU	18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	79	ASP	14
1	A	11	SER	13
1	A	74	GLU	12
1	A	70	ARG	10
1	A	89	THR	10
1	A	106	GLU	9
1	A	76	PHE	8
1	A	94	GLN	7
1	A	83	TRP	4
1	A	49	PRO	3
1	A	34	VAL	3
1	A	7	VAL	2
1	A	64	SER	2
1	A	30	THR	2
1	A	77	LEU	2
1	A	108	VAL	1
1	A	10	SER	1
1	A	48	ASN	1

6.3.3 RNA (i)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates (i)

There are no monosaccharides in this entry.

6.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is

considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	CHR	A	114	-	48,54,54	1.15±0.01	4±0 (8±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	CHR	A	114	-	55,82,82	1.49±0.01	7±1 (13±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CHR	A	114	-	-	0±0,16,87,87	0±0,6,7,7

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	114	CHR	O10-C33	2.96	1.42	1.46	50	60
2	A	114	CHR	O6-C11	2.91	1.41	1.46	54	60
2	A	114	CHR	C1-C9	2.47	1.46	1.41	44	60
2	A	114	CHR	C8-C7	2.36	1.45	1.42	22	60
2	A	114	CHR	C27-C28	2.09	1.40	1.37	5	15
2	A	114	CHR	C29-C30	2.01	1.40	1.37	18	2

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})	Models	
								Worst	Total
2	A	114	CHR	C11-O6-C20	5.39	109.09	117.14	9	60
2	A	114	CHR	C19-N1-C14	3.91	120.08	114.38	8	60
2	A	114	CHR	C13-O3-C17	3.79	120.18	113.67	37	60
2	A	114	CHR	C4-O2-C5	3.56	63.28	61.40	38	60
2	A	114	CHR	O10-C33-C35	3.23	105.42	102.89	2	60
2	A	114	CHR	C29-C30-C25	2.55	120.29	117.78	54	60
2	A	114	CHR	C24-C25-C30	2.11	119.63	123.66	9	55
2	A	114	CHR	C18-C17-C16	2.04	109.31	113.07	54	14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand CHR A 114



6.7 Other polymers (i)

There are no such molecules in this entry.

6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

7 Chemical shift validation (i)

No chemical shift data were provided