



Full wwPDB EM Validation Report ⓘ

Feb 3, 2022 – 05:55 am GMT

PDB ID : 7OEU
EMDB ID : EMD-12864
Title : Model of open pentamer of the Haliangium ochraceum encapsulin from symmetry expansion of icosahedral single particle reconstruction
Authors : Marles-Wright, J.; Basle, A.; Clarke, D.J.; Ross, J.
Deposited on : 2021-05-04
Resolution : 2.64 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.0.dev97
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.26


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Clashscore | 158937 | 4297 |
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | A | 266 | 12% 85% 15% |
| 1 | B | 266 | 12% 87% 13% |
| 1 | C | 266 | 12% 86% 14% |
| 1 | D | 266 | 11% 86% 14% |
| 1 | E | 266 | 12% 86% 14% |
| 2 | 1 | 131 | 7% 93% |
| 2 | 2 | 131 | 7% 93% |
| 2 | 3 | 131 | 7% 93% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 2 | 4 | 131 |  7% 93% |
| 2 | 5 | 131 |  7% 93% |

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 10465 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Linocin_M18 bacteriocin protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 1 | A | 266 | 2034 | 1290 | 352 | 387 | 5 | 0 | 0 |
| 1 | B | 266 | 2034 | 1290 | 352 | 387 | 5 | 0 | 0 |
| 1 | C | 266 | 2034 | 1290 | 352 | 387 | 5 | 0 | 0 |
| 1 | D | 266 | 2034 | 1290 | 352 | 387 | 5 | 0 | 0 |
| 1 | E | 266 | 2034 | 1290 | 352 | 387 | 5 | 0 | 0 |


- Molecule 2 is a protein called Haliangium ochraceum encapsulated ferritin.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---------|-------|
| | | | Total | C | N | O | | |
| 2 | 1 | 9 | 59 | 36 | 12 | 11 | 0 | 0 |
| 2 | 2 | 9 | 59 | 36 | 12 | 11 | 0 | 0 |
| 2 | 3 | 9 | 59 | 36 | 12 | 11 | 0 | 0 |
| 2 | 4 | 9 | 59 | 36 | 12 | 11 | 0 | 0 |
| 2 | 5 | 9 | 59 | 36 | 12 | 11 | 0 | 0 |


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Linocin_M18 bacteriocin protein




- Molecule 1: Linocin_M18 bacteriocin protein



- Molecule 1: Linocin_M18 bacteriocin protein



- Molecule 1: Linocin_M18 bacteriocin protein



VAL
GLU
HIS
ALA
MET
MET
THR
LEU
GLU
TRP
ALA
ILE
ARG
ARG
ARG
SER
PRO
VAL
PHE
ASP
ALA
HIS
MET
ARG
THR
TYR
LEU
PHE
THR
GLU
ARG
PRO
ILE
LEU
LEU
GLU
GLU
ASP
THR
GLY
SER
SER
SER
VAL
ALA
ALA
SER
PRO
THR
SER
PRO
ALA
HIS
GLI7
R125
GLN

GLU
GLY
LYS
GLU
ASP

- Molecule 2: Haliangium ochraceum encapsulated ferritin

Chain 4:  7% 93%

MET
SER
SER
GLU
GLN
MET
HIS
GLU
PRO
ALA
TRP
ALA
ILE
ARG
LEU
SER
SER
GLU
THR
LYS
ASN
MET
HIS
ARG
ALA
LEU
VAL
THR
LEU
PHE
ILE
GLU
GLU
LEU
GLU
ALA
VAL
ASP
TRP
TYR
GLN
GLN
ASP
ARG
ALA
ASP
ALA
CYS
SER
SER
SER
GLU
PRO
GLY
LEU
HIS
ASP
VAL
ILE
LEU
ASN
LYS
ASN
GLU
GLU

VAL
GLU
HIS
ALA
MET
MET
THR
LEU
GLU
PRO
ALA
TRP
ALA
ILE
ARG
ARG
SER
PRO
VAL
PHE
ASP
ALA
HIS
MET
ARG
ALA
LEU
VAL
THR
LEU
PHE
ILE
GLU
GLU
LEU
GLU
ILE
LEU
ALA
VAL
ASP
TRP
TYR
GLU
GLU
ASP
THR
GLY
SER
SER
SER
VAL
ALA
ALA
SER
PRO
THR
SER
PRO
ALA
HIS
GLI7
R125
GLN

GLU
GLY
LYS
GLU
ASP

- Molecule 2: Haliangium ochraceum encapsulated ferritin

Chain 5:  7% 93%

MET
SER
SER
GLU
GLN
MET
HIS
GLU
PRO
ALA
TRP
ALA
ILE
ARG
LEU
SER
SER
GLU
THR
LYS
ASN
MET
HIS
ARG
ALA
LEU
VAL
THR
LEU
PHE
ILE
GLU
GLU
LEU
GLU
ILE
LEU
ALA
VAL
ASP
TRP
TYR
GLN
GLN
ASP
ARG
ALA
ASP
ALA
CYS
SER
SER
SER
GLU
PRO
GLY
LEU
HIS
ASP
VAL
ILE
LEU
ASN
LYS
ASN
GLU
GLU

VAL
GLU
HIS
ALA
MET
MET
THR
LEU
GLU
PRO
ALA
TRP
ALA
ILE
ARG
ARG
SER
PRO
VAL
PHE
ASP
ALA
HIS
MET
ARG
ALA
LEU
VAL
THR
LEU
PHE
THR
GLU
ARG
PRO
ILE
LEU
LEU
GLU
GLU
ASP
THR
GLY
SER
SER
SER
VAL
ALA
ALA
SER
PRO
THR
SER
PRO
ALA
HIS
GLI7
R125
GLN

GLU
GLY
LYS
GLU
ASP

4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 4987966 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION; CTF correction after motion correction followed by CTF refinement after 3D Refinement. | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 40.509 | Depositor |
| Minimum defocus (nm) | Not provided | |
| Maximum defocus (nm) | Not provided | |
| Magnification | Not provided | |
| Image detector | GATAN K3 (6k x 4k) | Depositor |
| Maximum map value | 0.136 | Depositor |
| Minimum map value | -0.098 | Depositor |
| Average map value | 0.000 | Depositor |
| Map value standard deviation | 0.002 | Depositor |
| Recommended contour level | 0.014 | Depositor |
| Map size (Å) | 375.552, 375.552, 375.552 | wwPDB |
| Map dimensions | 576, 576, 576 | wwPDB |
| Map angles (°) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (Å) | 0.652, 0.652, 0.652 | Depositor |

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|---------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | A | 0.29 | 0/2078 | 0.48 | 0/2828 |
| 1 | B | 0.29 | 0/2078 | 0.48 | 0/2828 |
| 1 | C | 0.29 | 0/2078 | 0.48 | 0/2828 |
| 1 | D | 0.29 | 0/2078 | 0.48 | 0/2828 |
| 1 | E | 0.29 | 0/2078 | 0.48 | 0/2828 |
| 2 | 1 | 0.22 | 0/58 | 0.39 | 0/75 |
| 2 | 2 | 0.22 | 0/58 | 0.39 | 0/75 |
| 2 | 3 | 0.22 | 0/58 | 0.39 | 0/75 |
| 2 | 4 | 0.22 | 0/58 | 0.39 | 0/75 |
| 2 | 5 | 0.22 | 0/58 | 0.39 | 0/75 |
| All | All | 0.29 | 0/10680 | 0.47 | 0/14515 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | A | 2034 | 0 | 2006 | 26 | 0 |
| 1 | B | 2034 | 0 | 2006 | 23 | 0 |
| 1 | C | 2034 | 0 | 2006 | 27 | 0 |
| 1 | D | 2034 | 0 | 2006 | 27 | 0 |
| 1 | E | 2034 | 0 | 2006 | 27 | 0 |
| 2 | 1 | 59 | 0 | 64 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 2 | 2 | 59 | 0 | 64 | 0 | 0 |
| 2 | 3 | 59 | 0 | 64 | 0 | 0 |
| 2 | 4 | 59 | 0 | 64 | 0 | 0 |
| 2 | 5 | 59 | 0 | 64 | 0 | 0 |
| All | All | 10465 | 0 | 10350 | 127 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:B:264:ARG:HG2 | 1:B:265:TYR:H | 1.43 | 0.84 |
| 1:D:264:ARG:HG2 | 1:D:265:TYR:H | 1.43 | 0.83 |
| 1:E:264:ARG:HG2 | 1:E:265:TYR:H | 1.43 | 0.83 |
| 1:A:264:ARG:HG2 | 1:A:265:TYR:H | 1.43 | 0.82 |
| 1:C:264:ARG:HG2 | 1:C:265:TYR:H | 1.43 | 0.81 |
| 1:C:180:LEU:HD21 | 1:C:194:VAL:HG21 | 1.73 | 0.70 |
| 1:E:180:LEU:HD21 | 1:E:194:VAL:HG21 | 1.73 | 0.70 |
| 1:A:180:LEU:HD21 | 1:A:194:VAL:HG21 | 1.73 | 0.70 |
| 1:D:180:LEU:HD21 | 1:D:194:VAL:HG21 | 1.73 | 0.70 |
| 1:B:180:LEU:HD21 | 1:B:194:VAL:HG21 | 1.73 | 0.69 |
| 1:D:34:ARG:NH2 | 1:D:248:GLU:OE1 | 2.25 | 0.69 |
| 1:B:34:ARG:NH2 | 1:B:248:GLU:OE1 | 2.25 | 0.69 |
| 1:C:34:ARG:NH2 | 1:C:248:GLU:OE1 | 2.25 | 0.69 |
| 1:E:34:ARG:NH2 | 1:E:248:GLU:OE1 | 2.25 | 0.69 |
| 1:A:34:ARG:NH2 | 1:A:248:GLU:OE1 | 2.25 | 0.69 |
| 1:A:31:LEU:HD13 | 1:A:34:ARG:HD2 | 1.83 | 0.61 |
| 1:E:31:LEU:HD13 | 1:E:34:ARG:HD2 | 1.83 | 0.60 |
| 1:D:31:LEU:HD13 | 1:D:34:ARG:HD2 | 1.83 | 0.59 |
| 1:B:31:LEU:HD13 | 1:B:34:ARG:HD2 | 1.83 | 0.59 |
| 1:C:31:LEU:HD13 | 1:C:34:ARG:HD2 | 1.83 | 0.59 |
| 1:C:213:LEU:HD11 | 1:C:260:ALA:HB1 | 1.87 | 0.57 |
| 1:B:213:LEU:HD11 | 1:B:260:ALA:HB1 | 1.87 | 0.57 |
| 1:D:213:LEU:HD11 | 1:D:260:ALA:HB1 | 1.87 | 0.56 |
| 1:E:213:LEU:HD11 | 1:E:260:ALA:HB1 | 1.87 | 0.56 |
| 1:A:213:LEU:HD11 | 1:A:260:ALA:HB1 | 1.87 | 0.55 |
| 1:E:62:PRO:HG2 | 1:E:65:VAL:HB | 1.90 | 0.54 |
| 1:B:58:ILE:HD12 | 1:B:67:MET:HG2 | 1.90 | 0.54 |
| 1:D:62:PRO:HG2 | 1:D:65:VAL:HB | 1.89 | 0.54 |
| 1:C:62:PRO:HG2 | 1:C:65:VAL:HB | 1.90 | 0.54 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-----------------|------------------|--------------------------|-------------------|
| 1:D:58:ILE:HD12 | 1:D:67:MET:HG2 | 1.90 | 0.54 |
| 1:A:58:ILE:HD12 | 1:A:67:MET:HG2 | 1.90 | 0.53 |
| 1:C:58:ILE:HD12 | 1:C:67:MET:HG2 | 1.90 | 0.53 |
| 1:C:174:PRO:HA | 1:C:205:ARG:HH12 | 1.74 | 0.53 |
| 1:A:49:ALA:HB1 | 1:A:72:VAL:HG22 | 1.91 | 0.53 |
| 1:E:58:ILE:HD12 | 1:E:67:MET:HG2 | 1.90 | 0.53 |
| 1:E:174:PRO:HA | 1:E:205:ARG:HH12 | 1.74 | 0.53 |
| 1:A:62:PRO:HG2 | 1:A:65:VAL:HB | 1.90 | 0.53 |
| 1:B:174:PRO:HA | 1:B:205:ARG:HH12 | 1.74 | 0.53 |
| 1:E:49:ALA:HB1 | 1:E:72:VAL:HG22 | 1.91 | 0.53 |
| 1:B:49:ALA:HB1 | 1:B:72:VAL:HG22 | 1.91 | 0.52 |
| 1:A:174:PRO:HA | 1:A:205:ARG:HH12 | 1.74 | 0.52 |
| 1:B:174:PRO:HA | 1:B:205:ARG:NH1 | 2.25 | 0.52 |
| 1:B:264:ARG:CG | 1:B:265:TYR:H | 2.20 | 0.52 |
| 1:C:49:ALA:HB1 | 1:C:72:VAL:HG22 | 1.91 | 0.52 |
| 1:D:174:PRO:HA | 1:D:205:ARG:NH1 | 2.25 | 0.52 |
| 1:A:174:PRO:HA | 1:A:205:ARG:NH1 | 2.25 | 0.52 |
| 1:B:62:PRO:HG2 | 1:B:65:VAL:HB | 1.90 | 0.52 |
| 1:D:174:PRO:HA | 1:D:205:ARG:HH12 | 1.74 | 0.51 |
| 1:C:174:PRO:HA | 1:C:205:ARG:NH1 | 2.25 | 0.51 |
| 1:E:174:PRO:HA | 1:E:205:ARG:NH1 | 2.25 | 0.51 |
| 1:E:264:ARG:CG | 1:E:265:TYR:H | 2.20 | 0.50 |
| 1:D:49:ALA:HB1 | 1:D:72:VAL:HG22 | 1.91 | 0.50 |
| 1:B:190:VAL:O | 1:B:194:VAL:HG23 | 2.12 | 0.50 |
| 1:C:190:VAL:O | 1:C:194:VAL:HG23 | 2.12 | 0.50 |
| 1:D:190:VAL:O | 1:D:194:VAL:HG23 | 2.12 | 0.50 |
| 1:A:190:VAL:O | 1:A:194:VAL:HG23 | 2.12 | 0.50 |
| 1:A:98:ASN:OD1 | 1:E:255:LEU:HB3 | 2.11 | 0.49 |
| 1:E:40:ARG:HG3 | 1:E:223:GLU:OE2 | 2.13 | 0.49 |
| 1:A:264:ARG:CG | 1:A:265:TYR:H | 2.20 | 0.49 |
| 1:D:40:ARG:HG3 | 1:D:223:GLU:OE2 | 2.12 | 0.49 |
| 1:A:40:ARG:HG3 | 1:A:223:GLU:OE2 | 2.13 | 0.49 |
| 1:D:264:ARG:CG | 1:D:265:TYR:H | 2.20 | 0.49 |
| 1:C:40:ARG:HG3 | 1:C:223:GLU:OE2 | 2.13 | 0.48 |
| 1:E:190:VAL:O | 1:E:194:VAL:HG23 | 2.12 | 0.48 |
| 1:B:40:ARG:HG3 | 1:B:223:GLU:OE2 | 2.13 | 0.48 |
| 1:A:42:PRO:HA | 1:A:226:VAL:O | 2.14 | 0.47 |
| 1:B:42:PRO:HA | 1:B:226:VAL:O | 2.14 | 0.47 |
| 1:C:42:PRO:HA | 1:C:226:VAL:O | 2.14 | 0.47 |
| 1:C:59:ASP:OD1 | 1:C:60:ASP:N | 2.46 | 0.47 |
| 1:D:193:GLN:O | 1:D:197:LEU:HG | 2.15 | 0.47 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-----------------|------------------|--------------------------|-------------------|
| 1:E:42:PRO:HA | 1:E:226:VAL:O | 2.14 | 0.47 |
| 1:D:42:PRO:HA | 1:D:226:VAL:O | 2.14 | 0.46 |
| 1:A:193:GLN:O | 1:A:197:LEU:HG | 2.15 | 0.46 |
| 1:E:59:ASP:OD1 | 1:E:60:ASP:N | 2.46 | 0.46 |
| 1:C:264:ARG:CG | 1:C:265:TYR:H | 2.20 | 0.46 |
| 1:D:164:VAL:O | 1:D:168:TYR:OH | 2.23 | 0.46 |
| 1:C:193:GLN:O | 1:C:197:LEU:HG | 2.15 | 0.46 |
| 1:A:58:ILE:HD11 | 1:A:69:LEU:HG | 1.98 | 0.45 |
| 1:E:193:GLN:O | 1:E:197:LEU:HG | 2.15 | 0.45 |
| 1:B:193:GLN:O | 1:B:197:LEU:HG | 2.15 | 0.45 |
| 1:C:58:ILE:HD11 | 1:C:69:LEU:HG | 1.98 | 0.45 |
| 1:C:69:LEU:HD23 | 1:C:69:LEU:HA | 1.88 | 0.45 |
| 1:D:83:THR:HG22 | 1:D:243:GLU:HG2 | 1.99 | 0.45 |
| 1:B:58:ILE:HD11 | 1:B:69:LEU:HG | 1.98 | 0.45 |
| 1:E:83:THR:HG22 | 1:E:243:GLU:HG2 | 1.99 | 0.45 |
| 1:A:40:ARG:HG3 | 1:A:223:GLU:CD | 2.37 | 0.45 |
| 1:D:193:GLN:OE1 | 1:E:187:GLY:HA2 | 2.17 | 0.45 |
| 1:B:40:ARG:HG3 | 1:B:223:GLU:CD | 2.38 | 0.45 |
| 1:C:193:GLN:OE1 | 1:D:187:GLY:HA2 | 2.16 | 0.45 |
| 1:D:58:ILE:HD11 | 1:D:69:LEU:HG | 1.98 | 0.45 |
| 1:E:58:ILE:HD11 | 1:E:69:LEU:HG | 1.98 | 0.44 |
| 1:D:40:ARG:HG3 | 1:D:223:GLU:CD | 2.37 | 0.44 |
| 1:C:40:ARG:HG3 | 1:C:223:GLU:CD | 2.38 | 0.44 |
| 1:E:40:ARG:HG3 | 1:E:223:GLU:CD | 2.38 | 0.44 |
| 1:E:149:PRO:O | 1:E:153:LEU:HD23 | 2.18 | 0.43 |
| 1:C:83:THR:HG22 | 1:C:243:GLU:HG2 | 1.99 | 0.43 |
| 1:D:59:ASP:OD1 | 1:D:60:ASP:N | 2.46 | 0.43 |
| 1:D:149:PRO:O | 1:D:153:LEU:HD23 | 2.18 | 0.43 |
| 1:A:83:THR:HG22 | 1:A:243:GLU:HG2 | 1.99 | 0.43 |
| 1:B:83:THR:HG22 | 1:B:243:GLU:HG2 | 1.99 | 0.43 |
| 1:A:59:ASP:OD1 | 1:A:60:ASP:N | 2.46 | 0.43 |
| 1:A:110:ARG:HA | 1:A:110:ARG:HD2 | 1.81 | 0.43 |
| 1:B:149:PRO:O | 1:B:153:LEU:HD23 | 2.19 | 0.43 |
| 1:C:149:PRO:O | 1:C:153:LEU:HD23 | 2.18 | 0.43 |
| 1:B:59:ASP:OD1 | 1:B:60:ASP:N | 2.46 | 0.42 |
| 1:D:82:PHE:HB3 | 1:D:107:ALA:HB2 | 2.01 | 0.42 |
| 1:E:82:PHE:HB3 | 1:E:107:ALA:HB2 | 2.01 | 0.42 |
| 1:A:82:PHE:HB3 | 1:A:107:ALA:HB2 | 2.01 | 0.42 |
| 1:A:149:PRO:O | 1:A:153:LEU:HD23 | 2.18 | 0.42 |
| 1:B:193:GLN:HA | 1:B:196:ARG:HE | 1.85 | 0.42 |
| 1:C:82:PHE:HB3 | 1:C:107:ALA:HB2 | 2.01 | 0.42 |

Continued on next page...

Continued from previous page...

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:E:193:GLN:HA | 1:E:196:ARG:HE | 1.85 | 0.42 |
| 1:B:110:ARG:HD2 | 1:B:110:ARG:HA | 1.81 | 0.41 |
| 1:B:82:PHE:HB3 | 1:B:107:ALA:HB2 | 2.01 | 0.41 |
| 1:C:193:GLN:HA | 1:C:196:ARG:HE | 1.85 | 0.41 |
| 1:A:193:GLN:HA | 1:A:196:ARG:HE | 1.85 | 0.41 |
| 1:D:69:LEU:HD23 | 1:D:69:LEU:HA | 1.88 | 0.41 |
| 1:C:180:LEU:HD23 | 1:C:180:LEU:O | 2.22 | 0.40 |
| 1:D:193:GLN:HA | 1:D:196:ARG:HE | 1.85 | 0.40 |
| 1:C:139:ALA:HB3 | 1:C:264:ARG:NH2 | 2.37 | 0.40 |
| 1:E:264:ARG:HG2 | 1:E:265:TYR:N | 2.24 | 0.40 |
| 1:A:139:ALA:HB3 | 1:A:264:ARG:NH2 | 2.37 | 0.40 |
| 1:A:144:SER:N | 1:A:147:ASP:OD1 | 2.55 | 0.40 |
| 1:E:180:LEU:O | 1:E:180:LEU:HD23 | 2.22 | 0.40 |
| 1:C:159:LEU:HD23 | 1:C:159:LEU:HA | 1.91 | 0.40 |
| 1:D:180:LEU:O | 1:D:180:LEU:HD23 | 2.22 | 0.40 |
| 1:E:6:ARG:HG2 | 1:E:16:TRP:CZ2 | 2.57 | 0.40 |

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|---------|----------|-------------|-----|
| 1 | A | 264/266 (99%) | 256 (97%) | 8 (3%) | 0 | 100 | 100 |
| 1 | B | 264/266 (99%) | 256 (97%) | 8 (3%) | 0 | 100 | 100 |
| 1 | C | 264/266 (99%) | 256 (97%) | 8 (3%) | 0 | 100 | 100 |
| 1 | D | 264/266 (99%) | 256 (97%) | 8 (3%) | 0 | 100 | 100 |
| 1 | E | 264/266 (99%) | 256 (97%) | 8 (3%) | 0 | 100 | 100 |
| 2 | 1 | 7/131 (5%) | 7 (100%) | 0 | 0 | 100 | 100 |
| 2 | 2 | 7/131 (5%) | 7 (100%) | 0 | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|---------|----------|-------------|-----|
| 2 | 3 | 7/131 (5%) | 7 (100%) | 0 | 0 | 100 | 100 |
| 2 | 4 | 7/131 (5%) | 7 (100%) | 0 | 0 | 100 | 100 |
| 2 | 5 | 7/131 (5%) | 7 (100%) | 0 | 0 | 100 | 100 |
| All | All | 1355/1985 (68%) | 1315 (97%) | 40 (3%) | 0 | 100 | 100 |

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|-------------|----------|-------------|-----|
| 1 | A | 208/208 (100%) | 208 (100%) | 0 | 100 | 100 |
| 1 | B | 208/208 (100%) | 208 (100%) | 0 | 100 | 100 |
| 1 | C | 208/208 (100%) | 208 (100%) | 0 | 100 | 100 |
| 1 | D | 208/208 (100%) | 208 (100%) | 0 | 100 | 100 |
| 1 | E | 208/208 (100%) | 208 (100%) | 0 | 100 | 100 |
| 2 | 1 | 6/115 (5%) | 6 (100%) | 0 | 100 | 100 |
| 2 | 2 | 6/115 (5%) | 6 (100%) | 0 | 100 | 100 |
| 2 | 3 | 6/115 (5%) | 6 (100%) | 0 | 100 | 100 |
| 2 | 4 | 6/115 (5%) | 6 (100%) | 0 | 100 | 100 |
| 2 | 5 | 6/115 (5%) | 6 (100%) | 0 | 100 | 100 |
| All | All | 1070/1615 (66%) | 1070 (100%) | 0 | 100 | 100 |

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-12864. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 288




Y Index: 288




Z Index: 288


6.2.2 Raw map



X Index: 288



Y Index: 288




Z Index: 288

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 431




Y Index: 239




Z Index: 164


6.3.2 Raw map



X Index: 423



Y Index: 318




Z Index: 164

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.014. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_12864_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 80 nm³; this corresponds to an approximate mass of 72 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.379 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.379 Å⁻¹

8.2 Resolution estimates [i](#)


| Resolution estimate (Å) | Estimation criterion (FSC cut-off) | | |
|---------------------------|------------------------------------|------|----------|
| | 0.143 | 0.5 | Half-bit |
| Reported by author | 2.64 | - | - |
| Author-provided FSC curve | 2.64 | 2.95 | 2.67 |
| Unmasked-calculated* | 2.64 | 2.95 | 2.67 |

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-12864 and PDB model 7OEU. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.014 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.