

Full wwPDB X-ray Structure Validation Report (i)

Oct 16, 2021 – 08:02 PM EDT

PDB ID	:	1P5W
Title	:	The structures of host range controlling regions of the capside of canine and
		feline parvoviruses and mutants
Authors	:	Agbandje-McKenna, M.; Govindasamy, L.
Deposited on	:	2003-04-28
Resolution	:	3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
wietric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
Clashscore	141614	1205 (3.34-3.26)		
Ramachandran outliers	138981	1183 (3.34-3.26)		
Sidechain outliers	138945	1182 (3.34-3.26)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain				
1	В	11	36%	64%			
2	А	548		77%	20%	• ••	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	3DR	В	1	Х	-	-	-



1P5W

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 4620 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a DNA chain called 5'-D(P*(3DR)P*TP*AP*CP*CP*TP*CP*TP*GP*C)-3'.

Mol	Chain	Residues		Ate	\mathbf{oms}			ZeroOcc	AltConf	Trace
1	В	11	Total 210	C 101	N 30	O 68	Р 11	0	0	0

• Molecule 2 is a protein called Coat protein VP2.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	А	544	Total 4322	C 2747	N 739	O 820	S 16	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	93	ARG	ASN	engineered mutation	UNP P17455

• Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	В	2	Total Mg 2 2	0	0
3	А	2	Total Mg 2 2	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	2	Total O 2 2	0	0
4	А	82	TotalO8282	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: 5'-D(P*(3DR)P*TP*AP*CP*CP*TP*CP*TP*TP*GP*C)-3'

Chain B:	36%	64%	
N1 T2 A3 C4 C5 C7 C7 C7	19 611 611		
• Molecule	2: Coat protein VP2		
Chain A:		77%	20% •••
C37 N47 Q48 N64 S65 S66	V65 R80 R80 R92 R93 R94 R95 R95 R96 R96 R96 R96 R96 R96 R96 R101	1106 1129 1129 1129 1138 1138 1138 1138 1138 1138 1138	E155 E155 ALA THR THR GLN CL17 P160 P160 P160 P185 P185 P185 P185 P185 P187 P185 P187 P187 P187 P187 P185 P187 P185 P185 P185 P185 P185 P185 P185 P185
P199 W200 P205 T206 R209	(213 215 215 216 721 1217 1219 7219 720 720 720 720 720 720 720 720 720 720	P238 D239 D240 V241 V241 V241 V241 V241 V241 V240 C246 F265 F265 F265 F265 F266 F266 F266 F26	N92 1366 1326 1322 1324 1325 1326 1326 1326 1326 1326 1326 1326 1326
Y342 T349 Q350 K354 I357	(360 (362) (362) (365) (375) (6381 1400 1400 1401 1401 1401 1400 1400 14	P423 P423 F435 F444 F444 F444 F444 F446 F446 F446 F44
1469 0470 1484 1484 1488	M493 C494 C495 C495 C495 C496 C496 C497 C497 C497 C52 C52 C52 C52 C539 C539 C539	N554 V555 D556 N555 N557 N557 P563 L578 L583 Y584	



4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	372.42Å 373.02Å 377.08Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 - 3.30	Depositor
% Data completeness	(Not available) $(10.00-3.30)$	Depositor
(in resolution range)		Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.13	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.200 , 0.202	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4620	wwPDB-VP
Average B, all atoms $(Å^2)$	33.0	wwPDB-VP



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, $3\mathrm{DR}$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	В	2.00	6/220~(2.7%)	3.11	32/336~(9.5%)	
2	А	0.49	2/4450~(0.0%)	0.75	4/6085~(0.1%)	
All	All	0.65	8/4670~(0.2%)	1.02	36/6421~(0.6%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	2	0
2	А	1	2
All	All	3	2

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	360	GLY	C-N	-10.82	1.09	1.34
1	В	9	DT	C5-C7	8.91	1.55	1.50
1	В	6	DT	C5-C7	8.48	1.55	1.50
2	А	366	THR	N-CA	-8.19	1.29	1.46
1	В	3	DA	C3'-O3'	7.58	1.53	1.44
1	В	8	DT	C5-C7	7.45	1.54	1.50
1	В	2	DT	C5-C7	7.30	1.54	1.50
1	В	3	DA	C5'-C4'	5.41	1.57	1.51

All (8) bond length outliers are listed below:

All (36) bond angle outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	В	9	DT	N1-C1'-C2'	-14.40	85.24	112.60



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	9	DT	O4'-C1'-N1	13.51	117.46	108.00
1	В	4	DC	O4'-C4'-C3'	12.35	113.41	106.00
1	В	6	DT	N1-C1'-C2'	-12.04	89.72	112.60
1	В	3	DA	P-O3'-C3'	11.86	133.93	119.70
2	А	366	THR	N-CA-CB	9.76	128.83	110.30
1	В	9	DT	O4'-C4'-C3'	9.75	111.85	106.00
1	В	6	DT	O4'-C4'-C3'	9.65	111.79	106.00
1	В	8	DT	C2'-C3'-O3'	9.19	142.92	112.60
1	В	4	DC	C2'-C3'-O3'	8.90	141.96	112.60
1	В	3	DA	C4'-C3'-O3'	8.88	131.90	109.70
1	В	6	DT	P-O3'-C3'	-8.66	109.30	119.70
2	А	360	GLY	C-N-CA	8.46	142.86	121.70
1	В	10	DG	O4'-C4'-C3'	8.10	110.86	106.00
1	В	6	DT	O4'-C1'-N1	7.78	113.44	108.00
1	В	3	DA	O4'-C1'-N9	7.03	112.92	108.00
2	А	360	GLY	O-C-N	-6.98	111.53	122.70
1	В	6	DT	C2'-C3'-O3'	6.32	133.46	112.60
1	В	4	DC	C4'-C3'-C2'	-6.17	97.55	103.10
1	В	6	DT	C1'-O4'-C4'	-6.14	103.96	110.10
1	В	4	DC	P-O3'-C3'	6.08	126.99	119.70
1	В	9	DT	C1'-O4'-C4'	-5.93	104.17	110.10
1	В	6	DT	C6-C5-C7	-5.81	119.41	122.90
2	А	93	ARG	O-C-N	-5.67	113.55	123.20
1	В	7	DC	C2'-C3'-O3'	-5.66	93.91	112.60
1	В	7	DC	C4'-C3'-C2'	5.52	108.07	103.10
1	В	5	DC	C4'-C3'-C2'	-5.50	98.15	103.10
1	В	4	DC	C3'-C2'-C1'	5.48	109.08	102.50
1	В	8	DT	C6-C5-C7	-5.47	119.61	122.90
1	В	9	DT	OP1-P-OP2	-5.41	111.48	119.60
1	В	2	DT	P-O5'-C5'	-5.13	112.70	120.90
1	В	5	DC	N1-C1'-C2'	5.13	122.34	112.60
1	В	9	DT	C4'-C3'-C2'	-5.07	98.54	103.10
1	В	6	DT	O4'-C1'-C2'	5.05	109.94	105.90
1	В	4	DC	05'-P-OP2	-5.04	101.16	105.70
1	В	8	DT	C4-C5-C7	5.04	122.03	119.00

Continued from previous page...

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	В	1	3DR	C4',C3'
2	А	366	THR	CA



All (2) planarity outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Group
2	А	366	THR	Peptide
2	А	93	ARG	Mainchain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	210	0	121	12	0
2	А	4322	0	4124	114	0
3	А	2	0	0	0	0
3	В	2	0	0	0	0
4	А	82	0	0	0	0
4	В	2	0	0	0	0
All	All	4620	0	4245	120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:A:366:THR:CG2	2:A:367:ASP:H	1.17	1.36
2:A:366:THR:CG2	2:A:367:ASP:N	1.74	1.10
2:A:366:THR:HG23	2:A:367:ASP:H	0.94	1.09
2:A:366:THR:HG22	2:A:367:ASP:N	1.30	1.08
2:A:366:THR:HG22	2:A:367:ASP:CA	1.86	1.05
2:A:554:ASN:H	2:A:557:ASN:HD21	1.05	1.04
2:A:193:GLU:HB3	2:A:206:THR:HG21	1.46	0.97
2:A:93:ARG:NH2	2:A:227:GLY:O	1.95	0.97
2:A:557:ASN:HD22	2:A:558:GLN:N	1.72	0.86
2:A:362:GLY:HA2	2:A:366:THR:OG1	1.75	0.85
2:A:92:VAL:HG12	2:A:92:VAL:O	1.78	0.83
2:A:554:ASN:H	2:A:557:ASN:ND2	1.78	0.81
1:B:3:DA:H61	2:A:267:PHE:H	1.26	0.79
2:A:422:LEU:H	2:A:422:LEU:HD23	1.51	0.76



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:A:96:MET:HG2	2:A:220:PRO:HA	1.66	0.76
2:A:101:ILE:HD12	2:A:216:ARG:CZ	2.18	0.74
2:A:214:TRP:O	2:A:350:GLN:HG2	1.88	0.73
1:B:3:DA:N6	2:A:267:PHE:H	1.87	0.73
2:A:366:THR:HG22	2:A:367:ASP:HA	1.69	0.72
2:A:443:ASN:H	2:A:446:ASN:HD22	1.37	0.72
1:B:10:DG:H2"	1:B:11:DC:O5'	1.91	0.71
2:A:554:ASN:N	2:A:557:ASN:HD21	1.87	0.67
2:A:177:LEU:HD22	2:A:263:THR:HG22	1.78	0.65
1:B:7:DC:OP1	2:A:180:ASN:ND2	2.31	0.64
2:A:443:ASN:HD22	2:A:445:THR:H	1.47	0.63
2:A:422:LEU:HA	2:A:423:PRO:C	2.20	0.62
2:A:349:THR:HG22	2:A:350:GLN:HG3	1.81	0.62
2:A:99:ASP:CG	2:A:216:ARG:HH21	2.02	0.61
2:A:361:ARG:HG2	2:A:362:GLY:N	2.15	0.61
2:A:133:MET:CE	2:A:539:LEU:HD23	2.30	0.60
2:A:326:THR:H	2:A:329:THR:HB	1.66	0.60
2:A:349:THR:CG2	2:A:350:GLN:HG3	2.32	0.60
2:A:457:LEU:HD23	2:A:457:LEU:N	2.17	0.60
2:A:557:ASN:HD22	2:A:557:ASN:C	2.05	0.59
2:A:213:GLN:HG3	2:A:240:ASP:HB2	1.85	0.58
2:A:562:VAL:HG13	2:A:563:PRO:HD2	1.86	0.58
2:A:238:PRO:HA	2:A:241:VAL:HG23	1.86	0.57
2:A:360:GLY:HA3	2:A:375:ASN:ND2	2.19	0.57
1:B:3:DA:C8	2:A:493:ASN:HB3	2.40	0.57
2:A:193:GLU:CB	2:A:206:THR:HG21	2.28	0.57
2:A:361:ARG:CG	2:A:362:GLY:N	2.68	0.57
2:A:129:ILE:O	2:A:133:MET:HB2	2.05	0.56
2:A:133:MET:HG3	2:A:537:ALA:HB1	1.86	0.56
2:A:322:THR:HG21	2:A:420:PHE:HD2	1.71	0.55
2:A:376:PRO:HG2	2:A:400:TYR:HB3	1.88	0.55
2:A:422:LEU:HD23	2:A:422:LEU:N	2.21	0.54
2:A:443:ASN:ND2	2:A:445:THR:H	2.04	0.54
2:A:324:TYR:O	2:A:329:THR:HG21	2.08	0.53
2:A:336:VAL:O	2:A:408:ARG:NH2	2.41	0.53
1:B:2:DT:H4'	1:B:2:DT:OP1	2.08	0.53
2:A:319:MET:HE3	2:A:329:THR:HG23	1.91	0.53
2:A:199:PRO:HG2	2:A:200:TRP:CE3	2.44	0.52
2:A:133:MET:HE1	2:A:539:LEU:HD23	1.92	0.52
2:A:133:MET:HE3	2:A:539:LEU:HD23	1.91	0.52
2:A:48:GLN:O	2:A:64:ASN:HB2	2.10	0.51

Continued from previous page...



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:A:213:GLN:HG3	2:A:240:ASP:CB	2.40	0.51
2:A:460:VAL:HG11	2:A:484:VAL:HA	1.92	0.51
2:A:435:PRO:HB3	2:A:439:LYS:O	2.10	0.51
2:A:133:MET:HE1	2:A:539:LEU:CD2	2.41	0.51
2:A:118:GLY:CA	2:A:465:PRO:HB2	2.42	0.50
2:A:69:VAL:CG1	2:A:205:PRO:HD3	2.41	0.50
2:A:133:MET:HE3	2:A:539:LEU:HA	1.94	0.50
2:A:216:ARG:NH1	2:A:231:ASN:OD1	2.42	0.50
2:A:133:MET:CG	2:A:537:ALA:HB1	2.41	0.50
1:B:10:DG:C2'	1:B:11:DC:O5'	2.57	0.49
2:A:292:ASN:HB2	2:A:306:ILE:O	2.11	0.49
2:A:422:LEU:H	2:A:422:LEU:CD2	2.25	0.48
2:A:138:LEU:HG	2:A:268:PHE:CD2	2.49	0.48
2:A:422:LEU:N	2:A:422:LEU:CD2	2.76	0.48
2:A:366:THR:HG23	2:A:367:ASP:N	1.77	0.48
2:A:368:GLU:H	2:A:401:ILE:CD1	2.27	0.48
2:A:185:PHE:CD2	2:A:187:PRO:HD3	2.48	0.48
2:A:319:MET:CE	2:A:329:THR:HG23	2.44	0.48
2:A:382:ARG:NH2	2:A:392:GLY:O	2.46	0.48
1:B:3:DA:C2	1:B:9:DT:H73	2.49	0.47
2:A:340:ALA:HB3	2:A:357:ILE:HD12	1.94	0.47
2:A:557:ASN:HD22	2:A:558:GLN:H	1.58	0.47
2:A:66:SER:HA	2:A:529:TRP:O	2.14	0.46
2:A:92:VAL:O	2:A:92:VAL:CG1	2.50	0.46
2:A:199:PRO:HG2	2:A:200:TRP:HE3	1.80	0.46
2:A:469:ILE:O	2:A:487:PRO:HD2	2.16	0.46
2:A:216:ARG:NH2	2:A:218:LEU:HD22	2.31	0.45
2:A:365:GLN:OE1	2:A:409:TYR:CD1	2.69	0.45
2:A:365:GLN:OE1	2:A:409:TYR:CE1	2.68	0.45
2:A:443:ASN:ND2	2:A:445:THR:N	2.64	0.45
2:A:215:ASP:HB2	2:A:234:HIS:HB2	1.98	0.45
2:A:92:VAL:O	2:A:93:ARG:O	2.35	0.44
2:A:380:PHE:CD1	2:A:380:PHE:N	2.85	0.44
2:A:368:GLU:HA	2:A:371:ALA:HB2	2.00	0.44
1:B:2:DT:O2	2:A:179:SER:HA	2.18	0.44
2:A:218:LEU:HD13	2:A:231:ASN:OD1	2.18	0.44
2:A:365:GLN:OE1	2:A:409:TYR:CZ	2.71	0.44
2:A:142:GLU:HB3	2:A:265:THR:HA	2.00	0.43
2:A:459:ASN:HD21	2:A:487:PRO:HA	1.83	0.43
2:A:266:PHE:CD1	2:A:495:PRO:HG3	2.54	0.43
2:A:150:LEU:HG	2:A:525:SER:HB2	1.99	0.43

Continued from previous page...



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:A:557:ASN:ND2	2:A:557:ASN:C	2.71	0.43
2:A:339:SER:O	2:A:449:ASN:HA	2.19	0.43
2:A:362:GLY:HA2	2:A:366:THR:CB	2.48	0.42
2:A:410:PRO:HA	2:A:413:ASP:OD2	2.20	0.42
2:A:130:VAL:CG1	2:A:578:LEU:HD22	2.49	0.42
2:A:261:PHE:CD1	2:A:261:PHE:C	2.93	0.42
2:A:497:GLN:HE21	2:A:497:GLN:HB2	1.60	0.42
1:B:3:DA:N6	2:A:267:PHE:N	2.61	0.41
2:A:365:GLN:OE1	2:A:409:TYR:CG	2.74	0.41
2:A:104:GLN:HE21	2:A:106:VAL:HG22	1.85	0.41
2:A:323:ASN:N	2:A:323:ASN:HD22	2.19	0.41
2:A:470:TRP:HA	2:A:488:PHE:O	2.19	0.41
1:B:7:DC:H2'	1:B:8:DT:C6	2.55	0.41
1:B:10:DG:H2'	1:B:11:DC:C6	2.56	0.41
2:A:443:ASN:ND2	2:A:445:THR:HG23	2.36	0.41
2:A:583:LEU:HD23	2:A:583:LEU:C	2.41	0.41
2:A:366:THR:HG21	2:A:401:ILE:HD13	2.02	0.41
2:A:365:GLN:OE1	2:A:409:TYR:CD2	2.74	0.41
2:A:368:GLU:H	2:A:401:ILE:HD11	1.86	0.41
2:A:422:LEU:HB2	2:A:423:PRO:HA	2.03	0.40
2:A:149:VAL:C	2:A:150:LEU:HD12	2.41	0.40
2:A:322:THR:C	2:A:323:ASN:HD22	2.25	0.40
2:A:118:GLY:HA3	2:A:465:PRO:HB2	2.02	0.40
2:A:443:ASN:O	2:A:446:ASN:HB2	2.21	0.40

Continued from previous page..

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
2	А	540/548~(98%)	505~(94%)	31~(6%)	4 (1%)	22	54



All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	А	367	ASP
2	А	93	ARG
2	А	371	ALA
2	А	94	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	А	473/476~(99%)	454 (96%)	19 (4%)	31 61

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	А	47	ASN
2	А	80	ARG
2	А	93	ARG
2	А	96	MET
2	А	133	MET
2	А	191	ARG
2	А	209	ARG
2	А	216	ARG
2	А	230	THR
2	А	270	CYS
2	А	342	TYR
2	А	349	THR
2	А	354	LYS
2	А	367	ASP
2	А	422	LEU
2	А	465	PRO
2	А	517	ASN
2	А	555	VAL
2	А	557	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17)



\mathbf{Mol}	Chain	Res	Type
2	А	104	GLN
2	А	242	GLN
2	А	248	ASN
2	А	309	GLN
2	А	323	ASN
2	А	350	GLN
2	А	375	ASN
2	А	403	HIS
2	А	428	ASN
2	А	443	ASN
2	А	446	ASN
2	А	466	ASN
2	А	491	GLN
2	A	492	ASN
2	А	517	ASN
2	А	557	ASN
2	A	560	ASN

such sidechains are listed below:

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tuno	Chain	Dog	Link	B	ond leng	gths	E	ond ang	gles
	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
1	3DR	В	1	1	8,11,12	6.49	3 (37%)	$9,\!14,\!17$	12.01	6 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.



'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	3DR	В	1	1	2/2/3/3	2/3/15/16	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	1	3DR	O3'-C3'	-12.13	1.17	1.43
1	В	1	3DR	C2'-C3'	12.08	1.73	1.52
1	В	1	3DR	C3'-C4'	6.47	1.70	1.53

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	1	3DR	O3'-C3'-C2'	25.35	171.90	111.54
1	В	1	3DR	C1'-C2'-C3'	-20.52	80.05	103.20
1	В	1	3DR	O4'-C4'-C3'	-11.07	87.43	103.73
1	В	1	3DR	C5'-C4'-C3'	7.34	157.88	114.74
1	В	1	3DR	C2'-C3'-C4'	-6.97	88.32	102.75
1	В	1	3DR	O3'-C3'-C4'	-2.86	99.16	110.10

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	В	1	3DR	C4'
1	В	1	3DR	C3'

All (2) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
1	В	1	3DR	C3'-C4'-C5'-O5'
1	В	1	3DR	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	А	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	А	360:GLY	С	361:ARG	Ν	1.09



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

