



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 1, 2023 – 10:58 AM EDT

PDB ID : 3P7X  
Title : Crystal structure of an atypical two-cysteine peroxiredoxin (SAOUHSC\_01822) from *Staphylococcus aureus* NCTC8325  
Authors : Bhattacharyya, S.; Dutta, D.; Ghosh, A.K.; Das, A.K.  
Deposited on : 2010-10-13  
Resolution : 1.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	166	 4% 87% 11% ..
1	B	166	 2% 86% 11% ..
1	C	166	 2% 81% 17% ..
1	D	166	 3% 88% 10% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	DTU	D	166	-	X	-	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5757 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable thiol peroxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	166	1273	806	208	255	4	0	0	0
1	B	163	1259	797	208	251	3	0	0	0
1	C	163	1270	803	212	252	3	0	1	0
1	D	163	1259	797	208	251	3	0	0	0

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q2FXL3
A	0	SER	-	expression tag	UNP Q2FXL3
B	-1	GLY	-	expression tag	UNP Q2FXL3
B	0	SER	-	expression tag	UNP Q2FXL3
C	-1	GLY	-	expression tag	UNP Q2FXL3
C	0	SER	-	expression tag	UNP Q2FXL3
D	-1	GLY	-	expression tag	UNP Q2FXL3
D	0	SER	-	expression tag	UNP Q2FXL3

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula:  $C_8H_{18}O_5$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	8	5		
3	A	1	Total	C	O	0	0
			13	8	5		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	8	5		
3	A	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			13	8	5		
3	B	1	Total	C	O	0	0
			13	8	5		
3	C	1	Total	C	O	0	0
			13	8	5		
3	C	1	Total	C	O	0	0
			13	8	5		
3	C	1	Total	C	O	0	0
			13	8	5		
3	C	1	Total	C	O	0	0
			13	8	5		
3	C	1	Total	C	O	0	0
			13	8	5		
3	C	1	Total	C	O	0	0
			13	8	5		
3	D	1	Total	C	O	0	0
			13	8	5		

- Molecule 4 is (2S,3S)-1,4-DIMERCAPTOBUTANE-2,3-DIOL (three-letter code: DTV) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>2</sub>S<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
4	A	1	8	4	2	2	0	0

- Molecule 5 is (2R,3S)-1,4-DIMERCAPTOBUTANE-2,3-DIOL (three-letter code: DTU) (formula:  $C_4H_{10}O_2S_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
5	D	1	8	4	2	2	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	120	Total 120	O 120	0	0
6	B	113	Total 113	O 113	0	0
6	C	135	Total 135	O 135	0	0
6	D	107	Total 107	O 107	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Probable thiol peroxidase




- Molecule 1: Probable thiol peroxidase



- Molecule 1: Probable thiol peroxidase



- Molecule 1: Probable thiol peroxidase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	43.50Å 149.36Å 73.74Å 90.00° 104.43° 90.00°	Depositor
Resolution (Å)	19.85 – 1.96 19.85 – 1.96	Depositor EDS
% Data completeness (in resolution range)	92.7 (19.85-1.96) 92.8 (19.85-1.96)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.69 (at 1.96Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.168 , 0.206 0.173 , 0.209	Depositor DCC
$R_{free}$ test set	3072 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.5	Xtrriage
Anisotropy	0.398	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 46.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.047 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	5757	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.43% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PG4, SO4, DTU, DTV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.18	0/1294	0.95	2/1753 (0.1%)
1	B	1.23	2/1280 (0.2%)	0.96	2/1735 (0.1%)
1	C	1.20	3/1291 (0.2%)	0.95	4/1749 (0.2%)
1	D	1.11	0/1280	0.93	2/1735 (0.1%)
All	All	1.18	5/5145 (0.1%)	0.94	10/6972 (0.1%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	92	TRP	CB-CG	7.19	1.63	1.50
1	C	29	VAL	CB-CG2	6.50	1.66	1.52
1	B	92	TRP	CB-CG	5.92	1.60	1.50
1	B	101	VAL	CB-CG1	5.34	1.64	1.52
1	C	129	ALA	CA-CB	5.09	1.63	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	128	ARG	NE-CZ-NH2	-6.37	117.11	120.30
1	D	124	ARG	NE-CZ-NH2	-6.18	117.21	120.30
1	D	164	ILE	CB-CA-C	-6.14	99.33	111.60
1	B	108	ARG	NE-CZ-NH2	-5.79	117.41	120.30
1	C	128	ARG	NE-CZ-NH1	5.55	123.07	120.30
1	C	73	LYS	CD-CE-NZ	-5.45	99.18	111.70
1	B	134	ASP	CB-CG-OD1	5.44	123.20	118.30
1	A	26	ASP	CB-CG-OD1	5.33	123.10	118.30
1	A	103	THR	OG1-CB-CG2	5.27	122.13	110.00
1	C	55	ILE	CB-CA-C	-5.26	101.08	111.60

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1273	0	1250	19	0
1	B	1259	0	1237	21	0
1	C	1270	0	1249	20	0
1	D	1259	0	1237	13	0
2	A	5	0	0	0	0
2	C	5	0	0	0	0
3	A	52	0	72	3	0
3	B	39	0	54	5	0
3	C	91	0	126	7	0
3	D	13	0	18	0	0
4	A	8	0	10	3	0
5	D	8	0	10	0	0
6	A	120	0	0	4	0
6	B	113	0	0	3	0
6	C	135	0	0	3	0
6	D	107	0	0	1	0
All	All	5757	0	5263	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:91:ARG:NH1	1:D:91:ARG:HG2	1.81	0.95
1:D:12:HIS:HD2	1:D:122:GLU:OE2	1.53	0.91
1:A:36:GLN:HB2	6:A:234:HOH:O	1.73	0.86
1:C:58:GLY:H	3:C:171:PG4:C7	1.90	0.84
1:A:89:GLN:HB3	1:A:103:THR:HG23	1.60	0.83
4:A:170:DTV:H4C1	1:C:124:ARG:HH21	1.43	0.82
1:C:58:GLY:H	3:C:171:PG4:H71	1.45	0.78
1:B:57:THR:HB	3:B:167:PG4:H21	1.64	0.78

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:GLN:HB3	1:A:103:THR:CG2	2.14	0.77
1:A:107:HIS:HD2	6:C:181:HOH:O	1.71	0.73
1:A:100:ASN:HB2	6:A:312:HOH:O	1.90	0.72
1:D:12:HIS:CD2	1:D:122:GLU:OE2	2.42	0.72
1:B:107:HIS:HD2	6:D:170:HOH:O	1.74	0.71
1:B:91:ARG:HH12	1:D:91:ARG:HG2	1.55	0.70
1:A:8:GLY:HA2	3:A:167:PG4:H22	1.75	0.68
6:A:174:HOH:O	1:C:107:HIS:HD2	1.78	0.67
1:A:8:GLY:CA	3:A:167:PG4:H22	2.25	0.66
1:A:68:ASN:HD22	1:A:73:LYS:HE2	1.60	0.66
4:A:170:DTV:C4	1:C:124:ARG:HH21	2.08	0.66
1:C:134:ASP:HA	1:C:164:ILE:HD13	1.79	0.64
1:A:68:ASN:HD22	1:A:73:LYS:CE	2.10	0.64
1:A:72:SER:OG	1:A:75:GLU:HG2	1.99	0.63
1:B:91:ARG:NH1	6:B:745:HOH:O	2.32	0.61
1:B:91:ARG:CZ	6:B:745:HOH:O	2.49	0.60
1:B:91:ARG:HH11	1:D:91:ARG:HG2	1.65	0.60
1:C:47:LYS:NZ	1:C:137:ASN:HD21	2.01	0.59
1:B:91:ARG:NH1	1:D:91:ARG:CG	2.62	0.58
1:C:2:THR:HA	1:C:13:LEU:HD12	1.86	0.56
4:A:170:DTV:H4C1	1:C:124:ARG:NH2	2.17	0.56
1:A:68:ASN:ND2	1:A:73:LYS:HE2	2.19	0.55
1:C:58:GLY:H	3:C:171:PG4:H72	1.72	0.55
1:C:58:GLY:N	3:C:171:PG4:H71	2.20	0.55
1:B:140:VAL:HG21	1:B:164:ILE:HD11	1.91	0.52
1:B:34:LEU:HD22	1:B:86:PRO:HG2	1.91	0.52
1:B:34:LEU:CD2	1:B:86:PRO:HG2	2.40	0.52
1:C:33:ASP:O	1:C:34:LEU:HB2	2.09	0.52
1:B:91:ARG:CZ	6:B:744:HOH:O	2.57	0.51
1:C:55:ILE:HG13	1:C:84:ASP:OD2	2.11	0.51
1:A:45:LYS:HG2	3:A:168:PG4:H31	1.91	0.51
1:C:66:LYS:HD2	3:C:170:PG4:H42	1.93	0.50
1:B:128:ARG:HD3	1:B:152:PRO:HD3	1.94	0.49
1:B:85:LEU:HD22	1:D:84:ASP:HA	1.96	0.48
1:D:52:VAL:HB	1:D:60:CYS:SG	2.54	0.48
1:D:45:LYS:O	1:D:47:LYS:HD3	2.14	0.47
1:B:57:THR:CB	3:B:167:PG4:H21	2.40	0.47
1:A:89:GLN:HB3	1:A:103:THR:HG21	1.96	0.47
1:C:25:PRO:HG2	1:C:116:TYR:CE2	2.50	0.47
1:B:6:PHE:CE2	3:B:165:PG4:H52	2.50	0.46
1:A:100:ASN:CB	6:A:312:HOH:O	2.58	0.46

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:169:PG4:H82	6:C:184:HOH:O	2.15	0.45
1:C:57:THR:HB	3:C:171:PG4:H72	1.98	0.44
1:D:132:VAL:HB	1:D:141:TYR:HB3	2.00	0.44
1:A:55:ILE:HG13	1:A:84:ASP:OD2	2.17	0.44
1:B:26:ASP:OD1	1:B:39:LEU:HB3	2.18	0.43
1:A:52:VAL:HB	1:A:60:CYS:SG	2.59	0.42
1:A:100:ASN:ND2	1:A:100:ASN:H	2.17	0.42
1:C:55:ILE:HG13	1:C:55:ILE:H	1.65	0.42
1:B:24:ALA:HB1	1:B:116:TYR:OH	2.20	0.42
1:D:47:LYS:NZ	1:D:137:ASN:HD21	2.18	0.42
1:C:132:VAL:HB	1:C:141:TYR:HB3	2.02	0.41
1:D:55:ILE:HD12	1:D:56:ASP:N	2.36	0.41
1:C:5:THR:HA	1:C:9:GLY:O	2.20	0.41
1:A:14:LYS:HA	1:A:14:LYS:HD2	1.91	0.41
1:D:91:ARG:HE	1:D:91:ARG:HB2	1.64	0.41
1:B:25:PRO:HG2	1:B:116:TYR:CE2	2.56	0.41
1:A:110:LEU:O	1:A:114:GLU:HG2	2.22	0.41
1:B:59:VAL:H	3:B:167:PG4:H22	1.85	0.40
1:B:59:VAL:HG23	3:B:167:PG4:O2	2.21	0.40
1:C:91:ARG:HD2	6:C:397:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	164/166 (99%)	162 (99%)	2 (1%)	0	100	100
1	B	161/166 (97%)	160 (99%)	1 (1%)	0	100	100
1	C	162/166 (98%)	159 (98%)	3 (2%)	0	100	100
1	D	161/166 (97%)	160 (99%)	1 (1%)	0	100	100
All	All	648/664 (98%)	641 (99%)	7 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	138/139 (99%)	134 (97%)	4 (3%)	42	31
1	B	137/139 (99%)	135 (98%)	2 (2%)	65	60
1	C	138/139 (99%)	135 (98%)	3 (2%)	52	44
1	D	137/139 (99%)	134 (98%)	3 (2%)	52	44
All	All	550/556 (99%)	538 (98%)	12 (2%)	52	44

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	GLU
1	A	14	LYS
1	A	99	ASP
1	A	103	THR
1	B	85	LEU
1	B	91	ARG
1	C	3	GLU
1	C	55	ILE
1	C	75	GLU
1	D	47	LYS
1	D	99	ASP
1	D	162	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	ASN
1	A	107	HIS
1	A	115	ASN
1	B	107	HIS
1	C	35	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	107	HIS
1	C	137	ASN
1	D	12	HIS
1	D	16	GLN
1	D	137	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	PG4	D	165	-	12,12,12	0.82	0	11,11,11	0.95	1 (9%)
4	DTV	A	170	-	7,7,7	0.84	0	4,8,8	1.61	1 (25%)
5	DTU	D	166	-	7,7,7	0.81	0	4,8,8	2.00	2 (50%)
3	PG4	C	167	-	12,12,12	0.57	0	11,11,11	0.33	0
3	PG4	C	166	-	12,12,12	0.56	0	11,11,11	0.49	0
3	PG4	A	166	-	12,12,12	0.56	0	11,11,11	0.65	0
3	PG4	C	171	-	12,12,12	0.70	0	11,11,11	0.57	0
3	PG4	B	167	-	12,12,12	0.58	0	11,11,11	1.02	1 (9%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PG4	A	167	-	12,12,12	0.63	0	11,11,11	0.69	0
3	PG4	C	169	-	12,12,12	0.54	0	11,11,11	0.58	0
3	PG4	C	170	-	12,12,12	0.81	0	11,11,11	0.71	0
2	SO4	A	165	-	4,4,4	0.11	0	6,6,6	0.27	0
3	PG4	A	168	-	12,12,12	0.61	0	11,11,11	0.72	0
3	PG4	C	172	-	12,12,12	0.57	0	11,11,11	0.61	0
3	PG4	A	169	-	12,12,12	0.53	0	11,11,11	0.60	0
3	PG4	B	166	-	12,12,12	0.71	0	11,11,11	0.56	0
3	PG4	C	168	-	12,12,12	0.65	0	11,11,11	0.87	0
2	SO4	C	165	-	4,4,4	0.18	0	6,6,6	0.71	0
3	PG4	B	165	-	12,12,12	0.62	0	11,11,11	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PG4	C	169	-	-	7/10/10/10	-
3	PG4	D	165	-	-	7/10/10/10	-
3	PG4	C	171	-	-	7/10/10/10	-
3	PG4	A	169	-	-	4/10/10/10	-
3	PG4	B	166	-	-	6/10/10/10	-
3	PG4	C	168	-	-	5/10/10/10	-
3	PG4	B	165	-	-	6/10/10/10	-
4	DTV	A	170	-	-	7/8/8/8	-
3	PG4	C	170	-	-	5/10/10/10	-
3	PG4	B	167	-	-	5/10/10/10	-
5	DTU	D	166	-	-	8/8/8/8	-
3	PG4	A	166	-	-	6/10/10/10	-
3	PG4	A	168	-	-	3/10/10/10	-
3	PG4	C	167	-	-	4/10/10/10	-
3	PG4	C	166	-	-	0/10/10/10	-
3	PG4	C	172	-	-	10/10/10/10	-
3	PG4	A	167	-	-	5/10/10/10	-

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	166	DTU	O3-C3-C2	-3.14	103.27	109.72
4	A	170	DTV	C3-C4-S4	-2.72	106.56	114.47
3	B	167	PG4	O3-C5-C6	-2.38	99.67	110.39
3	D	165	PG4	O2-C2-C1	2.33	120.32	110.07
5	D	166	DTU	O2-C2-C3	-2.21	105.19	109.72

There are no chirality outliers.

All (95) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	170	DTV	S1-C1-C2-O2
4	A	170	DTV	S1-C1-C2-C3
4	A	170	DTV	C2-C3-C4-S4
4	A	170	DTV	O3-C3-C4-S4
5	D	166	DTU	S1-C1-C2-O2
5	D	166	DTU	S1-C1-C2-C3
5	D	166	DTU	C1-C2-C3-O3
5	D	166	DTU	C1-C2-C3-C4
5	D	166	DTU	O2-C2-C3-O3
5	D	166	DTU	O2-C2-C3-C4
5	D	166	DTU	C2-C3-C4-S4
5	D	166	DTU	O3-C3-C4-S4
3	C	171	PG4	C5-C6-O4-C7
3	B	167	PG4	C8-C7-O4-C6
3	D	165	PG4	C1-C2-O2-C3
3	C	168	PG4	C8-C7-O4-C6
3	C	169	PG4	O2-C3-C4-O3
3	C	172	PG4	O2-C3-C4-O3
3	D	165	PG4	O2-C3-C4-O3
3	B	166	PG4	O3-C5-C6-O4
3	C	171	PG4	O3-C5-C6-O4
3	C	169	PG4	O3-C5-C6-O4
3	B	165	PG4	O4-C7-C8-O5
3	C	167	PG4	O4-C7-C8-O5
3	C	168	PG4	O1-C1-C2-O2
3	C	171	PG4	O1-C1-C2-O2
3	D	165	PG4	O4-C7-C8-O5
3	B	165	PG4	O2-C3-C4-O3
3	D	165	PG4	C4-C3-O2-C2
3	A	167	PG4	O1-C1-C2-O2
3	C	172	PG4	O1-C1-C2-O2
3	D	165	PG4	O3-C5-C6-O4
3	B	167	PG4	O3-C5-C6-O4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	170	PG4	O2-C3-C4-O3
3	A	167	PG4	O3-C5-C6-O4
3	C	171	PG4	O2-C3-C4-O3
3	A	169	PG4	O2-C3-C4-O3
3	C	170	PG4	O3-C5-C6-O4
3	B	166	PG4	O2-C3-C4-O3
3	A	167	PG4	C5-C6-O4-C7
3	B	165	PG4	O1-C1-C2-O2
3	A	166	PG4	O1-C1-C2-O2
3	D	165	PG4	O1-C1-C2-O2
3	C	167	PG4	O2-C3-C4-O3
3	C	169	PG4	O4-C7-C8-O5
3	C	169	PG4	C5-C6-O4-C7
3	C	169	PG4	C4-C3-O2-C2
3	C	170	PG4	C6-C5-O3-C4
3	A	169	PG4	C5-C6-O4-C7
3	B	166	PG4	C5-C6-O4-C7
3	C	171	PG4	C1-C2-O2-C3
3	C	167	PG4	C1-C2-O2-C3
3	B	165	PG4	C1-C2-O2-C3
3	C	168	PG4	C6-C5-O3-C4
3	B	167	PG4	C4-C3-O2-C2
3	C	171	PG4	C8-C7-O4-C6
3	D	165	PG4	C3-C4-O3-C5
3	B	166	PG4	C8-C7-O4-C6
3	A	166	PG4	C8-C7-O4-C6
3	C	170	PG4	C1-C2-O2-C3
3	B	167	PG4	C6-C5-O3-C4
4	A	170	DTV	C1-C2-C3-C4
3	C	172	PG4	C8-C7-O4-C6
3	A	169	PG4	O4-C7-C8-O5
3	C	169	PG4	C6-C5-O3-C4
3	A	166	PG4	C3-C4-O3-C5
3	B	166	PG4	C4-C3-O2-C2
3	C	172	PG4	C6-C5-O3-C4
3	C	169	PG4	C8-C7-O4-C6
3	C	168	PG4	O3-C5-C6-O4
3	A	168	PG4	O4-C7-C8-O5
3	A	167	PG4	C8-C7-O4-C6
3	A	169	PG4	O1-C1-C2-O2
3	C	172	PG4	C3-C4-O3-C5
3	C	172	PG4	O4-C7-C8-O5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	C	172	PG4	C5-C6-O4-C7
3	C	172	PG4	O3-C5-C6-O4
3	C	172	PG4	C4-C3-O2-C2
3	C	171	PG4	C4-C3-O2-C2
3	A	168	PG4	C4-C3-O2-C2
3	B	166	PG4	O4-C7-C8-O5
4	A	170	DTV	C1-C2-C3-O3
3	C	172	PG4	C1-C2-O2-C3
3	B	165	PG4	C5-C6-O4-C7
3	A	166	PG4	C6-C5-O3-C4
3	C	167	PG4	C4-C3-O2-C2
3	A	168	PG4	C3-C4-O3-C5
3	C	170	PG4	C5-C6-O4-C7
3	A	166	PG4	O4-C7-C8-O5
4	A	170	DTV	O2-C2-C3-O3
3	B	165	PG4	C3-C4-O3-C5
3	A	167	PG4	C3-C4-O3-C5
3	C	168	PG4	C4-C3-O2-C2
3	B	167	PG4	C3-C4-O3-C5
3	A	166	PG4	C1-C2-O2-C3

There are no ring outliers.

8 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	170	DTV	3	0
3	C	171	PG4	5	0
3	B	167	PG4	4	0
3	A	167	PG4	2	0
3	C	169	PG4	1	0
3	C	170	PG4	1	0
3	A	168	PG4	1	0
3	B	165	PG4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	166/166 (100%)	-0.14	6 (3%) 42 52	18, 26, 45, 59	0
1	B	163/166 (98%)	-0.21	3 (1%) 68 76	17, 24, 38, 49	0
1	C	163/166 (98%)	-0.24	3 (1%) 68 76	14, 25, 44, 61	0
1	D	163/166 (98%)	-0.13	5 (3%) 49 58	18, 27, 45, 60	0
All	All	655/664 (98%)	-0.18	17 (2%) 56 65	14, 26, 44, 61	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	74	GLU	3.6
1	D	74	GLU	3.6
1	A	99	ASP	3.6
1	C	10	PRO	3.5
1	B	75	GLU	3.5
1	D	2	THR	3.3
1	A	-1	GLY	3.1
1	A	75	GLU	3.0
1	D	100	ASN	2.7
1	B	74	GLU	2.6
1	B	12	HIS	2.5
1	A	100	ASN	2.4
1	D	99	ASP	2.4
1	A	163	ASN	2.3
1	C	12	HIS	2.3
1	D	49	ILE	2.2
1	C	2	THR	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	PG4	B	166	13/13	0.59	0.25	61,63,72,74	0
3	PG4	C	170	13/13	0.63	0.20	58,62,68,69	0
3	PG4	C	172	13/13	0.63	0.24	63,67,72,72	0
3	PG4	C	167	13/13	0.64	0.29	41,54,74,75	0
3	PG4	C	169	13/13	0.66	0.26	49,74,77,77	0
3	PG4	D	165	13/13	0.66	0.26	62,64,66,66	0
3	PG4	A	169	13/13	0.67	0.31	56,64,81,82	0
3	PG4	B	167	13/13	0.76	0.28	61,69,75,77	0
3	PG4	A	167	13/13	0.77	0.16	52,56,60,63	0
3	PG4	C	171	13/13	0.77	0.24	38,62,76,77	0
3	PG4	C	168	13/13	0.79	0.18	51,58,61,63	0
3	PG4	B	165	13/13	0.79	0.17	70,72,78,78	0
5	DTU	D	166	8/8	0.83	0.18	60,64,67,71	0
4	DTV	A	170	8/8	0.84	0.25	65,68,69,70	0
3	PG4	A	168	13/13	0.84	0.23	59,64,66,67	0
3	PG4	A	166	13/13	0.86	0.14	45,48,55,56	0
2	SO4	A	165	5/5	0.88	0.21	106,106,107,108	0
3	PG4	C	166	13/13	0.96	0.11	38,42,44,44	0
2	SO4	C	165	5/5	0.97	0.15	62,63,65,65	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.