



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 4, 2023 – 07:34 PM EDT

PDB ID : 6P8M
Title : Crystal Structure of Antibody P-p3b3 A60C Heavy Chain in Complex with 426c HIV-1 gp120 core G459C
Authors : Weidle, C.; Pancera, M.
Deposited on : 2019-06-07
Resolution : 3.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.59 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 11337 atoms, of which 5469 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gp120.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|---------|-------|---|
| | | | Total | C | H | N | O | | | | S |
| 1 | C | 333 | 4960 | 1597 | 2410 | 438 | 492 | 23 | 0 | 0 | 0 |

- Molecule 2 is a protein called P-p3b3 Heavy Chain.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace | |
|-----|-------|----------|-------|------|------|-----|-----|---------|---------|-------|---|
| | | | Total | C | H | N | O | | | | S |
| 2 | H | 216 | 3212 | 1032 | 1575 | 283 | 314 | 8 | 0 | 0 | 0 |

- Molecule 3 is a protein called P-p3b3 Light Chain.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace | |
|-----|-------|----------|-------|-----|------|-----|-----|---------|---------|-------|---|
| | | | Total | C | H | N | O | | | | S |
| 3 | L | 204 | 2706 | 900 | 1255 | 246 | 299 | 6 | 0 | 0 | 0 |

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.


| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|----|----|---|----|---------|---------|-------|
| | | | Total | C | H | N | O | | | |
| 4 | A | 5 | 117 | 34 | 56 | 2 | 25 | 0 | 0 | 0 |

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf | |
|-----|-------|----------|-------|---|----|---|---------|---------|---|
| | | | Total | C | H | N | | | O |
| 5 | C | 1 | Total | C | H | N | O | 0 | 0 |
| | | | 28 | 8 | 14 | 1 | 5 | | |
| 5 | C | 1 | Total | C | H | N | O | 0 | 0 |
| | | | 28 | 8 | 14 | 1 | 5 | | |
| 5 | C | 1 | Total | C | H | N | O | 0 | 0 |
| | | | 28 | 8 | 14 | 1 | 5 | | |
| 5 | C | 1 | Total | C | H | N | O | 0 | 0 |
| | | | 28 | 8 | 14 | 1 | 5 | | |
| 5 | C | 1 | Total | C | H | N | O | 0 | 0 |
| | | | 27 | 8 | 13 | 1 | 5 | | |
| 5 | C | 1 | Total | C | H | N | O | 0 | 0 |
| | | | 28 | 8 | 14 | 1 | 5 | | |
| 5 | C | 1 | Total | C | H | N | O | 0 | 0 |
| | | | 28 | 8 | 14 | 1 | 5 | | |

- Molecule 6 is AMMONIUM ION (three-letter code: NH4) (formula: H₄N).




| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|---|---|---------|---------|
| 6 | C | 1 | Total | H | N | 0 | 0 |
| | | | 5 | 4 | 1 | | |
| 6 | C | 1 | Total | H | N | 0 | 0 |
| | | | 5 | 4 | 1 | | |
| 6 | C | 1 | Total | H | N | 0 | 0 |
| | | | 5 | 4 | 1 | | |
| 6 | L | 1 | Total | H | N | 0 | 0 |
| | | | 5 | 4 | 1 | | |

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|---|---|---|---------|---------|
| 7 | C | 1 | Total | C | H | O | 0 | 0 |
| | | | 10 | 2 | 6 | 2 | | |
| 7 | C | 1 | Total | C | H | O | 0 | 0 |
| | | | 10 | 2 | 6 | 2 | | |

- Molecule 8 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|---|----|---|---------|---------|
| 8 | C | 1 | Total | C | H | O | 0 | 0 |
| | | | 17 | 4 | 10 | 3 | | |
| 8 | H | 1 | Total | C | H | O | 0 | 0 |
| | | | 17 | 4 | 10 | 3 | | |

- Molecule 9 is SODIUM ION (three-letter code: NA) (formula: Na).

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---------|---------|
| 9 | C | 3 | Total | Na | 0 | 0 |
| | | | 3 | 3 | | |
| 9 | H | 1 | Total | Na | 0 | 0 |
| | | | 1 | 1 | | |

- Molecule 10 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---------|---------|
| 10 | C | 1 | Total | Cl | 0 | 0 |
| | | | 1 | 1 | | |

- Molecule 11 is water.

| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|----------------|---------|---------|
| 11 | C | 7 | Total O 7 7 | 0 | 0 |
| 11 | L | 5 | Total O 5 5 | 0 | 0 |

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

| Property | Value | Source |
|--|---|-----------|
| Space group | C 2 2 2 | Depositor |
| Cell constants a, b, c, α , β , γ | 146.80Å 176.75Å 108.57Å 90.00° 90.00° 90.00° | Depositor |
| Resolution (Å) | 50.00 – 3.59 | Depositor |
| % Data completeness (in resolution range) | 68.7 (50.00-3.59) | Depositor |
| R_{merge} | (Not available) | Depositor |
| R_{sym} | (Not available) | Depositor |
| $\langle I/\sigma(I) \rangle$ ¹ | 2.97 (at 3.57Å) | Xtrriage |
| Refinement program | PHENIX (1.15.2_3472) | Depositor |
| R, R_{free} | 0.232 , 0.268 | Depositor |
| Wilson B-factor (Å ²) | 80.8 | Xtrriage |
| Anisotropy | 0.599 | Xtrriage |
| L-test for twinning ² | $\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$ | Xtrriage |
| Estimated twinning fraction | No twinning to report. | Xtrriage |
| Total number of atoms | 11337 | wwPDB-VP |
| Average B, all atoms (Å ²) | 104.0 | wwPDB-VP |

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 4 | NAG | A | 1 | 4,1 | 14,14,15 | 1.95 | 3 (21%) | 17,19,21 | 1.38 | 3 (17%) |
| 4 | NAG | A | 2 | 4 | 14,14,15 | 1.92 | 3 (21%) | 17,19,21 | 1.06 | 1 (5%) |
| 4 | BMA | A | 3 | 4 | 11,11,12 | 1.78 | 2 (18%) | 15,15,17 | 1.50 | 3 (20%) |
| 4 | MAN | A | 4 | 4 | 11,11,12 | 1.88 | 3 (27%) | 15,15,17 | 1.07 | 1 (6%) |
| 4 | MAN | A | 5 | 4 | 11,11,12 | 1.78 | 3 (27%) | 15,15,17 | 0.97 | 1 (6%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 4 | NAG | A | 1 | 4,1 | - | 0/6/23/26 | 0/1/1/1 |
| 4 | NAG | A | 2 | 4 | - | 2/6/23/26 | 0/1/1/1 |
| 4 | BMA | A | 3 | 4 | - | 2/2/19/22 | 0/1/1/1 |
| 4 | MAN | A | 4 | 4 | - | 2/2/19/22 | 1/1/1/1 |
| 4 | MAN | A | 5 | 4 | - | 0/2/19/22 | 1/1/1/1 |

All (14) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|-------|-------------|----------|
| 4 | A | 4 | MAN | O5-C1 | 5.04 | 1.51 | 1.43 |
| 4 | A | 5 | MAN | O5-C1 | 4.67 | 1.51 | 1.43 |
| 4 | A | 3 | BMA | O5-C1 | 4.59 | 1.51 | 1.43 |
| 4 | A | 1 | NAG | O5-C1 | 4.45 | 1.50 | 1.43 |
| 4 | A | 2 | NAG | O5-C1 | 4.29 | 1.50 | 1.43 |
| 4 | A | 2 | NAG | C7-N2 | 3.89 | 1.47 | 1.34 |
| 4 | A | 1 | NAG | C7-N2 | 3.87 | 1.47 | 1.34 |
| 4 | A | 3 | BMA | C2-C3 | -2.90 | 1.48 | 1.52 |
| 4 | A | 1 | NAG | C2-N2 | 2.53 | 1.50 | 1.46 |
| 4 | A | 2 | NAG | C2-N2 | 2.44 | 1.50 | 1.46 |
| 4 | A | 4 | MAN | C2-C3 | -2.40 | 1.49 | 1.52 |
| 4 | A | 5 | MAN | C2-C3 | -2.30 | 1.49 | 1.52 |
| 4 | A | 5 | MAN | O5-C5 | 2.16 | 1.47 | 1.43 |
| 4 | A | 4 | MAN | O5-C5 | 2.05 | 1.47 | 1.43 |

All (9) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|------|-------------|----------|
| 4 | A | 3 | BMA | C3-C4-C5 | 3.56 | 116.59 | 110.24 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 4 | A | 1 | NAG | O5-C1-C2 | 2.86 | 115.80 | 111.29 |
| 4 | A | 4 | MAN | C1-C2-C3 | 2.74 | 113.03 | 109.67 |
| 4 | A | 3 | BMA | O3-C3-C4 | -2.62 | 104.29 | 110.35 |
| 4 | A | 3 | BMA | C6-C5-C4 | -2.56 | 107.01 | 113.00 |
| 4 | A | 1 | NAG | C8-C7-N2 | 2.54 | 120.40 | 116.10 |
| 4 | A | 5 | MAN | C1-C2-C3 | 2.53 | 112.77 | 109.67 |
| 4 | A | 2 | NAG | C8-C7-N2 | 2.31 | 120.01 | 116.10 |
| 4 | A | 1 | NAG | C2-N2-C7 | -2.05 | 119.99 | 122.90 |

There are no chirality outliers.

All (6) torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------|
| 4 | A | 4 | MAN | O5-C5-C6-O6 |
| 4 | A | 4 | MAN | C4-C5-C6-O6 |
| 4 | A | 3 | BMA | C4-C5-C6-O6 |
| 4 | A | 3 | BMA | O5-C5-C6-O6 |
| 4 | A | 2 | NAG | C4-C5-C6-O6 |
| 4 | A | 2 | NAG | O5-C5-C6-O6 |

All (2) ring outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------------|
| 4 | A | 4 | MAN | C1-C2-C3-C4-C5-O5 |
| 4 | A | 5 | MAN | C1-C2-C3-C4-C5-O5 |

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



4.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 4 are modelled with single atom and 5 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | # $ Z > 2$ | Counts | RMSZ | # $ Z > 2$ |
| 5 | NAG | C | 1424 | 1 | 14,14,15 | 1.83 | 3 (21%) | 17,19,21 | 1.23 | 3 (17%) |
| 5 | NAG | C | 1423 | 1 | 14,14,15 | 1.93 | 3 (21%) | 17,19,21 | 1.09 | 2 (11%) |
| 7 | EDO | C | 1406 | - | 3,3,3 | 0.47 | 0 | 2,2,2 | 0.31 | 0 |
| 5 | NAG | C | 1419 | 1 | 14,14,15 | 2.13 | 4 (28%) | 17,19,21 | 1.97 | 3 (17%) |
| 5 | NAG | C | 1420 | 1 | 14,14,15 | 1.91 | 3 (21%) | 17,19,21 | 1.04 | 1 (5%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 5 | NAG | C | 1417 | 1 | 14,14,15 | 1.96 | 3 (21%) | 17,19,21 | 1.70 | 4 (23%) |
| 5 | NAG | C | 1418 | 1 | 14,14,15 | 1.91 | 3 (21%) | 17,19,21 | 1.05 | 2 (11%) |
| 7 | EDO | C | 1405 | - | 3,3,3 | 0.47 | 0 | 2,2,2 | 0.29 | 0 |
| 8 | PEG | C | 1407 | - | 6,6,6 | 0.48 | 0 | 5,5,5 | 0.30 | 0 |
| 5 | NAG | C | 1401 | 1 | 14,14,15 | 2.07 | 4 (28%) | 17,19,21 | 1.51 | 5 (29%) |
| 5 | NAG | C | 1422 | 1 | 14,14,15 | 1.99 | 3 (21%) | 17,19,21 | 1.23 | 2 (11%) |
| 8 | PEG | H | 301 | - | 6,6,6 | 0.48 | 0 | 5,5,5 | 0.27 | 0 |
| 5 | NAG | C | 1421 | 1 | 14,14,15 | 1.93 | 3 (21%) | 17,19,21 | 1.09 | 2 (11%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-----------|---------|
| 5 | NAG | C | 1424 | 1 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | C | 1423 | 1 | - | 2/6/23/26 | 0/1/1/1 |
| 7 | EDO | C | 1406 | - | - | 0/1/1/1 | - |
| 5 | NAG | C | 1419 | 1 | - | 4/6/23/26 | 0/1/1/1 |
| 5 | NAG | C | 1420 | 1 | - | 1/6/23/26 | 0/1/1/1 |
| 5 | NAG | C | 1417 | 1 | - | 6/6/23/26 | 0/1/1/1 |
| 5 | NAG | C | 1418 | 1 | - | 2/6/23/26 | 0/1/1/1 |
| 7 | EDO | C | 1405 | - | - | 0/1/1/1 | - |
| 8 | PEG | C | 1407 | - | - | 2/4/4/4 | - |
| 5 | NAG | C | 1401 | 1 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | C | 1422 | 1 | - | 1/6/23/26 | 0/1/1/1 |
| 8 | PEG | H | 301 | - | - | 1/4/4/4 | - |
| 5 | NAG | C | 1421 | 1 | - | 2/6/23/26 | 0/1/1/1 |

All (29) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|------|-------------|----------|
| 5 | C | 1419 | NAG | O5-C1 | 5.18 | 1.52 | 1.43 |
| 5 | C | 1401 | NAG | O5-C1 | 4.88 | 1.51 | 1.43 |
| 5 | C | 1422 | NAG | O5-C1 | 4.57 | 1.51 | 1.43 |
| 5 | C | 1417 | NAG | O5-C1 | 4.50 | 1.50 | 1.43 |
| 5 | C | 1418 | NAG | O5-C1 | 4.32 | 1.50 | 1.43 |
| 5 | C | 1423 | NAG | O5-C1 | 4.31 | 1.50 | 1.43 |
| 5 | C | 1421 | NAG | O5-C1 | 4.28 | 1.50 | 1.43 |
| 5 | C | 1420 | NAG | O5-C1 | 4.21 | 1.50 | 1.43 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|------|-------------|----------|
| 5 | C | 1417 | NAG | C7-N2 | 4.01 | 1.48 | 1.34 |
| 5 | C | 1424 | NAG | O5-C1 | 3.98 | 1.50 | 1.43 |
| 5 | C | 1424 | NAG | C7-N2 | 3.98 | 1.48 | 1.34 |
| 5 | C | 1419 | NAG | C7-N2 | 3.90 | 1.47 | 1.34 |
| 5 | C | 1420 | NAG | C7-N2 | 3.89 | 1.47 | 1.34 |
| 5 | C | 1418 | NAG | C7-N2 | 3.89 | 1.47 | 1.34 |
| 5 | C | 1423 | NAG | C7-N2 | 3.87 | 1.47 | 1.34 |
| 5 | C | 1421 | NAG | C7-N2 | 3.83 | 1.47 | 1.34 |
| 5 | C | 1422 | NAG | C7-N2 | 3.83 | 1.47 | 1.34 |
| 5 | C | 1401 | NAG | C7-N2 | 3.75 | 1.47 | 1.34 |
| 5 | C | 1401 | NAG | C2-N2 | 2.72 | 1.50 | 1.46 |
| 5 | C | 1419 | NAG | C2-N2 | 2.63 | 1.50 | 1.46 |
| 5 | C | 1422 | NAG | C2-N2 | 2.61 | 1.50 | 1.46 |
| 5 | C | 1417 | NAG | C2-N2 | 2.58 | 1.50 | 1.46 |
| 5 | C | 1421 | NAG | C2-N2 | 2.48 | 1.50 | 1.46 |
| 5 | C | 1420 | NAG | C2-N2 | 2.46 | 1.50 | 1.46 |
| 5 | C | 1423 | NAG | C2-N2 | 2.36 | 1.50 | 1.46 |
| 5 | C | 1418 | NAG | C2-N2 | 2.24 | 1.50 | 1.46 |
| 5 | C | 1419 | NAG | O5-C5 | 2.22 | 1.47 | 1.43 |
| 5 | C | 1401 | NAG | O5-C5 | 2.10 | 1.47 | 1.43 |
| 5 | C | 1424 | NAG | C2-N2 | 2.06 | 1.49 | 1.46 |

All (24) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|-------|-------------|----------|
| 5 | C | 1419 | NAG | C1-O5-C5 | 5.67 | 119.88 | 112.19 |
| 5 | C | 1417 | NAG | C8-C7-N2 | 4.88 | 124.36 | 116.10 |
| 5 | C | 1401 | NAG | C1-O5-C5 | 3.05 | 116.32 | 112.19 |
| 5 | C | 1419 | NAG | O5-C5-C6 | 2.64 | 111.33 | 107.20 |
| 5 | C | 1401 | NAG | O5-C5-C6 | 2.61 | 111.29 | 107.20 |
| 5 | C | 1419 | NAG | C8-C7-N2 | 2.59 | 120.48 | 116.10 |
| 5 | C | 1424 | NAG | C8-C7-N2 | 2.43 | 120.21 | 116.10 |
| 5 | C | 1417 | NAG | O7-C7-N2 | -2.41 | 117.52 | 121.95 |
| 5 | C | 1422 | NAG | C8-C7-N2 | 2.33 | 120.04 | 116.10 |
| 5 | C | 1422 | NAG | C1-O5-C5 | 2.33 | 115.34 | 112.19 |
| 5 | C | 1420 | NAG | C8-C7-N2 | 2.32 | 120.03 | 116.10 |
| 5 | C | 1424 | NAG | C2-N2-C7 | -2.28 | 119.66 | 122.90 |
| 5 | C | 1421 | NAG | C8-C7-N2 | 2.27 | 119.94 | 116.10 |
| 5 | C | 1418 | NAG | C8-C7-N2 | 2.25 | 119.92 | 116.10 |
| 5 | C | 1424 | NAG | C3-C4-C5 | 2.25 | 114.25 | 110.24 |
| 5 | C | 1418 | NAG | C2-N2-C7 | -2.24 | 119.71 | 122.90 |
| 5 | C | 1423 | NAG | C8-C7-N2 | 2.22 | 119.86 | 116.10 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|-------|-------------|----------|
| 5 | C | 1401 | NAG | C8-C7-N2 | 2.15 | 119.74 | 116.10 |
| 5 | C | 1417 | NAG | C2-N2-C7 | 2.14 | 125.95 | 122.90 |
| 5 | C | 1417 | NAG | O7-C7-C8 | -2.12 | 118.12 | 122.06 |
| 5 | C | 1401 | NAG | C6-C5-C4 | -2.11 | 108.07 | 113.00 |
| 5 | C | 1423 | NAG | C2-N2-C7 | -2.10 | 119.92 | 122.90 |
| 5 | C | 1401 | NAG | C1-C2-N2 | -2.09 | 106.91 | 110.49 |
| 5 | C | 1421 | NAG | C2-N2-C7 | -2.05 | 119.98 | 122.90 |

There are no chirality outliers.

All (21) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|-------------|
| 5 | C | 1419 | NAG | O5-C5-C6-O6 |
| 5 | C | 1419 | NAG | C4-C5-C6-O6 |
| 5 | C | 1419 | NAG | C1-C2-N2-C7 |
| 5 | C | 1417 | NAG | C8-C7-N2-C2 |
| 5 | C | 1417 | NAG | O7-C7-N2-C2 |
| 5 | C | 1418 | NAG | O5-C5-C6-O6 |
| 5 | C | 1423 | NAG | C4-C5-C6-O6 |
| 5 | C | 1423 | NAG | O5-C5-C6-O6 |
| 5 | C | 1420 | NAG | O5-C5-C6-O6 |
| 5 | C | 1417 | NAG | C4-C5-C6-O6 |
| 5 | C | 1421 | NAG | C4-C5-C6-O6 |
| 8 | C | 1407 | PEG | C4-C3-O2-C2 |
| 5 | C | 1418 | NAG | C4-C5-C6-O6 |
| 8 | H | 301 | PEG | O1-C1-C2-O2 |
| 5 | C | 1417 | NAG | O5-C5-C6-O6 |
| 5 | C | 1419 | NAG | C3-C2-N2-C7 |
| 5 | C | 1421 | NAG | O5-C5-C6-O6 |
| 5 | C | 1422 | NAG | O5-C5-C6-O6 |
| 5 | C | 1417 | NAG | C1-C2-N2-C7 |
| 8 | C | 1407 | PEG | O1-C1-C2-O2 |
| 5 | C | 1417 | NAG | C3-C2-N2-C7 |

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues

There are no chain breaks in this entry.

5 Fit of model and data [i](#)

5.1 Protein, DNA and RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates [i](#)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands [i](#)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers [i](#)

EDS failed to run properly - this section is therefore empty.