



Full wwPDB EM Validation Report ⓘ

Oct 10, 2022 – 05:37 pm BST

PDB ID : 7PAK
EMDB ID : EMD-13275
Title : 70S ribosome with EF-Tu-tRNA and P-site tRNA in *Mycoplasma pneumoniae* cells
Authors : Xue, L.; Lenz, S.; Rappsilber, J.; Mahamid, J.
Deposited on : 2021-07-30
Resolution : 5.30 Å (reported)
Based on initial models : 7OOD, 4V7C, 4V5L, 7OOC

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 5.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	48	98%
2	1	59	100%
3	2	37	100%
4	9	394	77% 99%
5	A	294	14% 81% 18%
6	B	273	11% 78% 21%
7	C	205	16% 98%
8	D	219	7% 70% 30%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	E	215	18% 77% 22%
10	F	155	17% 99% ..
11	G	142	16% 98% ..
12	H	132	17% 97% .
13	I	108	14% 94% 6%
14	J	121	12% 94% 6%
15	K	139	12% 96% ..
16	L	124	16% 95% 5%
17	M	61	8% 98% .
18	N	86	14% 97% .
19	O	94	9% 84% 15%
20	P	85	12% 98% .
21	Q	104	8% 62% 38%
22	R	87	21% 97% .
23	S	87	7% 89% 11%
24	T	60	13% 88% 12%
25	a	287	. 99% .
26	b	287	5% 79% 20%
27	c	212	8% 99% .
28	d	180	18% 97% .
29	e	184	15% 96% .
30	f	149	68% 96% ..
31	g	161	27% 73% .. 22%
32	h	137	48% 93% 7%
33	i	146	5% 98% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	j	122	8% 100%
35	k	151	97% ..
36	l	139	6% 96% ..
37	m	124	5% 96% .
38	n	116	9% 95% ..
39	o	119	6% 97% .
40	p	127	90% 10%
41	q	100	10% 99% .
42	r	159	87% 13%
43	s	237	39% 61%
44	t	111	29% 100%
45	u	104	82% 17%
46	v	65	6% 97% .
47	w	111	90% 10%
48	x	97	8% 45% 55%
49	y	57	95% ..
50	z	53	92% 6%
51	3	2907	61% 38% ..
52	4	108	58% 39% .
53	5	1520	60% 38% .
54	6	76	33% 66% 33% .
54	7	76	66% 33% .

2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 149141 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	47	380	236	81	61	2	0	0

- Molecule 2 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	59	477	300	99	77	1	0	0

- Molecule 3 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	37	304	189	65	46	4	0	0

- Molecule 4 is a protein called Elongation factor Tu.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	9	393	3021	1892	533	583	13	0	0

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	A	240	1921	1226	334	352	9	0	0

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	B	215	1698	1073	313	307	5	0	0

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	C	203	1660	1051	314	290	5	0	0

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	D	153	1173	742	226	202	3	0	0

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	E	167	1362	857	240	263	2	0	0

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	F	154	1246	785	239	216	6	0	0

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	G	141	1110	723	193	192	2	0	0

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	H	128	1028	655	191	181	1	0	0

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	I	101	809	523	142	143	1	0	0

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	J	114	Total	C	N	O	S	0	0
			829	514	153	156	6		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	K	136	Total	C	N	O	S	0	0
			1076	680	213	181	2		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	L	118	Total	C	N	O	S	0	0
			951	594	191	166			

- Molecule 17 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	M	60	Total	C	N	O	S	0	0
			474	302	96	72	4		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	N	83	Total	C	N	O	S	0	0
			673	428	125	120			

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	O	80	Total	C	N	O	S	0	0
			646	414	119	111	2		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	P	83	Total	C	N	O	S	0	0
			675	425	135	115			

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Q	65	Total	C	N	O	S	0	0
			535	342	103	86	4		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	R	84	Total	C	N	O	S	0	0
			682	435	127	118	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	S	77	Total	C	N	O	0	0
			629	383	135	111		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	T	53	Total	C	N	O	S	0	0
			471	295	103	72	1		

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	a	285	Total	C	N	O	S	0	0
			2225	1385	437	397	6		

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	b	229	Total	C	N	O	S	0	0
			1762	1119	318	318	7		

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	c	210	Total	C	N	O	S	0	0
			1644	1047	297	297	3		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	d	175	1388	893	245	246	4	0	0

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	e	176	1396	899	247	250		0	0

- Molecule 30 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	f	145	1160	746	204	207	3	0	0

- Molecule 31 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	g	126	960	612	167	178	3	0	0

- Molecule 32 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	h	128	959	616	160	177	6	0	0

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	i	144	1164	737	213	209	5	0	0

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	j	122	944	595	178	167	4	0	0

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	k	148	Total	C	N	O	0	0
			1153	731	226	196		

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	l	136	Total	C	N	O	S	0	0
			1079	694	196	182	7		

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	m	119	Total	C	N	O	S	0	0
			958	609	175	171	3		

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	n	112	Total	C	N	O	S	0	0
			889	557	175	155	2		

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	o	115	Total	C	N	O	S	0	0
			938	592	180	165	1		

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	p	114	Total	C	N	O	S	0	0
			947	603	188	154	2		

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	q	99	Total	C	N	O	S	0	0
			811	525	148	134	4		

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	r	139	1068	663	207	191	7	0	0

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	s	92	720	475	122	122	1	0	0

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	t	111	872	550	166	153	3	0	0

- Molecule 45 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	u	86	657	409	130	117	1	0	0

- Molecule 46 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	v	63	513	317	108	87	1	0	0

- Molecule 47 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
47	w	100	818	517	153	148	0	0

- Molecule 48 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	x	44	344	221	55	64	4	0	0

- Molecule 49 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	y	56	Total	C	N	O	S	0	0
			452	274	98	75	5		

- Molecule 50 is a protein called 50S ribosomal protein L33 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	z	50	Total	C	N	O	S	0	0
			408	255	81	68	4		

- Molecule 51 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	3	2878	Total	C	N	O	P	0	0
			61664	27558	11236	19995	2875		

- Molecule 52 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	4	105	Total	C	N	O	P	0	0
			2239	1003	409	724	103		

- Molecule 53 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	5	1493	Total	C	N	O	P	0	0
			31943	14279	5792	10382	1490		


- Molecule 54 is a RNA chain called tRNA-Phe.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	6	76	Total	C	N	O	P	0	0
			1618	723	289	531	75		
54	7	76	Total	C	N	O	P	0	0
			1618	723	289	531	75		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L34




- Molecule 2: 50S ribosomal protein L35




- Molecule 3: 50S ribosomal protein L36





- Molecule 4: Elongation factor Tu








• Molecule 5: 30S ribosomal protein S2




• Molecule 6: 30S ribosomal protein S3




• Molecule 7: 30S ribosomal protein S4





• Molecule 8: 30S ribosomal protein S5







- Molecule 9: 30S ribosomal protein S6




- Molecule 10: 30S ribosomal protein S7




- Molecule 11: 30S ribosomal protein S8



- Molecule 12: 30S ribosomal protein S9




- Molecule 13: 30S ribosomal protein S10




- Molecule 14: 30S ribosomal protein S11







- Molecule 15: 30S ribosomal protein S12



- Molecule 16: 30S ribosomal protein S13





- Molecule 17: 30S ribosomal protein S14 type Z




- Molecule 18: 30S ribosomal protein S15




- Molecule 19: 30S ribosomal protein S16




- Molecule 20: 30S ribosomal protein S17




- Molecule 21: 30S ribosomal protein S18




• Molecule 28: 50S ribosomal protein L5




• Molecule 29: 50S ribosomal protein L6





• Molecule 30: 50S ribosomal protein L9




• Molecule 31: 50S ribosomal protein L10




• Molecule 32: 50S ribosomal protein L11




- Molecule 33: 50S ribosomal protein L13




- Molecule 34: 50S ribosomal protein L14




- Molecule 35: 50S ribosomal protein L15



- Molecule 36: 50S ribosomal protein L16




- Molecule 37: 50S ribosomal protein L17





- Molecule 38: 50S ribosomal protein L18








• Molecule 45: 50S ribosomal protein L27




• Molecule 46: 50S ribosomal protein L28




• Molecule 47: 50S ribosomal protein L29




• Molecule 48: 50S ribosomal protein L31




• Molecule 49: 50S ribosomal protein L32




• Molecule 50: 50S ribosomal protein L33 1



• Molecule 51: 23S ribosomal RNA




U1428	A1541	A1652	G1765	U1848	U1962	G2069	A2145	G2211	G2322	G2423	C2507	G2612	U2737
A1431	G1542	C1653	A1766	G1853	U1963	G2060	A2146	G2217	U2323	C2424	U2506	U2613	U2740
U1434	A1548	G1654	G1768	A1854	C1964	A2061	G2147	U2218	A2324	U2427	C2509	U2621	A2741
A1435	U1549	A1656	A1769	A1855	G1965	G2063	U2148	U2219	U2327	C2428	G2510	A2742	U2742
U1440	G1550	A1667	A1770	A1859	U1967	G2064	U2149	A2220	G2329	C2430	G2513	U2743	U2743
U1444	A1559	G1668	C1771	A1865	C1968	A2066	C2151	U2221	A2330	U2431	U2519	C2634	A2744
U1445	U	G1665	G1775	A1866	C1969	A2067	C2152	G2222	G2331	C2432	C2520	G2635	G2745
G1449	G	A1666	A1776	G1867	C1970	G2068	U2153	U2226	U2332	A2433	C2523	U2636	A2746
C1456	A	G1667	G1777	A1868	G1971	A2069	A2154	U2227	G2333	G2436	A2521	A2637	U2747
U1478	U	U1673	A1780	G1876	C1972	C2070	G2155	A2231	A2334	U2437	U2522	G2639	A2748
A1479	C	G1677	C1781	A1877	U1974	G2076	G2156	A2232	G2335	A2438	A2526	A2640	G2752
A1480	U	U1678	U1782	C1877	C1975	A2077	A2157	G2233	A2336	U2439	U2527	A2641	A2756
U1482	A	U1679	U1783	A1878	U1976	G2083	C2159	C2234	U2342	C2440	C2528	G2642	A2757
G1483	C	U1679	U1784	A1879	A1977	A2084	U2160	A2235	A2343	A2441	U2530	A2643	A2758
U1486	A	G1681	A1787	A1880	U1978	G2088	G2161	G2236	A2344	A2442	C2531	U2644	G2759
U1487	A1570	C1682	A1788	A1881	C1979	A2097	U2162	U2237	G2347	A2443	G2537	G2645	G2760
U1488	A1571	A1688	A1789	A1882	U1980	U2098	U2163	G2246	U2348	C2448	A2538	A2646	U2764
A1497	G1580	A1694	A1790	U1889	C1987	U2099	G2164	G2247	U2352	U2449	A2539	A2648	A2765
A1502	G1581	A1695	A1791	U1890	U1988	G2100	A2165	G2254	G2353	G2452	A2540	G2649	A2766
G1507	G1582	C1696	A1792	A1891	C1992	C2103	C2168	G2258	C2354	G2453	U2550	U2655	G2769
U1509	A1585	C1706	A1793	A1892	C1992	A2104	G2169	G2259	C2355	G2454	U2555	U2658	A2772
A1510	U1586	C1708	A1794	U1893	U1992	U2110	A2170	G2260	U2358	G2455	C2564	C2658	A2773
A1513	U1587	C1708	A1795	U1894	U1992	U2111	A2171	G2261	U2359	G2456	G2565	U2659	A2774
U1514	U1588	C1708	A1796	U1894	U1992	U2112	A2172	G2262	A2362	U2457	U2568	U2660	U2778
A1515	A1589	C1708	A1797	U1894	U1992	U2113	G2174	G2263	G2369	A2461	U2571	A2673	C2779
C1523	U1590	C1708	A1798	U1894	U1992	U2114	U2175	A2274	U2380	A2467	A2572	C2674	U2780
U1525	U1621	C1720	A1799	U1894	U1992	U2115	U2176	A2275	G2381	G2472	G2575	C2675	A2786
G1530	A1634	A1723	U1800	U1894	U1992	U2116	G2177	A2276	G2382	G2473	A2576	G2676	U2787
A1534	G1635	G1729	C1806	U1894	U1992	U2117	G2178	G2283	A2382	C2474	G2577	C2686	U2790
U1527	G1640	G1734	C1807	U1894	U1992	U2118	G2179	G2284	A2387	C2475	A2580	U2690	U2791
G1530	A1641	A1735	C1808	U1894	U1992	U2119	G2180	G2285	A2391	C2476	C2581	C2691	C2792
U1533	A1642	A1736	C1808	U1894	U1992	U2120	A2181	G2286	U2392	C2477	C2582	U2692	U2793
A1534	A1643	G1741	C1808	U1894	U1992	U2121	A2182	G2287	U2393	C2478	U2583	G2696	U2799
U1539	A1644	G1741	C1808	U1894	U1992	U2122	A2183	G2288	U2394	C2479	G2584	U2800	U2801
U1540	A1645	G1741	C1808	U1894	U1992	U2123	A2184	G2289	U2395	C2480	G2586	U2802	U2802
A1541	A1646	G1741	C1808	U1894	U1992	U2124	A2185	G2290	U2396	C2481	G2587	U2803	U2803
G1542	A1647	G1741	C1808	U1894	U1992	U2125	A2186	G2291	U2397	C2482	G2588	U2804	U2804
A1548	A1648	G1741	C1808	U1894	U1992	U2126	A2187	U2291	U2398	C2483	G2589	U2805	U2805
G1550	A1649	G1741	C1808	U1894	U1992	U2127	A2188	A2294	U2399	C2484	U2593	U2806	U2806
A1559	A1650	G1741	C1808	U1894	U1992	U2128	A2189	A2295	U2400	C2485	U2598	U2807	U2807
U	A1651	G1741	C1808	U1894	U1992	U2129	A2190	C2301	G2405	U2486	U2604	U2808	U2808
G	A1652	G1741	C1808	U1894	U1992	U2130	A2191	C2302	G2406	U2487	G2605	A2809	U2809
A	A1653	G1741	C1808	U1894	U1992	U2131	A2192	C2303	C2410	U2488	G2606	A2810	U2810
C	A1654	G1741	C1808	U1894	U1992	U2132	A2193	C2304	C2411	U2489	G2607	A2811	U2811
U	A1655	G1741	C1808	U1894	U1992	U2133	A2194	C2305	C2412	U2490	G2608	A2812	U2812
C	A1656	G1741	C1808	U1894	U1992	U2134	A2195	C2306	C2413	U2491	C2609	A2813	U2813
U	A1657	G1741	C1808	U1894	U1992	U2135	A2196	C2307	C2414	U2492	A2610	A2814	U2814
G	A1658	G1741	C1808	U1894	U1992	U2136	A2197	C2308	C2415	U2493	G2611	G2815	G2815
U	A1659	G1741	C1808	U1894	U1992	U2137	A2198	C2309	C2416	U2494			
C	A1660	G1741	C1808	U1894	U1992	U2138	A2199	C2310	C2417	U2495			
U	A1661	G1741	C1808	U1894	U1992	U2139	A2200	C2311	C2418	U2496			
A	A1662	G1741	C1808	U1894	U1992	U2140	A2201	C2312	C2419	U2497			
A1570	A1663	G1741	C1808	U1894	U1992	U2141	A2202	C2313	C2420	U2498			
A1571	A1664	G1741	C1808	U1894	U1992	U2142	A2203	C2314	C2421	U2499			
U1580	A1665	G1741	C1808	U1894	U1992	U2143	A2204	C2315	C2422	U2500			
U1581	A1666	G1741	C1808	U1894	U1992	U2144	A2205	C2316	C2423	U2501			
G1582	A1667	G1741	C1808	U1894	U1992	U2145	A2206	C2317	C2424	U2502			
A1585	A1668	G1741	C1808	U1894	U1992	U2146	A2207	C2318	C2425	U2503			
U1586	A1669	G1741	C1808	U1894	U1992	U2147	A2208	C2319	C2426	U2504			
U1587	A1670	G1741	C1808	U1894	U1992	U2148	A2209	C2320	C2427	U2505			
U1588	A1671	G1741	C1808	U1894	U1992	U2149	A2210	C2321	C2428	U2506			
U1589	A1672	G1741	C1808	U1894	U1992	U2150	A2211	C2322	C2429	U2507			
U1590	A1673	G1741	C1808	U1894	U1992	U2151	A2212	C2323	C2430	U2508			
U1487	A1674	G1741	C1808	U1894	U1992	U2152	A2213	C2324	C2431	U2509			
U1488	A1675	G1741	C1808	U1894	U1992	U2153	A2214	C2325	C2432	U2510			
A1497	A1676	G1741	C1808	U1894	U1992	U2154	A2215	C2326	C2433	U2511			
A1502	A1677	G1741	C1808	U1894	U1992	U2155	A2216	C2327	C2434	U2512			
G1507	A1678	G1741	C1808	U1894	U1992	U2156	A2217	C2328	C2435	U2513			
U1509	A1679	G1741	C1808	U1894	U1992	U2157	A2218	C2329	C2436	U2514			
A1510	A1680	G1741	C1808	U1894	U1992	U2158	A2219	C2330	C2437	U2515			
A1513	A1681	G1741	C1808	U1894	U1992	U2159	A2220	C2331	C2438	U2516			
U1514	A1682	G1741	C1808	U1894	U1992	U2160	A2221	C2332	C2439	U2517			
A1515	A1683	G1741	C1808	U1894	U1992	U2161	A2222	C2333	C2440	U2518			
C1523	A1684	G1741	C1808	U1894	U1992	U2162	A2223	C2334	C2441	U2519			
U1525	A1685	G1741	C1808	U1894	U1992	U2163	A2224	C2335	C2442	U2520			
G1530	A1686	G1741	C1808	U1894	U1992	U2164	A2225	C2336	C2443	U2521			
A1534	A1687	G1741	C1808	U1894	U1992	U2165	A2226	C2337	C2444	U2522			
U1527	A1688	G1741	C1808	U1894	U1992	U2166	A2227	C2338	C2445	U2523			
G1530	A1689	G1741	C1808	U1894	U1992	U2167	A2228	C2339	C2446	U2524			
U1533	A1690	G1741	C1808	U1894	U1992	U2168	A2229	C2340	C2447	U2525			
A1534	A1691	G1741	C1808	U1894	U1992	U2169	A2230	C2341	C2448	U2526			
U1539	A1692	G1741	C1808	U1894	U1992	U2170	A2231	C2342	C2449	U2527			
U1540	A1693	G1741	C1808	U1894	U1992	U2171	A2232	C2343	C2450	U2528			
A1541	A1694	G1741	C1808	U1894	U1992	U2172	A2233	C2344	C2451	U2529			
G1542	A1695	G1741	C1808	U1894	U1992	U2173	A2234	C2345	C2452	U2530			
A1548	A1696	G1741	C1808	U1894	U1992	U2174	A2235	C2346	C2453	U2531			
G1550	A1697	G1741	C1808	U1894	U1992	U2175	A2236	C2347	C2454	U2532			
A1559	A1698	G1741	C1808	U1894	U1992	U2176	A2237	C2348	C2455	U2533			
U	A1699	G1741	C1808	U1894	U1992	U2177	A2238	C2349	C2456	U2534			
G	A1700	G1741	C1808	U1894	U1992	U2178	A2239	C2350	C2457	U2535			
A	A1701	G1741	C1808	U1894	U1992	U2179	A2240	C2351	C2458	U2536			
C	A1702	G1741	C1808	U1894	U1992	U2180	A2241	C2352	C2459	U2537			
U	A1703	G1741	C1808	U1894	U1992	U2181	A2242	C2353	C2460	U2538			
C	A1704	G1741	C1808	U1894	U1992	U2182	A2243	C2354	C2461	U2539			
A	A1705	G1741	C1808	U1894	U1992	U2183	A2244	C2355	C2462	U2540			
A	A1706	G1741	C1808	U1894	U1992	U2184	A2245	C2356	C2463	U2541			
A1570	A1707	G1741	C1808										







A

• Molecule 52: 5S ribosomal RNA




• Molecule 53: 16S ribosomal RNA





• Molecule 54: tRNA-Phe



• Molecule 54: tRNA-Phe



4 Experimental information

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of subtomograms used	12464	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	3.2	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3750	Depositor
Magnification	81000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.467	Depositor
Minimum map value	-0.851	Depositor
Average map value	0.025	Depositor
Map value standard deviation	0.139	Depositor
Recommended contour level	0.53	Depositor
Map size (Å)	435.328, 435.328, 435.328	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.7005, 1.7005, 1.7005	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.29	0/383	0.55	0/504
2	1	0.24	0/484	0.48	0/637
3	2	0.26	0/306	0.59	0/401
4	9	0.24	0/3071	0.50	1/4147 (0.0%)
5	A	0.25	0/1954	0.49	0/2642
6	B	0.25	0/1721	0.47	0/2323
7	C	0.29	0/1691	0.50	0/2267
8	D	0.27	0/1188	0.52	0/1593
9	E	0.26	0/1384	0.51	0/1867
10	F	0.25	0/1266	0.48	0/1700
11	G	0.25	0/1126	0.51	1/1517 (0.1%)
12	H	0.25	0/1044	0.49	0/1395
13	I	0.24	0/820	0.53	0/1103
14	J	0.30	0/844	0.51	0/1136
15	K	0.28	0/1094	0.55	0/1468
16	L	0.24	0/962	0.45	0/1289
17	M	0.25	0/483	0.49	0/643
18	N	0.25	0/679	0.47	0/907
19	O	0.23	0/659	0.48	0/885
20	P	0.24	0/684	0.47	0/913
21	Q	0.24	0/545	0.52	0/730
22	R	0.24	0/698	0.44	0/936
23	S	0.24	0/631	0.44	0/838
24	T	0.30	0/475	0.50	0/621
25	a	0.24	0/2267	0.48	0/3044
26	b	0.25	0/1795	0.51	0/2412
27	c	0.25	0/1671	0.50	1/2246 (0.0%)
28	d	0.26	0/1409	0.50	0/1894
29	e	0.26	0/1420	0.47	0/1912
30	f	0.25	0/1183	0.51	0/1587
31	g	0.34	0/969	0.56	0/1295
32	h	0.25	0/968	0.49	0/1298
33	i	0.24	0/1186	0.47	0/1592
34	j	0.26	0/953	0.51	0/1275

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	k	0.25	0/1170	0.50	0/1559
36	l	0.26	0/1104	0.50	0/1481
37	m	0.27	0/973	0.54	0/1309
38	n	0.29	0/897	0.55	0/1198
39	o	0.26	0/948	0.48	0/1262
40	p	0.26	0/961	0.47	0/1278
41	q	0.26	0/828	0.57	0/1111
42	r	0.26	0/1077	0.46	0/1441
43	s	0.25	0/732	0.51	0/988
44	t	0.26	0/879	0.53	0/1165
45	u	0.24	0/665	0.47	0/884
46	v	0.23	0/519	0.49	0/695
47	w	0.23	0/826	0.44	0/1104
48	x	0.27	0/353	0.45	0/474
49	y	0.30	0/457	0.54	0/601
50	z	0.26	0/412	0.48	0/547
51	3	0.20	0/69073	0.80	57/107710 (0.1%)
52	4	0.19	0/2505	0.79	0/3902
53	5	0.20	0/35768	0.79	17/55764 (0.0%)
54	6	0.21	0/1808	0.85	3/2817 (0.1%)
54	7	0.20	0/1808	0.85	3/2817 (0.1%)
All	All	0.22	0/161776	0.72	83/241124 (0.0%)

There are no bond length outliers.

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	5	485	C	N3-C2-O2	-8.78	115.76	121.90
53	5	904	C	C2-N1-C1'	8.69	128.36	118.80
51	3	2158	C	N1-C2-O2	8.62	124.08	118.90
51	3	2504	C	N3-C2-O2	-8.36	116.05	121.90
53	5	485	C	N1-C2-O2	8.32	123.89	118.90
51	3	1524	C	N3-C2-O2	-8.08	116.25	121.90
51	3	1486	U	C2-N1-C1'	7.72	126.96	117.70
51	3	426	U	C2-N1-C1'	7.69	126.93	117.70
51	3	2302	C	N3-C2-O2	-7.67	116.53	121.90
51	3	1902	C	N3-C2-O2	-7.62	116.57	121.90
53	5	885	U	C2-N1-C1'	7.61	126.83	117.70
51	3	426	U	N1-C2-O2	7.59	128.11	122.80
53	5	843	C	N3-C2-O2	-7.59	116.59	121.90
51	3	2428	C	N3-C2-O2	-7.32	116.77	121.90
51	3	659	C	N3-C2-O2	-7.28	116.81	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	3	1486	U	N1-C2-O2	7.11	127.78	122.80
51	3	2158	C	N3-C2-O2	-7.11	116.92	121.90
51	3	426	U	N3-C2-O2	-7.08	117.25	122.20
51	3	2504	C	N1-C2-O2	7.07	123.14	118.90
53	5	904	C	C6-N1-C1'	-7.06	112.33	120.80
54	7	60	U	C2-N1-C1'	6.95	126.04	117.70
54	6	60	U	N1-C2-O2	6.93	127.65	122.80
51	3	2691	C	N1-C2-O2	6.92	123.05	118.90
54	7	60	U	N1-C2-O2	6.89	127.62	122.80
54	6	60	U	C2-N1-C1'	6.88	125.95	117.70
51	3	144	C	N3-C2-O2	-6.74	117.19	121.90
51	3	1341	U	C2-N1-C1'	6.58	125.59	117.70
51	3	2691	C	C2-N1-C1'	6.51	125.96	118.80
51	3	1486	U	N3-C2-O2	-6.49	117.66	122.20
51	3	1507	G	C4-N9-C1'	-6.42	118.15	126.50
53	5	463	U	C2-N1-C1'	6.41	125.40	117.70
53	5	463	U	N1-C2-O2	6.36	127.25	122.80
51	3	2272	C	N3-C2-O2	-6.36	117.45	121.90
54	7	60	U	N3-C2-O2	-6.34	117.76	122.20
53	5	904	C	N1-C2-O2	6.33	122.70	118.90
54	6	60	U	N3-C2-O2	-6.26	117.82	122.20
51	3	1990	C	N3-C2-O2	-6.20	117.56	121.90
4	9	343	SER	C-N-CA	6.08	136.90	121.70
51	3	1507	G	C8-N9-C1'	6.07	134.88	127.00
51	3	1341	U	N1-C2-O2	6.03	127.02	122.80
51	3	1367	G	C5-C6-O6	6.01	132.20	128.60
51	3	440	C	N1-C2-O2	6.00	122.50	118.90
53	5	843	C	N1-C2-O2	5.94	122.46	118.90
51	3	1367	G	N1-C6-O6	-5.88	116.37	119.90
51	3	1227	C	C2-N1-C1'	5.84	125.23	118.80
51	3	2272	C	N1-C2-N3	5.77	123.24	119.20
51	3	1524	C	N1-C2-O2	5.75	122.35	118.90
51	3	1303	U	C2-N1-C1'	5.74	124.59	117.70
51	3	1853	G	C5-C6-O6	5.74	132.04	128.60
51	3	2070	C	N1-C2-O2	5.68	122.31	118.90
53	5	885	U	N3-C2-O2	-5.66	118.23	122.20
53	5	1080	G	N1-C6-O6	-5.62	116.53	119.90
51	3	1853	G	N1-C6-O6	-5.61	116.53	119.90
51	3	659	C	N1-C2-O2	5.60	122.26	118.90
53	5	1057	C	N1-C2-O2	5.54	122.22	118.90
51	3	517	G	O4'-C1'-N9	5.52	112.62	108.20
53	5	1057	C	C2-N1-C1'	5.46	124.81	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	5	885	U	N1-C2-O2	5.46	126.62	122.80
51	3	1341	U	N3-C2-O2	-5.46	118.38	122.20
51	3	2070	C	C2-N1-C1'	5.39	124.73	118.80
51	3	659	C	P-O3'-C3'	5.39	126.17	119.70
53	5	463	U	N3-C2-O2	-5.39	118.43	122.20
51	3	1927	C	C2-N1-C1'	5.34	124.68	118.80
51	3	2301	C	N1-C2-O2	5.33	122.10	118.90
51	3	67	C	N1-C2-O2	5.33	122.10	118.90
51	3	2691	C	N3-C2-O2	-5.32	118.17	121.90
51	3	2272	C	C2-N3-C4	-5.30	117.25	119.90
51	3	440	C	C2-N1-C1'	5.29	124.62	118.80
51	3	2301	C	N3-C2-O2	-5.29	118.19	121.90
51	3	27	U	OP1-P-O3'	5.24	116.72	105.20
51	3	2428	C	N1-C2-O2	5.18	122.01	118.90
51	3	247	U	N1-C2-O2	5.15	126.40	122.80
11	G	108	LEU	CA-CB-CG	5.14	127.13	115.30
51	3	2342	U	P-O3'-C3'	5.14	125.87	119.70
51	3	1507	G	O4'-C1'-N9	5.14	112.31	108.20
53	5	1134	C	C2-N1-C1'	5.10	124.41	118.80
27	c	194	ALA	C-N-CA	5.08	134.39	121.70
51	3	265	G	N1-C6-O6	-5.07	116.86	119.90
51	3	2127	G	C4-N9-C1'	5.05	133.07	126.50
51	3	1767	A	O4'-C1'-N9	5.05	112.24	108.20
51	3	247	U	N3-C2-O2	-5.04	118.67	122.20
51	3	1082	A	P-O3'-C3'	5.03	125.73	119.70
51	3	1523	C	N1-C2-O2	5.01	121.91	118.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	45/48 (94%)	44 (98%)	1 (2%)	0	100	100
2	1	57/59 (97%)	52 (91%)	5 (9%)	0	100	100
3	2	35/37 (95%)	34 (97%)	1 (3%)	0	100	100
4	9	391/394 (99%)	368 (94%)	23 (6%)	0	100	100
5	A	238/294 (81%)	222 (93%)	16 (7%)	0	100	100
6	B	213/273 (78%)	193 (91%)	20 (9%)	0	100	100
7	C	201/205 (98%)	189 (94%)	12 (6%)	0	100	100
8	D	151/219 (69%)	143 (95%)	8 (5%)	0	100	100
9	E	165/215 (77%)	141 (86%)	23 (14%)	1 (1%)	25	65
10	F	152/155 (98%)	135 (89%)	17 (11%)	0	100	100
11	G	139/142 (98%)	125 (90%)	14 (10%)	0	100	100
12	H	126/132 (96%)	115 (91%)	11 (9%)	0	100	100
13	I	99/108 (92%)	91 (92%)	8 (8%)	0	100	100
14	J	112/121 (93%)	106 (95%)	6 (5%)	0	100	100
15	K	134/139 (96%)	123 (92%)	11 (8%)	0	100	100
16	L	116/124 (94%)	103 (89%)	13 (11%)	0	100	100
17	M	58/61 (95%)	54 (93%)	4 (7%)	0	100	100
18	N	81/86 (94%)	79 (98%)	2 (2%)	0	100	100
19	O	78/94 (83%)	74 (95%)	4 (5%)	0	100	100
20	P	81/85 (95%)	76 (94%)	5 (6%)	0	100	100
21	Q	63/104 (61%)	57 (90%)	6 (10%)	0	100	100
22	R	82/87 (94%)	78 (95%)	4 (5%)	0	100	100
23	S	75/87 (86%)	73 (97%)	2 (3%)	0	100	100
24	T	51/60 (85%)	46 (90%)	5 (10%)	0	100	100
25	a	283/287 (99%)	270 (95%)	13 (5%)	0	100	100
26	b	227/287 (79%)	210 (92%)	17 (8%)	0	100	100
27	c	208/212 (98%)	192 (92%)	16 (8%)	0	100	100
28	d	173/180 (96%)	159 (92%)	14 (8%)	0	100	100
29	e	174/184 (95%)	168 (97%)	6 (3%)	0	100	100
30	f	143/149 (96%)	127 (89%)	16 (11%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
31	g	124/161 (77%)	116 (94%)	7 (6%)	1 (1%)	19	60
32	h	126/137 (92%)	116 (92%)	10 (8%)	0	100	100
33	i	142/146 (97%)	128 (90%)	14 (10%)	0	100	100
34	j	120/122 (98%)	116 (97%)	4 (3%)	0	100	100
35	k	146/151 (97%)	130 (89%)	16 (11%)	0	100	100
36	l	134/139 (96%)	127 (95%)	7 (5%)	0	100	100
37	m	117/124 (94%)	108 (92%)	9 (8%)	0	100	100
38	n	108/116 (93%)	102 (94%)	6 (6%)	0	100	100
39	o	113/119 (95%)	101 (89%)	12 (11%)	0	100	100
40	p	112/127 (88%)	110 (98%)	2 (2%)	0	100	100
41	q	97/100 (97%)	87 (90%)	10 (10%)	0	100	100
42	r	137/159 (86%)	127 (93%)	10 (7%)	0	100	100
43	s	90/237 (38%)	86 (96%)	4 (4%)	0	100	100
44	t	109/111 (98%)	99 (91%)	10 (9%)	0	100	100
45	u	84/104 (81%)	76 (90%)	8 (10%)	0	100	100
46	v	61/65 (94%)	54 (88%)	7 (12%)	0	100	100
47	w	96/111 (86%)	88 (92%)	8 (8%)	0	100	100
48	x	42/97 (43%)	39 (93%)	3 (7%)	0	100	100
49	y	54/57 (95%)	51 (94%)	3 (6%)	0	100	100
50	z	48/53 (91%)	47 (98%)	1 (2%)	0	100	100
All	All	6211/7064 (88%)	5755 (93%)	454 (7%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
31	g	45	PHE
9	E	164	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	40/41 (98%)	40 (100%)	0	100	100
2	1	51/51 (100%)	51 (100%)	0	100	100
3	2	35/35 (100%)	35 (100%)	0	100	100
4	9	324/325 (100%)	324 (100%)	0	100	100
5	A	212/262 (81%)	211 (100%)	1 (0%)	88	93
6	B	180/232 (78%)	179 (99%)	1 (1%)	86	91
7	C	181/183 (99%)	179 (99%)	2 (1%)	73	84
8	D	123/178 (69%)	123 (100%)	0	100	100
9	E	150/196 (76%)	150 (100%)	0	100	100
10	F	131/132 (99%)	130 (99%)	1 (1%)	81	89
11	G	123/124 (99%)	122 (99%)	1 (1%)	81	89
12	H	111/115 (96%)	111 (100%)	0	100	100
13	I	95/99 (96%)	95 (100%)	0	100	100
14	J	91/97 (94%)	91 (100%)	0	100	100
15	K	117/120 (98%)	115 (98%)	2 (2%)	60	78
16	L	100/105 (95%)	100 (100%)	0	100	100
17	M	47/48 (98%)	47 (100%)	0	100	100
18	N	76/78 (97%)	76 (100%)	0	100	100
19	O	69/82 (84%)	68 (99%)	1 (1%)	67	81
20	P	73/75 (97%)	73 (100%)	0	100	100
21	Q	56/94 (60%)	56 (100%)	0	100	100
22	R	74/77 (96%)	74 (100%)	0	100	100
23	S	70/77 (91%)	70 (100%)	0	100	100
24	T	49/56 (88%)	49 (100%)	0	100	100
25	a	241/243 (99%)	241 (100%)	0	100	100
26	b	186/233 (80%)	185 (100%)	1 (0%)	88	93
27	c	182/184 (99%)	182 (100%)	0	100	100
28	d	150/154 (97%)	150 (100%)	0	100	100
29	e	153/159 (96%)	153 (100%)	0	100	100
30	f	123/134 (92%)	121 (98%)	2 (2%)	62	79
31	g	101/129 (78%)	93 (92%)	8 (8%)	12	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
32	h	102/110 (93%)	101 (99%)	1 (1%)	76	86
33	i	126/128 (98%)	125 (99%)	1 (1%)	81	89
34	j	103/103 (100%)	103 (100%)	0	100	100
35	k	123/126 (98%)	122 (99%)	1 (1%)	81	89
36	l	113/115 (98%)	111 (98%)	2 (2%)	59	77
37	m	105/109 (96%)	105 (100%)	0	100	100
38	n	96/99 (97%)	94 (98%)	2 (2%)	53	72
39	o	101/105 (96%)	101 (100%)	0	100	100
40	p	100/108 (93%)	100 (100%)	0	100	100
41	q	90/91 (99%)	90 (100%)	0	100	100
42	r	116/132 (88%)	116 (100%)	0	100	100
43	s	82/208 (39%)	82 (100%)	0	100	100
44	t	96/96 (100%)	96 (100%)	0	100	100
45	u	69/85 (81%)	68 (99%)	1 (1%)	67	81
46	v	58/60 (97%)	58 (100%)	0	100	100
47	w	87/98 (89%)	87 (100%)	0	100	100
48	x	41/86 (48%)	41 (100%)	0	100	100
49	y	48/49 (98%)	46 (96%)	2 (4%)	30	54
50	z	47/50 (94%)	46 (98%)	1 (2%)	53	72
All	All	5417/6076 (89%)	5386 (99%)	31 (1%)	86	91

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	A	27	ARG
6	B	130	ARG
7	C	99	ASN
7	C	111	ARG
10	F	154	ARG
11	G	23	ASN
15	K	118	VAL
15	K	122	LYS
19	O	80	LYS
26	b	180	ARG
30	f	15	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	f	118	ARG
31	g	28	ASP
31	g	30	THR
31	g	32	MET
31	g	42	LYS
31	g	43	LYS
31	g	45	PHE
31	g	46	LYS
31	g	89	ILE
32	h	100	LYS
33	i	15	ARG
35	k	75	GLN
36	l	38	LYS
36	l	134	ARG
38	n	61	LYS
38	n	63	LYS
45	u	28	ARG
49	y	37	LYS
49	y	47	MET
50	z	26	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
2	1	28	HIS
2	1	37	GLN
4	9	125	GLN
5	A	98	ASN
5	A	119	ASN
6	B	15	ASN
6	B	193	GLN
9	E	25	GLN
9	E	27	GLN
9	E	79	ASN
10	F	67	ASN
10	F	129	ASN
11	G	24	ASN
12	H	91	GLN
12	H	93	ASN
12	H	128	GLN
20	P	62	GLN
21	Q	83	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
21	Q	85	HIS
23	S	14	ASN
23	S	24	GLN
25	a	149	ASN
26	b	21	ASN
26	b	34	ASN
35	k	134	GLN
37	m	20	GLN
39	o	80	GLN
40	p	8	GLN
41	q	73	HIS
41	q	79	HIS
45	u	43	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
51	3	2875/2907 (98%)	1066 (37%)	77 (2%)
52	4	103/108 (95%)	41 (39%)	1 (0%)
53	5	1490/1520 (98%)	564 (37%)	35 (2%)
54	6	75/76 (98%)	26 (34%)	0
54	7	75/76 (98%)	26 (34%)	0
All	All	4618/4687 (98%)	1723 (37%)	113 (2%)

All (1723) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
51	3	11	U
51	3	12	A
51	3	13	C
51	3	16	A
51	3	26	G
51	3	27	U
51	3	28	G
51	3	29	G
51	3	39	C
51	3	44	A
51	3	48	G
51	3	52	U
51	3	53	G
51	3	58	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	62	G
51	3	64	U
51	3	65	A
51	3	73	A
51	3	75	A
51	3	77	G
51	3	81	C
51	3	85	U
51	3	86	A
51	3	92	U
51	3	93	A
51	3	95	G
51	3	98	C
51	3	99	C
51	3	102	A
51	3	103	G
51	3	107	C
51	3	111	G
51	3	114	U
51	3	115	U
51	3	119	A
51	3	120	A
51	3	121	U
51	3	122	G
51	3	123	G
51	3	126	C
51	3	129	U
51	3	132	G
51	3	140	G
51	3	141	A
51	3	146	G
51	3	147	C
51	3	152	A
51	3	163	A
51	3	167	A
51	3	171	G
51	3	172	U
51	3	177	U
51	3	180	A
51	3	184	A
51	3	185	U
51	3	187	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	188	G
51	3	191	G
51	3	192	U
51	3	194	A
51	3	198	G
51	3	200	A
51	3	203	A
51	3	205	C
51	3	208	A
51	3	209	G
51	3	210	U
51	3	211	A
51	3	220	A
51	3	226	A
51	3	227	A
51	3	229	C
51	3	232	A
51	3	234	G
51	3	237	A
51	3	245	U
51	3	252	G
51	3	253	C
51	3	254	G
51	3	256	G
51	3	259	A
51	3	266	A
51	3	268	C
51	3	269	A
51	3	270	G
51	3	275	A
51	3	276	A
51	3	277	C
51	3	278	U
51	3	283	A
51	3	284	U
51	3	286	A
51	3	287	G
51	3	288	A
51	3	289	U
51	3	292	G
51	3	293	G
51	3	294	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	295	U
51	3	296	U
51	3	297	G
51	3	299	A
51	3	308	A
51	3	311	G
51	3	315	A
51	3	316	C
51	3	319	G
51	3	335	G
51	3	341	G
51	3	343	A
51	3	345	A
51	3	348	A
51	3	354	C
51	3	356	A
51	3	357	A
51	3	359	G
51	3	363	G
51	3	364	A
51	3	366	A
51	3	372	G
51	3	375	U
51	3	379	A
51	3	382	U
51	3	384	G
51	3	386	U
51	3	393	C
51	3	394	C
51	3	395	U
51	3	397	G
51	3	402	A
51	3	403	U
51	3	404	C
51	3	406	C
51	3	409	A
51	3	410	G
51	3	411	U
51	3	422	A
51	3	423	C
51	3	424	G
51	3	425	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	426	U
51	3	428	U
51	3	429	U
51	3	430	U
51	3	432	G
51	3	434	G
51	3	436	G
51	3	437	A
51	3	438	A
51	3	439	U
51	3	440	C
51	3	441	U
51	3	442	G
51	3	445	C
51	3	446	A
51	3	447	G
51	3	448	A
51	3	449	C
51	3	460	G
51	3	464	A
51	3	465	A
51	3	466	A
51	3	468	A
51	3	471	A
51	3	473	U
51	3	476	G
51	3	478	G
51	3	481	C
51	3	484	U
51	3	485	A
51	3	487	C
51	3	490	A
51	3	491	A
51	3	492	C
51	3	494	G
51	3	495	U
51	3	496	A
51	3	503	G
51	3	506	A
51	3	508	A
51	3	509	G
51	3	514	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	515	A
51	3	517	G
51	3	518	A
51	3	520	C
51	3	526	G
51	3	531	G
51	3	538	A
51	3	539	U
51	3	540	A
51	3	543	U
51	3	544	U
51	3	545	C
51	3	547	G
51	3	548	A
51	3	553	A
51	3	555	A
51	3	562	C
51	3	564	A
51	3	565	C
51	3	566	G
51	3	567	U
51	3	573	A
51	3	579	U
51	3	580	U
51	3	581	A
51	3	582	A
51	3	583	U
51	3	589	A
51	3	596	G
51	3	597	C
51	3	605	A
51	3	606	G
51	3	607	U
51	3	608	A
51	3	609	U
51	3	619	A
51	3	622	U
51	3	627	U
51	3	628	A
51	3	633	G
51	3	635	G
51	3	638	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	641	U
51	3	649	A
51	3	656	G
51	3	657	A
51	3	658	G
51	3	660	U
51	3	673	A
51	3	678	U
51	3	681	A
51	3	682	A
51	3	687	G
51	3	689	U
51	3	691	G
51	3	692	U
51	3	695	G
51	3	697	U
51	3	701	A
51	3	703	A
51	3	705	A
51	3	712	A
51	3	716	G
51	3	717	U
51	3	719	G
51	3	721	G
51	3	722	C
51	3	723	U
51	3	730	G
51	3	739	G
51	3	740	A
51	3	754	U
51	3	761	G
51	3	762	A
51	3	765	A
51	3	769	A
51	3	771	C
51	3	775	C
51	3	780	G
51	3	782	U
51	3	783	G
51	3	784	A
51	3	792	G
51	3	794	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	795	G
51	3	797	U
51	3	800	C
51	3	803	G
51	3	806	A
51	3	810	G
51	3	812	G
51	3	814	U
51	3	815	G
51	3	817	A
51	3	819	U
51	3	820	U
51	3	824	A
51	3	827	G
51	3	832	C
51	3	836	G
51	3	840	G
51	3	841	C
51	3	842	U
51	3	846	U
51	3	847	C
51	3	849	C
51	3	854	A
51	3	862	U
51	3	869	U
51	3	871	G
51	3	873	G
51	3	874	U
51	3	877	G
51	3	878	A
51	3	880	C
51	3	882	C
51	3	883	A
51	3	893	A
51	3	896	U
51	3	904	C
51	3	906	G
51	3	908	A
51	3	914	G
51	3	916	U
51	3	920	G
51	3	921	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	922	C
51	3	932	U
51	3	933	A
51	3	936	G
51	3	943	A
51	3	945	U
51	3	947	A
51	3	949	C
51	3	952	U
51	3	953	G
51	3	954	A
51	3	962	U
51	3	965	U
51	3	970	U
51	3	973	U
51	3	978	G
51	3	980	C
51	3	981	A
51	3	982	G
51	3	989	G
51	3	993	A
51	3	994	U
51	3	995	A
51	3	996	A
51	3	997	G
51	3	999	U
51	3	1000	U
51	3	1009	A
51	3	1011	A
51	3	1016	A
51	3	1018	G
51	3	1024	A
51	3	1025	G
51	3	1026	A
51	3	1031	U
51	3	1032	A
51	3	1033	A
51	3	1034	A
51	3	1036	A
51	3	1037	A
51	3	1040	U
51	3	1045	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1048	A
51	3	1051	U
51	3	1054	U
51	3	1055	A
51	3	1057	G
51	3	1061	A
51	3	1068	U
51	3	1069	G
51	3	1073	A
51	3	1074	A
51	3	1076	U
51	3	1077	G
51	3	1078	C
51	3	1079	U
51	3	1081	A
51	3	1082	A
51	3	1083	A
51	3	1087	C
51	3	1089	A
51	3	1090	G
51	3	1093	U
51	3	1096	U
51	3	1097	G
51	3	1098	G
51	3	1100	U
51	3	1101	U
51	3	1102	A
51	3	1103	G
51	3	1105	A
51	3	1108	A
51	3	1109	G
51	3	1113	U
51	3	1114	C
51	3	1115	G
51	3	1116	U
51	3	1118	U
51	3	1120	A
51	3	1122	G
51	3	1123	A
51	3	1125	U
51	3	1128	G
51	3	1130	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1131	A
51	3	1132	C
51	3	1133	A
51	3	1144	C
51	3	1145	G
51	3	1146	A
51	3	1147	G
51	3	1150	U
51	3	1151	U
51	3	1152	U
51	3	1157	G
51	3	1162	A
51	3	1165	U
51	3	1166	G
51	3	1167	U
51	3	1168	A
51	3	1169	A
51	3	1170	C
51	3	1171	G
51	3	1174	G
51	3	1177	A
51	3	1178	A
51	3	1181	A
51	3	1182	U
51	3	1184	U
51	3	1186	A
51	3	1197	G
51	3	1199	A
51	3	1204	A
51	3	1205	U
51	3	1207	U
51	3	1209	U
51	3	1210	A
51	3	1211	U
51	3	1212	C
51	3	1213	U
51	3	1216	U
51	3	1217	G
51	3	1222	A
51	3	1227	C
51	3	1234	U
51	3	1240	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1248	A
51	3	1249	A
51	3	1250	A
51	3	1254	U
51	3	1257	G
51	3	1260	U
51	3	1263	G
51	3	1267	A
51	3	1268	U
51	3	1276	A
51	3	1277	A
51	3	1279	U
51	3	1280	G
51	3	1281	A
51	3	1282	G
51	3	1284	A
51	3	1285	U
51	3	1286	G
51	3	1293	U
51	3	1294	G
51	3	1295	A
51	3	1298	A
51	3	1301	G
51	3	1302	C
51	3	1303	U
51	3	1307	G
51	3	1318	U
51	3	1319	C
51	3	1323	A
51	3	1325	C
51	3	1328	A
51	3	1329	U
51	3	1335	A
51	3	1337	G
51	3	1339	U
51	3	1340	U
51	3	1342	C
51	3	1343	C
51	3	1344	U
51	3	1347	A
51	3	1350	A
51	3	1351	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1352	G
51	3	1353	G
51	3	1354	U
51	3	1356	G
51	3	1357	U
51	3	1365	G
51	3	1367	G
51	3	1369	U
51	3	1372	U
51	3	1373	C
51	3	1375	G
51	3	1377	A
51	3	1382	A
51	3	1388	G
51	3	1390	C
51	3	1395	A
51	3	1396	A
51	3	1400	U
51	3	1402	G
51	3	1406	A
51	3	1407	U
51	3	1409	G
51	3	1410	A
51	3	1412	A
51	3	1413	A
51	3	1422	U
51	3	1423	A
51	3	1428	U
51	3	1431	A
51	3	1434	U
51	3	1435	A
51	3	1440	U
51	3	1444	C
51	3	1445	U
51	3	1449	G
51	3	1456	C
51	3	1465	U
51	3	1467	U
51	3	1472	C
51	3	1478	U
51	3	1479	A
51	3	1480	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1481	U
51	3	1482	U
51	3	1483	G
51	3	1487	U
51	3	1488	U
51	3	1497	A
51	3	1502	A
51	3	1507	G
51	3	1508	G
51	3	1509	U
51	3	1510	A
51	3	1513	A
51	3	1515	A
51	3	1523	C
51	3	1524	C
51	3	1525	G
51	3	1527	U
51	3	1530	G
51	3	1533	U
51	3	1534	A
51	3	1539	U
51	3	1541	A
51	3	1542	G
51	3	1548	A
51	3	1550	G
51	3	1559	A
51	3	1571	G
51	3	1580	G
51	3	1582	G
51	3	1585	A
51	3	1586	U
51	3	1587	U
51	3	1589	A
51	3	1591	C
51	3	1592	A
51	3	1594	G
51	3	1603	A
51	3	1612	U
51	3	1615	G
51	3	1618	U
51	3	1619	A
51	3	1621	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1634	A
51	3	1635	G
51	3	1640	G
51	3	1641	A
51	3	1642	G
51	3	1643	A
51	3	1644	A
51	3	1646	G
51	3	1647	A
51	3	1651	C
51	3	1653	C
51	3	1655	U
51	3	1656	A
51	3	1663	G
51	3	1665	G
51	3	1666	A
51	3	1667	G
51	3	1673	U
51	3	1677	G
51	3	1678	U
51	3	1680	A
51	3	1681	G
51	3	1682	C
51	3	1688	A
51	3	1694	A
51	3	1696	C
51	3	1706	C
51	3	1708	G
51	3	1714	U
51	3	1716	A
51	3	1720	C
51	3	1723	A
51	3	1729	G
51	3	1734	A
51	3	1736	G
51	3	1741	G
51	3	1747	G
51	3	1748	U
51	3	1749	A
51	3	1750	A
51	3	1751	A
51	3	1756	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1761	C
51	3	1762	A
51	3	1763	G
51	3	1764	U
51	3	1766	A
51	3	1768	G
51	3	1769	A
51	3	1770	A
51	3	1771	C
51	3	1772	G
51	3	1775	G
51	3	1776	G
51	3	1780	A
51	3	1781	C
51	3	1782	U
51	3	1784	U
51	3	1787	A
51	3	1788	A
51	3	1789	C
51	3	1791	A
51	3	1793	A
51	3	1794	A
51	3	1795	C
51	3	1797	C
51	3	1798	A
51	3	1799	A
51	3	1803	U
51	3	1806	G
51	3	1807	C
51	3	1808	C
51	3	1816	A
51	3	1821	G
51	3	1822	A
51	3	1823	U
51	3	1824	G
51	3	1826	A
51	3	1828	A
51	3	1832	G
51	3	1836	A
51	3	1841	U
51	3	1842	G
51	3	1845	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1847	G
51	3	1848	U
51	3	1854	A
51	3	1855	A
51	3	1859	U
51	3	1865	A
51	3	1866	G
51	3	1868	A
51	3	1876	G
51	3	1878	A
51	3	1879	A
51	3	1880	G
51	3	1884	A
51	3	1885	G
51	3	1889	U
51	3	1891	A
51	3	1893	C
51	3	1894	U
51	3	1906	G
51	3	1907	A
51	3	1910	G
51	3	1913	G
51	3	1919	A
51	3	1920	A
51	3	1926	A
51	3	1934	A
51	3	1936	G
51	3	1937	G
51	3	1941	C
51	3	1943	A
51	3	1944	A
51	3	1945	A
51	3	1947	U
51	3	1948	C
51	3	1950	U
51	3	1951	A
51	3	1962	U
51	3	1964	C
51	3	1966	G
51	3	1968	C
51	3	1969	C
51	3	1970	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1972	C
51	3	1974	U
51	3	1975	G
51	3	1976	A
51	3	1977	A
51	3	1979	G
51	3	1986	C
51	3	1987	C
51	3	1988	A
51	3	1989	U
51	3	1990	C
51	3	1992	C
51	3	1996	A
51	3	1997	C
51	3	1999	G
51	3	2000	U
51	3	2004	G
51	3	2008	A
51	3	2022	A
51	3	2023	U
51	3	2024	C
51	3	2025	C
51	3	2030	A
51	3	2032	G
51	3	2037	A
51	3	2038	A
51	3	2040	A
51	3	2041	C
51	3	2050	G
51	3	2052	C
51	3	2057	C
51	3	2059	G
51	3	2060	G
51	3	2062	C
51	3	2063	G
51	3	2064	G
51	3	2066	A
51	3	2067	A
51	3	2068	G
51	3	2069	A
51	3	2076	G
51	3	2077	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	2083	U
51	3	2084	A
51	3	2098	U
51	3	2099	U
51	3	2100	G
51	3	2103	C
51	3	2104	A
51	3	2110	U
51	3	2111	U
51	3	2112	A
51	3	2114	C
51	3	2115	A
51	3	2117	G
51	3	2118	U
51	3	2119	A
51	3	2121	A
51	3	2122	G
51	3	2123	A
51	3	2124	A
51	3	2125	U
51	3	2126	A
51	3	2127	G
51	3	2128	G
51	3	2132	G
51	3	2134	G
51	3	2135	C
51	3	2136	A
51	3	2137	A
51	3	2139	C
51	3	2140	G
51	3	2141	A
51	3	2142	U
51	3	2143	G
51	3	2144	C
51	3	2145	A
51	3	2146	A
51	3	2148	U
51	3	2150	C
51	3	2151	G
51	3	2152	C
51	3	2153	U
51	3	2154	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	2156	G
51	3	2157	A
51	3	2158	C
51	3	2160	U
51	3	2163	U
51	3	2164	G
51	3	2165	A
51	3	2168	C
51	3	2170	A
51	3	2171	A
51	3	2172	A
51	3	2174	G
51	3	2176	G
51	3	2177	G
51	3	2178	A
51	3	2179	A
51	3	2180	U
51	3	2181	A
51	3	2183	U
51	3	2188	U
51	3	2189	U
51	3	2190	G
51	3	2191	G
51	3	2192	U
51	3	2193	U
51	3	2194	G
51	3	2195	U
51	3	2196	G
51	3	2198	G
51	3	2200	U
51	3	2202	U
51	3	2206	A
51	3	2207	A
51	3	2211	G
51	3	2217	G
51	3	2218	U
51	3	2219	U
51	3	2220	A
51	3	2221	U
51	3	2222	C
51	3	2226	U
51	3	2227	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	2231	A
51	3	2233	A
51	3	2236	G
51	3	2237	U
51	3	2246	G
51	3	2247	G
51	3	2253	U
51	3	2254	G
51	3	2258	G
51	3	2259	G
51	3	2274	A
51	3	2276	A
51	3	2283	C
51	3	2284	G
51	3	2286	A
51	3	2287	G
51	3	2288	G
51	3	2290	G
51	3	2291	U
51	3	2294	A
51	3	2295	A
51	3	2305	C
51	3	2306	A
51	3	2313	U
51	3	2314	U
51	3	2315	G
51	3	2316	G
51	3	2317	A
51	3	2322	G
51	3	2324	A
51	3	2327	U
51	3	2328	A
51	3	2329	G
51	3	2331	G
51	3	2332	U
51	3	2333	G
51	3	2334	U
51	3	2335	A
51	3	2341	G
51	3	2342	U
51	3	2343	A
51	3	2344	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	2348	U
51	3	2352	U
51	3	2353	G
51	3	2354	A
51	3	2355	C
51	3	2358	U
51	3	2362	A
51	3	2369	G
51	3	2380	U
51	3	2381	G
51	3	2382	A
51	3	2387	U
51	3	2391	G
51	3	2393	C
51	3	2396	A
51	3	2397	G
51	3	2398	U
51	3	2400	A
51	3	2405	G
51	3	2410	C
51	3	2411	C
51	3	2414	U
51	3	2415	A
51	3	2418	G
51	3	2422	G
51	3	2424	C
51	3	2427	U
51	3	2428	C
51	3	2429	G
51	3	2430	C
51	3	2431	U
51	3	2432	C
51	3	2433	A
51	3	2436	G
51	3	2437	G
51	3	2438	A
51	3	2439	U
51	3	2440	A
51	3	2442	A
51	3	2443	A
51	3	2448	C
51	3	2449	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	2452	G
51	3	2454	G
51	3	2455	G
51	3	2456	A
51	3	2457	U
51	3	2458	A
51	3	2461	A
51	3	2467	A
51	3	2472	G
51	3	2473	C
51	3	2475	C
51	3	2477	A
51	3	2478	G
51	3	2482	U
51	3	2483	C
51	3	2486	A
51	3	2487	U
51	3	2488	C
51	3	2489	G
51	3	2497	U
51	3	2499	U
51	3	2502	G
51	3	2507	C
51	3	2509	C
51	3	2510	G
51	3	2511	A
51	3	2512	U
51	3	2513	G
51	3	2519	U
51	3	2520	C
51	3	2521	A
51	3	2522	U
51	3	2526	A
51	3	2528	C
51	3	2530	U
51	3	2531	C
51	3	2538	A
51	3	2550	A
51	3	2555	U
51	3	2564	C
51	3	2565	G
51	3	2568	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	2571	U
51	3	2572	A
51	3	2575	G
51	3	2577	G
51	3	2580	A
51	3	2581	C
51	3	2582	G
51	3	2584	G
51	3	2585	A
51	3	2586	G
51	3	2588	U
51	3	2589	G
51	3	2593	U
51	3	2598	C
51	3	2605	G
51	3	2609	C
51	3	2610	A
51	3	2611	G
51	3	2613	U
51	3	2621	U
51	3	2626	A
51	3	2634	C
51	3	2635	G
51	3	2637	A
51	3	2638	G
51	3	2639	G
51	3	2641	A
51	3	2643	A
51	3	2644	U
51	3	2645	U
51	3	2647	A
51	3	2649	G
51	3	2655	U
51	3	2658	U
51	3	2668	A
51	3	2669	G
51	3	2673	A
51	3	2674	C
51	3	2675	C
51	3	2676	G
51	3	2686	C
51	3	2690	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	2692	U
51	3	2697	C
51	3	2698	U
51	3	2707	A
51	3	2709	C
51	3	2716	U
51	3	2722	G
51	3	2729	A
51	3	2731	U
51	3	2732	A
51	3	2735	G
51	3	2737	G
51	3	2740	U
51	3	2741	A
51	3	2742	U
51	3	2743	U
51	3	2745	G
51	3	2747	U
51	3	2748	A
51	3	2752	G
51	3	2756	A
51	3	2757	A
51	3	2758	A
51	3	2759	G
51	3	2760	C
51	3	2765	A
51	3	2769	G
51	3	2772	A
51	3	2773	A
51	3	2774	A
51	3	2778	U
51	3	2779	C
51	3	2780	U
51	3	2786	A
51	3	2787	U
51	3	2790	A
51	3	2791	U
51	3	2793	U
51	3	2799	U
51	3	2800	U
51	3	2801	U
51	3	2804	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	2805	A
51	3	2806	A
51	3	2807	G
51	3	2808	A
51	3	2810	A
51	3	2812	U
51	3	2813	A
51	3	2814	A
51	3	2815	G
51	3	2822	C
51	3	2824	A
51	3	2825	A
51	3	2829	G
51	3	2833	A
51	3	2834	C
51	3	2836	U
51	3	2837	U
51	3	2840	U
51	3	2841	A
51	3	2843	G
51	3	2844	U
51	3	2847	C
51	3	2853	U
51	3	2854	A
51	3	2862	U
51	3	2863	G
51	3	2865	U
51	3	2866	A
51	3	2869	U
51	3	2870	U
51	3	2871	G
51	3	2872	A
51	3	2874	C
51	3	2876	G
51	3	2877	A
51	3	2883	A
51	3	2884	C
51	3	2886	A
51	3	2888	U
51	3	2890	G
51	3	2896	G
51	3	2897	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	2898	A
51	3	2899	C
52	4	3	U
52	4	4	G
52	4	7	G
52	4	10	C
52	4	11	A
52	4	14	U
52	4	16	G
52	4	17	C
52	4	19	G
52	4	21	G
52	4	23	A
52	4	26	C
52	4	27	A
52	4	29	C
52	4	30	U
52	4	38	U
52	4	39	U
52	4	40	U
52	4	41	C
52	4	42	G
52	4	44	A
52	4	45	C
52	4	47	C
52	4	48	A
52	4	49	G
52	4	54	U
52	4	55	A
52	4	60	C
52	4	61	A
52	4	63	U
52	4	64	G
52	4	65	G
52	4	71	A
52	4	78	C
52	4	86	G
52	4	88	G
52	4	89	A
52	4	96	G
52	4	99	A
52	4	100	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
52	4	102	A
53	5	8	G
53	5	9	A
53	5	10	G
53	5	20	C
53	5	23	G
53	5	25	U
53	5	28	G
53	5	29	G
53	5	31	U
53	5	33	A
53	5	36	G
53	5	38	U
53	5	39	G
53	5	40	G
53	5	48	C
53	5	49	C
53	5	52	A
53	5	55	C
53	5	63	U
53	5	65	G
53	5	66	A
53	5	73	G
53	5	76	G
53	5	77	U
53	5	78	A
53	5	80	U
53	5	82	C
53	5	85	U
53	5	86	A
53	5	88	A
53	5	94	A
53	5	96	G
53	5	97	G
53	5	101	A
53	5	105	A
53	5	106	C
53	5	113	C
53	5	115	A
53	5	116	A
53	5	117	U
53	5	120	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	124	U
53	5	127	A
53	5	130	G
53	5	137	A
53	5	140	U
53	5	149	G
53	5	154	G
53	5	159	U
53	5	160	A
53	5	167	A
53	5	169	G
53	5	172	C
53	5	174	U
53	5	176	G
53	5	177	G
53	5	188	U
53	5	189	C
53	5	190	A
53	5	191	A
53	5	192	A
53	5	195	U
53	5	197	A
53	5	204	C
53	5	205	U
53	5	206	G
53	5	208	A
53	5	210	G
53	5	212	G
53	5	222	U
53	5	223	G
53	5	224	A
53	5	229	G
53	5	230	G
53	5	231	U
53	5	232	G
53	5	234	G
53	5	236	C
53	5	240	U
53	5	241	C
53	5	242	A
53	5	243	G
53	5	248	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	254	G
53	5	255	G
53	5	256	G
53	5	259	A
53	5	261	G
53	5	262	G
53	5	263	C
53	5	270	A
53	5	277	G
53	5	278	A
53	5	282	G
53	5	285	G
53	5	286	C
53	5	290	G
53	5	292	U
53	5	293	G
53	5	294	A
53	5	301	G
53	5	302	A
53	5	304	U
53	5	308	C
53	5	312	A
53	5	315	G
53	5	316	G
53	5	317	A
53	5	320	G
53	5	321	A
53	5	323	A
53	5	324	C
53	5	325	A
53	5	328	G
53	5	332	A
53	5	334	A
53	5	337	C
53	5	341	C
53	5	342	G
53	5	344	G
53	5	347	G
53	5	348	C
53	5	362	U
53	5	363	U
53	5	364	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	365	U
53	5	367	A
53	5	368	C
53	5	369	A
53	5	371	U
53	5	374	G
53	5	378	A
53	5	380	G
53	5	383	U
53	5	384	G
53	5	388	G
53	5	389	A
53	5	396	C
53	5	402	G
53	5	403	A
53	5	404	A
53	5	407	A
53	5	408	U
53	5	410	A
53	5	411	A
53	5	414	U
53	5	417	U
53	5	418	U
53	5	419	A
53	5	420	A
53	5	421	G
53	5	425	G
53	5	426	U
53	5	427	A
53	5	432	U
53	5	435	U
53	5	436	U
53	5	437	U
53	5	444	G
53	5	446	A
53	5	447	G
53	5	448	A
53	5	449	A
53	5	452	A
53	5	456	U
53	5	457	A
53	5	458	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	459	C
53	5	461	G
53	5	463	U
53	5	464	A
53	5	465	A
53	5	468	G
53	5	469	C
53	5	470	U
53	5	471	A
53	5	472	G
53	5	476	U
53	5	477	U
53	5	479	A
53	5	481	U
53	5	482	G
53	5	483	U
53	5	485	C
53	5	486	C
53	5	488	U
53	5	493	A
53	5	494	A
53	5	495	U
53	5	496	A
53	5	497	A
53	5	506	U
53	5	509	C
53	5	511	A
53	5	514	U
53	5	515	G
53	5	516	C
53	5	517	C
53	5	518	A
53	5	519	G
53	5	520	C
53	5	523	U
53	5	524	C
53	5	525	G
53	5	527	G
53	5	529	U
53	5	530	A
53	5	531	A
53	5	535	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	542	G
53	5	545	A
53	5	548	G
53	5	549	U
53	5	552	U
53	5	553	C
53	5	557	A
53	5	558	U
53	5	559	U
53	5	560	U
53	5	561	A
53	5	562	U
53	5	565	G
53	5	566	G
53	5	568	G
53	5	570	A
53	5	571	A
53	5	574	C
53	5	575	A
53	5	576	A
53	5	579	G
53	5	582	G
53	5	584	C
53	5	586	G
53	5	592	A
53	5	593	A
53	5	594	A
53	5	596	U
53	5	599	G
53	5	600	G
53	5	605	A
53	5	610	C
53	5	614	U
53	5	618	U
53	5	628	A
53	5	630	G
53	5	632	A
53	5	634	U
53	5	635	G
53	5	636	G
53	5	639	A
53	5	641	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	642	A
53	5	644	U
53	5	645	A
53	5	648	C
53	5	653	G
53	5	662	G
53	5	669	U
53	5	672	A
53	5	682	G
53	5	684	A
53	5	687	G
53	5	690	G
53	5	691	A
53	5	692	A
53	5	693	A
53	5	695	G
53	5	698	U
53	5	699	A
53	5	700	G
53	5	708	A
53	5	711	G
53	5	715	A
53	5	716	C
53	5	717	C
53	5	718	A
53	5	719	G
53	5	720	U
53	5	721	G
53	5	730	G
53	5	733	A
53	5	737	U
53	5	738	A
53	5	740	G
53	5	744	U
53	5	745	U
53	5	752	G
53	5	755	U
53	5	757	G
53	5	760	U
53	5	761	U
53	5	763	A
53	5	772	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	774	A
53	5	779	A
53	5	780	U
53	5	784	A
53	5	785	U
53	5	786	U
53	5	787	A
53	5	788	G
53	5	789	A
53	5	790	U
53	5	791	A
53	5	793	C
53	5	796	A
53	5	798	U
53	5	799	A
53	5	800	G
53	5	802	C
53	5	804	A
53	5	811	A
53	5	812	A
53	5	814	C
53	5	815	G
53	5	817	U
53	5	818	A
53	5	821	U
53	5	822	A
53	5	825	A
53	5	826	G
53	5	838	A
53	5	839	U
53	5	840	C
53	5	841	C
53	5	842	C
53	5	846	G
53	5	849	A
53	5	853	A
53	5	855	G
53	5	864	U
53	5	865	U
53	5	866	A
53	5	867	A
53	5	868	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	870	A
53	5	878	U
53	5	879	G
53	5	884	G
53	5	886	A
53	5	888	A
53	5	893	C
53	5	894	A
53	5	896	G
53	5	903	A
53	5	904	C
53	5	905	U
53	5	906	C
53	5	907	A
53	5	908	A
53	5	910	C
53	5	911	G
53	5	917	G
53	5	920	G
53	5	921	G
53	5	922	G
53	5	929	C
53	5	930	A
53	5	932	A
53	5	934	G
53	5	937	G
53	5	938	U
53	5	939	G
53	5	948	U
53	5	950	C
53	5	952	U
53	5	953	A
53	5	955	U
53	5	959	A
53	5	962	G
53	5	963	U
53	5	964	A
53	5	966	A
53	5	969	A
53	5	970	A
53	5	971	A
53	5	972	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	975	C
53	5	976	U
53	5	977	U
53	5	978	A
53	5	983	G
53	5	987	U
53	5	988	G
53	5	989	A
53	5	994	C
53	5	997	G
53	5	998	G
53	5	1000	A
53	5	1002	A
53	5	1006	A
53	5	1008	G
53	5	1009	G
53	5	1013	C
53	5	1014	A
53	5	1016	A
53	5	1019	G
53	5	1030	G
53	5	1032	G
53	5	1034	G
53	5	1036	C
53	5	1037	A
53	5	1040	U
53	5	1042	G
53	5	1045	C
53	5	1046	A
53	5	1047	U
53	5	1056	U
53	5	1061	U
53	5	1070	G
53	5	1071	A
53	5	1072	G
53	5	1074	U
53	5	1075	G
53	5	1080	G
53	5	1081	U
53	5	1083	A
53	5	1084	A
53	5	1085	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	1086	U
53	5	1089	C
53	5	1090	G
53	5	1091	C
53	5	1092	A
53	5	1104	C
53	5	1109	U
53	5	1113	U
53	5	1114	A
53	5	1115	G
53	5	1118	A
53	5	1119	C
53	5	1121	U
53	5	1122	U
53	5	1123	G
53	5	1124	U
53	5	1125	C
53	5	1128	G
53	5	1129	C
53	5	1130	G
53	5	1133	A
53	5	1134	C
53	5	1135	U
53	5	1136	G
53	5	1139	A
53	5	1142	G
53	5	1143	C
53	5	1144	A
53	5	1145	A
53	5	1151	A
53	5	1152	G
53	5	1155	A
53	5	1158	A
53	5	1159	A
53	5	1165	G
53	5	1169	U
53	5	1171	A
53	5	1172	A
53	5	1175	C
53	5	1176	A
53	5	1188	A
53	5	1189	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	1195	G
53	5	1198	C
53	5	1199	U
53	5	1200	G
53	5	1201	C
53	5	1203	A
53	5	1206	G
53	5	1215	U
53	5	1216	G
53	5	1217	G
53	5	1220	A
53	5	1225	A
53	5	1228	C
53	5	1231	U
53	5	1232	C
53	5	1233	G
53	5	1235	C
53	5	1240	U
53	5	1245	A
53	5	1255	A
53	5	1256	U
53	5	1257	C
53	5	1260	U
53	5	1261	A
53	5	1262	A
53	5	1266	U
53	5	1268	G
53	5	1269	U
53	5	1271	U
53	5	1272	C
53	5	1273	A
53	5	1274	G
53	5	1279	G
53	5	1293	A
53	5	1294	U
53	5	1296	C
53	5	1297	G
53	5	1304	U
53	5	1305	G
53	5	1306	A
53	5	1307	A
53	5	1310	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	1311	G
53	5	1314	A
53	5	1319	U
53	5	1320	A
53	5	1321	G
53	5	1325	U
53	5	1326	C
53	5	1328	C
53	5	1332	U
53	5	1337	U
53	5	1338	A
53	5	1340	G
53	5	1342	C
53	5	1343	G
53	5	1346	G
53	5	1353	C
53	5	1355	U
53	5	1356	U
53	5	1358	U
53	5	1369	A
53	5	1372	C
53	5	1373	A
53	5	1377	C
53	5	1381	U
53	5	1396	U
53	5	1398	G
53	5	1402	U
53	5	1403	A
53	5	1408	A
53	5	1411	A
53	5	1417	U
53	5	1423	C
53	5	1425	A
53	5	1426	U
53	5	1427	U
53	5	1433	G
53	5	1440	U
53	5	1443	A
53	5	1444	G
53	5	1446	A
53	5	1450	C
53	5	1451	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	1458	A
53	5	1459	U
53	5	1463	A
53	5	1465	U
53	5	1467	A
53	5	1468	A
53	5	1473	U
53	5	1474	A
53	5	1476	C
53	5	1477	A
53	5	1480	G
53	5	1481	U
53	5	1488	A
53	5	1492	G
53	5	1495	C
53	5	1496	G
53	5	1504	G
53	5	1505	G
53	5	1509	A
54	6	5	C
54	6	14	C
54	6	15	A
54	6	17	U
54	6	18	C
54	6	19	G
54	6	20	G
54	6	21	U
54	6	31	G
54	6	35	G
54	6	47	G
54	6	49	C
54	6	50	G
54	6	51	G
54	6	57	C
54	6	58	G
54	6	59	A
54	6	60	U
54	6	62	C
54	6	64	G
54	6	68	G
54	6	69	A
54	6	71	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	6	73	C
54	6	74	A
54	6	75	C
54	7	5	C
54	7	14	C
54	7	15	A
54	7	17	U
54	7	18	C
54	7	19	G
54	7	20	G
54	7	21	U
54	7	31	G
54	7	35	G
54	7	47	G
54	7	49	C
54	7	50	G
54	7	51	G
54	7	57	C
54	7	58	G
54	7	59	A
54	7	60	U
54	7	62	C
54	7	64	G
54	7	68	G
54	7	69	A
54	7	71	A
54	7	73	C
54	7	74	A
54	7	75	C

All (113) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
51	3	26	G
51	3	27	U
51	3	43	A
51	3	171	G
51	3	374	A
51	3	410	G
51	3	422	A
51	3	427	A
51	3	428	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	431	U
51	3	448	A
51	3	464	A
51	3	465	A
51	3	513	A
51	3	659	C
51	3	686	C
51	3	794	G
51	3	903	A
51	3	944	U
51	3	952	U
51	3	964	A
51	3	994	U
51	3	996	A
51	3	1047	A
51	3	1077	G
51	3	1082	A
51	3	1086	G
51	3	1107	C
51	3	1114	C
51	3	1117	U
51	3	1124	G
51	3	1130	A
51	3	1143	U
51	3	1248	A
51	3	1297	U
51	3	1302	C
51	3	1349	C
51	3	1350	A
51	3	1355	C
51	3	1464	G
51	3	1487	U
51	3	1507	G
51	3	1523	C
51	3	1524	C
51	3	1585	A
51	3	1586	U
51	3	1588	A
51	3	1713	U
51	3	1735	A
51	3	1768	G
51	3	1794	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	3	1820	U
51	3	1854	A
51	3	1884	A
51	3	2022	A
51	3	2023	U
51	3	2036	G
51	3	2097	A
51	3	2118	U
51	3	2135	C
51	3	2157	A
51	3	2188	U
51	3	2235	A
51	3	2342	U
51	3	2347	G
51	3	2429	G
51	3	2486	A
51	3	2506	C
51	3	2520	C
51	3	2537	G
51	3	2587	U
51	3	2604	U
51	3	2642	G
51	3	2696	G
51	3	2764	U
51	3	2843	G
51	3	2889	U
52	4	25	A
53	5	22	G
53	5	24	C
53	5	75	A
53	5	126	U
53	5	205	U
53	5	240	U
53	5	261	G
53	5	341	C
53	5	403	A
53	5	406	G
53	5	426	U
53	5	513	G
53	5	517	C
53	5	570	A
53	5	581	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
53	5	591	A
53	5	599	G
53	5	671	G
53	5	710	G
53	5	716	C
53	5	838	A
53	5	921	G
53	5	938	U
53	5	971	A
53	5	1033	U
53	5	1154	A
53	5	1168	G
53	5	1327	G
53	5	1331	A
53	5	1376	G
53	5	1395	C
53	5	1401	A
53	5	1445	G
53	5	1457	G
53	5	1462	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13275. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 104




Y Index: 120




Z Index: 122


6.3.2 Raw map



X Index: 106



Y Index: 125




Z Index: 125

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.53. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_13275_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1661 nm³; this corresponds to an approximate mass of 1501 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.189 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.189 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.30	-	-
Author-provided FSC curve	5.31	7.49	5.59
Unmasked-calculated*	7.08	10.68	7.55

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.08 differs from the reported value 5.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13275 and PDB model 7PAK. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.53 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.53).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary











































The table lists the average atom inclusion at the recommended contour level (0.53) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8179	 0.2750
0	 0.7973	 0.2880
1	 0.7339	 0.2870
2	 0.7162	 0.2640
3	 0.9210	 0.2920
4	 0.9268	 0.2910
5	 0.9244	 0.2830
6	 0.5179	 0.0740
7	 0.8375	 0.2340
9	 0.2149	 0.1850
A	 0.6075	 0.2560
B	 0.6329	 0.2560
C	 0.6173	 0.2390
D	 0.6603	 0.2570
E	 0.5831	 0.2700
F	 0.6083	 0.2550
G	 0.6379	 0.2430
H	 0.6264	 0.2360
I	 0.5987	 0.2410
J	 0.6756	 0.2590
K	 0.6935	 0.2810
L	 0.6394	 0.2540
M	 0.6945	 0.2570
N	 0.6329	 0.2380
O	 0.7011	 0.2820
P	 0.6728	 0.2480
Q	 0.6822	 0.2590
R	 0.6373	 0.2470
S	 0.7098	 0.2520
T	 0.6116	 0.2330
a	 0.7315	 0.2860
b	 0.7045	 0.2670
c	 0.6726	 0.2730
d	 0.6141	 0.2260
e	 0.6068	 0.2740



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.2585	 0.1870
g	 0.4789	 0.2030
h	 0.3887	 0.1950
i	 0.7213	 0.2710
j	 0.6815	 0.2930
k	 0.7264	 0.2840
l	 0.7242	 0.2880
m	 0.7179	 0.2680
n	 0.6644	 0.2550
o	 0.6915	 0.2860
p	 0.7311	 0.2490
q	 0.6834	 0.2860
r	 0.7226	 0.2700
s	 0.6982	 0.2920
t	 0.5656	 0.2680
u	 0.7234	 0.2790
v	 0.7394	 0.2790
w	 0.6916	 0.2640
x	 0.6122	 0.2650
y	 0.7742	 0.2980
z	 0.7607	 0.2920