

Full wwPDB X-ray Structure Validation Report (i)

Dec 6, 2021 – 01:07 pm GMT

PDB ID : 7PCX

Title: X-RAY STRUCTURE OF THE HALOALKANE DEHALOGENASE

HALOTAG7-Q165W LABELED WITH A CHLOROALKANE-TETRAM

ETHYLRHODAMINE FLUOROPHORE SUBSTRATE

Authors: Tarnawski, M.; Frei, M.; Hiblot, J.; Johnsson, K.

Deposited on : 2021-08-04

Resolution : 1.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul: 1.8.4 (270009), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.23.2buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0267

CCP4 : 7.1.010 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.23.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range(\mathring{A})}) \end{array}$
R_{free}	130704	1714 (1.40-1.40)
Clashscore	141614	1812 (1.40-1.40)
Ramachandran outliers	138981	1763 (1.40-1.40)
Sidechain outliers	138945	1762 (1.40-1.40)
RSRZ outliers	127900	1674 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	293	95%	5%
1	В	293	98%	•
1	С	293	96%	•
1	D	293	98%	•
1	Е	293	97%	•



 $Continued\ from\ previous\ page...$

Mol	Chain	Length	Quality of chain
1	F	293	96%



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 15752 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Haloalkane dehalogenase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	A	293	Total	С	N	О	S	0	2	0
1	A	293	2366	1543	395	419	9	0	<i>L</i>	
1	В	293	Total	С	N	О	S	0	1	0
1	Ъ	290	2363	1539	398	417	9	0		
1	С	293	Total	С	N	О	S	0	2	0
1		290	2366	1543	395	419	9	U	2	
1	D	293	Total	С	N	О	S	0	6	0
1	D	290	2388	1559	395	425	9		0	
1	Е	293	Total	С	N	О	S	0	3	0
1	. L	293	2377	1551	396	421	9	0	9	
1	F	293	Total	С	N	О	S	0	4	0
1	I'	290	2377	1552	395	421	9	U	4	U

There are 150 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	3	GLY	-	expression tag	UNP P0A3G3
A	47	VAL	LEU	engineered mutation	UNP P0A3G3
A	58	THR	SER	engineered mutation	UNP P0A3G3
A	78	GLY	ASP	engineered mutation	UNP P0A3G3
A	87	PHE	TYR	engineered mutation	UNP P0A3G3
A	88	MET	LEU	engineered mutation	UNP P0A3G3
A	128	PHE	CYS	engineered mutation	UNP P0A3G3
A	155	THR	ALA	engineered mutation	UNP P0A3G3
A	160	LYS	GLU	engineered mutation	UNP P0A3G3
A	165	TRP	GLN	engineered mutation	UNP P0A3G3
A	167	VAL	ALA	engineered mutation	UNP P0A3G3
A	172	THR	ALA	engineered mutation	UNP P0A3G3
A	175	MET	LYS	engineered mutation	UNP P0A3G3
A	176	GLY	CYS	engineered mutation	UNP P0A3G3
A	195	ASN	LYS	engineered mutation	UNP P0A3G3
A	224	GLU	ALA	engineered mutation	UNP P0A3G3
A	227	ASP	ASN	engineered mutation	UNP P0A3G3



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
A	257	LYS	GLU	engineered mutation	UNP P0A3G3
A	264	ALA	THR	engineered mutation	UNP P0A3G3
A	272	ASN	HIS	engineered mutation	UNP P0A3G3
A	273	LEU	TYR	engineered mutation	UNP P0A3G3
A	291	SER	PRO	engineered mutation	UNP P0A3G3
A	292	THR	ALA	engineered mutation	UNP P0A3G3
A	294	GLU	-	expression tag	UNP P0A3G3
A	295	ILE	-	expression tag	UNP P0A3G3
В	3	GLY	-	expression tag	UNP P0A3G3
В	47	VAL	LEU	engineered mutation	UNP P0A3G3
В	58	THR	SER	engineered mutation	UNP P0A3G3
В	78	GLY	ASP	engineered mutation	UNP P0A3G3
В	87	PHE	TYR	engineered mutation	UNP P0A3G3
В	88	MET	LEU	engineered mutation	UNP P0A3G3
В	128	PHE	CYS	engineered mutation	UNP P0A3G3
В	155	THR	ALA	engineered mutation	UNP P0A3G3
В	160	LYS	GLU	engineered mutation	UNP P0A3G3
В	165	TRP	GLN	engineered mutation	UNP P0A3G3
В	167	VAL	ALA	engineered mutation	UNP P0A3G3
В	172	THR	ALA	engineered mutation	UNP P0A3G3
В	175	MET	LYS	engineered mutation	UNP P0A3G3
В	176	GLY	CYS	engineered mutation	UNP P0A3G3
В	195	ASN	LYS	engineered mutation	UNP P0A3G3
В	224	GLU	ALA	engineered mutation	UNP P0A3G3
В	227	ASP	ASN	engineered mutation	UNP P0A3G3
В	257	LYS	GLU	engineered mutation	UNP P0A3G3
В	264	ALA	THR	engineered mutation	UNP P0A3G3
В	272	ASN	HIS	engineered mutation	UNP P0A3G3
В	273	LEU	TYR	engineered mutation	UNP P0A3G3
В	291	SER	PRO	engineered mutation	UNP P0A3G3
В	292	THR	ALA	engineered mutation	UNP P0A3G3
В	294	GLU	-	expression tag	UNP P0A3G3
В	295	ILE	-	expression tag	UNP P0A3G3
С	3	GLY	-	expression tag	UNP P0A3G3
С	47	VAL	LEU	engineered mutation	UNP P0A3G3
С	58	THR	SER	engineered mutation	UNP P0A3G3
С	78	GLY	ASP	engineered mutation	UNP P0A3G3
С	87	PHE	TYR	engineered mutation	UNP P0A3G3
С	88	MET	LEU	engineered mutation	UNP P0A3G3
С	128	PHE	CYS	engineered mutation	UNP P0A3G3
С	155	THR	ALA	engineered mutation	UNP P0A3G3
С	160	LYS	GLU	engineered mutation	UNP P0A3G3



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled Modelled	Actual	Comment	Reference
С	165	TRP	GLN	engineered mutation	UNP P0A3G3
С	167	VAL	ALA	engineered mutation	UNP P0A3G3
С	172	THR	ALA	engineered mutation	UNP P0A3G3
С	175	MET	LYS	engineered mutation	UNP P0A3G3
С	176	GLY	CYS	engineered mutation	UNP P0A3G3
С	195	ASN	LYS	engineered mutation	UNP P0A3G3
С	224	GLU	ALA	engineered mutation	UNP P0A3G3
С	227	ASP	ASN	engineered mutation	UNP P0A3G3
С	257	LYS	GLU	engineered mutation	UNP P0A3G3
С	264	ALA	THR	engineered mutation	UNP P0A3G3
С	272	ASN	HIS	engineered mutation	UNP P0A3G3
С	273	LEU	TYR	engineered mutation	UNP P0A3G3
С	291	SER	PRO	engineered mutation	UNP P0A3G3
С	292	THR	ALA	engineered mutation	UNP P0A3G3
С	294	GLU	-	expression tag	UNP P0A3G3
С	295	ILE	-	expression tag	UNP P0A3G3
D	3	GLY	-	expression tag	UNP P0A3G3
D	47	VAL	LEU	engineered mutation	UNP P0A3G3
D	58	THR	SER	engineered mutation	UNP P0A3G3
D	78	GLY	ASP	engineered mutation	UNP P0A3G3
D	87	PHE	TYR	engineered mutation	UNP P0A3G3
D	88	MET	LEU	engineered mutation	UNP P0A3G3
D	128	PHE	CYS	engineered mutation	UNP P0A3G3
D	155	THR	ALA	engineered mutation	UNP P0A3G3
D	160	LYS	GLU	engineered mutation	UNP P0A3G3
D	165	TRP	GLN	engineered mutation	UNP P0A3G3
D	167	VAL	ALA	engineered mutation	UNP P0A3G3
D	172	THR	ALA	engineered mutation	UNP P0A3G3
D	175	MET	LYS	engineered mutation	UNP P0A3G3
D	176	GLY	CYS	engineered mutation	UNP P0A3G3
D	195	ASN	LYS	engineered mutation	UNP P0A3G3
D	224	GLU	ALA	engineered mutation	UNP P0A3G3
D	227	ASP	ASN	engineered mutation	UNP P0A3G3
D	257	LYS	GLU	engineered mutation	UNP P0A3G3
D	264	ALA	THR	engineered mutation	UNP P0A3G3
D	272	ASN	HIS	engineered mutation	UNP P0A3G3
D	273	LEU	TYR	engineered mutation	UNP P0A3G3
D	291	SER	PRO	engineered mutation	UNP P0A3G3
D	292	THR	ALA	engineered mutation	UNP P0A3G3
D	294	GLU	-	expression tag	UNP P0A3G3
D	295	ILE	-	expression tag	UNP P0A3G3
Е	3	GLY	-	expression tag	UNP P0A3G3



 $Continued\ from\ previous\ page...$


Chain	Residue	Modelled Modelled	Actual	Comment	Reference
Е	47	VAL	LEU	engineered mutation	UNP P0A3G3
Е	58	THR	SER	engineered mutation	UNP P0A3G3
Е	78	GLY	ASP	engineered mutation	UNP P0A3G3
Е	87	PHE	TYR	engineered mutation	UNP P0A3G3
Е	88	MET	LEU	engineered mutation	UNP P0A3G3
Е	128	PHE	CYS	engineered mutation	UNP P0A3G3
Е	155	THR	ALA	engineered mutation	UNP P0A3G3
Е	160	LYS	GLU	engineered mutation	UNP P0A3G3
Е	165	TRP	GLN	engineered mutation	UNP P0A3G3
Е	167	VAL	ALA	engineered mutation	UNP P0A3G3
Е	172	THR	ALA	engineered mutation	UNP P0A3G3
Е	175	MET	LYS	engineered mutation	UNP P0A3G3
Е	176	GLY	CYS	engineered mutation	UNP P0A3G3
Е	195	ASN	LYS	engineered mutation	UNP P0A3G3
Е	224	GLU	ALA	engineered mutation	UNP P0A3G3
Е	227	ASP	ASN	engineered mutation	UNP P0A3G3
Е	257	LYS	GLU	engineered mutation	UNP P0A3G3
Е	264	ALA	THR	engineered mutation	UNP P0A3G3
Е	272	ASN	HIS	engineered mutation	UNP P0A3G3
Е	273	LEU	TYR	engineered mutation	UNP P0A3G3
Е	291	SER	PRO	engineered mutation	UNP P0A3G3
Е	292	THR	ALA	engineered mutation	UNP P0A3G3
Е	294	GLU	-	expression tag	UNP P0A3G3
Е	295	ILE	-	expression tag	UNP P0A3G3
F	3	GLY	-	expression tag	UNP P0A3G3
F	47	VAL	LEU	engineered mutation	UNP P0A3G3
F	58	THR	SER	engineered mutation	UNP P0A3G3
F	78	GLY	ASP	engineered mutation	UNP P0A3G3
F	87	PHE	TYR	engineered mutation	UNP P0A3G3
F	88	MET	LEU	engineered mutation	UNP P0A3G3
F	128	PHE	CYS	engineered mutation	UNP P0A3G3
F	155	THR	ALA	engineered mutation	UNP P0A3G3
F	160	LYS	GLU	engineered mutation	UNP P0A3G3
F	165	TRP	GLN	engineered mutation	UNP P0A3G3
F	167	VAL	ALA	engineered mutation	UNP P0A3G3
F	172	THR	ALA	engineered mutation	UNP P0A3G3
F	175	MET	LYS	engineered mutation	UNP P0A3G3
F	176	GLY	CYS	engineered mutation	UNP P0A3G3
F	195	ASN	LYS	engineered mutation	UNP P0A3G3
F	224	GLU	ALA	engineered mutation	UNP P0A3G3
F	227	ASP	ASN	engineered mutation	UNP P0A3G3
F	257	LYS	GLU	engineered mutation	UNP P0A3G3



~ · · 1	c		
Continued	trom	nremous	naae.

Chain	Residue	Modelled	Actual	Comment	Reference
F	264	ALA	THR	engineered mutation	UNP P0A3G3
F	272	ASN	HIS	engineered mutation	UNP P0A3G3
F	273	LEU	TYR	engineered mutation	UNP P0A3G3
F	291	SER	PRO	engineered mutation	UNP P0A3G3
F	292	THR	ALA	engineered mutation	UNP P0A3G3
F	294	GLU	-	expression tag	UNP P0A3G3
F	295	ILE	-	expression tag	UNP P0A3G3

• Molecule 2 is [9-[2-carboxy-5-[2-[2-(6-chloranylhexoxy)ethoxy]ethylcarbamoyl]phenyl]-6-(dimethylamino)xanthen-3-ylidene]-dimethyl-azanium (three-letter code: OEH) (formula: $C_{35}H_{43}ClN_3O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N O	0	0
	Λ	1	44 35 3 6	U	U
2	В	1	Total C N O	0	0
	D	1	44 35 3 6	U	U
2	\mathbf{C}	1	Total C N O	0	1
		1	88 70 6 12	O O	1
2	D	1	Total C N O	0	0
		1	44 35 3 6	Ů	0
2	E	1	Total C N O	0	0
		1	44 35 3 6	Ů	0
2	${ m F}$	1	Total C N O	0	0
	•	1	44 35 3 6		

• Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0
3	В	1	Total Cl 1 1	0	0
3	С	1	Total Cl 1 1	0	0
3	D	1	Total Cl 1 1	0	0
3	E	1	Total Cl 1 1	0	0
3	F	1	Total Cl 1 1	0	0

 \bullet Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $\mathrm{C_3H_8O_3}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	В	1	Total C O 6 3 3	0	0
4	С	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	Е	1	Total C O 6 3 3	0	0
4	Е	1	Total C O 6 3 3	0	0



 $Continued\ from\ previous\ page...$

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	1	Total C C 6 3 3)	0	0

• Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	197	Total O 197 197	0	0
5	В	200	Total O 200 200	0	0
5	С	180	Total O 180 180	0	0
5	D	202	Total O 202 202	0	0
5	Е	182	Total O 182 182	0	0
5	F	198	Total O 198 198	0	0




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Haloalkane dehalogenase









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	74.96Å 149.15Å 79.92Å	Donogitor
a, b, c, α , β , γ	90.00° 117.97° 90.00°	Depositor
Resolution (Å)	39.86 - 1.40	Depositor
Resolution (A)	39.86 - 1.40	EDS
% Data completeness	99.1 (39.86-1.40)	Depositor
(in resolution range)	99.1 (39.86-1.40)	EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	3.96 (at 1.40Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
D.D.	0.175 , 0.198	Depositor
R, R_{free}	0.172 , 0.194	DCC
R_{free} test set	15027 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	11.7	Xtriage
Anisotropy	0.186	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	(Not available), (Not available)	EDS
L-test for twinning ²	$< L >=0.45, < L^2>=0.27$	Xtriage
Estimated twinning fraction	0.307 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15752	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 73.40 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.8505e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, OEH, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles		
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.34	0/2453	0.61	0/3355	
1	В	0.35	0/2447	0.63	0/3345	
1	С	0.35	0/2453	0.62	$1/3356 \ (0.0\%)$	
1	D	0.34	0/2487	0.61	0/3401	
1	Е	0.36	0/2469	0.62	0/3377	
1	F	0.35	0/2470	0.61	0/3378	
All	All	0.35	0/14779	0.62	1/20212 (0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}({}^{o})$
1	С	156	ASP	CB-CG-OD1	5.10	122.89	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2366	0	2310	7	0
1	В	2363	0	2306	5	0
1	С	2366	0	2310	7	0
1	D	2388	0	2337	2	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Ε	2377	0	2313	6	0
1	F	2377	0	2327	6	0
2	A	44	0	0	0	0
2	В	44	0	0	0	0
2	С	88	0	0	0	0
2	D	44	0	0	0	0
2	Ε	44	0	0	1	0
2	F	44	0	0	0	0
3	A	1	0	0	0	0
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
3	Е	1	0	0	0	0
3	F	1	0	0	0	0
4	A	6	0	8	0	0
4	В	6	0	8	0	0
4	С	6	0	8	0	0
4	D	6	0	8	0	0
4	Ε	12	0	16	0	0
4	F	6	0	8	0	0
5	A	197	0	0	0	0
5	В	200	0	0	0	0
5	С	180	0	0	0	0
5	D	202	0	0	0	0
5	Е	182	0	0	1	0
5	F	198	0	0	0	0
All	All	15752	0	13959	30	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (30) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1 D 27 1 1 D C 11D 2	1 0 10 1110 1151	()	- \ /
1:B:254:ARG:HD3	1:C:13:HIS:HE1	1.50	0.75
1:A:82:ASP:OD2	1:A:86:ARG:NH1	2.27	0.68
1:D:265:VAL:HG21	1:D:285[B]:GLU:HG2	1.83	0.60
1:B:254:ARG:HD3	1:C:13:HIS:CE1	2.38	0.53
1:E:121[B]:GLU:HG2	1:E:122:ARG:HG3	1.93	0.49
1:F:104:ILE:HD12	1:F:109:SER:HA	1.94	0.49
1:E:160:LYS:HG2	1:E:165[A]:TRP:CZ2	2.48	0.49



Continued from previous page...

A		Interatomic	Clash	
Atom-1	Atom-2	${\rm distance} (\mathring{\rm A})$	overlap (Å)	
1:D:104:ILE:HD12	1:D:109:SER:HA	1.96	0.48	
1:C:104:ILE:HB	1:C:109:SER:HA	1.96	0.48	
1:C:160:LYS:HE3	1:C:165:TRP:CZ2	2.48	0.48	
1:F:131:PHE:HZ	1:F:255:LEU:HD13	1.80	0.47	
1:A:131:PHE:HZ	1:A:255:LEU:HD13	1.80	0.47	
1:C:160:LYS:HD2	1:C:164:ASP:OD2	2.16	0.46	
1:E:165[A]:TRP:HZ3	2:E:301:OEH:C1	2.29	0.46	
1:A:291:SER:HB3	1:B:214:GLU:HG2	1.97	0.46	
1:A:121:GLU:HG2	1:A:122:ARG:HG3	1.98	0.45	
1:B:104:ILE:HB	1:B:109:SER:HA	1.99	0.45	
1:F:136:PRO:O	1:F:212:ALA:HA	2.17	0.45	
1:F:104:ILE:HB	1:F:109:SER:HA	1.98	0.44	
1:E:104:ILE:HB	1:E:109:SER:HA	2.00	0.43	
1:E:170:GLU:HG3	5:E:521:HOH:O	2.18	0.42	
1:F:124:LYS:HA	1:F:124:LYS:HD3	1.85	0.42	
1:C:124:LYS:HA	1:C:124:LYS:HD3	1.88	0.41	
1:A:104:ILE:HB	1:A:109:SER:HA	2.01	0.41	
1:C:121:GLU:H	1:C:121:GLU:CD	2.24	0.41	
1:B:104:ILE:HD12	1:B:109:SER:HA	2.02	0.41	
1:F:29:PRO:O	1:F:60:ARG:HB2	2.21	0.41	
1:A:104:ILE:HD12	1:A:109:SER:HA	2.02	0.40	
1:A:25:VAL:HB	1:A:63:ALA:HB3	2.04	0.40	
1:E:104:ILE:HD12	1:E:109:SER:HA	2.04	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/293 (100%)	283 (97%)	10 (3%)	0	100	100
1	В	292/293 (100%)	282 (97%)	10 (3%)	0	100	100



I 'omtamalod	tmom	mmonia	maaa
Continued	110111	DIEUIUU	DUJUE
00,000,000	.,	p	p = 9 =

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	Percentiles	
1	С	293/293 (100%)	284 (97%)	9 (3%)	0	100	100	
1	D	297/293 (101%)	288 (97%)	9 (3%)	0	100	100	
1	E	$294/293\ (100\%)$	285 (97%)	9 (3%)	0	100	100	
1	F	$295/293\ (101\%)$	286 (97%)	9 (3%)	0	100	100	
All	All	1764/1758 (100%)	1708 (97%)	56 (3%)	0	100	100	

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	A	254/252 (101%)	250 (98%)	4 (2%)	62	33
1	В	253/252 (100%)	250 (99%)	3 (1%)	71	47
1	С	254/252 (101%)	251 (99%)	3 (1%)	71	47
1	D	258/252 (102%)	255 (99%)	3 (1%)	71	47
1	E	$255/252 \ (101\%)$	252 (99%)	3 (1%)	71	47
1	F	$256/252 \; (102\%)$	253 (99%)	3 (1%)	71	47
All	All	1530/1512 (101%)	1511 (99%)	19 (1%)	69	47

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	168	PHE
1	A	205	PHE
1	A	225	TYR
1	A	267	ILE
1	В	168	PHE
1	В	205	PHE
1	В	225	TYR
1	С	168	PHE
1	С	225	TYR



Continued	trom	mromonie	maaa
Continueu	110111	predidus	puyc

	J	1	1 0
Mol	Chain	Res	Type
1	С	267	ILE
1	D	168	PHE
1	D	205	PHE
1	D	225	TYR
1	Е	168	PHE
1	Е	205	PHE
1	Е	225	TYR
1	F	168	PHE
1	F	205	PHE
1	F	225	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	С	13	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 20 ligands modelled in this entry, 6 are monoatomic - leaving 14 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.





No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

























5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\#\mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q < 0.9
1	A	$293/293\ (100\%)$	-0.43	4 (1%) 75 74	7, 12, 22, 38	0
1	В	293/293 (100%)	-0.46	4 (1%) 75 74	6, 11, 22, 35	0
1	С	$293/293\ (100\%)$	-0.38	2 (0%) 87 86	7, 12, 21, 40	0
1	D	293/293 (100%)	-0.44	3 (1%) 82 80	7, 12, 22, 36	0
1	E	$293/293\ (100\%)$	-0.38	3 (1%) 82 80	7, 12, 22, 39	0
1	F	$293/293\ (100\%)$	-0.43	3 (1%) 82 80	7, 12, 22, 35	0
All	All	$1758/1758 \; (100\%)$	-0.42	19 (1%) 80 79	6, 12, 22, 40	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	3	GLY	5.4
1	D	3	GLY	4.9
1	Е	3	GLY	3.9
1	A	3	GLY	3.9
1	F	3	GLY	3.7
1	A	295	ILE	3.7
1	В	3	GLY	3.2
1	D	295	ILE	2.6
1	A	294	GLU	2.5
1	С	295	ILE	2.4
1	F	257	LYS	2.3
1	В	31	ASP	2.3
1	В	294	GLU	2.2
1	Е	294	GLU	2.1
1	Е	30	ARG	2.1
1	D	31	ASP	2.1
1	F	294	GLU	2.0
1	A	31	ASP	2.0
1	В	195	ASN	2.0



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
4	GOL	В	303	6/6	0.82	0.17	19,23,26,29	0
4	GOL	Е	303	6/6	0.82	0.17	20,23,25,25	0
4	GOL	D	303	6/6	0.84	0.18	19,23,24,24	0
4	GOL	С	303	6/6	0.87	0.15	20,23,23,27	0
4	GOL	F	303	6/6	0.90	0.10	17,20,21,22	0
2	OEH	D	301	44/45	0.91	0.13	7,19,33,46	0
2	OEH	F	301	44/45	0.93	0.10	9,13,21,33	0
4	GOL	A	303	6/6	0.93	0.13	18,18,20,20	0
2	OEH	В	301	44/45	0.93	0.10	8,16,23,27	0
2	OEH	С	301[A]	44/45	0.93	0.15	8,14,19,24	44
2	OEH	С	301[B]	44/45	0.93	0.15	8,15,21,24	44
2	OEH	A	301	44/45	0.93	0.11	9,14,22,37	0
2	OEH	E	301	44/45	0.93	0.11	8,17,26,36	0
4	GOL	E	304	6/6	0.97	0.09	16,17,17,21	0
3	CL	С	302	1/1	0.99	0.04	8,8,8,8	0
3	CL	D	302	1/1	1.00	0.03	8,8,8,8	0
3	CL	E	302	1/1	1.00	0.02	7,7,7,7	0
3	CL	F	302	1/1	1.00	0.03	8,8,8,8	0
3	CL	В	302	1/1	1.00	0.02	7,7,7,7	0
3	CL	A	302	1/1	1.00	0.05	8,8,8,8	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around OEH D 301:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around OEH F 301:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around OEH B 301:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around OEH C 301 (A):


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)
















6.5 Other polymers (i)

There are no such residues in this entry.

