

# Full wwPDB X-ray Structure Validation Report (i)

#### Feb 12, 2024 – 03:28 pm GMT

PDB ID	:	8PHI
Title	:	Crystal structure of prefusion-stabilized RSV F Variant DS-Cav1 in complex
		with Lonafarnib
Authors	:	Rajak, M.; Krey, T.
Deposited on	:	2023-06-19
Resolution	:	2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} {\rm Whole \ archive} \\ {\rm (\#Entries)} \end{array}$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range({\rm \AA})}) \end{array}$
R <sub>free</sub>	130704	6980 (2.30-2.26)
Clashscore	141614	7711 (2.30-2.26)
Ramachandran outliers	138981	7597 (2.30-2.26)
Sidechain outliers	138945	7598 (2.30-2.26)
RSRZ outliers	127900	6849 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
			3%			
1	F	557	73%	8%	•	19%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	336	F	601	-	-	Х	-



Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	F	602	-	-	Х	-



## 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 3703 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Fusion glycoprotein F0.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	F	453	Total 3468	C 2192	N 572	0 681	S 23	0	2	0

Chain	Residue	Modelled	Actual	Comment	Reference
F	66	GLU	LYS	conflict	UNP W8RJF9
F	155	CYS	SER	conflict	UNP W8RJF9
F	190	PHE	SER	conflict	UNP W8RJF9
F	207	LEU	VAL	conflict	UNP W8RJF9
F	290	CYS	SER	conflict	UNP W8RJF9
F	514	SER	-	expression tag	UNP W8RJF9
F	515	ALA	-	expression tag	UNP W8RJF9
F	516	ILE	-	expression tag	UNP W8RJF9
F	517	GLY	-	expression tag	UNP W8RJF9
F	518	GLY	-	expression tag	UNP W8RJF9
F	519	TYR	-	expression tag	UNP W8RJF9
F	520	ILE	-	expression tag	UNP W8RJF9
F	521	PRO	-	expression tag	UNP W8RJF9
F	522	GLU	-	expression tag	UNP W8RJF9
F	523	ALA	-	expression tag	UNP W8RJF9
F	524	PRO	-	expression tag	UNP W8RJF9
F	525	ARG	-	expression tag	UNP W8RJF9
F	526	ASP	-	expression tag	UNP W8RJF9
F	527	GLY	-	expression tag	UNP W8RJF9
F	528	GLN	-	expression tag	UNP W8RJF9
F	529	ALA	-	expression tag	UNP W8RJF9
F	530	TYR	-	expression tag	UNP W8RJF9
F	531	VAL	-	expression tag	UNP W8RJF9
F	532	ARG	-	expression tag	UNP W8RJF9
F	533	LYS	-	expression tag	UNP W8RJF9
F	534	ASP	-	expression tag	UNP W8RJF9
F	535	GLY	-	expression tag	UNP W8RJF9

There are 74 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
F	536	GLU	-	expression tag	UNP W8RJF9
F	537	TRP	_	expression tag	UNP W8RJF9
F	538	VAL	-	expression tag	UNP W8RJF9
F	539	LEU	_	expression tag	UNP W8RJF9
F	540	LEU	-	expression tag	UNP W8RJF9
F	541	SER	-	expression tag	UNP W8RJF9
F	542	THR	-	expression tag	UNP W8RJF9
F	543	PHE	-	expression tag	UNP W8RJF9
F	544	LEU	-	expression tag	UNP W8RJF9
F	545	GLY	-	expression tag	UNP W8RJF9
F	546	GLY	-	expression tag	UNP W8RJF9
F	547	LEU	-	expression tag	UNP W8RJF9
F	548	VAL	-	expression tag	UNP W8RJF9
F	549	PRO	-	expression tag	UNP W8RJF9
F	550	ARG	-	expression tag	UNP W8RJF9
F	551	GLY	-	expression tag	UNP W8RJF9
F	552	SER	-	expression tag	UNP W8RJF9
F	553	SER	-	expression tag	UNP W8RJF9
F	554	ALA	-	expression tag	UNP W8RJF9
F	555	TRP	-	expression tag	UNP W8RJF9
F	556	SER	-	expression tag	UNP W8RJF9
F	557	HIS	-	expression tag	UNP W8RJF9
F	558	PRO	-	expression tag	UNP W8RJF9
F	559	GLN	-	expression tag	UNP W8RJF9
F	560	PHE	-	expression tag	UNP W8RJF9
F	561	GLU	-	expression tag	UNP W8RJF9
F	562	LYS	-	expression tag	UNP W8RJF9
F	563	GLY	-	expression tag	UNP W8RJF9
F	564	GLY	-	expression tag	UNP W8RJF9
F	565	GLY	-	expression tag	UNP W8RJF9
F	566	SER	-	expression tag	UNP W8RJF9
F	567	GLY	-	expression tag	UNP W8RJF9
F	568	GLY	-	expression tag	UNP W8RJF9
F	569	GLY	-	expression tag	UNP W8RJF9
F	570	SER	-	expression tag	UNP W8RJF9
F	571	GLY	-	expression tag	UNP W8RJF9
F	572	GLY	-	expression tag	UNP W8RJF9
F	573	GLY	-	expression tag	UNP W8RJF9
F	574	SER	-	expression tag	UNP W8RJF9
F	575	TRP	-	expression tag	UNP W8RJF9
F	576	SER	-	expression tag	UNP W8RJF9
F	577	HIS	-	expression tag	UNP W8RJF9

Continued from previous page...



Contentia	Continuated from proceedes page									
Chain	Residue	Modelled	Actual	Comment	Reference					
F	578	PRO	-	expression tag	UNP W8RJF9					
F	579	GLN	-	expression tag	UNP W8RJF9					
F	580	PHE	-	expression tag	UNP W8RJF9					
F	581	GLU	-	expression tag	UNP W8RJF9					
F	582	LYS	_	expression tag	UNP W8RJF9					

Continued from previous page...

• Molecule 2 is 4-{2-[4-(3,10-DIBROMO-8-CHLORO-6,11-DIHYDRO-5H-BENZO[5,6]CYCL OHEPTA[1,2-B]PYRIDIN-11-YL)PIPERIDIN-1-YL]-2-OXOETHYL}PIPERIDINE-1-CA RBOXAMIDE (three-letter code: 336) (formula: C<sub>27</sub>H<sub>31</sub>Br<sub>2</sub>ClN<sub>4</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues		I	Aton	ıs			ZeroOcc	AltConf
2	F	1	Total 36	Br 2	С 27	Cl 1	N 4	O 2	0	0

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	F	1	Total 5	0 4	S 1	0	0

• Molecule 4 is 2-(2-METHOXYETHOXY)ETHANOL (three-letter code: PG0) (formula:  $C_5H_{12}O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	F	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 8  5  3 \end{array}$	0	0
4	F	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 8  5  3 \end{array}$	0	0



• Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	F	1	Total Ca 1 1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	F	177	Total O 177 177	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Fusion glycoprotein F0



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	Н 3	Depositor
Cell constants	88.64Å 88.64Å 194.98Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	26.21 - 2.29	Depositor
Resolution (A)	44.32 - 2.29	EDS
% Data completeness	99.9 (26.21-2.29)	Depositor
(in resolution range)	99.9(44.32 - 2.29)	EDS
$R_{merge}$	(Not available)	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.49 (at 2.29Å)	Xtriage
Refinement program	BUSTER 2.10.4 (17-FEB-2023)	Depositor
D D	0.198 , $0.229$	Depositor
$\Lambda, \Lambda_{free}$	0.191 , $0.223$	DCC
$R_{free}$ test set	1174 reflections $(4.56\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	50.3	Xtriage
Anisotropy	0.749	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , $63.2$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	0.036 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	3703	wwPDB-VP
Average B, all atoms $(Å^2)$	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PG0, SO4, CA, 336

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	F	0.36	0/3516	0.56	0/4769

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3468	0	3462	30	0
2	F	36	0	31	38	0
3	F	5	0	0	2	0
4	F	16	0	24	0	0
5	F	1	0	0	0	0
6	F	177	0	0	2	0
All	All	3703	0	3517	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:F:601:336:H222	2:F:601:336:N56	1.45	1.30
2:F:601:336:N32	2:F:601:336:H132	1.61	1.15
2:F:601:336:H561	2:F:601:336:C22	1.59	1.12
2:F:601:336:H33	2:F:601:336:C58	1.79	1.11
2:F:601:336:H33	2:F:601:336:H582	1.27	1.09
2:F:601:336:N32	2:F:601:336:C13	2.13	1.07
2:F:601:336:H511	2:F:601:336:C6	1.86	1.05
2:F:601:336:H62	2:F:601:336:C51	1.91	0.99
2:F:601:336:H511	2:F:601:336:N12	1.76	0.99
2:F:601:336:N32	2:F:601:336:H12	1.81	0.94
2:F:601:336:C58	2:F:601:336:H62	1.98	0.94
2:F:601:336:N32	2:F:601:336:C1	2.31	0.93
2:F:601:336:N56	2:F:601:336:C22	2.27	0.92
2:F:601:336:H62	2:F:601:336:H581	1.55	0.88
2:F:601:336:H511	2:F:601:336:H62	1.52	0.87
2:F:601:336:H511	2:F:601:336:C9	2.04	0.86
1:F:75:LYS:HZ3	1:F:215:SER:H	1.23	0.84
2:F:601:336:H222	2:F:601:336:H561	0.71	0.81
2:F:601:336:H33	2:F:601:336:C51	2.12	0.80
1:F:75:LYS:NZ	1:F:215:SER:H	1.82	0.77
1:F:75:LYS:HZ3	1:F:215:SER:N	1.82	0.76
2:F:601:336:C51	2:F:601:336:N12	2.48	0.75
2:F:601:336:C6	2:F:601:336:C51	2.57	0.68
1:F:321:LEU:HD11	1:F:473:PRO:HB3	1.78	0.64
1:F:75:LYS:HZ1	1:F:215:SER:HA	1.63	0.63
2:F:601:336:H582	2:F:601:336:C33	2.16	0.62
1:F:502:SER:O	1:F:506:ILE:HG12	2.01	0.61
1:F:47:ALA:HB2	1:F:364:ARG:HD2	1.84	0.60
2:F:601:336:C51	2:F:601:336:C9	2.78	0.59
1:F:487:GLU:HB3	1:F:490:ALA:HB2	1.86	0.58
2:F:601:336:H33	2:F:601:336:H511	1.86	0.58
2:F:601:336:H511	2:F:601:336:C4	2.33	0.57
1:F:488:PHE:CE1	2:F:601:336:H432	2.40	0.56
1:F:140:PHE:CD1	2:F:601:336:BR37	3.13	0.56
2:F:601:336:H12	2:F:601:336:C39	2.36	0.56
2:F:601:336:H222	2:F:601:336:H582	1.87	0.55
1:F:260:LEU:HD23	1:F:303:LEU:HD11	1.88	0.53
1:F:75:LYS:NZ	1:F:215:SER:N	2.48	0.53
1:F:194:ASP:OD2	3:F:602:SO4:O1	2.27	0.52
2:F:601:336:C9	2:F:601:336:C49	2.86	0.52
2:F:601:336:H511	2:F:601:336:C33	2.40	0.52
1:F:352:PHE:CE2	1:F:372:SER:HB3	2.45	0.51



	A + 9	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:F:427:LYS:NZ	6:F:703:HOH:O	2.41	0.50
2:F:601:336:C49	2:F:601:336:H92	2.44	0.47
1:F:254:ASN:HD22	1:F:282:ARG:HH21	1.62	0.47
2:F:601:336:C1	2:F:601:336:C39	2.93	0.47
1:F:395:ILE:HD11	1:F:495:VAL:HG21	1.96	0.47
1:F:194:ASP:OD2	3:F:602:SO4:S	2.73	0.47
1:F:398:SER:HA	1:F:485:SER:O	2.15	0.47
1:F:257:LEU:HD13	1:F:278:VAL:HG13	1.97	0.46
1:F:75:LYS:NZ	1:F:215:SER:CA	2.79	0.46
1:F:75:LYS:NZ	1:F:215:SER:HA	2.30	0.45
1:F:59:ILE:HD12	1:F:297:LEU:HD23	2.00	0.44
2:F:601:336:H92	2:F:601:336:H49	2.00	0.44
1:F:47:ALA:O	1:F:366:PHE:HA	2.17	0.43
1:F:279:GLN:NE2	1:F:279:GLN:H	2.16	0.43
1:F:432:ILE:HD11	1:F:447:VAL:HG22	1.99	0.43
2:F:601:336:H12	2:F:601:336:C30	2.46	0.43
2:F:601:336:H561	2:F:601:336:H582	1.68	0.43
1:F:91:THR:HA	1:F:94:GLN:HE21	1.85	0.42
1:F:54:THR:OG1	1:F:154:VAL:HG21	2.20	0.42
1:F:97:MET:HA	6:F:829:HOH:O	2.18	0.42
2:F:601:336:C22	2:F:601:336:H582	2.50	0.41
2:F:601:336:H511	2:F:601:336:C1	2.47	0.41
2:F:601:336:C51	2:F:601:336:C33	2.91	0.41
1:F:190:PHE:HD2	1:F:260:LEU:HD13	1.86	0.40

Continued from previous page...

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	F	449/557~(81%)	433 (96%)	16 (4%)	0	100	100



There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	F	399/495~(81%)	386~(97%)	13 (3%)	38 51

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	96	LEU
1	F	99	SER
1	F	190	PHE
1	F	254	ASN
1	F	257	LEU
1	F	279	GLN
1	F	305	LEU
1	F	370	MET
1	F	394	LYS
1	F	421	LYS
1	F	450	VAL
1	F	456	LEU
1	F	486	ASP

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such side chains are listed below:

Mol	Chain	Res	Type
1	F	94	GLN
1	F	254	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Turo		Chain	Dec	Tink	Bond lengths			Bond angles		
INIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
2	336	F	601	-	38,40,40	0.18	0	48,58,58	0.68	1 (2%)
4	PG0	F	604	-	7,7,7	0.17	0	6,6,6	0.12	0
3	SO4	F	602	-	4,4,4	0.34	0	6,6,6	0.79	0
4	PG0	F	603	-	7,7,7	0.25	0	6,6,6	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	336	F	601	-	-	5/12/49/49	1/5/5/5
4	PG0	F	604	-	-	3/5/5/5	-
4	PG0	F	603	-	-	2/5/5/5	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	F	601	336	C49-C61-C65	-3.02	108.87	113.02



There are no chirality outliers.

Mol	Chain	$\mathbf{Res}$	Type	Atoms
2	F	601	336	C43-C49-C61-C65
2	F	601	336	C51-C49-C61-C65
2	F	601	336	C49-C61-C65-N12
2	F	601	336	C49-C61-C65-O64
4	F	604	PG0	O1-C3-C4-O2
4	F	603	PG0	O1-C3-C4-O2
4	F	603	PG0	OTT-C1-C2-O1
2	F	601	336	O64-C65-N12-C9
4	F	604	PG0	C4-C3-O1-C2
4	F	604	PG0	OTT-C1-C2-O1

All (10) torsion outliers are listed below:

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	601	336	C1-C13-C4-C6-C9-N12

2 monomers are involved in 40 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	601	336	38	0
3	F	602	SO4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	F	453/557~(81%)	0.19	19 (4%) 36 41	47, 61, 101, 117	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	512	LEU	4.8
1	F	205	PRO	4.8
1	F	209	LYS	4.2
1	F	516	ILE	3.4
1	F	429	ARG	3.3
1	F	208	ASN	3.3
1	F	514	SER	3.2
1	F	508	LYS	3.2
1	F	210	GLN	3.1
1	F	432	ILE	2.6
1	F	213	SER	2.5
1	F	424	ALA	2.4
1	F	510	ASP	2.4
1	F	511	GLU	2.4
1	F	139	GLY	2.3
1	F	64	ILE	2.3
1	F	467	LEU	2.2
1	F	513	LEU	2.2
1	F	140	PHE	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	PG0	F	603	8/8	0.68	0.14	107,107,108,108	0
2	336	F	601	36/36	0.80	0.26	100,101,101,102	36
4	PG0	F	604	8/8	0.81	0.14	102,102,102,102	0
3	SO4	F	602	5/5	0.94	0.08	89,89,89,89	0
5	CA	F	605	1/1	0.98	0.06	$55,\!55,\!55,\!55$	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers (i)

There are no such residues in this entry.

