wwPDB X-ray Structure Validation Summary Report (i)

Aug 29, 2023 – 07:16 PM EDT

PDB ID	:	3PIO
Title	:	Crystal structure of the synergistic antibiotic pair lankamycin and lankacidin in complex with the large ribosomal subunit
Authors	:	Belousoff, M.J.; Shapira, T.; Bashan, A.; Zimmerman, E.; Arakawa, K.; Kinashi, H.; Rozenberg, H.; Yonath, A.
Deposited on	:	2010-11-07
Resolution	:	3.25 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1619 (3.28-3.20)
Clashscore	141614	1755 (3.28-3.20)
Ramachandran outliers	138981	1728 (3.28-3.20)
Sidechain outliers	138945	1727 (3.28-3.20)
RSRZ outliers	127900	1567 (3.28-3.20)
RNA backbone	3102	1034 (3.58-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	X	2880	3% 32% 40% 18% • 8%
2	Y	123	2% 48% 41% 8% •
3	A	274	5% 42% 45% 5% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	B	211	
5	C	205	
6	D	180	
7	E	185	
8	F	144	
9	G	174	
10	H	134	
11	I	156	
12	J	141	
13	K	116	
14	L	114	
15	M	166	
16	N	118	
17	O	100	
18	P	134	
19	Q	95	
20	R	115	
21	S	237	
22	T	91	
23	U	81	
24	V	67	
25	W	55	
26	Z	60	
27	1	55	
28	2	47	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	3	66	
30	4	37	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
34	K	X	3074	-	-	-	X

2 Entry composition (i)

There are 34 unique types of molecules in this entry. The entry contains 84383 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RIBOSOMAL 23S RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	X	2657	57035	25441	10530	18408	2656	0	0	0

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	Y	120	2561	1143	471	827	120	0	0	0

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	A	253	1920	1196	382	340	2	0	0	0

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	B	205	1539	965	295	271	8	0	0	0

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	C	194	1481	920	284	275	2	0	0	0

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	D	177	1400	892	247	254	7	0	0	0

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	E	171	Total	C	N	O	S	0	0	0
			1286	812	237	236	1			

- Molecule 8 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	F	63	Total	C	N	O	S	0	0	0
			451	280	82	86	3			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	G	142	Total	C	N	O	S	0	0	0
			1114	704	209	198	3			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	H	134	Total	C	N	O	S	0	0	0
			997	614	198	180	5			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
11	I	134	Total	C	N	O	0	0	0
			1011	619	206	186			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	J	136	Total	C	N	O	S	0	0	0
			1090	696	202	185	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	K	113	Total	C	N	O	S	0	0	0
			878	541	178	157	2			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	L	104	Total 779	C 476	N 161	O 142	0	0	0

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	M	108	Total 871	C 543	N 172	O 156	0	0	0

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	N	117	Total 978	C 608	N 210	O 159	S 1	0	0	0

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
17	O	94	Total 741	C 465	N 139	O 137	0	0	0

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	P	126	Total 1004	C 633	N 197	O 172	S 2	0	0	0

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	Q	93	Total 726	C 458	N 136	O 130	S 2	0	0	0

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	R	110	Total 825	C 513	N 160	O 151	S 1	0	0	0

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	S	175	Total	C	N	O	S	0	0	0
			1345	849	236	254	6			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	T	74	Total	C	N	O	S	0	0	0
			556	351	107	97	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
23	U	72	Total	C	N	O	0	0	0
			552	341	116	95			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	V	65	Total	C	N	O	S	0	0	0
			525	322	106	95	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	W	55	Total	C	N	O	S	0	0	0
			424	264	82	76	2			

- Molecule 26 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	Z	57	Total	C	N	O	S	0	0	0
			452	278	93	76	5			

- Molecule 27 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	1	53	Total	C	N	O	S	0	0	0
			431	274	80	76	1			

- Molecule 28 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	2	46	Total	C	N	O	S	0	0	0
			383	230	91	60	2			

- Molecule 29 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	3	59	Total	C	N	O	S	0	0	0
			462	290	95	73	4			

- Molecule 30 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	4	37	Total	C	N	O	S	0	0	0
			297	179	66	47	5			

- Molecule 31 is Lankamycin (three-letter code: LMA) (formula: $C_{43}H_{74}O_{15}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
31	X	1	Total	C	O	0	0
			58	43	15		

- Molecule 32 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
32	X	151	Total	Mg	0	0
			151	151		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
32	Y	1	Total Mg 1 1	0	0
32	C	1	Total Mg 1 1	0	0
32	I	1	Total Mg 1 1	0	0

- Molecule 33 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
33	X	37	Total Na 37 37	0	0
33	Y	2	Total Na 2 2	0	0
33	A	1	Total Na 1 1	0	0
33	K	1	Total Na 1 1	0	0
33	Z	1	Total Na 1 1	0	0

- Molecule 34 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
34	X	14	Total K 14 14	0	0
34	M	1	Total K 1 1	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: RIBOSOMAL 23S RNA

Chain X:











• Molecule 2: 5S ribosomal RNA

Chain Y:



• Molecule 3: 50S ribosomal protein L2

Chain A:



• Molecule 4: 50S ribosomal protein L3

Chain B:





- Molecule 5: 50S ribosomal protein L4

Chain C:



- Molecule 6: 50S ribosomal protein L5

Chain D:



- Molecule 7: 50S ribosomal protein L6

Chain E:



- Molecule 8: 50S ribosomal protein L11

Chain F:





• Molecule 9: 50S ribosomal protein L13

Chain G:



• Molecule 10: 50S ribosomal protein L14

Chain H:



• Molecule 11: 50S ribosomal protein L15

Chain I:



• Molecule 12: 50S ribosomal protein L16

Chain J:



• Molecule 13: 50S ribosomal protein L17

Chain K:





• Molecule 14: 50S ribosomal protein L18

Chain L:





• Molecule 15: 50S ribosomal protein L19

Chain M:





• Molecule 16: 50S ribosomal protein L20

Chain N:





• Molecule 17: 50S ribosomal protein L21



• Molecule 18: 50S ribosomal protein L22



• Molecule 19: 50S ribosomal protein L23



• Molecule 20: 50S ribosomal protein L24



• Molecule 21: 50S ribosomal protein L25





• Molecule 22: 50S ribosomal protein L27



• Molecule 23: 50S ribosomal protein L28



• Molecule 24: 50S ribosomal protein L29



• Molecule 25: 50S ribosomal protein L30



• Molecule 26: 50S ribosomal protein L32



• Molecule 27: 50S ribosomal protein L33



• Molecule 28: 50S ribosomal protein L34



• Molecule 29: 50S ribosomal protein L35



• Molecule 30: 50S ribosomal protein L36



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α, β, γ	170.59Å 410.20Å 695.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 3.25 34.75 – 3.25	Depositor EDS
% Data completeness (in resolution range)	93.3 (20.00-3.25) 93.3 (34.75-3.25)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.09 (at 3.25Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, R_{free}	0.252 , 0.294 0.258 , 0.297	Depositor DCC
R_{free} test set	3585 reflections (1.01%)	wwPDB-VP
Wilson B-factor (Å^2)	73.8	Xtriage
Anisotropy	0.636	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.20 , 65.2	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.91	EDS
Total number of atoms	84383	wwPDB-VP
Average B, all atoms (Å^2)	112.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.54% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, K, MG, LMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	X	0.69	12/63867 (0.0%)	1.28	804/99618 (0.8%)
2	Y	0.46	0/2863	0.86	5/4461 (0.1%)
3	A	0.49	1/1958 (0.1%)	0.65	2/2638 (0.1%)
4	B	0.55	0/1567	0.79	0/2105
5	C	0.52	0/1504	0.67	0/2036
6	D	0.31	0/1419	0.45	0/1903
7	E	0.33	0/1308	0.48	0/1771
8	F	0.22	0/455	0.37	0/611
9	G	0.57	0/1138	0.70	0/1539
10	H	0.63	0/1007	0.84	0/1352
11	I	0.54	0/1022	0.64	0/1366
12	J	0.48	0/1113	0.63	0/1486
13	K	0.81	1/886 (0.1%)	1.06	6/1188 (0.5%)
14	L	0.40	0/785	0.56	0/1048
15	M	0.67	0/884	0.88	1/1186 (0.1%)
16	N	0.55	0/994	0.71	0/1323
17	O	0.44	0/750	0.62	0/1000
18	P	0.58	0/1017	0.79	1/1362 (0.1%)
19	Q	0.47	0/737	0.63	0/988
20	R	0.45	0/835	0.59	0/1121
21	S	0.33	0/1370	0.48	0/1862
22	T	0.43	0/563	0.56	0/747
23	U	0.40	0/556	0.58	0/741
24	V	0.31	0/529	0.47	0/704
25	W	0.39	0/426	0.65	0/568
26	Z	0.56	0/464	0.79	0/622
27	1	0.48	0/438	0.56	0/583
28	2	0.56	0/387	0.71	0/509
29	3	0.59	0/468	0.65	0/614
30	4	0.22	0/298	0.37	0/390
All	All	0.63	14/91608 (0.0%)	1.15	819/137442 (0.6%)

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	X	1977	C	P-O5'	-7.09	1.52	1.59
1	X	774	A	N7-C5	7.06	1.43	1.39
1	X	1333	G	O3'-P	-6.43	1.53	1.61
1	X	1202	U	O3'-P	-6.42	1.53	1.61
1	X	774	A	N9-C8	6.38	1.42	1.37

The worst 5 of 819 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	X	1975	G	N1-C6-O6	-19.89	107.97	119.90
1	X	774	A	C5-N7-C8	-17.57	95.12	103.90
1	X	774	A	C4-C5-C6	-17.47	108.26	117.00
1	X	1670	G	C8-N9-C4	15.74	112.69	106.40
1	X	774	A	C4-C5-N7	14.89	118.15	110.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	57035	0	28741	1817	0
2	Y	2561	0	1306	48	0
3	A	1920	0	1974	176	0
4	B	1539	0	1600	147	0
5	C	1481	0	1504	120	0
6	D	1400	0	1481	61	0
7	E	1286	0	1336	44	0
8	F	451	0	474	7	0
9	G	1114	0	1144	100	0
10	H	997	0	1046	98	0
11	I	1011	0	1047	98	0
12	J	1090	0	1125	78	0
13	K	878	0	930	80	0
14	L	779	0	820	72	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	M	871	0	894	99	0
16	N	978	0	1020	82	0
17	O	741	0	756	45	0
18	P	1004	0	1083	88	0
19	Q	726	0	753	50	0
20	R	825	0	881	69	0
21	S	1345	0	1372	43	0
22	T	556	0	579	38	0
23	U	552	0	604	48	0
24	V	525	0	546	29	0
25	W	424	0	470	17	0
26	Z	452	0	457	53	0
27	1	431	0	456	58	0
28	2	383	0	414	52	0
29	3	462	0	506	63	0
30	4	297	0	330	23	0
31	X	58	0	69	13	0
32	C	1	0	0	0	0
32	I	1	0	0	0	0
32	X	151	0	0	0	0
32	Y	1	0	0	0	0
33	A	1	0	0	0	0
33	K	1	0	0	0	0
33	X	37	0	0	0	0
33	Y	2	0	0	0	0
33	Z	1	0	0	0	0
34	M	1	0	0	0	0
34	X	14	0	0	0	0
All	All	84383	0	55718	3336	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

The worst 5 of 3336 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:2044:G:OP1	5:C:62:LYS:HG3	1.36	1.18
15:M:28:ARG:HB2	15:M:29:PRO:HD3	1.29	1.14
9:G:103:TYR:HB3	9:G:107:GLN:HE21	1.14	1.12
4:B:9:ILE:HD11	4:B:27:LEU:HB2	1.32	1.10
4:B:116:VAL:HG22	4:B:136:ARG:NE	1.69	1.05

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
3	A	251/274 (92%)	195 (78%)	44 (18%)	12 (5%)	2 15
4	B	203/211 (96%)	160 (79%)	29 (14%)	14 (7%)	1 7
5	C	192/205 (94%)	143 (74%)	37 (19%)	12 (6%)	1 9
6	D	175/180 (97%)	137 (78%)	32 (18%)	6 (3%)	3 22
7	E	169/185 (91%)	142 (84%)	20 (12%)	7 (4%)	3 18
8	F	61/144 (42%)	48 (79%)	12 (20%)	1 (2%)	9 40
9	G	140/174 (80%)	104 (74%)	27 (19%)	9 (6%)	1 9
10	H	132/134 (98%)	111 (84%)	17 (13%)	4 (3%)	4 25
11	I	132/156 (85%)	82 (62%)	31 (24%)	19 (14%)	0 1
12	J	134/141 (95%)	96 (72%)	27 (20%)	11 (8%)	1 5
13	K	111/116 (96%)	89 (80%)	14 (13%)	8 (7%)	1 6
14	L	102/114 (90%)	73 (72%)	26 (26%)	3 (3%)	4 25
15	M	106/166 (64%)	82 (77%)	18 (17%)	6 (6%)	1 12
16	N	115/118 (98%)	95 (83%)	16 (14%)	4 (4%)	3 21
17	O	92/100 (92%)	68 (74%)	17 (18%)	7 (8%)	1 6
18	P	124/134 (92%)	101 (82%)	18 (14%)	5 (4%)	3 18
19	Q	91/95 (96%)	63 (69%)	19 (21%)	9 (10%)	0 3
20	R	108/115 (94%)	70 (65%)	26 (24%)	12 (11%)	0 2
21	S	173/237 (73%)	135 (78%)	32 (18%)	6 (4%)	3 21
22	T	72/91 (79%)	53 (74%)	18 (25%)	1 (1%)	11 43
23	U	70/81 (86%)	50 (71%)	13 (19%)	7 (10%)	0 3
24	V	63/67 (94%)	55 (87%)	5 (8%)	3 (5%)	2 15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
25	W	53/55 (96%)	47 (89%)	6 (11%)	0	100 100
26	Z	55/60 (92%)	42 (76%)	9 (16%)	4 (7%)	1 6
27	1	51/55 (93%)	30 (59%)	15 (29%)	6 (12%)	0 2
28	2	44/47 (94%)	37 (84%)	5 (11%)	2 (4%)	2 16
29	3	57/66 (86%)	34 (60%)	18 (32%)	5 (9%)	1 4
30	4	35/37 (95%)	29 (83%)	6 (17%)	0	100 100
All	All	3111/3558 (87%)	2371 (76%)	557 (18%)	183 (6%)	1 11

5 of 183 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	220	PRO
3	A	221	HIS
3	A	248	VAL
4	B	135	HIS
4	B	147	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
3	A	194/215 (90%)	184 (95%)	10 (5%)	23 56
4	B	155/157 (99%)	149 (96%)	6 (4%)	32 65
5	C	154/163 (94%)	147 (96%)	7 (4%)	27 61
6	D	153/156 (98%)	150 (98%)	3 (2%)	55 78
7	E	136/144 (94%)	136 (100%)	0	100 100
8	F	46/107 (43%)	46 (100%)	0	100 100
9	G	118/146 (81%)	115 (98%)	3 (2%)	47 74
10	H	103/103 (100%)	94 (91%)	9 (9%)	10 35
11	I	101/121 (84%)	97 (96%)	4 (4%)	31 64
12	J	110/115 (96%)	108 (98%)	2 (2%)	59 80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
13	K	90/93 (97%)	82 (91%)	8 (9%)	9 34
14	L	74/82 (90%)	68 (92%)	6 (8%)	11 39
15	M	94/134 (70%)	87 (93%)	7 (7%)	13 43
16	N	96/97 (99%)	93 (97%)	3 (3%)	40 70
17	O	75/79 (95%)	72 (96%)	3 (4%)	31 64
18	P	108/115 (94%)	101 (94%)	7 (6%)	17 49
19	Q	75/76 (99%)	70 (93%)	5 (7%)	16 47
20	R	91/96 (95%)	84 (92%)	7 (8%)	13 41
21	S	149/192 (78%)	146 (98%)	3 (2%)	55 78
22	T	55/67 (82%)	53 (96%)	2 (4%)	35 66
23	U	57/66 (86%)	55 (96%)	2 (4%)	36 67
24	V	53/55 (96%)	53 (100%)	0	100 100
25	W	48/48 (100%)	48 (100%)	0	100 100
26	Z	51/53 (96%)	47 (92%)	4 (8%)	12 41
27	1	46/48 (96%)	41 (89%)	5 (11%)	6 25
28	2	39/40 (98%)	33 (85%)	6 (15%)	2 12
29	3	46/52 (88%)	43 (94%)	3 (6%)	17 49
30	4	35/35 (100%)	35 (100%)	0	100 100
All	All	2552/2855 (89%)	2437 (96%)	115 (4%)	27 61

5 of 115 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
14	L	91	ARG
28	2	15	THR
18	P	32	ARG
28	2	14	LYS
26	Z	41	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such sidechains are listed below:

Mol	Chain	Res	Type
21	S	121	GLN
22	T	12	ASN
26	Z	44	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	H	46	HIS
9	G	145	HIS

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	X	2647/2880 (91%)	473 (17%)	54 (2%)
2	Y	119/123 (96%)	18 (15%)	0
All	All	2766/3003 (92%)	491 (17%)	54 (1%)

5 of 491 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	X	4	C
1	X	13	A
1	X	14	A
1	X	34	U
1	X	35	G

5 of 54 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	X	1442	C
1	X	1790	G
1	X	2692	A
1	X	1496	G
1	X	1623	C

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 212 ligands modelled in this entry, 211 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
31	LMA	X	2881	-	58,60,60	4.94	26 (44%)	75,90,90	1.30	5 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
31	LMA	X	2881	-	-	20/80/115/115	0/3/3/3

The worst 5 of 26 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	X	2881	LMA	C30-C2	-19.79	1.10	1.53
31	X	2881	LMA	C2-C1	-17.00	1.13	1.51
31	X	2881	LMA	O53-C8	-10.30	1.25	1.43
31	X	2881	LMA	O2-C13	8.52	1.57	1.44
31	X	2881	LMA	C35-C12	-8.22	1.36	1.53

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
31	X	2881	LMA	O12-C54-C56	4.58	119.52	111.09
31	X	2881	LMA	O51-C51-C53	4.56	119.48	111.09
31	X	2881	LMA	O7-C5-C4	3.88	112.90	108.22
31	X	2881	LMA	C3-C2-C1	-2.76	104.38	110.01
31	X	2881	LMA	C25-C24-C23	-2.45	106.55	113.08

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
31	X	2881	LMA	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
31	X	2881	LMA	C3-C4-C5-O7
31	X	2881	LMA	C31-C4-C5-C6
31	X	2881	LMA	C12-C11-O12-C54
31	X	2881	LMA	C13-C36-C57-O57

There are no ring outliers.

1 monomer is involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
31	X	2881	LMA	13	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand LMA X 2881



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	X	2657/2880 (92%)	-0.13	75 (2%) 53 41	32, 91, 207, 392	0
2	Y	120/123 (97%)	0.08	2 (1%) 70 60	85, 155, 211, 300	0
3	A	253/274 (92%)	0.42	15 (5%) 22 15	54, 119, 183, 297	0
4	B	205/211 (97%)	-0.34	3 (1%) 73 64	22, 64, 130, 298	0
5	C	194/205 (94%)	0.19	14 (7%) 15 10	44, 117, 220, 268	0
6	D	177/180 (98%)	0.88	25 (14%) 2 2	146, 209, 280, 370	0
7	E	171/185 (92%)	0.24	11 (6%) 19 13	86, 149, 209, 245	0
8	F	63/144 (43%)	3.09	43 (68%) 0 0	180, 261, 394, 440	0
9	G	142/174 (81%)	0.27	8 (5%) 24 15	55, 101, 188, 266	0
10	H	134/134 (100%)	-0.48	1 (0%) 87 83	35, 61, 108, 204	0
11	I	134/156 (85%)	0.65	15 (11%) 5 4	64, 145, 237, 367	0
12	J	136/141 (96%)	0.17	7 (5%) 28 18	76, 108, 190, 272	0
13	K	113/116 (97%)	-0.65	0 100 100	27, 46, 79, 105	0
14	L	104/114 (91%)	0.54	11 (10%) 6 5	117, 160, 248, 306	0
15	M	108/166 (65%)	-0.33	3 (2%) 53 41	36, 60, 135, 241	0
16	N	117/118 (99%)	-0.12	4 (3%) 45 33	44, 88, 156, 279	0
17	O	94/100 (94%)	0.15	6 (6%) 19 13	58, 119, 195, 238	0
18	P	126/134 (94%)	-0.40	0 100 100	29, 59, 118, 200	0
19	Q	93/95 (97%)	0.04	2 (2%) 62 52	59, 107, 182, 273	0
20	R	110/115 (95%)	0.66	21 (19%) 1 1	68, 127, 234, 359	0
21	S	175/237 (73%)	0.93	34 (19%) 1 1	112, 169, 237, 314	0
22	T	74/91 (81%)	0.63	13 (17%) 1 1	82, 123, 199, 271	0
23	U	72/81 (88%)	1.79	20 (27%) 0 0	89, 155, 302, 332	0
24	V	65/67 (97%)	0.29	4 (6%) 20 13	94, 126, 205, 256	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
25	W	55/55 (100%)	0.08	2 (3%) 42 31	73, 102, 166, 177	0
26	Z	57/60 (95%)	-0.15	2 (3%) 44 32	31, 63, 108, 191	0
27	1	53/55 (96%)	1.55	17 (32%) 0 0	106, 171, 261, 319	0
28	2	46/47 (97%)	0.22	3 (6%) 18 12	56, 85, 154, 195	0
29	3	59/66 (89%)	1.58	21 (35%) 0 0	97, 150, 276, 316	0
30	4	37/37 (100%)	6.38	35 (94%) 0 0	133, 223, 289, 323	0
All	All	5944/6561 (90%)	0.16	417 (7%) 16 11	22, 105, 230, 440	0

The worst 5 of 417 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
23	U	28	GLY	25.4
30	4	25	VAL	14.2
8	F	113	PRO	14.0
30	4	17	VAL	13.9
30	4	24	LEU	12.9

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
33	NA	X	3064	1/1	0.72	0.27	58,58,58,58	0
34	K	X	3074	1/1	0.75	0.67	171,171,171,171	0
34	K	X	3076	1/1	0.76	0.36	100,100,100,100	0
32	MG	X	2891	1/1	0.78	0.20	56,56,56,56	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
33	NA	Y	126	1/1	0.80	0.40	85,85,85,85	0
33	NA	X	3061	1/1	0.81	0.55	62,62,62,62	0
32	MG	X	2939	1/1	0.83	0.56	79,79,79,79	0
33	NA	X	3037	1/1	0.83	0.26	53,53,53,53	0
33	NA	A	277	1/1	0.83	0.43	72,72,72,72	0
33	NA	X	3053	1/1	0.83	0.53	62,62,62,62	0
32	MG	X	2931	1/1	0.83	0.59	48,48,48,48	0
32	MG	X	2992	1/1	0.84	0.23	44,44,44,44	0
33	NA	X	3069	1/1	0.84	0.94	74,74,74,74	0
32	MG	X	3023	1/1	0.85	0.32	73,73,73,73	0
32	MG	X	2975	1/1	0.86	0.23	73,73,73,73	0
32	MG	X	2903	1/1	0.86	0.45	51,51,51,51	0
32	MG	X	2952	1/1	0.86	0.44	57,57,57,57	0
32	MG	X	2901	1/1	0.87	0.49	30,30,30,30	0
32	MG	X	2966	1/1	0.87	0.29	60,60,60,60	0
32	MG	X	2937	1/1	0.88	0.24	46,46,46,46	0
32	MG	I	157	1/1	0.88	0.35	50,50,50,50	0
33	NA	X	3036	1/1	0.88	0.26	79,79,79,79	0
32	MG	X	2970	1/1	0.88	0.21	51,51,51,51	0
32	MG	X	2997	1/1	0.88	0.20	50,50,50,50	0
32	MG	X	3015	1/1	0.88	0.45	77,77,77,77	0
33	NA	X	3058	1/1	0.89	0.35	69,69,69,69	0
32	MG	X	2928	1/1	0.89	0.40	41,41,41,41	0
33	NA	X	3046	1/1	0.89	0.59	80,80,80,80	0
32	MG	X	2978	1/1	0.89	0.42	48,48,48,48	0
32	MG	X	2934	1/1	0.90	0.20	62,62,62,62	0
32	MG	X	2918	1/1	0.90	0.21	60,60,60,60	0
32	MG	X	3000	1/1	0.90	0.25	65,65,65,65	0
33	NA	X	3038	1/1	0.90	0.39	59,59,59,59	0
32	MG	X	3004	1/1	0.90	0.39	71,71,71,71	0
33	NA	K	117	1/1	0.90	0.16	28,28,28,28	0
32	MG	X	2887	1/1	0.90	0.31	37,37,37,37	0
31	LMA	X	2881	58/58	0.90	0.27	22,83,114,128	0
32	MG	X	3014	1/1	0.91	0.36	54,54,54,54	0
33	NA	X	3067	1/1	0.91	0.29	47,47,47,47	0
33	NA	X	3050	1/1	0.91	0.30	40,40,40,40	0
32	MG	X	2894	1/1	0.91	0.24	33,33,33,33	0
33	NA	X	3057	1/1	0.91	0.89	75,75,75,75	0
32	MG	X	3019	1/1	0.91	0.41	74,74,74,74	0
34	K	X	3070	1/1	0.91	0.53	72,72,72,72	0
32	MG	X	2988	1/1	0.91	0.29	63,63,63,63	0
33	NA	X	3063	1/1	0.91	0.38	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
32	MG	X	2985	1/1	0.92	0.17	50,50,50,50	0
32	MG	X	3022	1/1	0.92	0.14	43,43,43,43	0
32	MG	X	2916	1/1	0.92	0.30	51,51,51,51	0
32	MG	X	2961	1/1	0.92	0.36	61,61,61,61	0
33	NA	X	3066	1/1	0.92	0.42	48,48,48,48	0
32	MG	X	2883	1/1	0.92	0.33	34,34,34,34	0
32	MG	X	2923	1/1	0.92	0.52	66,66,66,66	0
32	MG	X	2910	1/1	0.92	0.29	47,47,47,47	0
32	MG	X	3010	1/1	0.92	0.43	73,73,73,73	0
32	MG	X	2940	1/1	0.92	0.25	34,34,34,34	0
33	NA	X	3052	1/1	0.92	0.25	43,43,43,43	0
32	MG	X	2979	1/1	0.92	0.60	50,50,50,50	0
32	MG	X	3018	1/1	0.92	0.40	59,59,59,59	0
32	MG	X	2925	1/1	0.93	0.35	72,72,72,72	0
33	NA	X	3056	1/1	0.93	0.70	76,76,76,76	0
32	MG	X	2914	1/1	0.93	0.61	60,60,60,60	0
32	MG	X	2930	1/1	0.93	0.53	51,51,51,51	0
32	MG	X	3027	1/1	0.93	0.17	51,51,51,51	0
33	NA	X	3062	1/1	0.93	0.14	47,47,47,47	0
32	MG	X	3028	1/1	0.93	0.18	65,65,65,65	0
32	MG	X	3032	1/1	0.93	0.37	74,74,74,74	0
32	MG	X	2968	1/1	0.93	0.26	56,56,56,56	0
32	MG	X	2907	1/1	0.93	0.48	66,66,66,66	0
32	MG	X	3007	1/1	0.93	0.20	37,37,37,37	0
32	MG	X	2942	1/1	0.93	0.20	74,74,74,74	0
33	NA	X	3039	1/1	0.93	0.28	51,51,51,51	0
32	MG	X	2945	1/1	0.93	0.46	32,32,32,32	0
33	NA	X	3049	1/1	0.93	0.49	68,68,68,68	0
32	MG	X	2949	1/1	0.93	0.41	48,48,48,48	0
32	MG	X	2950	1/1	0.93	0.25	49,49,49,49	0
34	K	X	3077	1/1	0.93	0.45	80,80,80,80	0
34	K	X	3079	1/1	0.93	0.47	97,97,97,97	0
32	MG	X	2984	1/1	0.94	0.29	62,62,62,62	0
32	MG	X	2957	1/1	0.94	0.40	35,35,35,35	0
32	MG	X	2987	1/1	0.94	0.46	38,38,38,38	0
32	MG	X	2921	1/1	0.94	0.23	52,52,52,52	0
32	MG	X	2963	1/1	0.94	0.27	69,69,69,69	0
32	MG	X	3029	1/1	0.94	0.41	63,63,63,63	0
32	MG	X	2995	1/1	0.94	0.63	42,42,42,42	0
32	MG	X	2943	1/1	0.94	0.52	29,29,29,29	0
33	NA	X	3035	1/1	0.94	0.30	50,50,50,50	0
32	MG	X	2999	1/1	0.94	0.18	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
32	MG	X	2911	1/1	0.94	0.47	83,83,83,83	0
32	MG	X	2969	1/1	0.94	0.24	31,31,31,31	0
32	MG	X	2908	1/1	0.94	0.32	55,55,55,55	0
33	NA	X	3044	1/1	0.94	0.09	48,48,48,48	0
33	NA	Z	61	1/1	0.94	0.30	48,48,48,48	0
32	MG	X	2972	1/1	0.94	0.21	65,65,65,65	0
33	NA	X	3047	1/1	0.94	0.59	75,75,75,75	0
32	MG	X	2909	1/1	0.94	0.43	44,44,44,44	0
32	MG	X	2895	1/1	0.94	0.35	19,19,19,19	0
32	MG	X	2953	1/1	0.94	0.21	59,59,59,59	0
34	K	X	3082	1/1	0.94	0.29	98,98,98,98	0
32	MG	X	2885	1/1	0.95	0.50	21,21,21,21	0
32	MG	X	2912	1/1	0.95	0.34	24,24,24,24	0
32	MG	X	2989	1/1	0.95	0.40	83,83,83,83	0
33	NA	X	3055	1/1	0.95	0.28	70,70,70,70	0
32	MG	X	2922	1/1	0.95	0.18	19,19,19,19	0
32	MG	X	3024	1/1	0.95	0.28	68,68,68,68	0
32	MG	X	3026	1/1	0.95	0.33	37,37,37,37	0
33	NA	X	3059	1/1	0.95	0.13	66,66,66,66	0
32	MG	X	2993	1/1	0.95	0.36	51,51,51,51	0
32	MG	X	2935	1/1	0.95	0.32	55,55,55,55	0
32	MG	X	2936	1/1	0.95	0.27	26,26,26,26	0
32	MG	X	3030	1/1	0.95	0.10	66,66,66,66	0
32	MG	X	2913	1/1	0.95	0.43	56,56,56,56	0
32	MG	X	2893	1/1	0.95	0.48	25,25,25,25	0
32	MG	X	3002	1/1	0.95	0.22	34,34,34,34	0
32	MG	X	3003	1/1	0.95	0.48	55,55,55,55	0
32	MG	X	2956	1/1	0.95	0.66	71,71,71,71	0
32	MG	X	3005	1/1	0.95	0.15	58,58,58,58	0
32	MG	X	2900	1/1	0.95	0.41	37,37,37,37	0
33	NA	X	3042	1/1	0.95	0.48	45,45,45,45	0
34	K	X	3072	1/1	0.95	0.21	104,104,104,104	0
32	MG	X	3008	1/1	0.95	0.25	45,45,45,45	0
34	K	X	3075	1/1	0.95	0.22	68,68,68,68	0
32	MG	X	2983	1/1	0.95	0.26	23,23,23,23	0
32	MG	X	2960	1/1	0.95	0.36	33,33,33,33	0
34	K	X	3078	1/1	0.95	0.32	91,91,91,91	0
33	NA	X	3048	1/1	0.95	0.26	71,71,71,71	0
32	MG	X	2941	1/1	0.95	0.43	46,46,46,46	0
32	MG	X	2982	1/1	0.96	0.48	51,51,51,51	0
32	MG	X	2964	1/1	0.96	0.44	50,50,50,50	0
32	MG	Y	124	1/1	0.96	0.11	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
32	MG	X	2892	1/1	0.96	0.22	30,30,30,30	0
33	NA	X	3034	1/1	0.96	0.31	50,50,50,50	0
32	MG	X	2919	1/1	0.96	0.35	61,61,61,61	0
32	MG	X	2944	1/1	0.96	0.35	59,59,59,59	0
33	NA	X	3065	1/1	0.96	0.38	58,58,58,58	0
32	MG	X	2933	1/1	0.96	0.49	59,59,59,59	0
32	MG	X	3012	1/1	0.96	0.57	45,45,45,45	0
32	MG	X	2971	1/1	0.96	0.24	44,44,44,44	0
33	NA	X	3041	1/1	0.96	0.30	37,37,37,37	0
32	MG	X	2990	1/1	0.96	0.39	31,31,31,31	0
32	MG	X	2947	1/1	0.96	0.39	47,47,47,47	0
32	MG	X	2974	1/1	0.96	0.18	37,37,37,37	0
32	MG	X	3021	1/1	0.96	0.54	70,70,70,70	0
34	K	X	3071	1/1	0.96	0.23	86,86,86,86	0
32	MG	X	2994	1/1	0.96	0.10	41,41,41,41	0
32	MG	X	2920	1/1	0.96	0.36	31,31,31,31	0
32	MG	X	2976	1/1	0.96	0.24	32,32,32,32	0
33	NA	X	3051	1/1	0.96	0.24	43,43,43,43	0
32	MG	X	2998	1/1	0.96	0.38	29,29,29,29	0
32	MG	X	2977	1/1	0.96	0.32	51,51,51,51	0
32	MG	X	2962	1/1	0.96	0.13	70,70,70,70	0
32	MG	X	2897	1/1	0.96	0.36	37,37,37,37	0
34	K	X	3083	1/1	0.96	0.28	103,103,103,103	0
32	MG	X	3009	1/1	0.97	0.24	53,53,53,53	0
32	MG	X	2882	1/1	0.97	0.33	5,5,5,5	0
33	NA	X	3033	1/1	0.97	0.44	38,38,38,38	0
32	MG	X	3011	1/1	0.97	0.55	45,45,45,45	0
32	MG	X	2884	1/1	0.97	0.54	38,38,38,38	0
32	MG	X	3013	1/1	0.97	0.11	60,60,60,60	0
32	MG	X	2958	1/1	0.97	0.10	29,29,29,29	0
32	MG	X	2902	1/1	0.97	0.35	39,39,39,39	0
32	MG	X	3016	1/1	0.97	0.35	39,39,39,39	0
32	MG	X	3017	1/1	0.97	0.51	70,70,70,70	0
33	NA	Y	125	1/1	0.97	0.44	62,62,62,62	0
32	MG	X	2889	1/1	0.97	0.26	26,26,26,26	0
33	NA	X	3043	1/1	0.97	0.31	48,48,48,48	0
32	MG	X	2905	1/1	0.97	0.37	57,57,57,57	0
32	MG	X	3020	1/1	0.97	0.35	42,42,42,42	0
32	MG	X	2906	1/1	0.97	0.39	43,43,43,43	0
32	MG	X	2981	1/1	0.97	0.47	65,65,65,65	0
32	MG	X	2948	1/1	0.97	0.43	40,40,40,40	0
34	K	X	3073	1/1	0.97	0.39	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
32	MG	X	3001	1/1	0.97	0.46	84,84,84,84	0
32	MG	X	2965	1/1	0.97	0.31	42,42,42,42	0
32	MG	X	2899	1/1	0.97	0.30	57,57,57,57	0
32	MG	X	2915	1/1	0.97	0.55	47,47,47,47	0
33	NA	X	3054	1/1	0.97	0.38	49,49,49,49	0
32	MG	X	2926	1/1	0.97	0.17	35,35,35,35	0
34	K	X	3080	1/1	0.97	0.49	94,94,94,94	0
34	K	X	3081	1/1	0.97	0.36	91,91,91,91	0
32	MG	X	2927	1/1	0.97	0.21	55,55,55,55	0
32	MG	X	2955	1/1	0.97	0.37	54,54,54,54	0
34	K	M	167	1/1	0.97	0.38	44,44,44,44	0
33	NA	X	3068	1/1	0.98	0.31	64,64,64,64	0
32	MG	X	2973	1/1	0.98	0.22	30,30,30,30	0
32	MG	X	3031	1/1	0.98	0.15	48,48,48,48	0
32	MG	X	2986	1/1	0.98	0.26	54,54,54,54	0
32	MG	X	2954	1/1	0.98	0.30	31,31,31,31	0
32	MG	C	206	1/1	0.98	0.20	37,37,37,37	0
32	MG	X	2946	1/1	0.98	0.45	38,38,38,38	0
32	MG	X	2886	1/1	0.98	0.36	16,16,16,16	0
32	MG	X	2888	1/1	0.98	0.46	36,36,36,36	0
32	MG	X	2991	1/1	0.98	0.38	51,51,51,51	0
32	MG	X	3006	1/1	0.98	0.07	59,59,59,59	0
32	MG	X	2967	1/1	0.98	0.31	50,50,50,50	0
32	MG	X	2924	1/1	0.98	0.31	26,26,26,26	0
32	MG	X	2959	1/1	0.98	0.40	33,33,33,33	0
33	NA	X	3060	1/1	0.98	0.70	73,73,73,73	0
33	NA	X	3040	1/1	0.98	0.41	70,70,70,70	0
32	MG	X	3025	1/1	0.98	0.19	62,62,62,62	0
32	MG	X	2896	1/1	0.98	0.41	28,28,28,28	0
32	MG	X	2996	1/1	0.98	0.08	42,42,42,42	0
32	MG	X	2938	1/1	0.98	0.40	34,34,34,34	0
33	NA	X	3045	1/1	0.98	0.45	31,31,31,31	0
32	MG	X	2904	1/1	0.98	0.49	39,39,39,39	0
32	MG	X	2917	1/1	0.99	0.27	52,52,52,52	0
32	MG	X	2951	1/1	0.99	0.36	28,28,28,28	0
32	MG	X	2890	1/1	0.99	0.24	38,38,38,38	0
32	MG	X	2932	1/1	0.99	0.36	31,31,31,31	0
32	MG	X	2898	1/1	0.99	0.39	8,8,8,8	0
32	MG	X	2929	1/1	0.99	0.32	10,10,10,10	0
32	MG	X	2980	1/1	0.99	0.12	42,42,42,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around LMA X 2881:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers (i)

There are no such residues in this entry.