



## Full wwPDB EM Validation Report ⓘ

Mar 10, 2024 – 05:34 PM EDT

PDB ID : 6PKW  
EMDB ID : EMD-20368  
Title : Cryo-EM structure of the zebrafish TRPM2 channel in the apo conformation, processed with C2 symmetry (pseudo C4 symmetry)  
Authors : Yin, Y.; Wu, M.; Hsu, A.L.; Borschel, W.F.; Borgnia, M.J.; Lander, G.C.; Lee, S.-Y.  
Deposited on : 2019-06-30  
Resolution : 4.50 Å (reported)  
Based on initial model : 6D73

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 4.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1466	 10% 68% 6% 26%
1	B	1466	 10% 61% 6% 33%
1	C	1466	 10% 69% 5% 26%
1	D	1466	 10% 61% 6% 33%

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 26262 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.



- Molecule 1 is a protein called Transient receptor potential cation channel subfamily M member 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1086	Total 6955	C 4442	N 1253	O 1246	S 14	0	0
1	C	1086	Total 6955	C 4442	N 1253	O 1246	S 14	0	0
1	B	986	Total 6176	C 3913	N 1126	O 1125	S 12	0	0
1	D	986	Total 6176	C 3913	N 1126	O 1125	S 12	0	0




















● Molecule 1: Transient receptor potential cation channel subfamily M member 2



PRO	LEU	M1427	A1428	D1429	L1430	N1431	H1432	M1433	V1434	E1435	SER	SER	LEU	SER	SER	HIS	HIS	GLN	PRO	L1369	A1370	Q1371	V1372	L1373	E1374	N1375	I1376	L1377	G1378	N1379	K1380	L1381	N1382	E1383	LYS	THR	LYS	THR	LEU	LEU	LYS	ALA	G1392	E1393	E1394	N1395	G1398	Y1399	V1400	D1401	D1402	S1403	V1411	E1412	T1413	S1414	I1415	I1416	C1420	D1421	K1422	N1423	T1424
HIS	HIS	HIS	HIS	HIS	HIS	HIS	HIS	M1433	V1434	E1435	SER	SER	LEU	SER	SER	HIS	HIS	GLN	PRO	L1369	A1370	Q1371	V1372	L1373	E1374	N1375	I1376	L1377	G1378	N1379	K1380	L1381	N1382	E1383	LYS	THR	LYS	THR	LEU	LEU	LYS	ALA	G1392	E1393	E1394	N1395	G1398	Y1399	V1400	D1401	D1402	S1403	V1411	E1412	T1413	S1414	I1415	I1416	C1420	D1421	K1422	N1423	T1424
HIS	HIS	HIS	HIS	HIS	HIS	HIS	HIS	M1433	V1434	E1435	SER	SER	LEU	SER	SER	HIS	HIS	GLN	PRO	L1444	Q1445	W1446	R1447	E1448	V1449	S1450	S1451	D1452	A1453	A1467	HIS	HIS	HIS	HIS	ASN	THR	TYR	PHE	SER	ASN	SER	LEU	VAL	GLU	LEU	PHE	GLN	GLY	PRO	ASP	TYR	LYS	ASP	ASP	ASP	ASP	LYS	ALA	HIS	HIS			



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	58005	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	750	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	22500	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.044	Depositor
Minimum map value	-0.020	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.009	Depositor
Map size (Å)	272.896, 272.896, 272.896	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.066, 1.066, 1.066	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	0/6984	0.54	2/9616 (0.0%)
1	B	0.38	0/6172	0.52	1/8493 (0.0%)
1	C	0.42	0/6984	0.54	2/9616 (0.0%)
1	D	0.38	0/6172	0.52	1/8493 (0.0%)
All	All	0.40	0/26312	0.53	6/36218 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	1359	LEU	CA-CB-CG	5.91	128.89	115.30
1	A	1359	LEU	CA-CB-CG	5.90	128.87	115.30
1	C	697	LEU	CA-CB-CG	-5.47	102.71	115.30
1	A	697	LEU	CA-CB-CG	-5.47	102.72	115.30
1	B	1359	LEU	CA-CB-CG	5.42	127.76	115.30
1	D	1359	LEU	CA-CB-CG	5.41	127.74	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6955	0	5207	47	0
1	B	6176	0	4448	48	0
1	C	6955	0	5207	46	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	6176	0	4448	47	0
All	All	26262	0	19310	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:506:CYS:SG	1:C:508:PHE:HB3	2.15	0.86
1:A:506:CYS:SG	1:A:508:PHE:HB3	2.16	0.85
1:A:1077:ILE:HG22	1:A:1081:GLN:HE22	1.58	0.67
1:C:1077:ILE:HG22	1:C:1081:GLN:HE22	1.58	0.67
1:A:43:TRP:HE1	1:A:47:ASN:HD22	1.43	0.67
1:B:117:LYS:HE3	1:B:259:HIS:HE1	1.60	0.66
1:D:117:LYS:HE3	1:D:259:HIS:HE1	1.60	0.65
1:C:43:TRP:HE1	1:C:47:ASN:HD22	1.43	0.65
1:A:506:CYS:O	1:A:509:LEU:N	2.31	0.64
1:C:506:CYS:O	1:C:509:LEU:N	2.31	0.64
1:A:662:ILE:HG22	1:A:704:PHE:HD1	1.68	0.58
1:C:662:ILE:HG22	1:C:704:PHE:HD1	1.68	0.58
1:A:1394:GLU:HA	1:A:1416:ILE:HA	1.85	0.58
1:C:1394:GLU:HA	1:C:1416:ILE:HA	1.85	0.58
1:D:1394:GLU:HA	1:D:1416:ILE:HA	1.86	0.58
1:B:1394:GLU:HA	1:B:1416:ILE:HA	1.86	0.58
1:B:1097:PRO:HA	1:B:1100:ILE:HG22	1.87	0.57
1:D:1096:PRO:O	1:D:1100:ILE:N	2.36	0.57
1:B:43:TRP:O	1:B:47:ASN:ND2	2.38	0.56
1:D:43:TRP:O	1:D:47:ASN:ND2	2.38	0.56
1:C:147:ILE:HD11	1:C:181:ILE:HG12	1.87	0.56
1:D:377:GLU:HA	1:D:1268:PRO:HG2	1.87	0.56
1:A:1077:ILE:O	1:A:1081:GLN:NE2	2.38	0.56
1:C:1077:ILE:O	1:C:1081:GLN:NE2	2.38	0.56
1:A:147:ILE:HD11	1:A:181:ILE:HG12	1.87	0.56
1:D:302:VAL:HG23	1:D:325:PRO:HG2	1.88	0.55
1:D:1097:PRO:HA	1:D:1100:ILE:HG22	1.87	0.55
1:B:377:GLU:HA	1:B:1268:PRO:HG2	1.87	0.55
1:A:44:ILE:HG23	1:A:48:ILE:HD12	1.89	0.55
1:C:1273:LYS:HD2	1:C:1280:PHE:HB3	1.89	0.55
1:A:1273:LYS:HD2	1:A:1280:PHE:HB3	1.89	0.54
1:A:1097:PRO:HA	1:A:1100:ILE:HG22	1.90	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:44:ILE:HG23	1:C:48:ILE:HD12	1.89	0.54
1:B:302:VAL:HG23	1:B:325:PRO:HG2	1.88	0.54
1:B:1399:TYR:HA	1:B:1412:GLU:HG2	1.90	0.54
1:C:1399:TYR:HA	1:C:1412:GLU:HG2	1.90	0.54
1:D:1399:TYR:HA	1:D:1412:GLU:HG2	1.90	0.53
1:C:1347:ALA:O	1:C:1444:LEU:HA	2.09	0.53
1:B:1096:PRO:O	1:B:1100:ILE:N	2.36	0.53
1:A:1347:ALA:O	1:A:1444:LEU:HA	2.09	0.53
1:A:1399:TYR:HA	1:A:1412:GLU:HG2	1.90	0.53
1:C:1097:PRO:HA	1:C:1100:ILE:HG22	1.90	0.53
1:C:1285:PRO:HB3	1:C:1313:ILE:HA	1.92	0.52
1:A:301:VAL:O	1:A:324:THR:OG1	2.25	0.52
1:B:1259:TYR:OH	1:B:1262:SER:O	2.29	0.51
1:A:1285:PRO:HB3	1:A:1313:ILE:HA	1.92	0.51
1:A:1315:GLY:H	1:A:1408:ASN:HD21	1.58	0.51
1:C:1315:GLY:H	1:C:1408:ASN:HD21	1.58	0.51
1:D:1259:TYR:OH	1:D:1262:SER:O	2.29	0.51
1:C:697:LEU:HD21	1:C:705:ILE:HD12	1.93	0.51
1:B:462:PRO:O	1:B:465:PHE:HB3	2.11	0.51
1:B:1334:ARG:NE	1:B:1344:GLU:OE1	2.44	0.51
1:B:1330:PRO:HB3	1:B:1373:LEU:HG	1.93	0.50
1:D:121:VAL:HB	1:D:125:THR:HG21	1.93	0.50
1:D:462:PRO:O	1:D:465:PHE:HB3	2.11	0.50
1:A:697:LEU:HD21	1:A:705:ILE:HD12	1.93	0.50
1:D:1334:ARG:NE	1:D:1344:GLU:OE1	2.44	0.50
1:B:659:LYS:HA	1:B:662:ILE:HG12	1.94	0.50
1:D:659:LYS:HA	1:D:662:ILE:HG12	1.94	0.50
1:D:1330:PRO:HB3	1:D:1373:LEU:HG	1.93	0.49
1:A:1336:ARG:H	1:A:1343:LEU:HA	1.78	0.49
1:B:121:VAL:HB	1:B:125:THR:HG21	1.93	0.49
1:D:354:LEU:O	1:D:358:LEU:N	2.46	0.49
1:C:443:ILE:O	1:C:447:GLU:CB	2.61	0.49
1:C:1336:ARG:H	1:C:1343:LEU:HA	1.78	0.48
1:D:1073:ASN:O	1:D:1076:THR:OG1	2.27	0.48
1:A:443:ILE:O	1:A:447:GLU:CB	2.61	0.48
1:B:486:VAL:HA	1:B:489:PHE:HB3	1.97	0.47
1:C:496:LEU:HA	1:C:499:LEU:HD12	1.96	0.47
1:D:486:VAL:HA	1:D:489:PHE:HB3	1.96	0.47
1:B:303:CYS:O	1:B:326:CYS:HA	2.14	0.47
1:B:1273:LYS:HB3	1:B:1280:PHE:HD1	1.80	0.47
1:B:119:VAL:O	1:B:261:LEU:HA	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:463:ALA:O	1:C:467:ALA:N	2.48	0.47
1:D:119:VAL:O	1:D:261:LEU:HA	2.14	0.47
1:D:1254:ALA:HB1	1:D:1311:THR:HA	1.96	0.47
1:B:1254:ALA:HB1	1:B:1311:THR:HA	1.96	0.47
1:D:1273:LYS:HB3	1:D:1280:PHE:HD1	1.80	0.47
1:B:1326:HIS:HA	1:B:1412:GLU:O	2.15	0.47
1:A:496:LEU:HA	1:A:499:LEU:HD12	1.96	0.47
1:C:1096:PRO:O	1:C:1100:ILE:N	2.46	0.47
1:A:463:ALA:O	1:A:467:ALA:N	2.47	0.46
1:D:498:GLU:O	1:D:502:HIS:ND1	2.39	0.46
1:D:1289:ASN:HA	1:D:1317:GLY:H	1.80	0.46
1:D:303:CYS:O	1:D:326:CYS:HA	2.15	0.46
1:D:1326:HIS:HA	1:D:1412:GLU:O	2.15	0.46
1:D:1253:PHE:HB3	1:D:1403:SER:HA	1.98	0.46
1:B:1289:ASN:HA	1:B:1317:GLY:H	1.80	0.46
1:A:1270:PRO:HB2	1:A:1272:GLU:HG2	1.98	0.46
1:C:1270:PRO:HB2	1:C:1272:GLU:HG2	1.98	0.45
1:B:354:LEU:O	1:B:358:LEU:N	2.46	0.45
1:B:498:GLU:O	1:B:502:HIS:ND1	2.39	0.45
1:B:601:TRP:O	1:B:605:GLN:HB2	2.16	0.45
1:B:1253:PHE:HB3	1:B:1403:SER:HA	1.98	0.45
1:A:1372:VAL:HG22	1:A:1375:ARG:HH22	1.81	0.45
1:C:118:TYR:HA	1:C:260:PHE:HB2	1.99	0.45
1:A:41:ALA:HA	1:A:44:ILE:HD12	1.99	0.45
1:C:1326:HIS:HA	1:C:1412:GLU:O	2.17	0.45
1:D:601:TRP:O	1:D:605:GLN:HB2	2.16	0.45
1:A:600:LEU:HA	1:A:603:VAL:HG12	1.99	0.45
1:C:1372:VAL:HG22	1:C:1375:ARG:HH22	1.81	0.45
1:D:694:TRP:HA	1:D:697:LEU:HD12	1.98	0.45
1:A:707:HIS:HB3	1:A:710:VAL:HG12	1.99	0.44
1:C:707:HIS:HB3	1:C:710:VAL:HG12	1.99	0.44
1:B:694:TRP:HA	1:B:697:LEU:HD12	1.98	0.44
1:A:715:THR:OG1	1:A:1082:ARG:NH2	2.50	0.44
1:A:1346:LEU:HA	1:A:1445:GLN:O	2.17	0.44
1:C:600:LEU:HA	1:C:603:VAL:HG12	1.99	0.44
1:C:1346:LEU:HA	1:C:1445:GLN:O	2.17	0.44
1:C:301:VAL:O	1:C:324:THR:OG1	2.25	0.44
1:B:976:GLU:O	1:B:982:ILE:HD12	2.17	0.44
1:D:463:ALA:O	1:D:467:ALA:N	2.49	0.44
1:D:616:GLU:O	1:D:1144:LYS:NZ	2.46	0.44
1:A:118:TYR:HA	1:A:260:PHE:HB2	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:715:THR:OG1	1:C:1082:ARG:NH2	2.50	0.44
1:C:1272:GLU:HG3	1:C:1273:LYS:HG2	2.00	0.44
1:B:464:MET:O	1:B:468:LEU:N	2.51	0.44
1:D:976:GLU:O	1:D:982:ILE:HD12	2.17	0.44
1:B:1270:PRO:O	1:B:1274:VAL:N	2.43	0.44
1:A:1276:TRP:HA	1:A:1310:ARG:HD2	2.00	0.43
1:A:1326:HIS:HA	1:A:1412:GLU:O	2.17	0.43
1:C:254:ASP:OD2	1:C:257:HIS:ND1	2.47	0.43
1:D:327:VAL:HA	1:D:393:THR:O	2.18	0.43
1:D:823:PHE:HB2	1:D:849:TRP:CZ2	2.53	0.43
1:A:887:VAL:HA	1:A:890:ILE:HG22	2.00	0.43
1:C:1315:GLY:H	1:C:1408:ASN:ND2	2.16	0.43
1:D:464:MET:O	1:D:468:LEU:N	2.51	0.43
1:A:1272:GLU:HG3	1:A:1273:LYS:HG2	2.00	0.43
1:C:41:ALA:HA	1:C:44:ILE:HD12	1.99	0.43
1:B:721:GLU:O	1:B:749:ARG:N	2.41	0.43
1:B:823:PHE:HB2	1:B:849:TRP:CZ2	2.53	0.43
1:B:463:ALA:O	1:B:467:ALA:N	2.49	0.43
1:A:254:ASP:OD2	1:A:257:HIS:ND1	2.47	0.43
1:A:1167:ALA:HB3	1:D:1162:ARG:HH21	1.84	0.43
1:A:441:VAL:HG23	1:A:478:LEU:HD22	2.00	0.43
1:C:441:VAL:HG23	1:C:478:LEU:HD22	2.00	0.43
1:C:887:VAL:HA	1:C:890:ILE:HG22	2.00	0.43
1:B:327:VAL:HA	1:B:393:THR:O	2.19	0.43
1:D:1270:PRO:O	1:D:1274:VAL:N	2.43	0.43
1:A:1332:PHE:HE1	1:A:1418:LEU:HD12	1.84	0.43
1:C:1332:PHE:HE1	1:C:1418:LEU:HD12	1.84	0.43
1:A:1315:GLY:H	1:A:1408:ASN:ND2	2.16	0.42
1:D:133:LEU:O	1:D:137:GLN:CB	2.67	0.42
1:B:133:LEU:O	1:B:137:GLN:CB	2.67	0.42
1:B:621:CYS:N	1:B:1140:GLU:OE2	2.40	0.42
1:D:718:TRP:CE3	1:D:1086:ILE:HG12	2.54	0.42
1:D:1329:HIS:HB3	1:D:1358:LEU:HD12	2.01	0.42
1:B:718:TRP:CE3	1:B:1086:ILE:HG12	2.54	0.42
1:C:1276:TRP:HA	1:C:1310:ARG:HD2	2.00	0.42
1:B:117:LYS:HB2	1:B:259:HIS:ND1	2.34	0.42
1:D:1329:HIS:HB2	1:D:1415:ILE:HB	2.02	0.42
1:B:808:SER:HB2	1:B:811:VAL:HG12	2.02	0.42
1:D:117:LYS:HB2	1:D:259:HIS:ND1	2.34	0.42
1:A:305:VAL:HB	1:A:328:VAL:HG22	2.02	0.42
1:C:305:VAL:HB	1:C:328:VAL:HG22	2.02	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1280:PHE:HD2	1:C:1282:PRO:HD2	1.85	0.41
1:B:1329:HIS:HB3	1:B:1358:LEU:HD12	2.01	0.41
1:D:707:HIS:HB3	1:D:710:VAL:HG12	2.02	0.41
1:B:1329:HIS:HB2	1:B:1415:ILE:HB	2.02	0.41
1:C:436:VAL:HG12	1:C:475:PHE:CE2	2.56	0.41
1:D:721:GLU:O	1:D:749:ARG:N	2.41	0.41
1:A:436:VAL:HG12	1:A:475:PHE:CE2	2.56	0.41
1:A:1447:ARG:NH1	1:A:1448:GLU:O	2.54	0.41
1:B:707:HIS:HB3	1:B:710:VAL:HG12	2.02	0.41
1:D:808:SER:HB2	1:D:811:VAL:HG12	2.02	0.41
1:D:1276:TRP:HB3	1:D:1310:ARG:HG3	2.03	0.41
1:A:1280:PHE:HD2	1:A:1282:PRO:HD2	1.85	0.41
1:C:214:VAL:HG23	1:C:258:THR:H	1.86	0.41
1:A:214:VAL:HG23	1:A:258:THR:H	1.86	0.41
1:A:599:PHE:CE1	1:A:615:TRP:HB2	2.56	0.41
1:C:143:PRO:HB3	1:C:180:TRP:CD1	2.56	0.41
1:B:1136:LEU:HA	1:B:1136:LEU:HD12	1.80	0.41
1:D:117:LYS:O	1:D:259:HIS:HA	2.21	0.41
1:D:621:CYS:N	1:D:1140:GLU:OE2	2.40	0.41
1:C:1075:ASP:O	1:C:1079:LYS:HG2	2.21	0.41
1:B:117:LYS:O	1:B:259:HIS:HA	2.21	0.41
1:B:1073:ASN:O	1:B:1076:THR:OG1	2.27	0.40
1:A:309:GLY:O	1:A:312:THR:OG1	2.30	0.40
1:A:626:LEU:HD23	1:A:626:LEU:HA	1.95	0.40
1:C:1167:ALA:HB3	1:B:1162:ARG:HH21	1.86	0.40
1:B:41:ALA:HA	1:B:44:ILE:HD12	2.02	0.40
1:B:457:SER:O	1:B:461:HIS:ND1	2.55	0.40
1:A:468:LEU:HD12	1:A:468:LEU:HA	1.89	0.40
1:C:599:PHE:CE1	1:C:615:TRP:HB2	2.56	0.40
1:D:41:ALA:HA	1:D:44:ILE:HD12	2.02	0.40
1:B:132:GLN:HA	1:B:135:THR:HG22	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1018/1466 (69%)	956 (94%)	62 (6%)	0	100	100
1	B	906/1466 (62%)	856 (94%)	50 (6%)	0	100	100
1	C	1018/1466 (69%)	956 (94%)	62 (6%)	0	100	100
1	D	906/1466 (62%)	856 (94%)	50 (6%)	0	100	100
All	All	3848/5864 (66%)	3624 (94%)	224 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/1277 (33%)	426 (100%)	0	100	100
1	B	352/1277 (28%)	352 (100%)	0	100	100
1	C	426/1277 (33%)	426 (100%)	0	100	100
1	D	352/1277 (28%)	352 (100%)	0	100	100
All	All	1556/5108 (30%)	1556 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	ASN
1	A	144	ASN
1	A	259	HIS
1	A	656	HIS
1	A	707	HIS
1	A	1081	GLN
1	C	47	ASN
1	C	144	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	C	259	HIS
1	C	656	HIS
1	C	707	HIS
1	C	1081	GLN
1	B	259	HIS
1	B	656	HIS
1	B	660	GLN
1	B	707	HIS
1	B	1164	HIS
1	D	259	HIS
1	D	656	HIS
1	D	660	GLN
1	D	707	HIS
1	D	1164	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	2
1	D	2
1	A	2
1	C	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	1209:UNK	C	1246:ASP	N	44.33
1	D	1209:UNK	C	1246:ASP	N	44.32
1	A	1209:UNK	C	1246:ASP	N	44.23
1	C	1209:UNK	C	1246:ASP	N	44.23
1	B	1184:VAL	C	1188:UNK	N	12.48
1	D	1184:VAL	C	1188:UNK	N	12.48
1	A	1184:VAL	C	1188:UNK	N	10.50
1	C	1184:VAL	C	1188:UNK	N	10.50


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20368. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [\(i\)](#)


### 6.3.1 Primary map



X Index: 128



Y Index: 128




Z Index: 126


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


### 6.4.1 Primary map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)


### 6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.009. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 436 nm<sup>3</sup>; this corresponds to an approximate mass of 394 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of 0.222 Å<sup>-1</sup>




## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20368 and PDB model 6PKW. Per-residue inclusion information can be found in section 3 on page 4.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.009 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.009).











## 9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 81% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.009) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8120	 0.2960
A	 0.8470	 0.3160
B	 0.7720	 0.2730
C	 0.8470	 0.3170
D	 0.7720	 0.2720

