

Full wwPDB X-ray Structure Validation Report (i)

May 22, 2020 – 11:09 am BST

:	4PPM
:	Crystal structure of PigE: a transaminase involved in the biosynthesis of 2-m
	ethyl-3-n-amyl-pyrrole (MAP) from Serratia sp. FS14
:	Lou, X.D.; Ran, T.T.; Xu, D.Q.; Wang, W.W.
:	2014-02-27
:	2.30 Å(reported)
	::

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as 541 be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
$\operatorname{CCP4}$:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution $(\#$ Entries, resolution, range $(Å))$
	(#Entries)	(# Entries, resolution range(A))
R_{free}	130704	$5042\ (2.30-2.30)$
Clashscore	141614	$5643 \ (2.30-2.30)$
Ramachandran outliers	138981	5575(2.30-2.30)
Sidechain outliers	138945	5575(2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain						
1	А	861	38%	15%	•	46%			
1	В	861	35%	17%	•	46%			



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 7493 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Aminotransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	464	Total 3563	m C 2265	N 617	O 657	S 24	0	0	0
1	В	462	$\begin{array}{c} {\rm Total} \\ {\rm 3554} \end{array}$	C 2263	N 615	O 652	$\begin{array}{c} \mathrm{S}\\ \mathrm{24} \end{array}$	0	0	0

Chain	Residue	Modelled	Actual	$\mathbf{Comment}$	Reference
А	854	LEU	-	EXPRESSION TAG	UNP A0A059ZJX2
А	855	GLU	-	EXPRESSION TAG	UNP A0A059ZJX2
A	856	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
А	857	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
A	858	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
А	859	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
A	860	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
А	861	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
В	854	LEU	-	EXPRESSION TAG	UNP A0A059ZJX2
В	855	GLU	-	EXPRESSION TAG	UNP A0A059ZJX2
В	856	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
В	857	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
В	858	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
В	859	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
В	860	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2
В	861	HIS	-	EXPRESSION TAG	UNP A0A059ZJX2

There are 16 discrepancies between the modelled and reference sequences:

• Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	В	1	Total Mg 1 1	0	0
2	А	1	Total Mg 1 1	0	0





• Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: $C_8H_{10}NO_6P$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
3	2 Λ	1	Total	С	Ν	Ο	Р	0	0	
	1	15	8	1	5	1	0	0		
9	2 D	D	R 1	Total	С	Ν	Ο	Р	0	0
J B		15	8	1	5	1		0		

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	160	Total O 160 160	0	0
4	В	184	Total O 184 184	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are colorcoded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Aminotransferase







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants	228.10Å 228.10 Å 67.10 Å	Demositer
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	19.89 - 2.30	Depositor
Resolution (A)	19.89 - 2.30	EDS
% Data completeness	$99.8 \ (19.89-2.30)$	Depositor
(in resolution range)	99.9(19.89-2.30)	EDS
R _{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.77 (at 2.30 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
D D	0.238 , 0.272	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.251 , 0.278	DCC
R_{free} test set	4443 reflections (5.02%)	wwPDB-VP
Wilson B-factor $(Å^2)$	37.2	Xtriage
Anisotropy	0.092	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , 16.5	EDS
L-test for twinning ²	$< L >=0.38, < L^2>=0.21$	Xtriage
Estimated twinning fraction	0.340 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7493	wwPDB-VP
Average B, all atoms $(Å^2)$	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.01% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	1.41	7/3633~(0.2%)	0.94	19/4920~(0.4%)	
1	В	1.36	6/3626~(0.2%)	0.95	20/4912~(0.4%)	
All	All	1.39	13/7259~(0.2%)	0.95	39/9832~(0.4%)	

All (13) bond length outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
1	А	505	GLU	CD-OE2	-5.65	1.19	1.25
1	А	508	GLU	CD-OE1	-5.60	1.19	1.25
1	А	508	GLU	CD-OE2	-5.57	1.19	1.25
1	В	404	PRO	N-CD	5.52	1.55	1.47
1	В	552	PRO	N-CD	5.44	1.55	1.47
1	В	491	PRO	N-CD	5.42	1.55	1.47
1	В	476	PRO	N-CD	5.36	1.55	1.47
1	В	638	PRO	N-CD	5.20	1.55	1.47
1	А	726	PRO	N-CD	5.15	1.55	1.47
1	В	595	PRO	N-CD	5.12	1.55	1.47
1	А	404	PRO	N-CD	5.11	1.55	1.47
1	А	476	PRO	N-CD	5.08	1.54	1.47
1	А	521	PRO	N-CD	5.08	1.54	1.47

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	702	ASP	CB-CG-OD1	7.09	124.68	118.30
1	А	590	GLY	N-CA-C	6.99	130.58	113.10
1	А	593	ILE	C-N-CD	6.29	141.61	128.40
1	В	725	TYR	C-N-CD	6.16	141.34	128.40
1	А	594	PRO	C-N-CD	6.02	141.04	128.40
1	В	388	THR	C-N-CD	5.99	140.97	128.40



Mol	Chain	\mathbf{Res}	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
1	В	774	ASP	C-N-CD	5.93	140.85	128.40
1	В	373	LEU	C-N-CD	5.89	140.77	128.40
1	А	824	GLN	C-N-CD	5.85	140.68	128.40
1	А	583	GLU	C-N-CD	5.84	140.66	128.40
1	А	397	ARG	NE-CZ-NH1	-5.84	117.38	120.30
1	В	520	LYS	C-N-CD	5.81	140.60	128.40
1	А	637	GLU	C-N-CD	5.80	140.58	128.40
1	В	824	GLN	C-N-CD	5.76	140.49	128.40
1	А	466	GLY	C-N-CD	5.71	140.40	128.40
1	А	825	PRO	C-N-CD	5.64	140.25	128.40
1	В	560	VAL	C-N-CD	5.62	140.20	128.40
1	А	774	ASP	C-N-CD	5.59	140.13	128.40
1	А	652	ILE	C-N-CD	5.58	140.11	128.40
1	А	373	LEU	C-N-CD	5.54	140.04	128.40
1	А	520	LYS	C-N-CD	5.54	140.02	128.40
1	В	825	PRO	C-N-CD	5.53	140.02	128.40
1	В	772	LEU	C-N-CD	5.51	139.97	128.40
1	А	475	ILE	C-N-CD	5.50	139.95	128.40
1	В	652	ILE	C-N-CD	5.48	139.92	128.40
1	А	429	ASP	CB-CG-OD1	5.45	123.21	118.30
1	В	452	GLN	C-N-CD	5.41	139.77	128.40
1	В	594	PRO	C-N-CD	5.38	139.69	128.40
1	А	725	TYR	C-N-CD	5.34	139.61	128.40
1	А	450	ASN	C-N-CD	5.33	139.59	128.40
1	А	403	ASN	C-N-CD	5.32	139.57	128.40
1	В	696	ARG	NE-CZ-NH1	-5.29	117.65	120.30
1	В	450	ASN	C-N-CD	5.26	139.45	128.40
1	В	466	GLY	C-N-CD	5.22	139.36	128.40
1	В	490	ALA	C-N-CD	5.22	139.36	128.40
1	В	403	ASN	C-N-CD	5.13	139.18	128.40
1	В	637	GLU	C-N-CD	5.11	139.13	128.40
1	В	593	ILE	C-N-CD	5.09	139.09	128.40
1	A	584	PRO	CA-N-CD	-5.03	104.47	111.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen



Mol	Chain	Non-H	${ m H(model)}$	H(added)	Clashes	Symm-Clashes
1	А	3563	0	3567	100	0
1	В	3554	0	3558	132	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
3	А	15	0	6	0	0
3	В	15	0	6	0	0
4	А	160	0	0	5	0
4	В	184	0	0	6	0
All	All	7493	0	7137	216	0

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:727:PHE:HB3	1:A:744:GLN:NE2	1.44	1.32	
1:A:588:GLU:O	1:A:816:ASN:HB2	1.43	1.14	
1:B:388:THR:HG22	4:B:1037:HOH:O	1.55	1.06	
1:A:727:PHE:CB	1:A:744:GLN:HE21	1.69	1.05	
1:A:727:PHE:HB3	1:A:744:GLN:HE21	0.89	1.04	
1:B:514:ALA:HB2	1:B:614:MET:HE1	1.39	1.02	
1:A:588:GLU:HG3	1:A:815:ALA:HB3	1.47	0.96	
1:A:727:PHE:CB	1:A:744:GLN:NE2	2.30	0.93	
1:A:397:ARG:HD3	1:B:484:GLU:OE2	1.70	0.91	
1:A:589:GLY:O	1:A:592:HIS:CD2	2.26	0.89	
1:B:438:MET:HB2	1:B:810:LEU:O	1.73	0.88	
1:A:413:GLN:O	1:A:801:THR:HG23	1.75	0.86	
1:A:545:LYS:CE	1:A:815:ALA:O	2.25	0.84	
1:B:660:ARG:HD2	4:B:1182:HOH:O	1.79	0.81	
1:A:850:THR:O	1:A:854:LEU:HD13	1.81	0.80	
1:B:543:ARG:HD3	1:B:816:ASN:HB3	1.64	0.80	
1:B:843:THR:O	1:B:846:GLU:HG2	1.81	0.80	
1:B:854:LEU:H	1:B:854:LEU:HD13	1.46	0.78	
1:A:842:ALA:O	1:A:846:GLU:HG3	1.82	0.78	
1:B:372:ALA:HB3	1:B:373:LEU:HA	1.65	0.77	
1:A:588:GLU:O	1:A:816:ASN:CB	2.29	0.75	
1:A:699:LEU:HD12	1:B:381:ILE:CD1	2.17	0.75	
1:B:422:ALA:HB2	1:B:427:LEU:HD23	1.68	0.74	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:588:GLU:CG	1:A:815:ALA:HB3	2.18	0.74	
1:B:785:ASP:O	1:B:788:GLU:N	2.21	0.74	
1:B:741:GLN:HG3	1:B:742:PHE:N	2.03	0.73	
1:B:588:GLU:O	1:B:816:ASN:HB2	1.89	0.73	
1:B:661:ALA:O	1:B:665:GLN:HG2	1.89	0.72	
1:B:409:PHE:O	1:B:412:LEU:HB3	1.90	0.71	
1:B:740:ILE:HD12	1:B:823:ILE:HD11	1.72	0.70	
1:A:563:GLY:HA2	1:A:598:TYR:CE1	2.27	0.70	
1:B:603:GLN:HE21	1:B:607:ARG:NH2	1.90	0.69	
1:B:817:SER:HB3	4:B:1062:HOH:O	1.93	0.69	
1:A:484:GLU:OE2	1:B:397:ABG:NE	2.20	0.68	
1:A:817:SER:OG	1:A:819:THR:HG22	1.94	0.68	
1:A:545:LYS:HE2	1:A:815:ALA:O	1.94	0.67	
1:A:740:ILE:HG13	1:A:823:ILE:HD13	1.76	0.67	
1:B:526:LEU:HD13	1:B:562:PHE:HD1	1.60	0.67	
1:A:675:LEU:HD21	1:B:406:MET:CE	2.25	0.67	
1:A:633:TRP:CE2	1:A:734:ARG:HD3	2.30	0.67	
1:B:372:ALA:HB3	1:B:373:LEU:CA	2.26	0.66	
1:B:484:GLU:O	1:B:488:ARG:HG2	1.96	0.66	
1:B:799:PHE:CE1	1:B:844:VAL:HG12	2.31	0.66	
1:A:721:ILE:HD11	1:A:838:VAL:HG13	1.78	0.65	
1:B:799:PHE:HE2	1:B:841:PHE:CD1	2.13	0.65	
1:B:568:LEU:HD23	1:B:605:LEU:HD23	1.79	0.65	
1:B:721:ILE:O	1:B:724:ARG:HB2	1.97	0.65	
1:A:675:LEU:HD21	1:B:406:MET:HE2	1.78	0.65	
1:B:590:GLY:O	1:B:732:ARG:NH2	2.23	0.64	
1:B:526:LEU:HD13	1:B:562:PHE:CD1	2.33	0.64	
1:B:843:THR:O	1:B:847:GLU:HG3	1.99	0.63	
1:A:569:ARG:NH1	1:A:608:GLU:OE1	2.28	0.63	
1:A:721:ILE:CD1	1:A:838:VAL:HG13	2.29	0.62	
1:A:741:GLN:HE22	1:A:819:THR:HG23	1.63	0.62	
1:B:785:ASP:O	1:B:788:GLU:HB3	1.99	0.62	
1:B:639:ASP:OD1	1:B:660:ARG:NH2	2.33	0.61	
1:B:854:LEU:CD1	1:B:854:LEU:H	2.13	0.61	
1:B:446:ASN:OD1	1:B:624:ARG:NH2	2.34	0.61	
1:A:579:ALA:HA		1.83	0.60	
1:B:619:GLN:OE1	1:B:824:GLN:NE2	2.34	0.60	
1:B:799:PHE:CE2	1:B:841:PHE:CE1	2.89	0.60	
1:B:591:VAL:O	1:B:591:VAL:HG13	2.01	0.60	
1:A:373:LEU:HD23	1:A:374:PRO:CD	2.32	0.60	
1:B:670:THR:OG1	1:B:673:ARG:HG3	2.02	0.60	



Interatomic Clash						
Atom-1	Atom-2	distance (Å)	overlap (Å)			
1:B:770:LYS:HD3	1:B:771:PHE:CE2	2.37	0.60			
1:B:496:ARG:NH1	1:B:665:GLN:HE22	2.01	0.59			
1:A:652:ILE:HD12	1:A:690:VAL:HG21	1.85	0.59			
1:B:398:TYR:HD1	1:B:407:VAL:CG2	2.15	0.59			
1:B:727:PHE:O	1:B:743:ASP:N	2.32	0.59			
1:A:699:LEU:CD1	1:B:381:ILE:CD1	2.82	0.58			
1:B:799:PHE:CE2	1:B:841:PHE:CD1	2.91	0.58			
1:B:615:VAL:HG21	1:B:638:PRO:HG3	1.84	0.57			
1:B:496:ARG:NH1	1:B:665:GLN:NE2	2.53	0.57			
1:B:398:TYR:CD1	1:B:407:VAL:CG2	2.87	0.57			
1:A:742:PHE:CE2	1:A:799:PHE:CE1	2.92	0.57			
1:B:571:ALA:O	1:B:574:ARG:HG3	2.04	0.57			
1:A:426:GLN:HE21	1:A:434:ALA:HB1	1.70	0.55			
1:A:373:LEU:HD23	1:A:374:PRO:HD3	1.87	0.55			
1:B:530:TYR:HA	1:B:541:THR:HG23	1.88	0.55			
1:A:612:LEU:HD21	1:A:663:LEU:HD21	1.89	0.55			
1:B:372:ALA:CB	1:B:373:LEU:CA	2.85	0.54			
1:A:668:TYR:HA	1:A:673:ARG:HB3	1.89	0.54			
1:B:720:GLU:HB2	4:B:1151:HOH:O	2.08	0.54			
1:A:545:LYS:NZ	1:A:815:ALA:O	2.41	0.53			
1:A:744:GLN:O	1:A:745:ALA:HB3	2.09	0.53			
1:B:541:THR:O	1:B:547:ARG:HD2	2.08	0.53			
1:A:589:GLY:O	1:A:592:HIS:HD2	1.85	0.53			
1:A:668:TYR:CE1	1:A:676:VAL:CG1	2.91	0.53			
1:B:790:ALA:O	1:B:794:MET:HG3	2.08	0.53			
1:A:441:GLY:N	4:A:1067:HOH:O	2.33	0.53			
1:A:548:ARG:NH2	4:A:1147:HOH:O	2.41	0.53			
1:A:710:MET:HE2	1:A:834:ILE:HD12	1.90	0.53			
1:A:742:PHE:HE2	1:A:799:PHE:CE1	2.27	0.52			
1:B:591:VAL:HG13	1:B:732:ARG:HB2	1.90	0.52			
1:A:589:GLY:O	1:A:592:HIS:NE2	2.42	0.52			
1:B:555:ASP:O	1:B:556:ALA:HB3	2.10	0.52			
1:B:799:PHE:CD1	1:B:848:LEU:HD12	2.45	0.52			
1:B:507:VAL:HG22	1:B:642:MET:SD	2.50	0.51			
1:A:710:MET:HE2	1:A:834:ILE:CD1	2.41	0.51			
1:B:854:LEU:CD1	1:B:854:LEU:N	2.73	0.51			
1:B:633:TRP:CB	1:B:734:ARG:NH1	2.74	0.51			
1:A:641:LEU:HG	1:A:642:MET:N	2.26	0.51			
1:B:727:PHE:O	1:B:742:PHE:HA	2.11	0.51			
1:B:710:MET:HE3	1:B:834:ILE:HD12	1.93	0.51			
1:A:840:ALA:O	1:A:844:VAL:HG23	2.11	0.51			



Interatomic Clas					
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:397:ABG:CD	1:B:484:GLU:OE2	2.53	0.50		
1:A:767:THR:OG1	1:A:768:THR:N	2.43	0.50		
1:A:594:PRO:HG2	1:A:599:LEU:HD11	1.93	0.50		
1:A:727:PHE:CA	1:A:744:GLN:NE2	2.74	0.50		
1:B:673:ARG:HA	1:B:676:VAL:HG23	1.93	0.50		
1:A:588:GLU:HG3	1:A:815:ALA:CB	2.31	0.50		
1:A:617:GLU:HG3	1:A:641:LEU:HD11	1.94	0.50		
1:B:430:ASP:HB2	4:B:1122:HOH:O	2.11	0.49		
1:A:548:ARG:NH1	4:A:1101:HOH:O	2.45	0.49		
1:A:699:LEU:CD1	1:B:381:ILE:HD11	2.42	0.49		
1:B:854:LEU:N	1:B:854:LEU:HD13	2.22	0.49		
1:A:616:ASP:HA	1:A:642:MET:HB2	1.95	0.49		
1:B:461:TYR:CE2	1:B:466:GLY:HA3	2.48	0.49		
1:B:824:GLN:O	1:B:824:GLN:HG2	2.12	0.49		
1:B:458:LEU:HD11	1:B:652:ILE:HD11	1.94	0.48		
1:B:543:ARG:CD	1:B:816:ASN:HB3	2.40	0.48		
1:B:780:LEU:O	1:B:784:MET:HB2	2.13	0.48		
1:A:796:CYS:O	1:A:799:PHE:HB2	2.13	0.48		
1:B:846:GLU:CG	1:B:847:GLU:N	2.77	0.48		
1:A:853:ASP:C	1:A:854:LEU:HD12	2.34	0.48		
1:A:742:PHE:HE1	1:A:821:ILE:HG13	1.79	0.48		
1:B:796:CYS:SG	1:B:819:THR:HA	2.54	0.48		
1:A:467:PRO:O	1:A:685:ASN:HB2	2.14	0.48		
1:A:579:ALA:CA	1:A:611:VAL:HG13	2.43	0.48		
1:A:618:VAL:HG12	1:A:645:LYS:HD2	1.96	0.47		
1:B:697:GLU:OE2	1:B:701:GLN:NE2	2.41	0.47		
1:B:588:GLU:HB3	1:B:816:ASN:H	1.79	0.47		
1:B:741:GLN:HG3	1:B:742:PHE:H	1.76	0.47		
1:B:620:THR:HG22	1:B:737:MET:HE1	1.97	0.47		
1:A:391:ARG:NH2	1:A:416:ASP:O	2.44	0.47		
1:A:675:LEU:HD21	1:B:406:MET:HE1	1.95	0.47		
1:A:496:ARG:NH1	1:A:664:TRP:CE3	2.83	0.47		
1:B:799:PHE:CZ	1:B:844:VAL:HG12	2.50	0.47		
1:A:850:THR:HG22	1:A:850:THR:O	2.15	0.47		
1:A:836:ARG:NH1	4:A:1083:HOH:O	2.39	0.46		
1:B:604:GLN:HE21	1:B:604:GLN:N	2.13	0.46		
1:B:706:HIS:O	1:B:710:MET:HB2	2.15	0.46		
1:A:740:ILE:HG13	1:A:823:ILE:CD1	2.45	0.46		
1:A:648:SER:HB2	1:A:652:ILE:O	2.15	0.46		
1:A:400:GLN:O	1:B:496:ARG:NH2	$2.\overline{49}$	0.46		
1:B:413:GLN:O	1:B:801:THR:HG23	$2.\overline{15}$	0.46		



		Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:A:572:LEU:HG	1:A:611:VAL:HG21	1.97	0.46	
1:B:742:PHE:HE1	1:B:821:ILE:HG13	1.81	0.46	
1:A:534:THR:HG22	1:B:508:GLU:HG2	1.98	0.45	
1:B:696:ARG:HD3	1:B:696:ARG:C	2.36	0.45	
1:B:848:LEU:O	1:B:852:LEU:HB2	2.15	0.45	
1:B:373:LEU:HB3	1:B:374:PRO:CD	2.46	0.45	
1:B:837:PHE:C	1:B:837:PHE:CD1	2.89	0.45	
1:A:662:ASP:OD1	1:A:663:LEU:N	2.49	0.45	
1:B:618:VAL:CG1	1:B:645:LYS:HD2	2.47	0.45	
1:A:824:GLN:O	1:A:824:GLN:HG2	2.17	0.45	
1:A:773:PRO:CB	1:A:775:PRO:HD2	2.47	0.45	
1:B:675:LEU:HD23	1:B:675:LEU:HA	1.72	0.45	
1:B:588:GLU:HB2	1:B:816:ASN:CG	2.38	0.44	
1:A:584:PRO:O	1:A:585:ILE:HG13	2.17	0.44	
1:A:740:ILE:CG1	1:A:823:ILE:HD13	2.45	0.44	
1:B:454:VAL:HG12	1:B:651:LEU:HD12	1.99	0.44	
1:B:851:PHE:CG	1:B:851:PHE:O	2.70	0.44	
1:A:528:ASN:OD1	1:A:543:ARG:HD3	2.17	0.44	
1:B:620:THR:HG22	1:B:737:MET:CE	2.47	0.44	
1:A:398:TYR:OH	4:A:1004:HOH:O	2.20	0.44	
1:A:380:PHE:CZ	1:B:488:ARG:HG3	2.53	0.44	
1:A:555:ASP:O	1:A:556:ALA:HB3	2.17	0.44	
1:A:699:LEU:HD12	1:B:381:ILE:HD13	1.98	0.44	
1:A:620:THR:HB	1:A:630:ALA:HB2	1.99	0.44	
1:B:388:THR:CG2	4:B:1037:HOH:O	2.34	0.43	
1:A:452:GLN:HB3	1:A:453:PRO:HD3	1.99	0.43	
1:B:473:ILE:HD12	1:B:473:ILE:HA	1.88	0.43	
1:B:791:LEU:HD23	1:B:791:LEU:HA	1.73	0.43	
1:B:411:LYS:HB3	1:B:411:LYS:HE3	1.83	0.43	
1:B:527:ARG:O	1:B:528:ASN:HB2	2.16	0.43	
1:A:413:GLN:O	1:A:415:CYS:SG	2.74	0.43	
1:A:459:LYS:HG2	1:B:459:LYS:HG2	2.00	0.43	
1:B:413:GLN:OE1	1:B:801:THR:OG1	2.37	0.43	
1:B:721:ILE:HD13	1:B:842:ALA:HB2	2.00	0.43	
1:A:730:GLU:OE2	1:A:732:ARG:NH2	2.50	0.43	
1:B:413:GLN:HB3	1:B:415:CYS:SG	2.59	0.43	
1:B:633:TRP:CG	1:B:734:ARG:NH1	2.87	0.43	
1:A:526:LEU:HD11	1:A:582:ILE:HG22	2.00	0.43	
1:B:618:VAL:HG12	1:B:645:LYS:HD2	2.00	0.43	
1:A:436:LEU:HB2	1:A:836:ARG:NH1	2.34	0.42	
1:A:741:GLN:NE2	1:A:819:THR:HG23	2.32	0.42	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:795:PHE:O	1:A:798:LYS:HB3	2.19	0.42	
1:B:710:MET:CE	1:B:834:ILE:HD12	2.48	0.42	
1:B:733:GLY:HA3	1:B:738:LEU:HD23	2.02	0.42	
1:B:769:TRP:HA	1:B:772:LEU:HD12	2.02	0.42	
1:B:504:THR:HG21	1:B:534:THR:HG23	2.01	0.42	
1:B:387:GLN:HG2	1:B:388:THR:N	2.34	0.41	
1:B:701:GLN:HB2	1:B:703:LEU:HG	2.02	0.41	
1:B:422:ALA:CB	1:B:427:LEU:HD23	2.44	0.41	
1:A:543:ARG:HB2	1:A:816:ASN:ND2	2.35	0.41	
1:B:829:ILE:HG12	1:B:834:ILE:HG13	2.03	0.41	
1:B:422:ALA:HB1	1:B:449:HIS:CG	2.56	0.41	
1:B:603:GLN:HG2	1:B:604:GLN:NE2	2.35	0.41	
1:A:446:ASN:HB3	1:A:827:LEU:HD12	2.03	0.41	
1:B:614:MET:CE	1:B:640:VAL:HG21	2.50	0.41	
1:B:673:ARG:HA	1:B:676:VAL:CG2	2.51	0.41	
1:A:454:VAL:HG12	1:A:651:LEU:HD12	2.03	0.41	
1:B:544:ASP:OD2	1:B:548:ARG:NH2	2.53	0.41	
1:B:790:ALA:O	1:B:794:MET:CG	2.69	0.41	
1:A:486:LEU:HD23	1:A:486:LEU:HA	1.95	0.41	
1:B:530:TYR:CG	1:B:588:GLU:HG3	2.56	0.41	
1:B:696:ARG:O	1:B:696:ARG:HD3	2.21	0.41	
1:B:522:GLY:HA2	1:B:556:ALA:O	2.21	0.40	
1:B:851:PHE:CD2	1:B:851:PHE:O	2.74	0.40	
1:B:496:ARG:HH11	1:B:665:GLN:HE22	1.69	0.40	
1:B:852:LEU:HA	1:B:852:LEU:HD23	1.71	0.40	
1:A:579:ALA:HA	1:A:611:VAL:CG1	2.50	0.40	
1:A:722:ALA:HB1	1:A:728:VAL:HG12	2.02	0.40	
1:A:675:LEU:HD11	1:B:406:MET:HE1	2.03	0.40	
1:A:381:ILE:HD11	1:B:489:LEU:HD11	2.04	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	460/861~(53%)	432 (94%)	26~(6%)	2(0%)	34	42
1	В	458/861~(53%)	440 (96%)	16 (4%)	2(0%)	34	42
All	All	918/1722~(53%)	872 (95%)	42 (5%)	4 (0%)	34	42

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	645	LYS
1	В	645	LYS
1	А	644	SER
1	В	644	SER

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	А	372/692~(54%)	360~(97%)	12 (3%)	39	54
1	В	371/692~(54%)	351~(95%)	20 (5%)	22	30
All	All	743/1384~(54%)	711 (96%)	32~(4%)	29	40

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	373	LEU
1	А	521	PRO
1	А	565	LEU
1	А	584	PRO
1	А	588	GLU
1	А	600	GLN
1	А	641	LEU
1	А	696	ARG
1	А	714	PHE
1	А	791	LEU
1	А	836	ARG
1	А	855	GLU



Mol	Chain	Res	Type
1	В	413	GLN
1	В	415	CYS
1	В	521	PRO
1	В	528	ASN
1	В	544	ASP
1	В	550	PHE
1	В	572	LEU
1	В	609	THR
1	В	646	SER
1	В	714	PHE
1	В	716	GLN
1	В	729	SER
1	В	743	ASP
1	В	765	TRP
1	В	787	MET
1	В	799	PHE
1	В	810	LEU
1	В	812	PHE
1	В	845	CYS
1	В	854	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	426	GLN
1	А	452	GLN
1	А	741	GLN
1	А	744	GLN
1	А	777	GLN
1	А	805	GLN
1	В	665	GLN
1	В	824	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	T a	Chain	Dog Link		Bo	ond leng	$_{\rm ths}$	B	ond ang	les
MOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
3	PLP	В	902	1	15,15,16	2.68	8 (53%)	20,22,23	1.67	4 (20%)
3	PLP	А	902	1	15,15,16	2.86	9 (60%)	20,22,23	1.94	<mark>6 (30%)</mark>

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLP	В	902	1	-	1/6/6/8	0/1/1/1
3	PLP	А	902	1	-	2/6/6/8	0/1/1/1

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	А	902	PLP	C5-C4	6.07	1.47	1.40
3	В	902	PLP	C5-C4	5.58	1.46	1.40
3	А	902	PLP	C3-C2	4.34	1.45	1.40
3	В	902	PLP	C3-C2	4.28	1.45	1.40
3	А	902	PLP	P-O3P	-3.78	1.40	1.54
3	А	902	PLP	P-O2P	-3.66	1.40	1.54
3	В	902	PLP	P-O2P	-3.60	1.41	1.54
3	В	902	PLP	P-O3P	-3.38	1.41	1.54
3	А	902	PLP	P-O1P	-3.26	1.40	1.50
3	В	902	PLP	P-O1P	-3.04	1.40	1.50
3	В	902	PLP	C4A-C4	-2.89	1.45	1.51



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	А	902	PLP	C3-C4	2.75	1.45	1.40
3	В	902	PLP	O3-C3	-2.46	1.31	1.37
3	А	902	PLP	O3-C3	-2.33	1.31	1.37
3	В	902	PLP	C3-C4	2.18	1.44	1.40
3	А	902	PLP	P-O4P	-2.09	1.53	1.60
3	А	902	PLP	C4A-C4	-2.02	1.47	1.51

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	А	902	PLP	C4A-C4-C5	5.05	126.13	120.94
3	В	902	PLP	O3P-P-O2P	3.12	119.54	107.64
3	В	902	PLP	O4P-C5A-C5	2.72	114.54	109.35
3	А	902	PLP	C3-C4-C5	-2.69	115.83	118.74
3	А	902	PLP	O3P-P-O2P	2.66	117.79	107.64
3	В	902	PLP	C4A-C4-C5	2.62	123.64	120.94
3	В	902	PLP	C6-N1-C2	2.56	123.90	119.17
3	А	902	PLP	O4P-C5A-C5	2.40	113.92	109.35
3	A	902	PLP	C6-N1-C2	2.39	123.59	119.17
3	A	902	PLP	C2A-C2-N1	2.00	121.59	117.67

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	902	PLP	C6-C5-C5A-O4P
3	А	902	PLP	C4-C5-C5A-O4P
3	В	902	PLP	C5A-O4P-P-O1P

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

