



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2024 – 04:07 PM EST

PDB ID : 3Q15  
Title : Crystal Structure of RapH complexed with Spo0F  
Authors : Parashar, V.; Neiditch, M.B.  
Deposited on : 2010-12-16  
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	378	
1	B	378	
2	C	126	
2	D	126	

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7781 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Response regulator aspartate phosphatase H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	365	Total	C	N	O	S	0	0	0
			3021	1956	490	561	14			
1	B	332	Total	C	N	O	S	0	0	0
			2755	1793	448	501	13			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q59HN8
A	0	SER	-	expression tag	UNP Q59HN8
B	-1	GLY	-	expression tag	UNP Q59HN8
B	0	SER	-	expression tag	UNP Q59HN8

- Molecule 2 is a protein called Sporulation initiation phosphotransferase F.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	116	Total	C	N	O	S	0	0	0
			933	600	152	176	5			
2	D	100	Total	C	N	O	S	0	0	0
			812	525	134	149	4			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	expression tag	UNP P06628
C	0	SER	-	expression tag	UNP P06628
D	-1	GLY	-	expression tag	UNP P06628
D	0	SER	-	expression tag	UNP P06628

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	1	Total 1	Mg 1	0	0
5	D	1	Total 1	Mg 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	136	Total 136	O 136	0	0
6	B	83	Total 83	O 83	0	0
6	C	12	Total 12	O 12	0	0
6	D	5	Total 5	O 5	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Response regulator aspartate phosphatase H



- Molecule 1: Response regulator aspartate phosphatase H




- Molecule 2: Sporulation initiation phosphotransferase F





● Molecule 2: Sporulation initiation phosphotransferase F



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.06Å 157.45Å 84.72Å 90.00° 110.57° 90.00°	Depositor
Resolution (Å)	31.25 – 2.19 31.24 – 2.19	Depositor EDS
% Data completeness (in resolution range)	92.1 (31.25-2.19) 98.0 (31.24-2.19)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.48 (at 2.20Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, $R_{free}$	0.220 , 0.268 0.222 , 0.267	Depositor DCC
$R_{free}$ test set	3605 reflections (6.17%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.3	Xtrriage
Anisotropy	0.197	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 48.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7781	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	65.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.45% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/3093	0.34	0/4170
1	B	0.24	0/2822	0.34	0/3799
2	C	0.21	0/944	0.37	0/1269
2	D	0.21	0/821	0.38	0/1103
All	All	0.23	0/7680	0.35	0/10341

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3021	0	2960	23	0
1	B	2755	0	2701	44	0
2	C	933	0	967	21	0
2	D	812	0	851	19	0
3	A	6	0	8	0	0
3	B	6	0	8	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
5	C	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	1	0	0	0	0
6	A	136	0	0	1	0
6	B	83	0	0	0	0
6	C	12	0	0	1	0
6	D	5	0	0	0	0
All	All	7781	0	7495	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:119:ILE:O	1:B:123:ARG:HG2	1.74	0.87
1:A:126:GLU:HA	1:A:129:LEU:HD23	1.55	0.86
1:B:123:ARG:HH11	1:B:123:ARG:HA	1.51	0.75
1:A:263:PHE:CE1	1:A:300:LEU:HB3	2.29	0.68
2:D:55:MET:HA	2:D:55:MET:HE2	1.76	0.68
1:B:6:PRO:HG2	1:B:9:ARG:HB2	1.77	0.67
2:C:99:LEU:HD13	2:C:118:TYR:HB3	1.79	0.65
2:C:115:VAL:O	2:C:119:LEU:HB2	1.99	0.61
2:C:83:ALA:HB2	2:C:104:LYS:HD2	1.82	0.61
2:C:108:ILE:HD12	2:C:109:ASP:H	1.66	0.60
2:C:51:VAL:HB	2:C:78:VAL:HG22	1.84	0.60
1:A:88:THR:HB	1:A:89:PRO:HD3	1.84	0.59
2:C:23:PHE:CE1	2:C:115:VAL:HG21	2.38	0.58
1:A:250:SER:HA	1:A:254:VAL:HG23	1.86	0.57
1:B:96:LEU:HD22	2:D:13:TYR:CD2	2.40	0.57
1:B:224:LEU:HD21	1:B:260:LYS:HG2	1.86	0.57
2:C:63:ILE:HD11	2:C:89:MET:HG3	1.86	0.56
1:B:277:LYS:O	1:B:280:GLN:HG2	2.03	0.56
2:C:77:ARG:HB3	2:C:99:LEU:HD11	1.87	0.56
1:B:88:THR:HB	1:B:89:PRO:HD3	1.88	0.56
2:D:108:ILE:O	2:D:112:ARG:HG3	2.06	0.56
1:A:224:LEU:HD21	1:A:260:LYS:HG2	1.88	0.55
1:B:300:LEU:HD11	1:B:332:TYR:HD1	1.71	0.55
2:C:94:LYS:HA	2:C:98:ALA:HB3	1.87	0.55
2:D:102:PHE:HE1	2:D:110:GLU:HG2	1.72	0.55
2:C:82:THR:HG22	2:C:101:HIS:NE2	2.22	0.55
1:B:303:PHE:HE1	1:B:317:ILE:HG23	1.71	0.54
1:B:303:PHE:CE1	1:B:317:ILE:HG23	2.45	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:LEU:HG	1:B:138:LYS:HG2	1.92	0.51
1:B:10:VAL:HA	1:B:13:LYS:HD2	1.91	0.51
1:B:175:TYR:CE2	2:D:58:PRO:HG2	2.46	0.51
1:A:215:ASN:O	1:A:219:ILE:HG13	2.11	0.51
1:B:51:ILE:HD11	2:D:12:GLN:CD	2.31	0.51
2:C:111:ILE:O	2:C:115:VAL:HG23	2.10	0.51
1:A:79:VAL:O	1:A:83:LEU:HB2	2.11	0.51
1:B:260:LYS:HD3	1:B:297:TYR:OH	2.11	0.51
1:B:9:ARG:O	1:B:13:LYS:HG3	2.11	0.50
2:C:19:LEU:HD13	2:C:52:LEU:HD23	1.92	0.50
1:B:303:PHE:CZ	1:B:336:CYS:HB3	2.47	0.49
1:B:215:ASN:O	1:B:219:ILE:HG13	2.13	0.49
1:B:15:ASN:OD1	1:B:101:SER:HA	2.12	0.49
2:C:26:GLU:OE2	2:C:112:ARG:HD2	2.13	0.48
1:A:260:LYS:HD3	1:A:297:TYR:OH	2.14	0.48
1:B:12:VAL:HA	1:B:15:ASN:ND2	2.28	0.48
2:C:36:GLY:HA3	2:C:60:MET:SD	2.53	0.48
2:D:56:LYS:O	2:D:56:LYS:HG3	2.14	0.47
1:B:92:LYS:HE2	2:D:13:TYR:OH	2.14	0.47
2:D:43:VAL:HA	2:D:48:PRO:CD	2.44	0.47
1:B:243:PHE:HB3	1:B:265:LEU:HG	1.97	0.47
2:D:19:LEU:O	2:D:23:PHE:HD2	1.98	0.47
1:B:315:ARG:HD2	1:B:315:ARG:N	2.29	0.47
1:A:119:ILE:HD11	1:A:152:MET:HE1	1.96	0.46
2:D:50:LEU:HD12	2:D:77:ARG:O	2.14	0.46
1:B:55:LEU:HD21	2:D:14:GLY:O	2.14	0.46
2:D:43:VAL:HA	2:D:48:PRO:HD3	1.96	0.46
2:C:108:ILE:HD12	2:C:109:ASP:N	2.30	0.46
1:B:200:LEU:HB3	1:B:201:PRO:HD3	1.97	0.46
2:D:8:ILE:HD13	2:D:19:LEU:HB2	1.98	0.46
1:B:48:ASP:OD2	1:B:144:LYS:HE2	2.16	0.45
1:A:26:VAL:HB	1:A:27:PRO:HD3	1.99	0.45
1:A:356:PHE:O	1:A:360:VAL:HG23	2.17	0.45
1:B:115:TYR:CD1	1:B:152:MET:HE2	2.52	0.45
1:A:367:ILE:O	1:A:371:GLU:HG3	2.17	0.44
1:B:86:ILE:C	1:B:89:PRO:HD2	2.38	0.44
1:B:298:LYS:O	1:B:302:LEU:HG	2.17	0.44
1:B:11:GLY:HA3	1:B:104:PHE:HB3	1.99	0.44
1:B:324:PHE:HD1	1:B:329:LEU:HD12	1.83	0.44
2:C:50:LEU:HD12	2:C:77:ARG:O	2.17	0.44
1:B:99:TYR:OH	1:B:141:PHE:HB2	2.18	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:LEU:N	1:A:130:PRO:CD	2.81	0.43
1:A:303:PHE:CZ	1:A:336:CYS:HB3	2.53	0.43
1:B:102:LEU:HD13	1:B:124:GLU:HB2	1.99	0.43
2:C:6:ILE:HD11	2:C:119:LEU:HD11	2.00	0.43
1:B:90:GLN:HB3	1:B:93:LEU:HB3	2.00	0.42
2:D:56:LYS:HE3	2:D:56:LYS:HB2	1.87	0.42
1:B:102:LEU:HD13	1:B:124:GLU:CB	2.49	0.42
1:B:123:ARG:HA	1:B:123:ARG:NH1	2.28	0.42
1:A:50:LEU:HD22	2:C:105:PRO:HG3	2.01	0.42
1:A:48:ASP:OD2	1:A:144:LYS:HE3	2.20	0.42
2:D:114:ALA:O	2:D:118:TYR:HD2	2.03	0.42
1:A:363:ALA:O	1:A:367:ILE:HG13	2.19	0.42
2:D:107:ASP:HB2	2:D:110:GLU:CB	2.50	0.42
2:C:23:PHE:HE1	2:C:115:VAL:HG21	1.82	0.42
2:C:102:PHE:CZ	2:C:111:ILE:HA	2.54	0.41
1:A:49:LEU:HD13	1:A:49:LEU:C	2.41	0.41
1:B:257:LEU:HG	1:B:261:VAL:HG23	2.02	0.41
2:C:105:PRO:HA	6:C:130:HOH:O	2.20	0.41
1:A:159:MET:HA	1:A:162:ILE:HG22	2.03	0.41
1:A:198:LYS:O	1:A:201:PRO:HD2	2.20	0.41
1:B:112:GLN:O	1:B:113:LYS:HB2	2.20	0.41
1:A:222:SER:O	1:A:226:ILE:HG13	2.21	0.41
1:A:334:GLU:O	1:A:338:ARG:HG3	2.21	0.41
2:D:23:PHE:CZ	2:D:115:VAL:HG21	2.56	0.41
1:B:14:ILE:O	1:B:17:TRP:HB3	2.21	0.40
1:B:129:LEU:N	1:B:130:PRO:CD	2.84	0.40
1:B:160:TYR:CZ	1:B:164:GLN:NE2	2.90	0.40
1:A:123:ARG:NH1	6:A:429:HOH:O	2.46	0.40
1:B:96:LEU:HD22	2:D:13:TYR:HD2	1.83	0.40
1:B:5:ILE:HG23	1:B:9:ARG:HE	1.86	0.40
1:B:263:PHE:CE1	1:B:300:LEU:HB3	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	361/378 (96%)	350 (97%)	11 (3%)	0	100	100
1	B	324/378 (86%)	314 (97%)	10 (3%)	0	100	100
2	C	114/126 (90%)	109 (96%)	5 (4%)	0	100	100
2	D	96/126 (76%)	94 (98%)	2 (2%)	0	100	100
All	All	895/1008 (89%)	867 (97%)	28 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	321/331 (97%)	320 (100%)	1 (0%)	92	97
1	B	290/331 (88%)	288 (99%)	2 (1%)	84	91
2	C	102/111 (92%)	101 (99%)	1 (1%)	76	86
2	D	90/111 (81%)	89 (99%)	1 (1%)	73	85
All	All	803/884 (91%)	798 (99%)	5 (1%)	86	93

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	236	ASP
1	B	265	LEU
1	B	315	ARG
2	C	119	LEU
2	D	106	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	GLN
1	A	276	GLN
1	B	23	GLN
1	B	47	GLN
1	B	195	HIS
1	B	214	GLN
1	B	280	GLN
2	C	24	ASN
2	C	29	GLN
2	D	12	GLN
2	D	32	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	GOL	B	377	-	5,5,5	0.32	0	5,5,5	0.48	0
4	SO4	B	378	-	4,4,4	0.14	0	6,6,6	0.06	0
3	GOL	A	377	-	5,5,5	0.39	0	5,5,5	0.34	0
4	SO4	A	378	-	4,4,4	0.13	0	6,6,6	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	377	-	-	2/4/4/4	-
3	GOL	A	377	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	377	GOL	C1-C2-C3-O3
3	B	377	GOL	O2-C2-C3-O3
3	A	377	GOL	O1-C1-C2-C3
3	A	377	GOL	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	365/378 (96%)	0.63	32 (8%) 10 8	33, 51, 79, 114	0
1	B	332/378 (87%)	0.89	55 (16%) 1 1	31, 59, 104, 121	0
2	C	116/126 (92%)	1.48	33 (28%) 0 0	57, 84, 110, 129	0
2	D	100/126 (79%)	1.39	28 (28%) 0 0	48, 86, 127, 131	0
All	All	913/1008 (90%)	0.92	148 (16%) 1 1	31, 61, 106, 131	0

All (148) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	87	LEU	6.8
2	C	60	MET	6.5
1	A	294	HIS	5.2
1	B	25	SER	5.1
2	C	15	ILE	4.9
1	B	17	TRP	4.8
2	C	106	PHE	4.7
2	C	90	ILE	4.7
2	C	91	GLN	4.5
2	D	74	GLU	4.5
1	B	323	TYR	4.4
1	B	291	ALA	4.4
1	B	5	ILE	4.3
1	B	64	LEU	4.3
1	A	292	ARG	4.2
1	B	322	SER	4.1
1	B	130	PRO	4.1
2	C	119	LEU	4.1
2	C	61	ASP	4.1
2	D	113	ASP	4.0
2	C	88	ASP	3.9

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	C	18	LEU	3.9
1	B	16	GLU	3.8
2	C	94	LYS	3.8
1	A	4	ALA	3.8
1	B	311	THR	3.7
2	C	4	GLU	3.7
2	D	71	VAL	3.7
1	B	6	PRO	3.5
2	C	19	LEU	3.5
1	B	234	GLY	3.5
1	B	347	SER	3.5
1	B	131	PHE	3.4
1	B	326	LYS	3.4
2	D	70	LYS	3.3
2	C	81	MET	3.3
2	D	63	ILE	3.3
1	B	20	MET	3.3
2	D	115	VAL	3.3
2	D	109	ASP	3.3
1	B	23	GLN	3.2
1	A	51	ILE	3.2
2	D	108	ILE	3.2
2	C	95	GLU	3.1
2	C	96	LEU	3.1
2	D	15	ILE	3.1
1	B	273	GLY	3.1
1	A	55	LEU	3.1
1	B	52	TYR	3.1
1	B	8	SER	3.1
1	A	97	LEU	3.0
1	A	235	ASP	3.0
2	D	19	LEU	3.0
1	B	63	MET	2.9
1	A	131	PHE	2.9
1	A	52	TYR	2.9
1	B	24	PHE	2.9
1	B	133	SER	2.9
1	B	327	LYS	2.8
2	D	102	PHE	2.8
1	A	88	THR	2.8
2	D	18	LEU	2.8
2	C	8	ILE	2.7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	97	LEU	2.7
2	C	89	MET	2.7
2	D	47	ARG	2.7
2	D	119	LEU	2.7
2	D	76	ILE	2.7
2	D	77	ARG	2.7
2	D	118	TYR	2.7
2	D	75	ASN	2.7
1	A	5	ILE	2.7
2	D	64	GLU	2.7
1	B	66	TYR	2.6
2	C	25	LYS	2.6
2	C	5	LYS	2.6
1	A	293	SER	2.6
1	B	100	TYR	2.6
2	C	108	ILE	2.6
1	A	214	GLN	2.6
1	B	15	ASN	2.5
1	A	210	ALA	2.5
1	B	14	ILE	2.5
1	B	318	HIS	2.5
1	A	41	GLN	2.5
1	A	68	GLU	2.5
1	B	86	ILE	2.5
2	C	59	GLY	2.5
1	B	237	GLN	2.4
1	A	326	LYS	2.4
1	A	56	MET	2.4
1	A	42	GLN	2.4
2	C	92	GLU	2.4
1	B	94	THR	2.4
1	A	100	TYR	2.4
1	A	174	LEU	2.4
2	D	29	GLN	2.4
1	B	132	VAL	2.3
1	B	56	MET	2.3
1	A	237	GLN	2.3
2	D	99	LEU	2.3
2	D	4	GLU	2.3
1	A	57	CYS	2.3
2	C	73	ASP	2.3
2	C	28	TYR	2.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	262	LEU	2.3
2	D	67	LYS	2.3
1	A	133	SER	2.3
2	C	62	GLY	2.3
1	B	49	LEU	2.3
1	B	55	LEU	2.3
1	B	290	THR	2.3
1	A	38	GLN	2.3
1	B	91	LYS	2.2
1	B	320	LEU	2.2
1	A	276	GLN	2.2
2	C	97	GLY	2.2
1	A	91	LYS	2.2
2	C	98	ALA	2.2
2	C	86	GLU	2.2
1	B	26	VAL	2.2
1	B	319	ASP	2.2
1	A	14	ILE	2.2
1	B	328	ASN	2.2
1	B	346	SER	2.2
1	A	132	VAL	2.2
1	B	197	ASP	2.2
2	C	64	GLU	2.2
1	B	236	ASP	2.2
2	C	118	TYR	2.2
2	D	8	ILE	2.1
2	D	17	ILE	2.1
2	D	55	MET	2.1
1	A	236	ASP	2.1
2	D	22	VAL	2.1
1	B	53	TYR	2.1
1	A	67	LEU	2.1
1	B	21	ILE	2.1
2	D	65	ILE	2.1
1	A	209	LEU	2.1
1	B	361	LEU	2.1
2	C	82	THR	2.1
1	B	13	LYS	2.1
1	B	19	LYS	2.0
2	C	52	LEU	2.0
1	B	157	VAL	2.0
1	B	108	TYR	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	88	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	MG	D	125	1/1	0.63	0.28	74,74,74,74	0
5	MG	C	125	1/1	0.76	0.20	72,72,72,72	0
4	SO4	B	378	5/5	0.83	0.16	109,110,110,111	0
3	GOL	B	377	6/6	0.90	0.29	28,37,43,48	0
4	SO4	A	378	5/5	0.91	0.14	101,102,103,104	0
3	GOL	A	377	6/6	0.96	0.22	30,38,41,44	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.