



Full wwPDB X-ray Structure Validation Report

Mar 23, 2024 – 10:43 PM EDT

PDB ID : 2Q80
Title : Crystal structure of human geranylgeranyl pyrophosphate synthase bound to GGPP
Authors : Kavanagh, K.L.; Dunford, J.E.; Bunkoczi, G.; Smee, C.; von Delft, F.; Arrow-smith, C.; Weigelt, J.; Edwards, A.; Sundstrom, M.; Oppermann, U.; Structural Genomics Consortium (SGC)
Deposited on : 2007-06-08
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	 80% 13% • 5%
1	B	301	 80% 12% • 6%
1	C	301	 84% 10% 6%
1	D	301	 79% 15% • 5%
1	E	301	 81% 13% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	301	 A horizontal bar chart showing the quality of chain. The bar is divided into segments: a small red segment at the beginning labeled '2%', a large green segment labeled '80%', a yellow segment labeled '12%', and a small grey segment at the end labeled '6%'.

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 13923 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Geranylgeranyl pyrophosphate synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	285	2322	1499	391	425	7	0	1	0
1	B	284	2292	1481	382	422	7	0	0	0
1	C	284	2271	1466	377	421	7	0	0	0
1	D	285	2317	1493	386	431	7	0	1	0
1	E	284	2273	1472	375	419	7	0	0	0
1	F	284	2248	1453	370	418	7	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	cloning artifact	UNP O95749
B	0	SER	-	cloning artifact	UNP O95749
C	0	SER	-	cloning artifact	UNP O95749
D	0	SER	-	cloning artifact	UNP O95749
E	0	SER	-	cloning artifact	UNP O95749
F	0	SER	-	cloning artifact	UNP O95749

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		
2	B	2	Total	Mg	0	0
			2	2		
2	C	2	Total	Mg	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	D	2	Total Mg 2 2	0	0
2	E	2	Total Mg 2 2	0	0
2	F	2	Total Mg 2 2	0	0

- Molecule 3 is GERANYLGERANYL DIPHOSPHATE (three-letter code: GRG) (formula: $C_{20}H_{36}O_7P_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O P 29 20 7 2	0	0
3	B	1	Total C O P 29 20 7 2	0	0
3	C	1	Total C O P 29 20 7 2	0	0
3	D	1	Total C O P 29 20 7 2	0	0
3	E	1	Total C O P 29 20 7 2	0	0
3	F	1	Total C O P 19 10 7 2	0	0


- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	3	Total O 3 3	0	0
4	B	8	Total O 8 8	0	0
4	C	3	Total O 3 3	0	0
4	D	6	Total O 6 6	0	0
4	E	2	Total O 2 2	0	0
4	F	2	Total O 2 2	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain A: 





- Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain B: 




- Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain C: 



- Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain D: 







- Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain E: 81% 13% 6%



- Molecule 1: Geranylgeranyl pyrophosphate synthetase

Chain F: 80% 12% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	141.25Å 141.25Å 211.71Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.08 – 2.70 47.07 – 2.55	Depositor EDS
% Data completeness (in resolution range)	100.0 (47.08-2.70) 99.9 (47.07-2.55)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 2.54Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.202 , 0.253 0.207 , 0.259	Depositor DCC
R_{free} test set	2585 reflections (3.68%)	wwPDB-VP
Wilson B-factor (Å ²)	40.1	Xtrriage
Anisotropy	0.246	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 44.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	13923	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GRG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.70	1/2377 (0.0%)	0.72	1/3217 (0.0%)
1	B	0.69	1/2343 (0.0%)	0.75	4/3176 (0.1%)
1	C	0.61	0/2322	0.66	0/3151
1	D	0.71	0/2371	0.74	2/3212 (0.1%)
1	E	0.65	1/2324 (0.0%)	0.69	0/3154
1	F	0.59	0/2299	0.68	2/3126 (0.1%)
All	All	0.66	3/14036 (0.0%)	0.71	9/19036 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	247	CYS	CB-SG	-8.06	1.68	1.82
1	B	247	CYS	CB-SG	-5.90	1.72	1.81
1	A	247	CYS	CB-SG	-5.79	1.72	1.81

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	224	ARG	NE-CZ-NH1	-6.94	116.83	120.30
1	D	278	ARG	NE-CZ-NH1	6.42	123.51	120.30
1	D	278	ARG	NE-CZ-NH2	-5.65	117.48	120.30
1	F	224	ARG	NE-CZ-NH2	5.35	122.97	120.30
1	B	237	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	B	237	ARG	NE-CZ-NH1	5.29	122.95	120.30
1	B	189	ASP	CB-CG-OD1	5.10	122.89	118.30
1	B	189	ASP	CB-CG-OD2	-5.08	113.73	118.30
1	A	147	MET	CG-SD-CE	-5.07	92.09	100.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2322	0	2315	31	0
1	B	2292	0	2259	27	0
1	C	2271	0	2205	27	0
1	D	2317	0	2292	29	0
1	E	2273	0	2213	27	0
1	F	2248	0	2141	31	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
3	A	29	0	33	2	0
3	B	29	0	33	0	0
3	C	29	0	33	2	0
3	D	29	0	33	2	0
3	E	29	0	33	2	0
3	F	19	0	14	3	0
4	A	3	0	0	0	0
4	B	8	0	0	0	0
4	C	3	0	0	0	0
4	D	6	0	0	0	0
4	E	2	0	0	0	0
4	F	2	0	0	0	0
All	All	13923	0	13604	152	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:8:VAL:HG12	1:F:12:LEU:HD12	1.39	1.04
1:A:127:GLY:HA3	1:B:12:LEU:HD21	1.44	1.00
1:F:9:GLN:OE1	1:F:94:TYR:OH	1.88	0.91

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:8:VAL:HG12	1:E:12:LEU:HD12	1.51	0.89
1:F:8:VAL:HG12	1:F:12:LEU:CD1	2.10	0.80
1:E:8:VAL:HG12	1:E:12:LEU:CD1	2.14	0.77
1:B:6:GLU:HA	1:B:8:VAL:HG22	1.68	0.75
1:A:119:LEU:HD13	1:B:97:PHE:CE1	2.23	0.73
1:E:224:ARG:NE	1:E:254:VAL:HG22	2.04	0.73
1:D:12:LEU:O	1:D:91:SER:OG	2.07	0.71
1:B:254:VAL:HG12	1:B:254:VAL:O	1.90	0.71
1:E:48:ILE:O	1:E:52:VAL:HG23	1.92	0.69
1:C:12:LEU:HD21	1:D:127:GLY:HA3	1.75	0.69
1:E:56:LEU:HD11	1:E:115:PHE:CE1	2.28	0.68
1:D:56:LEU:HD23	1:D:119:LEU:HD21	1.76	0.67
1:F:8:VAL:CG1	1:F:12:LEU:HD12	2.23	0.66
1:A:220:ALA:HB2	1:A:251:LEU:HD22	1.78	0.65
1:C:97:PHE:CE1	1:D:119:LEU:HD13	2.32	0.65
1:C:124:GLN:HA	1:D:12:LEU:HD11	1.78	0.65
1:C:97:PHE:CZ	1:D:119:LEU:HD13	2.32	0.65
1:E:220:ALA:HB2	1:E:251:LEU:CD2	2.27	0.64
1:F:56:LEU:HD11	1:F:115:PHE:HE1	1.63	0.63
1:E:56:LEU:HD11	1:E:115:PHE:HE1	1.65	0.62
1:A:8:VAL:HG12	1:A:12:LEU:HD13	1.84	0.59
1:B:56:LEU:HD11	1:B:115:PHE:HE1	1.66	0.59
1:F:19:LEU:HA	1:F:22:LEU:HD13	1.85	0.59
1:E:104:LEU:HD11	1:F:112:VAL:HG12	1.85	0.58
1:E:224:ARG:CZ	1:E:254:VAL:HG22	2.34	0.58
1:B:254:VAL:O	1:B:254:VAL:CG1	2.52	0.58
1:F:39:LEU:HD23	1:F:169:TYR:HB3	1.86	0.57
1:D:162:LEU:O	1:D:165:LEU:HB2	2.05	0.56
1:C:48:ILE:O	1:C:52:VAL:HG23	2.05	0.55
1:C:56:LEU:HD11	1:C:115:PHE:CE1	2.42	0.55
1:C:56:LEU:HD11	1:C:115:PHE:HE1	1.71	0.55
1:B:56:LEU:HD11	1:B:115:PHE:CE1	2.42	0.54
1:D:160:VAL:HG23	3:D:500:GRG:H193	1.89	0.54
1:A:56:LEU:HD11	1:A:115:PHE:CE1	2.43	0.54
1:A:114:LEU:C	1:A:114:LEU:HD23	2.28	0.54
1:F:202:LYS:NZ	3:F:500:GRG:O3B	2.41	0.54
1:B:169:TYR:OH	1:B:278:ARG:HG3	2.08	0.53
1:B:39:LEU:HD23	1:B:169:TYR:HB3	1.90	0.53
1:E:119:LEU:HD13	1:F:97:PHE:CE1	2.43	0.53
1:A:116:THR:HG21	1:B:101:GLU:HB2	1.90	0.53
1:B:52:VAL:HG22	1:B:102:LYS:HB3	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:114:LEU:HD11	1:C:161:GLY:HA3	1.91	0.53
1:E:220:ALA:HB2	1:E:251:LEU:HD22	1.88	0.53
1:D:228:THR:O	1:D:232:ASN:ND2	2.39	0.53
1:E:108:HIS:CE1	1:E:165:LEU:HD22	2.44	0.53
1:A:12:LEU:O	1:A:91:SER:OG	2.18	0.53
1:A:56:LEU:HD12	1:A:158:LEU:CD2	2.40	0.52
1:A:220:ALA:HB2	1:A:251:LEU:CD2	2.38	0.52
1:F:132:TRP:CZ3	1:F:147:MET:HG2	2.45	0.51
1:C:32:SER:HA	3:C:500:GRG:H203	1.93	0.51
1:B:226:GLU:HB3	1:F:10:ARG:HD3	1.93	0.50
1:C:12:LEU:HD11	1:D:124:GLN:HA	1.93	0.50
1:E:132:TRP:CZ3	1:E:147:MET:HG2	2.47	0.50
1:A:34:ALA:O	1:A:37[A]:HIS:HB3	2.11	0.50
1:E:160:VAL:HG21	1:E:177:LEU:HD21	1.94	0.50
1:F:56:LEU:HD11	1:F:115:PHE:CE1	2.45	0.49
1:A:169:TYR:CE2	1:A:171:GLU:HB2	2.46	0.49
1:C:114:LEU:HD23	1:C:118:GLN:HG2	1.95	0.49
1:F:61:LEU:HD22	1:F:73:ARG:CZ	2.43	0.48
1:A:114:LEU:HD23	1:A:114:LEU:O	2.13	0.48
1:A:61:LEU:HD22	1:A:73:ARG:NH2	2.29	0.48
1:B:48:ILE:O	1:B:52:VAL:HG23	2.13	0.48
1:D:254:VAL:O	1:D:254:VAL:HG12	2.14	0.48
1:E:171:GLU:OE1	1:E:278:ARG:HD3	2.14	0.48
1:A:56:LEU:HD12	1:A:158:LEU:HD21	1.96	0.48
1:F:61:LEU:HD22	1:F:73:ARG:NH2	2.28	0.48
1:F:108:HIS:CE1	1:F:165:LEU:HD22	2.49	0.48
1:C:114:LEU:HD23	1:C:114:LEU:C	2.34	0.48
1:E:31:LEU:HB3	3:E:500:GRG:H192	1.96	0.47
1:B:294:MET:O	1:B:294:MET:HG3	2.14	0.47
1:F:8:VAL:CG1	1:F:12:LEU:CD1	2.89	0.47
1:F:155:LEU:HD13	3:F:500:GRG:HC7	1.96	0.47
1:A:123:HIS:NE2	1:B:93:ASN:HB3	2.29	0.47
1:D:254:VAL:O	1:D:254:VAL:CG1	2.62	0.47
3:F:500:GRG:O1	3:F:500:GRG:O1B	2.33	0.47
1:C:114:LEU:HD23	1:C:114:LEU:O	2.15	0.47
1:E:114:LEU:HD11	1:E:161:GLY:HA3	1.97	0.47
1:F:55:MET:HE1	1:F:98:LEU:HB3	1.97	0.46
1:B:94:TYR:CE2	1:B:98:LEU:HD11	2.50	0.46
1:C:97:PHE:CE1	1:D:119:LEU:CD1	2.98	0.46
1:E:220:ALA:CB	1:E:251:LEU:CD2	2.94	0.46
1:B:272:TYR:CE1	1:B:285:VAL:HG13	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:151:LYS:NZ	3:C:500:GRG:O2A	2.48	0.46
1:E:128:LEU:HD22	1:E:132:TRP:CE2	2.51	0.46
1:C:123:HIS:NE2	1:D:93:ASN:HB3	2.30	0.46
1:D:219:HIS:O	1:D:223:SER:HB2	2.16	0.46
1:B:8:VAL:HA	1:B:11:ILE:HD12	1.98	0.46
1:B:144:TYR:O	1:B:148:VAL:HG23	2.15	0.46
1:D:169:TYR:CZ	1:D:171:GLU:HB2	2.51	0.46
1:E:93:ASN:O	1:E:96:TYR:HB2	2.16	0.45
1:E:224:ARG:HE	1:E:254:VAL:HG22	1.75	0.45
1:C:12:LEU:CD2	1:D:127:GLY:HA3	2.42	0.45
1:C:254:VAL:HG12	1:C:254:VAL:O	2.16	0.45
1:A:39:LEU:HD11	1:A:160:VAL:HG13	1.99	0.45
1:A:78:VAL:HG21	1:A:80:HIS:CE1	2.52	0.45
1:E:128:LEU:HD22	1:E:132:TRP:CZ2	2.51	0.45
1:D:240:ASN:OD1	1:D:242:ASP:N	2.49	0.45
1:E:131:TYR:CD1	1:F:11:ILE:HG21	2.52	0.45
1:C:12:LEU:CD1	1:D:124:GLN:HG2	2.47	0.44
1:D:33:GLN:NE2	1:D:283:GLU:OE2	2.50	0.44
1:F:132:TRP:HZ3	1:F:147:MET:HG2	1.82	0.44
1:F:149:LEU:HD21	1:F:182:LEU:CD1	2.47	0.44
1:A:82:ILE:O	1:E:232:ASN:HB3	2.17	0.44
1:D:51:GLU:OE1	1:D:102:LYS:HE2	2.17	0.44
1:A:174:LYS:N	1:A:175:PRO:CD	2.80	0.44
1:A:220:ALA:CB	1:A:251:LEU:CD2	2.96	0.44
1:C:240:ASN:HB3	1:C:243:ILE:HD12	1.98	0.44
1:F:91:SER:O	1:F:95:VAL:HG23	2.18	0.44
1:B:268:GLU:O	1:B:271:ALA:HB3	2.18	0.44
1:D:56:LEU:HD21	1:D:115:PHE:CE1	2.53	0.44
1:A:159:ALA:HB3	3:A:500:GRG:H193	2.00	0.43
1:F:232:ASN:O	1:F:236:GLN:HG2	2.16	0.43
1:A:119:LEU:HD13	1:B:97:PHE:CZ	2.53	0.43
1:D:202:LYS:HE2	3:D:500:GRG:O3B	2.18	0.43
1:B:114:LEU:HD11	1:B:161:GLY:HA3	1.99	0.43
1:C:274:GLN:O	1:C:277:ALA:HB3	2.18	0.43
1:F:51:GLU:O	1:F:55:MET:HG3	2.18	0.43
1:B:174:LYS:N	1:B:175:PRO:CD	2.82	0.43
1:A:115:PHE:HA	1:A:158:LEU:CD1	2.48	0.43
1:C:131:TYR:CD1	1:D:11:ILE:HG21	2.54	0.43
1:D:232:ASN:O	1:D:236:GLN:HG2	2.18	0.43
1:C:215:PHE:HB3	1:C:216:PRO:HD3	2.00	0.43
1:D:148:VAL:HG22	1:D:185:GLN:HG2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:VAL:HG22	1:C:185:GLN:HG2	2.00	0.43
1:A:39:LEU:HD23	1:A:169:TYR:HB3	2.02	0.42
1:E:89:ILE:HG21	1:F:63:ILE:HG23	2.01	0.42
1:E:12:LEU:HD21	1:F:127:GLY:HA3	2.01	0.42
1:A:159:ALA:HB3	3:A:500:GRG:C19	2.49	0.42
1:F:169:TYR:CZ	1:F:171:GLU:HB2	2.55	0.42
1:B:93:ASN:O	1:B:96:TYR:HB2	2.20	0.42
1:C:103:VAL:HG21	1:C:115:PHE:CD1	2.55	0.42
1:D:39:LEU:HD23	1:D:169:TYR:HB3	2.02	0.41
1:D:229:GLN:NE2	1:D:250:TYR:CD1	2.89	0.41
1:C:44:ASP:OD1	1:C:45:LYS:N	2.53	0.41
1:A:78:VAL:O	1:A:79:ALA:C	2.58	0.41
1:C:180:LEU:O	1:C:184:PHE:HD2	2.03	0.41
1:A:7:THR:CG2	1:A:10:ARG:HD2	2.51	0.41
1:B:115:PHE:CE2	1:B:119:LEU:HD12	2.56	0.41
1:B:162:LEU:HD23	1:B:162:LEU:HA	1.88	0.41
1:A:220:ALA:HA	1:A:254:VAL:HG11	2.03	0.41
1:B:186:ILE:HG22	1:B:264:LEU:HD21	2.03	0.41
1:F:29:THR:HG22	1:F:33:GLN:NE2	2.35	0.41
1:A:215:PHE:HB3	1:A:216:PRO:HD3	2.03	0.40
1:D:114:LEU:HD23	1:D:114:LEU:C	2.41	0.40
1:F:55:MET:CE	1:F:98:LEU:HB3	2.51	0.40
1:E:275:ILE:HG22	1:E:280:GLY:HA2	2.04	0.40
3:E:500:GRG:H141	3:E:500:GRG:H111	1.86	0.40
1:A:211:GLY:HA3	1:A:237:ARG:NH1	2.36	0.40
1:F:29:THR:HG22	1:F:33:GLN:HE21	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	282/301 (94%)	277 (98%)	5 (2%)	0	100	100
1	B	280/301 (93%)	275 (98%)	5 (2%)	0	100	100
1	C	280/301 (93%)	276 (99%)	4 (1%)	0	100	100
1	D	282/301 (94%)	276 (98%)	5 (2%)	1 (0%)	34	60
1	E	280/301 (93%)	277 (99%)	3 (1%)	0	100	100
1	F	280/301 (93%)	276 (99%)	4 (1%)	0	100	100
All	All	1684/1806 (93%)	1657 (98%)	26 (2%)	1 (0%)	51	78

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	294	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/273 (92%)	242 (96%)	10 (4%)	31	60
1	B	245/273 (90%)	236 (96%)	9 (4%)	34	63
1	C	238/273 (87%)	235 (99%)	3 (1%)	69	87
1	D	252/273 (92%)	238 (94%)	14 (6%)	21	45
1	E	237/273 (87%)	227 (96%)	10 (4%)	30	58
1	F	229/273 (84%)	219 (96%)	10 (4%)	28	56
All	All	1453/1638 (89%)	1397 (96%)	56 (4%)	33	61

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ARG
1	A	12	LEU
1	A	25	LYS
1	A	71	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	102	LYS
1	A	147	MET
1	A	203	SER
1	A	224	ARG
1	A	254	VAL
1	A	294	MET
1	B	8	VAL
1	B	51	GLU
1	B	87	SER
1	B	147	MET
1	B	188	ASP
1	B	226	GLU
1	B	237	ARG
1	B	278	ARG
1	B	294	MET
1	C	147	MET
1	C	188	ASP
1	C	294	MET
1	D	26	GLN
1	D	43	GLU
1	D	71	LYS
1	D	91	SER
1	D	107	ASP
1	D	147	MET
1	D	164	GLN
1	D	188	ASP
1	D	203[A]	SER
1	D	203[B]	SER
1	D	212	LYS
1	D	237	ARG
1	D	270	LYS
1	D	294	MET
1	E	7	THR
1	E	26	GLN
1	E	44	ASP
1	E	71	LYS
1	E	137	THR
1	E	147	MET
1	E	212	LYS
1	E	224	ARG
1	E	237	ARG
1	E	294	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	7	THR
1	F	9	GLN
1	F	12	LEU
1	F	91	SER
1	F	147	MET
1	F	188	ASP
1	F	224	ARG
1	F	226	GLU
1	F	237	ARG
1	F	294	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	80	HIS
1	B	33	GLN
1	B	249	HIS
1	C	58	ASN
1	C	150	GLN
1	E	80	HIS
1	F	33	GLN
1	F	249	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 12 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GRG	C	500	2	26,28,28	2.21	10 (38%)	33,37,37	1.32	6 (18%)
3	GRG	F	500	2	16,18,28	2.41	7 (43%)	21,25,37	1.63	4 (19%)
3	GRG	B	500	2,1	26,28,28	2.15	11 (42%)	33,37,37	1.58	5 (15%)
3	GRG	E	500	2	26,28,28	2.11	10 (38%)	33,37,37	1.34	6 (18%)
3	GRG	D	500	2	26,28,28	2.29	12 (46%)	33,37,37	1.14	3 (9%)
3	GRG	A	500	2	26,28,28	1.97	11 (42%)	33,37,37	1.48	6 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GRG	C	500	2	-	8/31/31/31	-
3	GRG	F	500	2	-	5/19/19/31	-
3	GRG	B	500	2,1	-	7/31/31/31	-
3	GRG	E	500	2	-	3/31/31/31	-
3	GRG	D	500	2	-	7/31/31/31	-
3	GRG	A	500	2	-	5/31/31/31	-

All (61) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	500	GRG	PB-O3B	5.21	1.67	1.50
3	D	500	GRG	PB-O3B	4.94	1.66	1.50
3	C	500	GRG	PB-O3B	4.66	1.65	1.50
3	E	500	GRG	PB-O3B	4.36	1.64	1.50
3	B	500	GRG	PB-O3B	3.88	1.63	1.50
3	A	500	GRG	C6-C7	-3.62	1.38	1.50
3	D	500	GRG	PA-O1A	3.51	1.71	1.55
3	A	500	GRG	C16-C17	-3.46	1.39	1.50
3	B	500	GRG	C7-C8	3.46	1.41	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500	GRG	C1-C2	-3.39	1.39	1.49
3	C	500	GRG	C2-C3	3.37	1.41	1.33
3	D	500	GRG	C6-C7	-3.35	1.39	1.50
3	F	500	GRG	C2-C3	3.33	1.41	1.33
3	C	500	GRG	C16-C17	-3.29	1.39	1.50
3	C	500	GRG	C7-C8	3.29	1.40	1.33
3	E	500	GRG	C1-C2	-3.28	1.39	1.49
3	F	500	GRG	C6-C7	-3.26	1.39	1.50
3	E	500	GRG	C6-C7	-3.26	1.39	1.50
3	B	500	GRG	C1-C2	-3.24	1.39	1.49
3	D	500	GRG	C1-C2	-3.24	1.39	1.49
3	E	500	GRG	C16-C17	-3.22	1.39	1.50
3	D	500	GRG	C11-C12	-3.21	1.40	1.50
3	E	500	GRG	C11-C12	-3.20	1.40	1.50
3	B	500	GRG	C11-C12	-3.18	1.40	1.50
3	C	500	GRG	C6-C7	-3.17	1.40	1.50
3	A	500	GRG	C11-C12	-3.14	1.40	1.50
3	C	500	GRG	C12-C13	3.13	1.40	1.33
3	D	500	GRG	C7-C8	3.11	1.40	1.33
3	E	500	GRG	C2-C3	3.09	1.40	1.33
3	B	500	GRG	C16-C17	-3.06	1.40	1.50
3	D	500	GRG	C2-C3	3.06	1.40	1.33
3	D	500	GRG	C16-C17	-3.05	1.40	1.50
3	C	500	GRG	C11-C12	-3.01	1.40	1.50
3	F	500	GRG	C1-C2	-2.90	1.40	1.49
3	B	500	GRG	C6-C7	-2.82	1.41	1.50
3	B	500	GRG	C12-C13	2.78	1.39	1.33
3	A	500	GRG	PB-O3B	2.76	1.59	1.50
3	D	500	GRG	C12-C13	2.75	1.39	1.33
3	F	500	GRG	PA-O1A	2.75	1.68	1.55
3	A	500	GRG	C12-C13	2.74	1.39	1.33
3	C	500	GRG	C1-C2	-2.70	1.41	1.49
3	E	500	GRG	C12-C13	2.68	1.39	1.33
3	E	500	GRG	C7-C8	2.67	1.39	1.33
3	E	500	GRG	PB-O2B	2.66	1.65	1.54
3	B	500	GRG	C2-C3	2.64	1.39	1.33
3	D	500	GRG	C17-C18	2.63	1.39	1.32
3	B	500	GRG	C5-C3	2.60	1.56	1.51
3	A	500	GRG	C2-C3	2.58	1.39	1.33
3	B	500	GRG	PB-O2B	2.57	1.64	1.54
3	B	500	GRG	C17-C18	2.55	1.39	1.32
3	D	500	GRG	O1-C1	-2.51	1.40	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	500	GRG	C17-C18	2.50	1.39	1.32
3	A	500	GRG	C7-C8	2.45	1.38	1.33
3	F	500	GRG	C7-C8	2.40	1.39	1.32
3	C	500	GRG	C17-C18	2.40	1.39	1.32
3	E	500	GRG	C17-C18	2.37	1.39	1.32
3	C	500	GRG	O1-C1	2.21	1.47	1.43
3	A	500	GRG	PB-O1B	-2.20	1.46	1.54
3	A	500	GRG	PB-O2B	2.13	1.63	1.54
3	F	500	GRG	PB-O2B	2.07	1.62	1.54
3	D	500	GRG	C9-C8	2.02	1.55	1.51

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	500	GRG	PA-O3A-PB	-4.68	116.78	132.83
3	B	500	GRG	PA-O3A-PB	-4.46	117.52	132.83
3	A	500	GRG	C10-C8-C9	4.17	122.29	115.27
3	E	500	GRG	C14-C13-C15	3.75	121.57	115.27
3	F	500	GRG	C10-C8-C9	3.62	122.60	114.60
3	A	500	GRG	O1B-PB-O3A	3.32	115.78	104.64
3	C	500	GRG	O1B-PB-O3A	3.25	115.55	104.64
3	B	500	GRG	C14-C13-C15	3.19	120.64	115.27
3	B	500	GRG	C4-C3-C5	3.04	120.38	115.27
3	C	500	GRG	C19-C18-C20	2.69	120.54	114.60
3	E	500	GRG	C19-C18-C20	2.59	120.32	114.60
3	B	500	GRG	C10-C8-C9	2.59	119.62	115.27
3	E	500	GRG	C10-C8-C9	2.55	119.57	115.27
3	A	500	GRG	PA-O3A-PB	-2.46	124.40	132.83
3	C	500	GRG	C10-C8-C9	2.42	119.34	115.27
3	A	500	GRG	C9-C8-C7	-2.39	116.28	121.12
3	C	500	GRG	C14-C13-C15	2.38	119.28	115.27
3	A	500	GRG	O3A-PB-O3B	-2.31	98.38	111.19
3	E	500	GRG	PA-O3A-PB	-2.27	125.03	132.83
3	A	500	GRG	C1-C2-C3	2.23	129.90	126.04
3	D	500	GRG	C10-C8-C9	2.21	118.99	115.27
3	D	500	GRG	O1B-PB-O3A	2.17	111.90	104.64
3	D	500	GRG	C19-C18-C20	2.14	119.32	114.60
3	E	500	GRG	O3A-PB-O3B	-2.11	99.46	111.19
3	F	500	GRG	O1B-PB-O3A	2.11	111.71	104.64
3	B	500	GRG	C4-C3-C2	-2.06	118.39	123.68
3	E	500	GRG	O1B-PB-O3A	2.05	111.52	104.64
3	F	500	GRG	C9-C8-C7	-2.04	116.77	122.65

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	500	GRG	C1-C2-C3	2.03	129.55	126.04
3	C	500	GRG	O3A-PB-O3B	-2.03	99.95	111.19

There are no chirality outliers.

All (35) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	500	GRG	C1-O1-PA-O1A
3	B	500	GRG	C1-O1-PA-O2A
3	C	500	GRG	PA-O3A-PB-O2B
3	F	500	GRG	C1-O1-PA-O3A
3	A	500	GRG	C12-C11-C9-C8
3	D	500	GRG	C13-C15-C16-C17
3	E	500	GRG	C13-C15-C16-C17
3	E	500	GRG	C12-C11-C9-C8
3	C	500	GRG	C13-C15-C16-C17
3	F	500	GRG	C4-C3-C5-C6
3	F	500	GRG	C2-C3-C5-C6
3	B	500	GRG	C4-C3-C5-C6
3	B	500	GRG	C2-C3-C5-C6
3	D	500	GRG	C4-C3-C5-C6
3	D	500	GRG	C7-C8-C9-C11
3	C	500	GRG	C4-C3-C5-C6
3	D	500	GRG	C10-C8-C9-C11
3	D	500	GRG	C2-C3-C5-C6
3	C	500	GRG	C2-C3-C5-C6
3	B	500	GRG	PB-O3A-PA-O1
3	F	500	GRG	PB-O3A-PA-O1
3	C	500	GRG	PA-O3A-PB-O1B
3	B	500	GRG	C1-O1-PA-O3A
3	C	500	GRG	C1-O1-PA-O3A
3	F	500	GRG	C1-O1-PA-O2A
3	A	500	GRG	C4-C3-C5-C6
3	C	500	GRG	PB-O3A-PA-O1A
3	B	500	GRG	C15-C16-C17-C18
3	A	500	GRG	C10-C8-C9-C11
3	E	500	GRG	C10-C8-C9-C11
3	A	500	GRG	C2-C3-C5-C6
3	C	500	GRG	C14-C13-C15-C16
3	A	500	GRG	C7-C8-C9-C11
3	D	500	GRG	PA-O3A-PB-O3B
3	D	500	GRG	C12-C11-C9-C8


There are no ring outliers.

5 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	500	GRG	2	0
3	F	500	GRG	3	0
3	E	500	GRG	2	0
3	D	500	GRG	2	0
3	A	500	GRG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/301 (94%)	-0.32	0 100 100	44, 52, 60, 68	0
1	B	284/301 (94%)	-0.18	0 100 100	44, 52, 60, 68	0
1	C	284/301 (94%)	-0.15	3 (1%) 80 82	44, 52, 60, 66	0
1	D	285/301 (94%)	-0.28	0 100 100	44, 52, 60, 71	0
1	E	284/301 (94%)	-0.14	1 (0%) 92 93	44, 52, 60, 67	0
1	F	284/301 (94%)	0.13	5 (1%) 68 70	44, 52, 60, 67	0
All	All	1706/1806 (94%)	-0.16	9 (0%) 91 92	44, 52, 60, 71	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	202	LYS	3.3
1	F	288	VAL	2.7
1	F	182	LEU	2.7
1	F	172	ASP	2.7
1	C	294	MET	2.5
1	F	275	ILE	2.5
1	F	226	GLU	2.3
1	C	156	PHE	2.3
1	E	275	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	A	400	1/1	0.76	0.18	46,46,46,46	0
2	MG	B	401	1/1	0.89	0.16	46,46,46,46	0
2	MG	F	401	1/1	0.90	0.18	46,46,46,46	0
2	MG	D	401	1/1	0.93	0.18	45,45,45,45	0
2	MG	E	400	1/1	0.94	0.19	47,47,47,47	0
2	MG	C	401	1/1	0.94	0.17	45,45,45,45	0
3	GRG	C	500	29/29	0.94	0.26	47,58,61,61	0
3	GRG	E	500	29/29	0.94	0.24	46,59,75,76	0
3	GRG	F	500	19/29	0.94	0.15	50,54,61,62	0
3	GRG	B	500	29/29	0.95	0.18	47,59,62,63	0
2	MG	E	401	1/1	0.95	0.14	47,47,47,47	0
2	MG	A	401	1/1	0.96	0.19	45,45,45,45	0
3	GRG	A	500	29/29	0.96	0.15	47,52,59,60	0
2	MG	C	400	1/1	0.97	0.14	45,45,45,45	0
3	GRG	D	500	29/29	0.97	0.17	46,54,59,59	0
2	MG	F	400	1/1	0.98	0.24	48,48,48,48	0
2	MG	D	400	1/1	0.98	0.23	44,44,44,44	0
2	MG	B	400	1/1	0.99	0.18	46,46,46,46	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around GRG C 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GRG E 500:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around GRG A 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GRG D 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.