Full wwPDB X-ray Structure Validation Report (i)

Feb 4, 2024 – 03:06 AM EST

PDB ID	:	1QCA
Title	:	QUADRUPLE MUTANT Q92C, N146F, Y168F, I172V TYPE III CAT COMPLEXED WITH FUSIDIC ACID. CRYSTALS GROWN AT PH 6.3. X-RAY DATA COLLECTED AT ROOM TEMPERATURE
Authors	:	Leslie, A.G.W.
Deposited on	:	1995-08-03
Resolution	:	2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	213	67% 28% • ••

2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 1869 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TYPE III CHLORAMPHENICOL ACETYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	211	1686	1106	266	304	10	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	92	CYS	GLN	conflict	UNP P00484
A	146	PHE	ASN	conflict	UNP P00484
A	168	PHE	TYR	conflict	UNP P00484
A	172	VAL	ILE	conflict	UNP P00484

- Molecule 2 is COBALT (II) ION (three-letter code: CO) (formula: Co).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Co		
2	A	2	2	2	0	0

- Molecule 3 is FUSIDIC ACID (three-letter code: FUA) (formula: $C_{31}H_{48}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
3	A	1	37	31	6	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	A	144	144	144	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: TYPE III CHLORAMPHENICOL ACETYLTRANSFERASE

Chain A:



4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α, β, γ	107.81Å 107.81Å 124.13Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	6.00 – 2.20	Depositor
% Data completeness (in resolution range)	99.0 (6.00-2.20)	Depositor
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.174 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	1869	wwPDB-VP
Average B, all atoms (Å^2)	21.0	wwPDB-VP

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FUA, CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| >5$	RMSZ	$\#\|Z\| >5$
1	A	1.05	0/1734	2.03	56/2355 (2.4%)

There are no bond length outliers.

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	28	ARG	NE-CZ-NH1	15.71	128.16	120.30
1	A	26	ARG	NE-CZ-NH2	-11.36	114.62	120.30
1	A	142	GLU	OE1-CD-OE2	11.02	136.52	123.30
1	A	28	ARG	NE-CZ-NH2	-9.89	115.36	120.30
1	A	131	ASP	CB-CG-OD1	9.79	127.11	118.30
1	A	110	TYR	CB-CG-CD1	-9.22	115.47	121.00
1	A	6	MET	CA-CB-CG	8.86	128.36	113.30
1	A	113	ASP	CB-CG-OD1	8.47	125.92	118.30
1	A	35	LEU	CA-CB-CG	8.15	134.04	115.30
1	A	80	ASP	CB-CG-OD1	-7.88	111.21	118.30
1	A	156	ASP	CB-CG-OD2	7.63	125.17	118.30
1	A	87	ASP	CB-CG-OD1	7.58	125.13	118.30
1	A	212	GLU	CA-CB-CG	7.53	129.96	113.40
1	A	28	ARG	CG-CD-NE	7.51	127.56	111.80
1	A	212	GLU	CG-CD-OE2	-7.38	103.54	118.30
1	A	80	ASP	CB-CG-OD2	7.28	124.85	118.30
1	A	24	PHE	CB-CG-CD1	-7.17	115.78	120.80
1	A	206	PHE	CB-CG-CD2	-6.80	116.04	120.80
1	A	156	ASP	CB-CG-OD1	-6.72	112.25	118.30
1	A	184	ARG	CG-CD-NE	6.69	125.85	111.80
1	A	24	PHE	CB-CG-CD2	6.46	125.32	120.80
1	A	142	GLU	CA-C-N	6.43	131.34	117.20
1	A	25	TYR	CB-CG-CD2	-6.40	117.16	121.00
1	A	180	GLN	O-C-N	6.33	132.83	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	26	ARG	NE-CZ-NH1	6.32	123.46	120.30
1	A	218	LEU	CB-CA-C	6.28	122.13	110.20
1	A	56	TYR	CB-CG-CD1	-6.20	117.28	121.00
1	A	90	ASP	CB-CG-OD1	-6.12	112.79	118.30
1	A	40	ASP	CB-CG-OD1	6.07	123.77	118.30
1	A	20	GLU	CG-CD-OE1	6.01	130.33	118.30
1	A	56	TYR	CB-CG-CD2	5.98	124.59	121.00
1	A	134	LEU	CB-CA-C	5.83	121.28	110.20
1	A	7	ASN	O-C-N	-5.77	113.47	122.70
1	A	162	VAL	CA-CB-CG1	5.74	119.50	110.90
1	A	87	ASP	O-C-N	5.70	131.82	122.70
1	A	110	TYR	CB-CG-CD2	5.70	124.42	121.00
1	A	28	ARG	O-C-N	-5.66	113.64	122.70
1	A	74	ARG	CD-NE-CZ	5.57	131.40	123.60
1	A	53	TYR	CB-CG-CD1	5.55	124.33	121.00
1	A	61	TYR	CB-CG-CD2	-5.51	117.69	121.00
1	A	34	SER	N-CA-CB	5.46	118.69	110.50
1	A	81	ASP	N-CA-CB	5.40	120.33	110.60
1	A	108	CYS	CB-CA-C	5.39	121.18	110.40
1	A	103	PHE	CB-CG-CD1	5.37	124.56	120.80
1	A	121	TYR	CB-CG-CD1	-5.25	117.85	121.00
1	A	49	ASP	CB-CG-OD2	-5.22	113.60	118.30
1	A	64	ALA	O-C-N	-5.19	114.39	122.70
1	A	202	HIS	N-CA-CB	5.19	119.94	110.60
1	A	135	PHE	CG-CD1-CE1	5.17	126.48	120.80
1	A	28	ARG	CA-C-O	5.15	130.92	120.10
1	A	99	GLU	OE1-CD-OE2	5.15	129.48	123.30
1	A	212	GLU	OE1-CD-OE2	5.12	129.45	123.30
1	A	39	ILE	CA-CB-CG2	5.09	121.09	110.90
1	A	164	ASN	O-C-N	5.08	130.83	122.70
1	A	74	ARG	NE-CZ-NH2	5.03	122.82	120.30
1	A	141	PRO	N-CA-CB	5.01	109.31	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1686	0	1579	35	0
2	A	2	0	0	0	0
3	A	37	0	47	18	0
4	A	144	0	0	7	0
All	All	1869	0	1626	43	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (43) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:221:FUA:O1	3:A:221:FUA:H201	1.77	0.84
3:A:221:FUA:H5	3:A:221:FUA:H202	1.65	0.77
1:A:146:PHE:CE1	3:A:221:FUA:H121	2.21	0.76
1:A:7:ASN:HD22	1:A:7:ASN:H	1.34	0.75
1:A:168:PHE:HE1	3:A:221:FUA:H322	1.51	0.75
1:A:168:PHE:CE1	3:A:221:FUA:H322	2.29	0.67
3:A:221:FUA:H211	3:A:221:FUA:O2	1.98	0.63
3:A:221:FUA:O2	3:A:221:FUA:C29	2.46	0.62
3:A:221:FUA:O1	3:A:221:FUA:C20	2.48	0.62
1:A:7:ASN:HD22	1:A:7:ASN:N	1.99	0.60
1:A:151:PRO:HG3	4:A:320:HOH:O	2.03	0.58
1:A:146:PHE:CE1	3:A:221:FUA:H213	2.38	0.58
1:A:7:ASN:H	1:A:7:ASN:ND2	2.01	0.58
3:A:221:FUA:O4	3:A:221:FUA:H242	2.05	0.55
1:A:137:GLN:HG2	4:A:338:HOH:O	2.07	0.54
1:A:81:ASP:HB3	4:A:307:HOH:O	2.07	0.54
1:A:146:PHE:CD1	3:A:221:FUA:H121	2.43	0.53
1:A:146:PHE:CD1	3:A:221:FUA:H213	2.44	0.52
1:A:107:SER:HB2	1:A:144:HIS:HE1	1.76	0.51
1:A:86:TRP:CD2	1:A:143:ASN:HB3	2.46	0.51
1:A:119:VAL:HG23	4:A:294:HOH:O	2.11	0.50
1:A:99:GLU:H	1:A:99:GLU:CD	2.17	0.48
1:A:175:MET:HG2	1:A:189:LEU:HD12	1.97	0.47
1:A:39:ILE:HD11	1:A:207:ILE:HG23	1.96	0.47
1:A:16:TRP:HA	4:A:335:HOH:O	2.16	0.46
1:A:130:SER:HB2	4:A:278:HOH:O	2.15	0.45
1:A:107:SER:CB	1:A:144:HIS:CE1	3.01	0.44
1:A:160:LEU:HD21	3:A:221:FUA:H181	2.00	0.44
3:A:221:FUA:O4	3:A:221:FUA:C24	2.66	0.44
1:A:160:LEU:HD21	3:A:221:FUA:C18	2.48	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:SER:HB2	1:A:144:HIS:CE1	2.53	0.43
1:A:13:VAL:HG12	1:A:13:VAL:O	2.18	0.43
1:A:48:LEU:HD21	1:A:58:VAL:HG21	1.99	0.43
1:A:168:PHE:HD2	4:A:308:HOH:O	2.02	0.43
1:A:107:SER:CB	1:A:144:HIS:HE1	2.31	0.42
3:A:221:FUA:O1	3:A:221:FUA:H12	2.20	0.42
1:A:86:TRP:CE3	1:A:143:ASN:HB3	2.54	0.42
1:A:160:LEU:CD2	3:A:221:FUA:H181	2.50	0.42
1:A:12:ASP:OD2	1:A:15:ASN:HB2	2.20	0.41
1:A:39:ILE:HD13	1:A:39:ILE:HA	1.77	0.41
1:A:135:PHE:CD1	3:A:221:FUA:C28	3.04	0.40
1:A:93:PHE:HA	1:A:147:ILE:O	2.22	0.40
1:A:209:ARG:NH1	1:A:212:GLU:OE1	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	207/213 (97%)	203 (98%)	4 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	175/198 (88%)	166 (95%)	9 (5%)	24 29

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	28	ARG
1	A	35	LEU
1	A	45	LYS
1	A	81	ASP
1	A	123	SER
1	A	145	LEU
1	A	152	TRP
1	A	189	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	144	HIS
1	A	179	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	FUA	A	221	-	39,40,40	2.10	14 (35%)	49,64,64	2.64	18 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FUA	A	221	-	-	5/15/92/92	0/4/4/4

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	221	FUA	C9-C11	5.10	1.61	1.54
3	A	221	FUA	C13-C17	-4.23	1.46	1.52
3	A	221	FUA	C28-C26	4.04	1.61	1.50
3	A	221	FUA	C10-C5	-3.96	1.48	1.56
3	A	221	FUA	C20-C8	-3.60	1.47	1.54
3	A	221	FUA	C4-C5	-2.87	1.49	1.54
3	A	221	FUA	C27-C26	2.83	1.58	1.50
3	A	221	FUA	C25-C26	-2.76	1.24	1.32
3	A	221	FUA	C4-C3	2.65	1.61	1.53
3	A	221	FUA	C15-C14	-2.47	1.49	1.54
3	A	221	FUA	C14-C8	2.33	1.63	1.59
3	A	221	FUA	C18-C4	-2.12	1.49	1.53
3	A	221	FUA	C32-C31	-2.11	1.42	1.49
3	A	221	FUA	C10-C9	2.02	1.60	1.57

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	221	FUA	C18-C4-C3	-7.31	102.41	111.36
3	A	221	FUA	C28-C26-C27	-7.15	98.81	114.60
3	A	221	FUA	C27-C26-C25	5.76	139.29	122.65
3	A	221	FUA	C21-C14-C8	5.66	117.50	112.27
3	A	221	FUA	C19-C10-C5	-4.51	104.96	111.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	A	221	FUA	C6-C5-C10	4.49	117.25	111.65
3	A	221	FUA	O5-C29-O4	-4.26	113.87	123.61
3	A	221	FUA	O5-C29-C22	3.56	126.69	115.92
3	A	221	FUA	O2-C16-C17	-3.54	97.74	108.43
3	A	221	FUA	C18-C4-C5	3.44	117.89	113.04
3	A	221	FUA	C21-C14-C13	-2.91	105.52	112.96
3	A	221	FUA	C23-C24-C25	2.77	120.99	111.88
3	A	221	FUA	C5-C10-C9	2.72	114.52	108.09
3	A	221	FUA	C8-C9-C10	-2.53	113.74	116.34
3	A	221	FUA	C1-C2-C3	2.50	116.56	111.72
3	A	221	FUA	C21-C14-C15	-2.48	101.99	108.95
3	A	221	FUA	O1-C11-C9	-2.44	104.58	111.19
3	A	221	FUA	C7-C6-C5	2.01	116.61	113.11

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	221	FUA	C17-C22-C23-C24
3	A	221	FUA	C29-C22-C23-C24
3	A	221	FUA	C23-C22-C29-O5
3	A	221	FUA	C23-C24-C25-C26
3	A	221	FUA	C23-C22-C29-O4

There are no ring outliers.

1 monomer is involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	221	FUA	18	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand FUA A 221



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.