



wwPDB EM Validation Summary Report ⓘ

Nov 20, 2022 – 01:25 pm GMT

PDB ID : 6QCM
EMDB ID : EMD-4508
Title : Cryo em structure of the Listeria stressosome
Authors : Williams, A.H.; Redzej, A.; Waksman, G.; Cossart, P.
Deposited on : 2018-12-28
Resolution : 4.21 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | AB | 128 | 90% |
| | | | 88% |
| 1 | BC | 128 | 90% |
| | | | 89% |
| 1 | DC | 128 | 90% |
| | | | 88% |
| 1 | EB | 128 | 90% |
| | | | 90% |
| 1 | FA | 128 | 90% |
| | | | 87% |
| 1 | FB | 128 | 90% |
| | | | 88% |
| 1 | FC | 128 | 90% |
| | | | 88% |
| 1 | GC | 128 | 90% |
| | | | 90% |
| 1 | HC | 128 | 90% |
| | | | 88% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|----------------------|
| 1 | IC | 128 | 90% 87% • 10% |
| 1 | K | 128 | 90% 88% • 10% |
| 1 | KB | 128 | 90% 88% • 10% |
| 1 | L | 128 | 90% 88% • 10% |
| 1 | LB | 128 | 90% 88% • 10% |
| 1 | M | 128 | 90% 88% • 10% |
| 1 | OB | 128 | 90% 87% • 10% |
| 1 | P | 128 | 90% 88% • 10% |
| 1 | PB | 128 | 90% 89% • 10% |
| 1 | Q | 128 | 90% 88% • 10% |
| 1 | SB | 128 | 90% 89% • 10% |
| 1 | T | 128 | 90% 88% • 10% |
| 1 | TB | 128 | 90% 88% • 10% |
| 1 | U | 128 | 90% 89% • 10% |
| 1 | UB | 128 | 90% 88% • 10% |
| 1 | V | 128 | 90% 88% • 10% |
| 1 | VB | 128 | 90% 88% • 10% |
| 1 | W | 128 | 90% 88% •• 10% |
| 1 | X | 128 | 90% 87% • 10% |
| 1 | Y | 128 | 90% 88% • 10% |
| 1 | Z | 128 | 90% 89% • 10% |
| 2 | CB | 129 | 90% 88% •• 10% |
| 2 | DB | 129 | 90% 88% • 10% |
| 2 | E | 129 | 90% 88% • 10% |
| 2 | F | 129 | 90% 88% • 10% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 2 | GB | 129 | 90% 87% 10% |
| 2 | IB | 129 | 90% 89% 10% |
| 3 | A | 118 | 100% |
| 3 | B | 118 | 99% |
| 3 | C | 118 | 100% |
| 3 | D | 118 | 100% |
| 3 | I | 118 | 98% |
| 3 | J | 118 | 100% |
| 3 | N | 118 | 100% |
| 3 | O | 118 | 100% |
| 3 | R | 118 | 100% |
| 3 | S | 118 | 100% |
| 3 | a | 118 | 100% |
| 3 | b | 118 | 98% |
| 3 | c | 118 | 100% |
| 3 | d | 118 | 100% |
| 3 | e | 118 | 99% |
| 3 | f | 118 | 100% |
| 3 | g | 118 | 98% |
| 3 | h | 118 | 100% |
| 3 | i | 118 | 99% |
| 3 | j | 118 | 100% |
| 4 | AD | 123 | 97% |
| 5 | CD | 136 | 100% |
| 5 | FD | 136 | 99% |
| 5 | | | 90% 88% 10% |
| 5 | | | 90% 88% 10% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 5 | HD | 136 |  <p>90% 89% .. 10%</p> |

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 52697 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RsbR protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 1 | AB | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | BC | 115 | 871 | 555 | 150 | 160 | 6 | 0 | 0 |
| 1 | DC | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | EB | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | FA | 115 | 871 | 555 | 150 | 160 | 6 | 0 | 0 |
| 1 | FB | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | FC | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | GC | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | HC | 115 | 871 | 555 | 150 | 160 | 6 | 0 | 0 |
| 1 | IC | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | K | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | KB | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | L | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | LB | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | M | 115 | 871 | 555 | 150 | 160 | 6 | 0 | 0 |
| 1 | OB | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |
| 1 | P | 115 | 875 | 557 | 150 | 162 | 6 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 1 | PB | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 875 | 557 | 150 | 162 | 6 | | |
| 1 | Q | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 871 | 554 | 149 | 162 | 6 | | |
| 1 | SB | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 875 | 557 | 150 | 162 | 6 | | |
| 1 | T | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 867 | 551 | 148 | 162 | 6 | | |
| 1 | TB | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 875 | 557 | 150 | 162 | 6 | | |
| 1 | U | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 875 | 557 | 150 | 162 | 6 | | |
| 1 | UB | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 869 | 554 | 147 | 162 | 6 | | |
| 1 | V | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 871 | 554 | 149 | 162 | 6 | | |
| 1 | VB | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 875 | 557 | 150 | 162 | 6 | | |
| 1 | W | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 875 | 557 | 150 | 162 | 6 | | |
| 1 | X | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 865 | 552 | 147 | 160 | 6 | | |
| 1 | Y | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 875 | 557 | 150 | 162 | 6 | | |
| 1 | Z | 115 | Total | C | N | O | S | 0 | 0 |
| | | | 875 | 557 | 150 | 162 | 6 | | |

- Molecule 2 is a protein called RsbR protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 2 | CB | 116 | Total | C | N | O | S | 0 | 0 |
| | | | 884 | 563 | 152 | 163 | 6 | | |
| 2 | DB | 116 | Total | C | N | O | S | 0 | 0 |
| | | | 884 | 563 | 152 | 163 | 6 | | |
| 2 | E | 116 | Total | C | N | O | S | 0 | 0 |
| | | | 884 | 563 | 152 | 163 | 6 | | |
| 2 | F | 116 | Total | C | N | O | S | 0 | 0 |
| | | | 884 | 563 | 152 | 163 | 6 | | |
| 2 | GB | 116 | Total | C | N | O | S | 0 | 0 |
| | | | 884 | 563 | 152 | 163 | 6 | | |
| 2 | IB | 116 | Total | C | N | O | S | 0 | 0 |
| | | | 884 | 563 | 152 | 163 | 6 | | |

- Molecule 3 is a protein called RsbS protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 3 | A | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | B | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | C | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | D | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | I | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | J | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | N | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | O | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | R | 118 | 871 | 556 | 135 | 175 | 5 | 0 | 0 |
| 3 | S | 118 | 871 | 556 | 135 | 175 | 5 | 0 | 0 |
| 3 | a | 118 | 871 | 556 | 135 | 175 | 5 | 0 | 0 |
| 3 | b | 118 | 871 | 556 | 135 | 175 | 5 | 0 | 0 |
| 3 | c | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | d | 118 | 872 | 557 | 136 | 175 | 4 | 0 | 0 |
| 3 | e | 118 | 868 | 555 | 135 | 173 | 5 | 0 | 0 |
| 3 | f | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | g | 118 | 875 | 559 | 136 | 175 | 5 | 0 | 0 |
| 3 | h | 118 | 871 | 556 | 135 | 175 | 5 | 0 | 0 |
| 3 | i | 118 | 872 | 556 | 136 | 175 | 5 | 0 | 0 |
| 3 | j | 118 | 871 | 556 | 135 | 175 | 5 | 0 | 0 |

- Molecule 4 is a protein called RsbR protein,RsbR protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 4 | AD | 123 | 935 | 594 | 160 | 175 | 6 | 0 | 0 |


- Molecule 5 is a protein called RsbR protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 5 | CD | 123 | 935 | 595 | 161 | 173 | 6 | 0 | 0 |
| 5 | FD | 123 | 927 | 589 | 159 | 173 | 6 | 0 | 0 |
| 5 | HD | 123 | 931 | 591 | 159 | 175 | 6 | 0 | 0 |


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: RsbR protein





- Molecule 1: RsbR protein







- Molecule 1: RsbR protein












• Molecule 1: RsbR protein



• Molecule 1: RsbR protein







• Molecule 1: RsbR protein











• Molecule 1: RsbR protein





• Molecule 1: RsbR protein





• Molecule 1: RsbR protein





• Molecule 1: RsbR protein





• Molecule 1: RsbR protein





• Molecule 1: RsbR protein





• Molecule 1: RsbR protein












• Molecule 1: RsbR protein



• Molecule 1: RsbR protein




• Molecule 1: RsbR protein



L268
T269
N270
R271
E272
I273
V274
E275

• Molecule 1: RsbR protein




S148 A149 A150 Q151 E152 L153 S154 A155 P156 L157 L158 P159 I160 F161 E162 K163 I164 S165 V166 V167 M167 P168 L169 I170 G171 T172 I173 D174 T175 E176 R177 A178 K179 L180 I181 I182 E183 N184 L185 L186 I187 G188 V189 V190 K191 N192 R193 S194 E195 V196 V197 L198 I199 D200 I201 T202 G203 V204 P205 V206 V207

D208 T209 M210 V211 A212 H213 H214 I215 I216 Q217 A218 S219 E220 A221 V222 R223 L224 V225 G226 C227 Q228 A229 M230 L231 V232 G233 I234 R235 P236 ILE ALA GLN THR ILE VAL ASN LEU GLY ILE GLU LEU ASP Q251 I252 I253 T254 M255 N256 T257 M258 K259 K260 G261 M262 E263 R264 A265 L266 A267

L268
T269
N270
R271
E272
I273
V274
E275

• Molecule 1: RsbR protein




S148 A149 L150 Q151 E152 L153 S154 A155 P156 L157 L158 P159 I160 F161 E162 K163 I164 S165 V166 V167 M167 P168 A229 M230 I170 G171 T172 I173 D174 T175 E176 R177 A178 K179 L180 I181 I182 E183 N184 L185 L186 I187 G188 V189 V190 K191 M192 T255 N256 T257 M258 K259 K260 G261 M262 E263 R264 A265 L266 A267

D208 T209 M210 V211 A212 H213 H214 I215 I216 Q217 A218 S219 E220 A221 V222 R223 L224 V225 G226 C227 Q228 A229 M230 L231 V232 G233 I234 R235 P236 ILE ALA GLN THR ILE VAL ASN LEU GLY ILE GLU LEU ASP Q251 I252 I253 T254 M255 N256 T257 M258 K259 K260 G261 M262 E263 R264 A265 L266 A267

L268
T269
N270
R271
E272
I273
V274
E275

• Molecule 1: RsbR protein





S148 A149 L150 Q151 E152 L153 S154 A155 P156 L157 L158 P159 I160 F161 E162 K163 I164 S165 V166 V167 M167 P168 L169 I170 G171 T172 I173 D174 T175 E176 R177 A178 K179 L180 I181 I182 E183 N184 L185 L186 I187 G188 V189 V190 K191 N192 R193 S194 E195 V196 V197 L198 I199 D200 I201 T202 G203 V204 P205 V206 V207



D208 T209 M210 V211 A212 H213 H214 I215 I216 Q217 A218 S219 E220 A221 V222 R223 L224 V225 G226 C227 Q228 A229 M230 L231 V232 G233 I234 R235 P236 ILE ALA GLN THR ILE VAL ASN LEU GLY ILE GLU LEU ASP Q251 I252 I253 T254 M255 N256 T257 M258 K259 K260 G261 M262 E263 R264 A265 L266 A267

L268
T269
N270
R271
E272
I273
V274
E275



• Molecule 1: RsbR protein





• Molecule 1: RsbR protein





• Molecule 1: RsbR protein







• Molecule 1: RsbR protein












• Molecule 1: RsbR protein




• Molecule 1: RsbR protein






• Molecule 1: RsbR protein












• Molecule 1: RsbR protein





• Molecule 1: RsbR protein





• Molecule 1: RsbR protein





• Molecule 1: RsbR protein




• Molecule 2: RsbR protein





• Molecule 2: RsbR protein






• Molecule 2: RsbR protein











• Molecule 2: RsbR protein



• Molecule 2: RsbR protein





• Molecule 2: RsbR protein









• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein



• Molecule 3: RsbS protein







• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein




• Molecule 3: RsbS protein



• Molecule 3: RsbS protein







• Molecule 3: RsbS protein





• Molecule 3: RsbS protein





• Molecule 4: RsbR protein,RsbR protein







• Molecule 5: RsbR protein









• Molecule 5: RsbR protein



• Molecule 5: RsbR protein



4 Experimental information

| Property | Value | Source |
|--------------------------------------|---|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 78000 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 2.25 | Depositor |
| Minimum defocus (nm) | Not provided | |
| Maximum defocus (nm) | Not provided | |
| Magnification | Not provided | |
| Image detector | GATAN K2 SUMMIT (4k x 4k) | Depositor |
| Maximum map value | 0.118 | Depositor |
| Minimum map value | -0.065 | Depositor |
| Average map value | 0.000 | Depositor |
| Map value standard deviation | 0.004 | Depositor |
| Recommended contour level | 0.011 | Depositor |
| Map size (Å) | 434.59998, 434.59998, 434.59998 | wwPDB |
| Map dimensions | 410, 410, 410 | wwPDB |
| Map angles (°) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (Å) | 1.06, 1.06, 1.06 | Depositor |

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|---------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | AB | 0.30 | 0/881 | 0.65 | 0/1193 |
| 1 | BC | 0.28 | 0/877 | 0.65 | 0/1188 |
| 1 | DC | 0.28 | 0/881 | 0.66 | 1/1193 (0.1%) |
| 1 | EB | 0.29 | 0/881 | 0.63 | 0/1193 |
| 1 | FA | 0.30 | 0/877 | 0.60 | 1/1188 (0.1%) |
| 1 | FB | 0.29 | 0/881 | 0.61 | 0/1193 |
| 1 | FC | 0.27 | 0/881 | 0.64 | 0/1193 |
| 1 | GC | 0.27 | 0/881 | 0.61 | 0/1193 |
| 1 | HC | 0.29 | 0/877 | 0.63 | 1/1188 (0.1%) |
| 1 | IC | 0.28 | 0/881 | 0.64 | 1/1193 (0.1%) |
| 1 | K | 0.28 | 0/881 | 0.64 | 0/1193 |
| 1 | KB | 0.30 | 0/881 | 0.61 | 0/1193 |
| 1 | L | 0.27 | 0/881 | 0.58 | 0/1193 |
| 1 | LB | 0.28 | 0/881 | 0.63 | 0/1193 |
| 1 | M | 0.27 | 0/877 | 0.66 | 1/1188 (0.1%) |
| 1 | OB | 0.30 | 0/881 | 0.66 | 2/1193 (0.2%) |
| 1 | P | 0.27 | 0/881 | 0.60 | 0/1193 |
| 1 | PB | 0.27 | 0/881 | 0.60 | 0/1193 |
| 1 | Q | 0.31 | 0/877 | 0.63 | 1/1189 (0.1%) |
| 1 | SB | 0.28 | 0/881 | 0.60 | 0/1193 |
| 1 | T | 0.30 | 0/873 | 0.64 | 1/1185 (0.1%) |
| 1 | TB | 0.29 | 0/881 | 0.65 | 0/1193 |
| 1 | U | 0.29 | 0/881 | 0.63 | 0/1193 |
| 1 | UB | 0.30 | 0/875 | 0.64 | 1/1186 (0.1%) |
| 1 | V | 0.29 | 0/877 | 0.58 | 0/1189 |
| 1 | VB | 0.28 | 0/881 | 0.66 | 1/1193 (0.1%) |
| 1 | W | 0.28 | 0/881 | 0.62 | 0/1193 |
| 1 | X | 0.29 | 0/871 | 0.68 | 1/1181 (0.1%) |
| 1 | Y | 0.29 | 0/881 | 0.62 | 0/1193 |
| 1 | Z | 0.29 | 0/881 | 0.63 | 1/1193 (0.1%) |
| 2 | CB | 0.29 | 0/890 | 0.63 | 0/1204 |
| 2 | DB | 0.27 | 0/890 | 0.62 | 0/1204 |
| 2 | E | 0.27 | 0/890 | 0.61 | 0/1204 |
| 2 | F | 0.27 | 0/890 | 0.61 | 0/1204 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|-----------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 2 | GB | 0.29 | 0/890 | 0.65 | 0/1204 |
| 2 | IB | 0.27 | 0/890 | 0.59 | 0/1204 |
| 3 | A | 0.27 | 0/881 | 0.55 | 0/1188 |
| 3 | B | 0.26 | 0/881 | 0.51 | 0/1188 |
| 3 | C | 0.26 | 0/881 | 0.49 | 0/1188 |
| 3 | D | 0.28 | 0/881 | 0.59 | 1/1188 (0.1%) |
| 3 | I | 0.27 | 0/881 | 0.56 | 0/1188 |
| 3 | J | 0.26 | 0/881 | 0.51 | 0/1188 |
| 3 | N | 0.27 | 0/881 | 0.56 | 0/1188 |
| 3 | O | 0.26 | 0/881 | 0.51 | 0/1188 |
| 3 | R | 0.26 | 0/877 | 0.52 | 0/1184 |
| 3 | S | 0.26 | 0/877 | 0.51 | 0/1184 |
| 3 | a | 0.26 | 0/877 | 0.53 | 0/1184 |
| 3 | b | 0.25 | 0/877 | 0.49 | 0/1184 |
| 3 | c | 0.26 | 0/881 | 0.51 | 0/1188 |
| 3 | d | 0.26 | 0/878 | 0.56 | 1/1185 (0.1%) |
| 3 | e | 0.26 | 0/874 | 0.51 | 0/1180 |
| 3 | f | 0.27 | 0/881 | 0.55 | 1/1188 (0.1%) |
| 3 | g | 0.27 | 0/881 | 0.51 | 0/1188 |
| 3 | h | 0.27 | 0/877 | 0.52 | 0/1184 |
| 3 | i | 0.27 | 0/878 | 0.56 | 0/1184 |
| 3 | j | 0.26 | 0/877 | 0.52 | 1/1184 (0.1%) |
| 4 | AD | 0.28 | 0/941 | 0.64 | 0/1274 |
| 5 | CD | 0.27 | 0/941 | 0.63 | 1/1273 (0.1%) |
| 5 | FD | 0.27 | 0/933 | 0.62 | 0/1265 |
| 5 | HD | 0.27 | 0/935 | 0.68 | 1/1264 (0.1%) |
| All | All | 0.28 | 0/53055 | 0.60 | 19/71756 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | AB | 0 | 2 |
| 1 | DC | 0 | 1 |
| 1 | FA | 0 | 1 |
| 1 | FB | 0 | 2 |
| 1 | FC | 0 | 1 |
| 1 | HC | 0 | 2 |
| 1 | IC | 0 | 1 |
| 1 | K | 0 | 2 |

Continued on next page...

Continued from previous page...

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | KB | 0 | 2 |
| 1 | L | 0 | 1 |
| 1 | P | 0 | 2 |
| 1 | PB | 0 | 1 |
| 1 | Q | 0 | 1 |
| 1 | TB | 0 | 1 |
| 1 | U | 0 | 1 |
| 1 | UB | 0 | 1 |
| 1 | VB | 0 | 1 |
| 1 | W | 0 | 2 |
| 2 | CB | 0 | 1 |
| 2 | DB | 0 | 1 |
| 2 | E | 0 | 1 |
| 2 | F | 0 | 1 |
| 2 | GB | 0 | 3 |
| 2 | IB | 0 | 1 |
| 3 | a | 0 | 1 |
| 3 | e | 0 | 1 |
| 4 | AD | 0 | 1 |
| 5 | CD | 0 | 2 |
| 5 | HD | 0 | 1 |
| All | All | 0 | 39 |

There are no bond length outliers.

The worst 5 of 19 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed($^{\circ}$) | Ideal($^{\circ}$) |
|-----|-------|-----|------|----------|------|------------------------|---------------------|
| 3 | d | 100 | LEU | CA-CB-CG | 7.72 | 133.06 | 115.30 |
| 5 | CD | 153 | LEU | CA-CB-CG | 7.59 | 132.77 | 115.30 |
| 5 | HD | 158 | LEU | CA-CB-CG | 7.58 | 132.72 | 115.30 |
| 1 | UB | 158 | LEU | CA-CB-CG | 7.10 | 131.64 | 115.30 |
| 1 | OB | 157 | LEU | CA-CB-CG | 6.34 | 129.88 | 115.30 |

There are no chirality outliers.

5 of 39 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 1 | AB | 158 | LEU | Peptide |
| 1 | AB | 220 | GLU | Peptide |
| 2 | CB | 220 | GLU | Peptide |
| 2 | DB | 220 | GLU | Peptide |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 1 | DC | 220 | GLU | Peptide |

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|----------|----------|----------|-------------|-----|
| 1 | AB | 111/128 (87%) | 95 (86%) | 16 (14%) | 0 | 100 | 100 |
| 1 | BC | 111/128 (87%) | 91 (82%) | 19 (17%) | 1 (1%) | 17 | 56 |
| 1 | DC | 111/128 (87%) | 93 (84%) | 17 (15%) | 1 (1%) | 17 | 56 |
| 1 | EB | 111/128 (87%) | 90 (81%) | 21 (19%) | 0 | 100 | 100 |
| 1 | FA | 111/128 (87%) | 83 (75%) | 27 (24%) | 1 (1%) | 17 | 56 |
| 1 | FB | 111/128 (87%) | 89 (80%) | 22 (20%) | 0 | 100 | 100 |
| 1 | FC | 111/128 (87%) | 87 (78%) | 23 (21%) | 1 (1%) | 17 | 56 |
| 1 | GC | 111/128 (87%) | 98 (88%) | 13 (12%) | 0 | 100 | 100 |
| 1 | HC | 111/128 (87%) | 90 (81%) | 20 (18%) | 1 (1%) | 17 | 56 |
| 1 | IC | 111/128 (87%) | 88 (79%) | 22 (20%) | 1 (1%) | 17 | 56 |
| 1 | K | 111/128 (87%) | 88 (79%) | 23 (21%) | 0 | 100 | 100 |
| 1 | KB | 111/128 (87%) | 93 (84%) | 18 (16%) | 0 | 100 | 100 |
| 1 | L | 111/128 (87%) | 90 (81%) | 21 (19%) | 0 | 100 | 100 |
| 1 | LB | 111/128 (87%) | 91 (82%) | 18 (16%) | 2 (2%) | 8 | 42 |
| 1 | M | 111/128 (87%) | 88 (79%) | 23 (21%) | 0 | 100 | 100 |
| 1 | OB | 111/128 (87%) | 94 (85%) | 16 (14%) | 1 (1%) | 17 | 56 |
| 1 | P | 111/128 (87%) | 96 (86%) | 15 (14%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|----------|----------|-------------|-----|
| 1 | PB | 111/128 (87%) | 93 (84%) | 18 (16%) | 0 | 100 | 100 |
| 1 | Q | 111/128 (87%) | 89 (80%) | 22 (20%) | 0 | 100 | 100 |
| 1 | SB | 111/128 (87%) | 94 (85%) | 16 (14%) | 1 (1%) | 17 | 56 |
| 1 | T | 111/128 (87%) | 93 (84%) | 17 (15%) | 1 (1%) | 17 | 56 |
| 1 | TB | 111/128 (87%) | 92 (83%) | 19 (17%) | 0 | 100 | 100 |
| 1 | U | 111/128 (87%) | 94 (85%) | 17 (15%) | 0 | 100 | 100 |
| 1 | UB | 111/128 (87%) | 92 (83%) | 18 (16%) | 1 (1%) | 17 | 56 |
| 1 | V | 111/128 (87%) | 91 (82%) | 19 (17%) | 1 (1%) | 17 | 56 |
| 1 | VB | 111/128 (87%) | 89 (80%) | 21 (19%) | 1 (1%) | 17 | 56 |
| 1 | W | 111/128 (87%) | 92 (83%) | 18 (16%) | 1 (1%) | 17 | 56 |
| 1 | X | 111/128 (87%) | 93 (84%) | 18 (16%) | 0 | 100 | 100 |
| 1 | Y | 111/128 (87%) | 93 (84%) | 18 (16%) | 0 | 100 | 100 |
| 1 | Z | 111/128 (87%) | 92 (83%) | 19 (17%) | 0 | 100 | 100 |
| 2 | CB | 112/129 (87%) | 96 (86%) | 16 (14%) | 0 | 100 | 100 |
| 2 | DB | 112/129 (87%) | 91 (81%) | 21 (19%) | 0 | 100 | 100 |
| 2 | E | 112/129 (87%) | 87 (78%) | 24 (21%) | 1 (1%) | 17 | 56 |
| 2 | F | 112/129 (87%) | 93 (83%) | 19 (17%) | 0 | 100 | 100 |
| 2 | GB | 112/129 (87%) | 97 (87%) | 14 (12%) | 1 (1%) | 17 | 56 |
| 2 | IB | 112/129 (87%) | 93 (83%) | 19 (17%) | 0 | 100 | 100 |
| 3 | A | 116/118 (98%) | 100 (86%) | 16 (14%) | 0 | 100 | 100 |
| 3 | B | 116/118 (98%) | 103 (89%) | 13 (11%) | 0 | 100 | 100 |
| 3 | C | 116/118 (98%) | 104 (90%) | 12 (10%) | 0 | 100 | 100 |
| 3 | D | 116/118 (98%) | 101 (87%) | 15 (13%) | 0 | 100 | 100 |
| 3 | I | 116/118 (98%) | 107 (92%) | 9 (8%) | 0 | 100 | 100 |
| 3 | J | 116/118 (98%) | 105 (90%) | 11 (10%) | 0 | 100 | 100 |
| 3 | N | 116/118 (98%) | 106 (91%) | 10 (9%) | 0 | 100 | 100 |
| 3 | O | 116/118 (98%) | 105 (90%) | 11 (10%) | 0 | 100 | 100 |
| 3 | R | 116/118 (98%) | 105 (90%) | 11 (10%) | 0 | 100 | 100 |
| 3 | S | 116/118 (98%) | 100 (86%) | 16 (14%) | 0 | 100 | 100 |
| 3 | a | 116/118 (98%) | 109 (94%) | 7 (6%) | 0 | 100 | 100 |
| 3 | b | 116/118 (98%) | 108 (93%) | 8 (7%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|-----------|----------|-------------|-----|
| 3 | c | 116/118 (98%) | 104 (90%) | 12 (10%) | 0 | 100 | 100 |
| 3 | d | 116/118 (98%) | 104 (90%) | 12 (10%) | 0 | 100 | 100 |
| 3 | e | 116/118 (98%) | 105 (90%) | 11 (10%) | 0 | 100 | 100 |
| 3 | f | 116/118 (98%) | 104 (90%) | 12 (10%) | 0 | 100 | 100 |
| 3 | g | 116/118 (98%) | 107 (92%) | 9 (8%) | 0 | 100 | 100 |
| 3 | h | 116/118 (98%) | 106 (91%) | 10 (9%) | 0 | 100 | 100 |
| 3 | i | 116/118 (98%) | 104 (90%) | 12 (10%) | 0 | 100 | 100 |
| 3 | j | 116/118 (98%) | 106 (91%) | 10 (9%) | 0 | 100 | 100 |
| 4 | AD | 119/123 (97%) | 99 (83%) | 20 (17%) | 0 | 100 | 100 |
| 5 | CD | 119/136 (88%) | 104 (87%) | 15 (13%) | 0 | 100 | 100 |
| 5 | FD | 119/136 (88%) | 98 (82%) | 21 (18%) | 0 | 100 | 100 |
| 5 | HD | 115/136 (85%) | 93 (81%) | 21 (18%) | 1 (1%) | 17 | 56 |
| All | All | 6794/7505 (90%) | 5785 (85%) | 991 (15%) | 18 (0%) | 44 | 76 |

5 of 18 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 5 | HD | 159 | PRO |
| 1 | BC | 203 | GLY |
| 1 | FC | 197 | VAL |
| 1 | UB | 157 | LEU |
| 1 | W | 157 | LEU |

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|---------------|------------|----------|-------------|-----|
| 1 | AB | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | BC | 99/111 (89%) | 99 (100%) | 0 | 100 | 100 |
| 1 | DC | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | EB | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|---------------|------------|----------|-------------|-----|
| 1 | FA | 99/111 (89%) | 98 (99%) | 1 (1%) | 76 | 86 |
| 1 | FB | 100/111 (90%) | 99 (99%) | 1 (1%) | 76 | 86 |
| 1 | FC | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | GC | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | HC | 99/111 (89%) | 99 (100%) | 0 | 100 | 100 |
| 1 | IC | 100/111 (90%) | 99 (99%) | 1 (1%) | 76 | 86 |
| 1 | K | 100/111 (90%) | 99 (99%) | 1 (1%) | 76 | 86 |
| 1 | KB | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | L | 100/111 (90%) | 99 (99%) | 1 (1%) | 76 | 86 |
| 1 | LB | 100/111 (90%) | 99 (99%) | 1 (1%) | 76 | 86 |
| 1 | M | 99/111 (89%) | 98 (99%) | 1 (1%) | 76 | 86 |
| 1 | OB | 100/111 (90%) | 99 (99%) | 1 (1%) | 76 | 86 |
| 1 | P | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | PB | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | Q | 99/111 (89%) | 99 (100%) | 0 | 100 | 100 |
| 1 | SB | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | T | 98/111 (88%) | 98 (100%) | 0 | 100 | 100 |
| 1 | TB | 100/111 (90%) | 99 (99%) | 1 (1%) | 76 | 86 |
| 1 | U | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | UB | 99/111 (89%) | 99 (100%) | 0 | 100 | 100 |
| 1 | V | 99/111 (89%) | 98 (99%) | 1 (1%) | 76 | 86 |
| 1 | VB | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 1 | W | 100/111 (90%) | 99 (99%) | 1 (1%) | 76 | 86 |
| 1 | X | 98/111 (88%) | 95 (97%) | 3 (3%) | 40 | 62 |
| 1 | Y | 100/111 (90%) | 98 (98%) | 2 (2%) | 55 | 73 |
| 1 | Z | 100/111 (90%) | 100 (100%) | 0 | 100 | 100 |
| 2 | CB | 101/112 (90%) | 99 (98%) | 2 (2%) | 55 | 73 |
| 2 | DB | 101/112 (90%) | 100 (99%) | 1 (1%) | 76 | 86 |
| 2 | E | 101/112 (90%) | 101 (100%) | 0 | 100 | 100 |
| 2 | F | 101/112 (90%) | 99 (98%) | 2 (2%) | 55 | 73 |
| 2 | GB | 101/112 (90%) | 101 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 2 | IB | 101/112 (90%) | 101 (100%) | 0 | 100 | 100 |
| 3 | A | 99/100 (99%) | 98 (99%) | 1 (1%) | 76 | 86 |
| 3 | B | 99/100 (99%) | 99 (100%) | 0 | 100 | 100 |
| 3 | C | 99/100 (99%) | 97 (98%) | 2 (2%) | 55 | 73 |
| 3 | D | 99/100 (99%) | 98 (99%) | 1 (1%) | 76 | 86 |
| 3 | I | 99/100 (99%) | 99 (100%) | 0 | 100 | 100 |
| 3 | J | 99/100 (99%) | 98 (99%) | 1 (1%) | 76 | 86 |
| 3 | N | 99/100 (99%) | 99 (100%) | 0 | 100 | 100 |
| 3 | O | 99/100 (99%) | 99 (100%) | 0 | 100 | 100 |
| 3 | R | 98/100 (98%) | 98 (100%) | 0 | 100 | 100 |
| 3 | S | 98/100 (98%) | 98 (100%) | 0 | 100 | 100 |
| 3 | a | 98/100 (98%) | 97 (99%) | 1 (1%) | 76 | 86 |
| 3 | b | 98/100 (98%) | 98 (100%) | 0 | 100 | 100 |
| 3 | c | 99/100 (99%) | 99 (100%) | 0 | 100 | 100 |
| 3 | d | 98/100 (98%) | 98 (100%) | 0 | 100 | 100 |
| 3 | e | 97/100 (97%) | 96 (99%) | 1 (1%) | 76 | 86 |
| 3 | f | 99/100 (99%) | 99 (100%) | 0 | 100 | 100 |
| 3 | g | 99/100 (99%) | 97 (98%) | 2 (2%) | 55 | 73 |
| 3 | h | 98/100 (98%) | 97 (99%) | 1 (1%) | 76 | 86 |
| 3 | i | 98/100 (98%) | 95 (97%) | 3 (3%) | 40 | 62 |
| 3 | j | 98/100 (98%) | 98 (100%) | 0 | 100 | 100 |
| 4 | AD | 107/108 (99%) | 107 (100%) | 0 | 100 | 100 |
| 5 | CD | 107/119 (90%) | 106 (99%) | 1 (1%) | 78 | 87 |
| 5 | FD | 105/119 (88%) | 102 (97%) | 3 (3%) | 42 | 64 |
| 5 | HD | 106/119 (89%) | 106 (100%) | 0 | 100 | 100 |
| All | All | 5990/6467 (93%) | 5952 (99%) | 38 (1%) | 86 | 92 |

5 of 38 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | g | 6 | LEU |
| 5 | FD | 167 | MET |
| 3 | g | 28 | PHE |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | i | 23 | HIS |
| 5 | FD | 223 | ARG |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 41 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3 | e | 29 | GLN |
| 5 | CD | 228 | GLN |
| 3 | f | 37 | HIS |
| 4 | AD | 146 | GLN |
| 5 | FD | 192 | ASN |

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

| Mol | Chain | Number of breaks |
|-----|-------|------------------|
| 5 | HD | 2 |
| 4 | AD | 1 |

All chain breaks are listed below:

| Model | Chain | Residue-1 | Atom-1 | Residue-2 | Atom-2 | Distance (Å) |
|-------|-------|-----------|--------|-----------|--------|--------------|
| 1 | AD | 237:GLU | C | 238:GLN | N | 11.07 |
| 1 | HD | 220:GLU | C | 221:ALA | N | 5.35 |
| 1 | HD | 222:VAL | C | 223:ARG | N | 3.25 |


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4508. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 205



Y Index: 205




Z Index: 205


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 187



Y Index: 224




Z Index: 222

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.011. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 58726214163 nm³; this corresponds to an approximate mass of 53048918866 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.238\AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.238 Å⁻¹

8.2 Resolution estimates [i](#)


| Resolution estimate (Å) | Estimation criterion (FSC cut-off) | | |
|---------------------------|------------------------------------|------|----------|
| | 0.143 | 0.5 | Half-bit |
| Reported by author | 4.21 | - | - |
| Author-provided FSC curve | 4.21 | 4.85 | 4.26 |
| Unmasked-calculated* | - | - | - |

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4508 and PDB model 6QCM. Per-residue inclusion information can be found in section [3](#) on page [10](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.011 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.011).

9.4 Atom inclusion [i](#)



At the recommended contour level, 0% of all backbone atoms, 0% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.011) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|----------------|---------|
| All | 0.0000 | 0.0000 |
| A | 0.0000 | 0.0000 |
| AB | 0.0000 | 0.0000 |
| AD | 0.0000 | 0.0000 |
| B | 0.0000 | 0.0000 |
| BC | 0.0000 | 0.0000 |
| C | 0.0000 | 0.0000 |
| CB | 0.0000 | 0.0000 |
| CD | 0.0000 | 0.0000 |
| D | 0.0000 | 0.0000 |
| DB | 0.0000 | 0.0000 |
| DC | 0.0000 | 0.0000 |
| E | 0.0000 | 0.0000 |
| EB | 0.0000 | 0.0000 |
| F | 0.0000 | 0.0000 |
| FA | 0.0000 | 0.0000 |
| FB | 0.0000 | 0.0000 |
| FC | 0.0000 | 0.0000 |
| FD | 0.0000 | 0.0000 |
| GB | 0.0000 | 0.0000 |
| GC | 0.0000 | 0.0000 |
| HC | 0.0000 | 0.0000 |
| HD | 0.0000 | 0.0000 |
| I | 0.0000 | 0.0000 |
| IB | 0.0000 | 0.0000 |
| IC | 0.0000 | 0.0000 |
| J | 0.0000 | 0.0000 |
| K | 0.0000 | 0.0000 |
| KB | 0.0000 | 0.0000 |
| L | 0.0000 | 0.0000 |
| LB | 0.0000 | 0.0000 |
| M | 0.0000 | 0.0000 |
| N | 0.0000 | 0.0000 |
| O | 0.0000 | 0.0000 |
| OB | 0.0000 | 0.0000 |



Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|----------------|---------|
| P | 0.0000 | 0.0000 |
| PB | 0.0000 | 0.0000 |
| Q | 0.0000 | 0.0000 |
| R | 0.0000 | 0.0000 |
| S | 0.0000 | 0.0000 |
| SB | 0.0000 | 0.0000 |
| T | 0.0000 | 0.0000 |
| TB | 0.0000 | 0.0000 |
| U | 0.0000 | 0.0000 |
| UB | 0.0000 | 0.0000 |
| V | 0.0000 | 0.0000 |
| VB | 0.0000 | 0.0000 |
| W | 0.0000 | 0.0000 |
| X | 0.0000 | 0.0000 |
| Y | 0.0000 | 0.0000 |
| Z | 0.0000 | 0.0000 |
| a | 0.0000 | 0.0000 |
| b | 0.0000 | 0.0000 |
| c | 0.0000 | 0.0000 |
| d | 0.0000 | 0.0000 |
| e | 0.0000 | 0.0000 |
| f | 0.0000 | 0.0000 |
| g | 0.0000 | 0.0000 |
| h | 0.0000 | 0.0000 |
| i | 0.0000 | 0.0000 |
| j | 0.0000 | 0.0000 |