



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 1, 2023 – 01:36 AM EDT

PDB ID : 3QN0  
Title : Structure of 6-pyruvoyltetrahydropterin synthase  
Authors : Seo, K.H.; Zhuang, N.N.; Lee, K.H.  
Deposited on : 2011-02-07  
Resolution : 2.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2096 (2.36-2.32)
Clashscore	141614	2193 (2.36-2.32)
Ramachandran outliers	138981	2159 (2.36-2.32)
Sidechain outliers	138945	2160 (2.36-2.32)
RSRZ outliers	127900	2067 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	141	 4% 68% 13% 17%
1	B	141	 64% 18% 17%
1	C	141	 65% 18% 17%
1	D	141	 70% 12% 17%
1	E	141	 4% 65% 16% 17%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	141	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a small red segment at the beginning labeled '2%', a large green segment labeled '65%', a yellow segment labeled '16%', and a grey segment at the end labeled '17%'. There are two small black dots between the yellow and grey segments.</p>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6-carboxy-5,6,7,8-tetrahydropterin synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	117	940	608	161	166	5	0	0	0
1	B	117	940	608	161	166	5	0	0	0
1	C	117	940	608	161	166	5	0	0	0
1	D	117	940	608	161	166	5	0	0	0
1	E	117	940	608	161	166	5	0	0	0
1	F	117	940	608	161	166	5	0	0	0

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	expression tag	UNP C6EJA7
A	-19	GLY	-	expression tag	UNP C6EJA7
A	-18	SER	-	expression tag	UNP C6EJA7
A	-17	SER	-	expression tag	UNP C6EJA7
A	-16	HIS	-	expression tag	UNP C6EJA7
A	-15	HIS	-	expression tag	UNP C6EJA7
A	-14	HIS	-	expression tag	UNP C6EJA7
A	-13	HIS	-	expression tag	UNP C6EJA7
A	-12	HIS	-	expression tag	UNP C6EJA7
A	-11	HIS	-	expression tag	UNP C6EJA7
A	-10	SER	-	expression tag	UNP C6EJA7
A	-9	SER	-	expression tag	UNP C6EJA7
A	-8	GLY	-	expression tag	UNP C6EJA7
A	-7	LEU	-	expression tag	UNP C6EJA7
A	-6	VAL	-	expression tag	UNP C6EJA7
A	-5	PRO	-	expression tag	UNP C6EJA7
A	-4	ARG	-	expression tag	UNP C6EJA7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP C6EJA7
A	-2	SER	-	expression tag	UNP C6EJA7
A	-1	HIS	-	expression tag	UNP C6EJA7
B	-20	MET	-	expression tag	UNP C6EJA7
B	-19	GLY	-	expression tag	UNP C6EJA7
B	-18	SER	-	expression tag	UNP C6EJA7
B	-17	SER	-	expression tag	UNP C6EJA7
B	-16	HIS	-	expression tag	UNP C6EJA7
B	-15	HIS	-	expression tag	UNP C6EJA7
B	-14	HIS	-	expression tag	UNP C6EJA7
B	-13	HIS	-	expression tag	UNP C6EJA7
B	-12	HIS	-	expression tag	UNP C6EJA7
B	-11	HIS	-	expression tag	UNP C6EJA7
B	-10	SER	-	expression tag	UNP C6EJA7
B	-9	SER	-	expression tag	UNP C6EJA7
B	-8	GLY	-	expression tag	UNP C6EJA7
B	-7	LEU	-	expression tag	UNP C6EJA7
B	-6	VAL	-	expression tag	UNP C6EJA7
B	-5	PRO	-	expression tag	UNP C6EJA7
B	-4	ARG	-	expression tag	UNP C6EJA7
B	-3	GLY	-	expression tag	UNP C6EJA7
B	-2	SER	-	expression tag	UNP C6EJA7
B	-1	HIS	-	expression tag	UNP C6EJA7
C	-20	MET	-	expression tag	UNP C6EJA7
C	-19	GLY	-	expression tag	UNP C6EJA7
C	-18	SER	-	expression tag	UNP C6EJA7
C	-17	SER	-	expression tag	UNP C6EJA7
C	-16	HIS	-	expression tag	UNP C6EJA7
C	-15	HIS	-	expression tag	UNP C6EJA7
C	-14	HIS	-	expression tag	UNP C6EJA7
C	-13	HIS	-	expression tag	UNP C6EJA7
C	-12	HIS	-	expression tag	UNP C6EJA7
C	-11	HIS	-	expression tag	UNP C6EJA7
C	-10	SER	-	expression tag	UNP C6EJA7
C	-9	SER	-	expression tag	UNP C6EJA7
C	-8	GLY	-	expression tag	UNP C6EJA7
C	-7	LEU	-	expression tag	UNP C6EJA7
C	-6	VAL	-	expression tag	UNP C6EJA7
C	-5	PRO	-	expression tag	UNP C6EJA7
C	-4	ARG	-	expression tag	UNP C6EJA7
C	-3	GLY	-	expression tag	UNP C6EJA7
C	-2	SER	-	expression tag	UNP C6EJA7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	HIS	-	expression tag	UNP C6EJA7
D	-20	MET	-	expression tag	UNP C6EJA7
D	-19	GLY	-	expression tag	UNP C6EJA7
D	-18	SER	-	expression tag	UNP C6EJA7
D	-17	SER	-	expression tag	UNP C6EJA7
D	-16	HIS	-	expression tag	UNP C6EJA7
D	-15	HIS	-	expression tag	UNP C6EJA7
D	-14	HIS	-	expression tag	UNP C6EJA7
D	-13	HIS	-	expression tag	UNP C6EJA7
D	-12	HIS	-	expression tag	UNP C6EJA7
D	-11	HIS	-	expression tag	UNP C6EJA7
D	-10	SER	-	expression tag	UNP C6EJA7
D	-9	SER	-	expression tag	UNP C6EJA7
D	-8	GLY	-	expression tag	UNP C6EJA7
D	-7	LEU	-	expression tag	UNP C6EJA7
D	-6	VAL	-	expression tag	UNP C6EJA7
D	-5	PRO	-	expression tag	UNP C6EJA7
D	-4	ARG	-	expression tag	UNP C6EJA7
D	-3	GLY	-	expression tag	UNP C6EJA7
D	-2	SER	-	expression tag	UNP C6EJA7
D	-1	HIS	-	expression tag	UNP C6EJA7
E	-20	MET	-	expression tag	UNP C6EJA7
E	-19	GLY	-	expression tag	UNP C6EJA7
E	-18	SER	-	expression tag	UNP C6EJA7
E	-17	SER	-	expression tag	UNP C6EJA7
E	-16	HIS	-	expression tag	UNP C6EJA7
E	-15	HIS	-	expression tag	UNP C6EJA7
E	-14	HIS	-	expression tag	UNP C6EJA7
E	-13	HIS	-	expression tag	UNP C6EJA7
E	-12	HIS	-	expression tag	UNP C6EJA7
E	-11	HIS	-	expression tag	UNP C6EJA7
E	-10	SER	-	expression tag	UNP C6EJA7
E	-9	SER	-	expression tag	UNP C6EJA7
E	-8	GLY	-	expression tag	UNP C6EJA7
E	-7	LEU	-	expression tag	UNP C6EJA7
E	-6	VAL	-	expression tag	UNP C6EJA7
E	-5	PRO	-	expression tag	UNP C6EJA7
E	-4	ARG	-	expression tag	UNP C6EJA7
E	-3	GLY	-	expression tag	UNP C6EJA7
E	-2	SER	-	expression tag	UNP C6EJA7
E	-1	HIS	-	expression tag	UNP C6EJA7
F	-20	MET	-	expression tag	UNP C6EJA7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	-19	GLY	-	expression tag	UNP C6EJA7
F	-18	SER	-	expression tag	UNP C6EJA7
F	-17	SER	-	expression tag	UNP C6EJA7
F	-16	HIS	-	expression tag	UNP C6EJA7
F	-15	HIS	-	expression tag	UNP C6EJA7
F	-14	HIS	-	expression tag	UNP C6EJA7
F	-13	HIS	-	expression tag	UNP C6EJA7
F	-12	HIS	-	expression tag	UNP C6EJA7
F	-11	HIS	-	expression tag	UNP C6EJA7
F	-10	SER	-	expression tag	UNP C6EJA7
F	-9	SER	-	expression tag	UNP C6EJA7
F	-8	GLY	-	expression tag	UNP C6EJA7
F	-7	LEU	-	expression tag	UNP C6EJA7
F	-6	VAL	-	expression tag	UNP C6EJA7
F	-5	PRO	-	expression tag	UNP C6EJA7
F	-4	ARG	-	expression tag	UNP C6EJA7
F	-3	GLY	-	expression tag	UNP C6EJA7
F	-2	SER	-	expression tag	UNP C6EJA7
F	-1	HIS	-	expression tag	UNP C6EJA7

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Zn 1 1	0	0
2	B	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0
2	E	1	Total Zn 1 1	0	0
2	F	1	Total Zn 1 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	4	Total O 4 4	0	0
3	B	6	Total O 6 6	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	3	Total O 3 3	0	0
3	D	1	Total O 1 1	0	0
3	E	3	Total O 3 3	0	0
3	F	5	Total O 5 5	0	0




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 6-carboxy-5,6,7,8-tetrahydropterin synthase




- Molecule 1: 6-carboxy-5,6,7,8-tetrahydropterin synthase



- Molecule 1: 6-carboxy-5,6,7,8-tetrahydropterin synthase



- Molecule 1: 6-carboxy-5,6,7,8-tetrahydropterin synthase



GLY  
GLU

- Molecule 1: 6-carboxy-5,6,7,8-tetrahydropterin synthase

Chain E: 4% 65% 16% 17%

MET GLY SER SER HIS HIS HIS HIS HIS HIS SER SER GLY LEU VAL PRO ARG GLY SER HIS MET MET MET S2 K7 E12 H15 H24 K25 C26 H30 G31 M35 V36 R37 L38 E39 I40 P46 H47 T48 G49 F54 A55 E56 K62 E66 H70 L73

N74 D75 E80 L87 V99 M106 V107 C115 R118 GLY GLU

- Molecule 1: 6-carboxy-5,6,7,8-tetrahydropterin synthase

Chain F: 2% 65% 16% 17%

MET GLY SER SER HIS HIS HIS HIS HIS HIS SER SER GLY LEU VAL PRO ARG GLY SER HIS MET MET MET S2 L5 H15 R16 E22 G23 H24 K25 C26 M35 V36 R37 L38 E39 I40 E43 I51 I52 D53 F54 A55 E56 H70 L73 E80 K96 P97 V98

V99 P100 L101 M106 G114 C115 I116 Y117 R118 GLY GLU

## 4 Data and refinement statistics i

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	112.85Å 117.68Å 153.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.57 – 2.34 36.57 – 2.34	Depositor EDS
% Data completeness (in resolution range)	99.6 (36.57-2.34) 99.6 (36.57-2.34)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.68 (at 2.34Å)	Xtrriage
Refinement program	REFMAC 5.5.0102	Depositor
R, $R_{free}$	0.222 , 0.267 0.215 , 0.254	Depositor DCC
$R_{free}$ test set	2172 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.4	Xtrriage
Anisotropy	0.113	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 27.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.025 for -k,-h,-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5668	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.87% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:  
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.96	1/970 (0.1%)	0.98	2/1321 (0.2%)
1	B	1.04	1/970 (0.1%)	0.95	0/1321
1	C	1.09	3/970 (0.3%)	1.00	3/1321 (0.2%)
1	D	0.92	0/970	0.92	1/1321 (0.1%)
1	E	1.06	1/970 (0.1%)	1.05	3/1321 (0.2%)
1	F	1.06	1/970 (0.1%)	0.97	0/1321
All	All	1.02	7/5820 (0.1%)	0.98	9/7926 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	80	GLU	CB-CG	6.74	1.65	1.52
1	F	80	GLU	CB-CG	6.58	1.64	1.52
1	A	115	CYS	CB-SG	-6.28	1.71	1.82
1	E	12	GLU	CG-CD	5.64	1.60	1.51
1	C	80	GLU	CB-CG	5.56	1.62	1.52
1	C	115	CYS	CB-SG	-5.15	1.73	1.81
1	C	88	ALA	CA-CB	5.04	1.63	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	75	ASP	CB-CG-OD2	-7.32	111.71	118.30
1	C	5	LEU	CA-CB-CG	6.61	130.50	115.30
1	E	73	LEU	CA-CB-CG	-6.13	101.20	115.30
1	C	30	HIS	CB-CA-C	5.81	122.02	110.40
1	A	5	LEU	CB-CG-CD1	-5.54	101.58	111.00
1	A	38	LEU	CB-CG-CD1	5.54	120.41	111.00
1	D	75	ASP	CB-CG-OD2	-5.35	113.49	118.30
1	E	118	ARG	N-CA-C	5.26	125.21	111.00
1	C	5	LEU	CB-CG-CD1	-5.05	102.41	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	117	TYR	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	940	0	921	8	0
1	B	940	0	921	22	0
1	C	940	0	921	12	0
1	D	940	0	921	9	0
1	E	940	0	921	19	0
1	F	940	0	921	16	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
3	A	4	0	0	0	0
3	B	6	0	0	0	0
3	C	3	0	0	0	0
3	D	1	0	0	0	0
3	E	3	0	0	0	0
3	F	5	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5668	0	5526	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:24:HIS:HD2	1:E:26:CYS:H	1.29	0.80
1:A:24:HIS:HD2	1:A:26:CYS:H	1.28	0.80
1:F:24:HIS:CD2	1:F:26:CYS:HB2	2.22	0.73
1:E:62:LYS:O	1:E:66:GLU:HG2	1.92	0.70
1:B:24:HIS:HD2	1:B:26:CYS:HB2	1.61	0.66
1:F:24:HIS:HD2	1:F:26:CYS:HB2	1.58	0.66
1:B:24:HIS:CD2	1:B:26:CYS:HB2	2.32	0.64
1:E:24:HIS:CD2	1:E:26:CYS:H	2.15	0.63
1:E:40:ILE:HD11	1:E:99:VAL:HG11	1.81	0.62
1:D:9:PHE:CE1	1:D:38:LEU:HD22	2.35	0.61
1:C:45:ASP:OD1	1:C:46:PRO:HD2	2.00	0.61
1:B:45:ASP:OD1	1:B:46:PRO:HD2	2.01	0.60
1:D:5:LEU:HD23	1:F:114:GLY:O	2.02	0.59
1:A:37:ARG:HB3	1:A:106:MET:HB3	1.84	0.58
1:A:24:HIS:CD2	1:A:26:CYS:H	2.17	0.58
1:F:37:ARG:HB3	1:F:106:MET:HB3	1.86	0.57
1:D:9:PHE:HE1	1:D:38:LEU:HD22	1.70	0.55
1:D:24:HIS:HD2	1:D:26:CYS:H	1.54	0.55
1:F:24:HIS:HD2	1:F:26:CYS:H	1.56	0.53
1:E:24:HIS:CD2	1:E:26:CYS:HB2	2.44	0.52
1:B:87:LEU:HD23	1:B:107:VAL:HG11	1.92	0.51
1:F:35:MET:HE1	1:F:37:ARG:HB2	1.91	0.51
1:D:113:ALA:HB2	1:E:7:LYS:HD2	1.93	0.50
1:C:30:HIS:HB2	1:E:70:HIS:HA	1.93	0.50
1:C:95:VAL:HG12	1:C:102:LEU:HD22	1.92	0.50
1:B:40:ILE:HD13	1:B:57:LEU:HD22	1.94	0.50
1:F:96:LYS:HB3	1:F:97:PRO:HD3	1.94	0.50
1:B:24:HIS:CD2	1:B:26:CYS:H	2.32	0.48
1:B:30:HIS:HB2	1:F:70:HIS:HA	1.95	0.48
1:E:40:ILE:HD11	1:E:99:VAL:CG1	2.44	0.48
1:C:31:GLY:HA3	1:E:31:GLY:HA3	1.95	0.47
1:F:53:ASP:O	1:F:56:GLU:HB3	2.14	0.47
1:B:17:LEU:HD12	1:B:26:CYS:HB3	1.97	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:30:HIS:CD2	1:D:32:HIS:NE2	2.77	0.47
1:B:35:MET:HE1	1:B:37:ARG:HB2	1.97	0.47
1:C:24:HIS:HD2	1:C:26:CYS:H	1.62	0.47
1:A:85:GLU:HA	1:A:115:CYS:SG	2.55	0.47
1:B:37:ARG:HB3	1:B:106:MET:HB3	1.96	0.47
1:A:36:VAL:HA	1:A:106:MET:O	2.15	0.47
1:C:70:HIS:HA	1:E:30:HIS:HB2	1.96	0.47
1:B:113:ALA:HB2	1:C:7:LYS:HD2	1.97	0.46
1:B:10:THR:HA	1:B:34:PHE:O	2.16	0.46
1:A:30:HIS:NE2	1:A:32:HIS:NE2	2.63	0.46
1:F:80:GLU:H	1:F:80:GLU:HG2	1.31	0.45
1:C:39:GLU:HG2	1:C:103:SER:OG	2.17	0.45
1:E:80:GLU:H	1:E:80:GLU:CD	2.19	0.45
1:D:36:VAL:HA	1:D:106:MET:O	2.16	0.45
1:F:5:LEU:HD12	1:F:51:ILE:HB	1.99	0.45
1:B:24:HIS:HD2	1:B:26:CYS:H	1.65	0.45
1:E:35:MET:HE1	1:E:106:MET:HE2	1.99	0.45
1:F:15:HIS:HB3	1:F:73:LEU:HB2	1.99	0.44
1:B:96:LYS:HB3	1:B:97:PRO:HD3	1.99	0.44
1:B:99:VAL:HG12	1:B:99:VAL:O	2.18	0.44
1:C:37:ARG:HB3	1:C:106:MET:HB3	1.99	0.44
1:E:87:LEU:HD23	1:E:107:VAL:HG11	2.00	0.44
1:C:106:MET:HE1	1:C:108:LYS:HD2	1.98	0.44
1:E:37:ARG:HB3	1:E:106:MET:HB3	1.99	0.43
1:F:99:VAL:HG12	1:F:99:VAL:O	2.17	0.43
1:B:106:MET:HG3	1:B:116:ILE:HG12	2.01	0.43
1:C:87:LEU:HD23	1:C:107:VAL:HG11	2.01	0.43
1:E:36:VAL:HA	1:E:106:MET:O	2.19	0.43
1:A:62:LYS:HB3	1:A:63:PRO:HD3	2.00	0.43
1:F:24:HIS:CD2	1:F:26:CYS:H	2.36	0.43
1:B:30:HIS:NE2	1:B:32:HIS:CE1	2.83	0.42
1:D:37:ARG:HB3	1:D:106:MET:HB3	2.01	0.42
1:E:40:ILE:CD1	1:E:99:VAL:CG1	2.97	0.42
1:F:117:TYR:CD2	1:F:118:ARG:HB2	2.54	0.42
1:B:62:LYS:HB3	1:B:63:PRO:HD3	2.00	0.42
1:B:7:LYS:HZ3	1:B:7:LYS:HG3	1.60	0.42
1:E:73:LEU:HD23	1:E:73:LEU:HA	1.70	0.41
1:E:24:HIS:HD2	1:E:26:CYS:N	2.08	0.41
1:B:40:ILE:CD1	1:B:57:LEU:HD21	2.50	0.41
1:B:80:GLU:H	1:B:80:GLU:HG2	1.09	0.41
1:F:43:GLU:OE1	1:F:43:GLU:HA	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3:THR:HB	1:A:51:ILE:HD11	2.01	0.41
1:E:106:MET:HA	1:E:115:CYS:O	2.21	0.41
1:B:40:ILE:CD1	1:B:57:LEU:CD2	2.99	0.41
1:C:90:TRP:O	1:C:94:GLN:HG2	2.21	0.41
1:D:32:HIS:HB3	1:D:109:GLU:O	2.21	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	115/141 (82%)	114 (99%)	1 (1%)	0	100	100
1	B	115/141 (82%)	113 (98%)	2 (2%)	0	100	100
1	C	115/141 (82%)	110 (96%)	5 (4%)	0	100	100
1	D	115/141 (82%)	108 (94%)	5 (4%)	2 (2%)	9	6
1	E	115/141 (82%)	114 (99%)	1 (1%)	0	100	100
1	F	115/141 (82%)	112 (97%)	3 (3%)	0	100	100
All	All	690/846 (82%)	671 (97%)	17 (2%)	2 (0%)	41	47

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	22	GLU
1	D	80	GLU

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar



resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	102/122 (84%)	94 (92%)	8 (8%)	12	12
1	B	102/122 (84%)	98 (96%)	4 (4%)	32	41
1	C	102/122 (84%)	99 (97%)	3 (3%)	42	52
1	D	102/122 (84%)	96 (94%)	6 (6%)	19	22
1	E	102/122 (84%)	95 (93%)	7 (7%)	15	16
1	F	102/122 (84%)	93 (91%)	9 (9%)	10	9
All	All	612/732 (84%)	575 (94%)	37 (6%)	19	22

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	HIS
1	A	22	GLU
1	A	25	LYS
1	A	35	MET
1	A	36	VAL
1	A	38	LEU
1	A	80	GLU
1	A	118	ARG
1	B	7	LYS
1	B	15	HIS
1	B	38	LEU
1	B	80	GLU
1	C	15	HIS
1	C	36	VAL
1	C	62	LYS
1	D	2	SER
1	D	15	HIS
1	D	38	LEU
1	D	40	ILE
1	D	80	GLU
1	D	118	ARG
1	E	2	SER
1	E	7	LYS
1	E	15	HIS
1	E	36	VAL
1	E	38	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	56	GLU
1	E	80	GLU
1	F	15	HIS
1	F	16	ARG
1	F	36	VAL
1	F	38	LEU
1	F	40	ILE
1	F	52	ILE
1	F	80	GLU
1	F	115	CYS
1	F	118	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	HIS
1	B	24	HIS
1	C	24	HIS
1	D	24	HIS
1	E	24	HIS
1	E	70	HIS
1	F	24	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	117/141 (82%)	0.45	5 (4%) 35 46	51, 62, 78, 88	0
1	B	117/141 (82%)	-0.01	0 100 100	40, 49, 65, 77	0
1	C	117/141 (82%)	0.04	0 100 100	37, 47, 64, 75	0
1	D	117/141 (82%)	0.24	2 (1%) 70 78	46, 59, 79, 91	0
1	E	117/141 (82%)	0.04	5 (4%) 35 46	37, 50, 72, 83	0
1	F	117/141 (82%)	0.01	3 (2%) 56 64	35, 49, 70, 81	0
All	All	702/846 (82%)	0.13	15 (2%) 63 73	35, 54, 75, 91	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	54	PHE	4.4
1	A	29	LEU	4.3
1	E	55	ALA	4.2
1	D	54	PHE	3.0
1	E	46	PRO	2.9
1	E	49	GLY	2.8
1	A	54	PHE	2.5
1	A	31	GLY	2.4
1	F	54	PHE	2.4
1	D	55	ALA	2.3
1	E	47	HIS	2.2
1	F	101	LEU	2.2
1	F	22	GLU	2.1
1	A	30	HIS	2.1
1	A	72	TYR	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	ZN	D	121	1/1	0.90	0.15	58,58,58,58	0
2	ZN	A	121	1/1	0.94	0.20	55,55,55,55	0
2	ZN	E	121	1/1	0.96	0.16	49,49,49,49	0
2	ZN	B	121	1/1	0.97	0.16	50,50,50,50	0
2	ZN	C	121	1/1	0.97	0.15	52,52,52,52	0
2	ZN	F	121	1/1	0.97	0.15	53,53,53,53	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.