

Full wwPDB X-ray Structure Validation Report (i)

Jul 3, 2023 – 04:17 pm BST

PDB ID	:	7QOZ
Title	:	Crystal structure of NAD-bound glycosomal malate dehydrogenase from Try-
		panosoma cruzi
Authors	:	Sonani, R.R.; Dubin, G.
Deposited on	:	2021-12-30
Resolution	:	1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.33
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.33

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
Metric	$(\# {\rm Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	2469(1.86-1.86)		
Clashscore	141614	2625 (1.86-1.86)		
Ramachandran outliers	138981	2592 (1.86-1.86)		
Sidechain outliers	138945	2592(1.86-1.86)		
RSRZ outliers	127900	2436 (1.86-1.86)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	331	91%	7%	ó •
1	В	331	% 8 9%	8%	•
1	С	331	87%	9%	•••
1	D	331	% 	10%	•
1	Е	331	87%	9%	••



Mol	Chain	Length	Quality of chain		
1	F	331	86%	9%	•••
1	G	331	% 85%	10%	••
1	Н	331	83%	13%	••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	С	402	-	-	Х	-



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 20724 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	202	Total	С	Ν	Ο	S	0	0	0
1	A	323	2390	1522	416	439	13	0	0	0
1	В	303	Total	С	Ν	Ο	S	0	1	0
1	D	525	2397	1527	418	439	13	0	T	0
1	С	303	Total	С	Ν	Ο	\mathbf{S}	0	9	0
1	U	525	2405	1532	421	439	13	0		0
1	л	300	Total	С	Ν	Ο	\mathbf{S}	0	1	0
1	D	522	2391	1522	418	438	13	0	T	0
1	F	303	Total	С	Ν	Ο	\mathbf{S}	0	1	0
1		525	2393	1524	416	440	13	0	T	0
1	F	303	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	1	0
1	Ľ	525	2400	1528	419	440	13	0	T	0
1	G	303	Total	\mathbf{C}	Ν	Ο	\mathbf{S}	0	0	0
1	G	525	2390	1522	416	439	13	0	0	0
1	н	399	Total	С	N	0	S	0	1	0
	11	022	2388	1521	417	437	13	0		0

• Molecule 1 is a protein called Malate dehydrogenase.

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-7	MET	-	initiating methionine	UNP A0A2V2XLH9
А	-6	ALA	-	expression tag	UNP A0A2V2XLH9
А	-5	HIS	-	expression tag	UNP A0A2V2XLH9
А	-4	HIS	-	expression tag	UNP A0A2V2XLH9
А	-3	HIS	-	expression tag	UNP A0A2V2XLH9
А	-2	HIS	-	expression tag	UNP A0A2V2XLH9
А	-1	HIS	-	expression tag	UNP A0A2V2XLH9
А	0	HIS	-	expression tag	UNP A0A2V2XLH9
В	-7	MET	-	initiating methionine	UNP A0A2V2XLH9
В	-6	ALA	-	expression tag	UNP A0A2V2XLH9
В	-5	HIS	-	expression tag	UNP A0A2V2XLH9
В	-4	HIS	-	expression tag	UNP A0A2V2XLH9
В	-3	HIS	-	expression tag	UNP A0A2V2XLH9



Chain	Residue	Modelled	Actual	Comment	Reference
В	-2	HIS	-	expression tag	UNP A0A2V2XLH9
В	-1	HIS	_	expression tag	UNP A0A2V2XLH9
В	0	HIS	-	expression tag	UNP A0A2V2XLH9
С	-7	MET	_	initiating methionine	UNP A0A2V2XLH9
С	-6	ALA	-	expression tag	UNP A0A2V2XLH9
С	-5	HIS	-	expression tag	UNP A0A2V2XLH9
С	-4	HIS	-	expression tag	UNP A0A2V2XLH9
С	-3	HIS	-	expression tag	UNP A0A2V2XLH9
С	-2	HIS	-	expression tag	UNP A0A2V2XLH9
С	-1	HIS	-	expression tag	UNP A0A2V2XLH9
С	0	HIS	-	expression tag	UNP A0A2V2XLH9
D	-7	MET	_	initiating methionine	UNP A0A2V2XLH9
D	-6	ALA	-	expression tag	UNP A0A2V2XLH9
D	-5	HIS	_	expression tag	UNP A0A2V2XLH9
D	-4	HIS	_	expression tag	UNP A0A2V2XLH9
D	-3	HIS	_	expression tag	UNP A0A2V2XLH9
D	-2	HIS	-	expression tag	UNP A0A2V2XLH9
D	-1	HIS	-	expression tag	UNP A0A2V2XLH9
D	0	HIS	-	expression tag	UNP A0A2V2XLH9
Е	-7	MET	-	initiating methionine	UNP A0A2V2XLH9
Е	-6	ALA	-	expression tag	UNP A0A2V2XLH9
Е	-5	HIS	-	expression tag	UNP A0A2V2XLH9
Е	-4	HIS	-	expression tag	UNP A0A2V2XLH9
Е	-3	HIS	-	expression tag	UNP A0A2V2XLH9
Е	-2	HIS	-	expression tag	UNP A0A2V2XLH9
Е	-1	HIS	-	expression tag	UNP A0A2V2XLH9
Е	0	HIS	-	expression tag	UNP A0A2V2XLH9
F	-7	MET	-	initiating methionine	UNP A0A2V2XLH9
F	-6	ALA	-	expression tag	UNP A0A2V2XLH9
F	-5	HIS	-	expression tag	UNP A0A2V2XLH9
F	-4	HIS	-	expression tag	UNP A0A2V2XLH9
F	-3	HIS	-	expression tag	UNP A0A2V2XLH9
F	-2	HIS	-	expression tag	UNP A0A2V2XLH9
F	-1	HIS	-	expression tag	UNP A0A2V2XLH9
F	0	HIS	-	expression tag	UNP A0A2V2XLH9
G	-7	MET	-	initiating methionine	UNP A0A2V2XLH9
G	-6	ALA	-	expression tag	UNP A0A2V2XLH9
G	-5	HIS	-	expression tag	UNP A0A2V2XLH9
G	-4	HIS	-	expression tag	UNP A0A2V2XLH9
G	-3	HIS	-	expression tag	UNP A0A2V2XLH9
G	-2	HIS	-	expression tag	UNP A0A2V2XLH9
G	-1	HIS	-	expression tag	UNP A0A2V2XLH9



Chain	Residue Modelled		Actual	Comment	Reference	
G	0	HIS	-	expression tag	UNP A0A2V2XLH9	
Н	-7	MET	-	initiating methionine	UNP A0A2V2XLH9	
Н	-6	ALA	-	expression tag	UNP A0A2V2XLH9	
Н	-5	HIS	-	expression tag	UNP A0A2V2XLH9	
Н	-4	HIS	-	expression tag	UNP A0A2V2XLH9	
Н	-3	HIS	-	expression tag	UNP A0A2V2XLH9	
Н	-2	HIS	-	expression tag	UNP A0A2V2XLH9	
Н	-1	HIS	-	expression tag	UNP A0A2V2XLH9	
Н	0	HIS	-	expression tag	UNP A0A2V2XLH9	

• Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf		
9	Λ	1	Total	С	Ν	Ο	Р	0	0		
	Л	1	44	21	7	14	2	0	0		
9	В	1	Total	С	Ν	Ο	Р	0	0		
	D	1	44	21	7	14	2	0	0		
9	С	1	Total	С	Ν	Ο	Р	0	0		
	U	1	44	21	7	14	2	0	0		
0	Л	1	Total	С	Ν	Ο	Р	0	0		
	D	D	D	1	44	21	7	14	2	0	0
0	F	1	Total	С	Ν	Ο	Р	0	0		
	Ľ	1	44	21	7	14	2	0	0		
9	9 F	F 1	Total	С	Ν	Ο	Р	0	0		
	Ľ	Ĩ	44	21	7	14	2	0	0		



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf			
0	С	1	Total	С	Ν	Ο	Р	0	0	
	G	L	44	21	7	14	2	0	0	
0	ц	1	Total	С	Ν	Ο	Р	0	0	
2	п	H		44	21	7	14	2	0	

• Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
3	F	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0

• Molecule 4 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	220	Total O 220 220	0	0
4	В	193	Total O 193 193	0	0
4	С	184	Total O 184 184	0	0
4	D	181	Total O 181 181	0	0
4	Е	132	Total O 132 132	0	0
4	F	149	Total O 149 149	0	0
4	G	80	Total O 80 80	0	0
4	Н	37	$\begin{array}{ccc} \text{Total} & \text{O} \\ 37 & 37 \end{array}$	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Malate dehydrogenase





• Molecule 1: Malate dehydrogenase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	80.48Å 84.80Å 113.46Å	Depositor
a, b, c, α , β , γ	97.60° 100.44° 110.08°	Depositor
Bosolution (Å)	46.84 - 1.85	Depositor
Resolution (A)	46.80 - 1.85	EDS
% Data completeness	91.5(46.84 - 1.85)	Depositor
(in resolution range)	91.4 (46.80-1.85)	EDS
R_{merge}	0.07	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.63 (at 1.86 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
B B.	0.174 , 0.208	Depositor
II, II, <i>free</i>	0.181 , 0.212	DCC
R_{free} test set	10332 reflections $(4.88%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	28.6	Xtriage
Anisotropy	0.342	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , 42.7	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	20724	wwPDB-VP
Average B, all atoms $(Å^2)$	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.44% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.92	0/2432	0.95	0/3310
1	В	0.89	0/2443	0.95	0/3326
1	С	0.93	0/2454	0.99	0/3339
1	D	0.90	0/2434	0.98	0/3314
1	Е	0.86	0/2438	0.95	0/3318
1	F	0.84	0/2443	0.95	0/3325
1	G	0.84	0/2432	0.93	0/3310
1	Н	0.78	0/2434	0.90	0/3315
All	All	0.87	0/19510	0.95	0/26557

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2390	0	2504	15	0
1	В	2397	0	2511	17	0
1	С	2405	0	2524	30	0
1	D	2391	0	2499	12	0
1	Е	2393	0	2509	14	0



7	\cap	\cap	Z	
1	ખ્ય	\mathbf{U}		

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2400	0	2510	16	0
1	G	2390	0	2504	18	0
1	Н	2388	0	2500	19	0
2	А	44	0	26	2	0
2	В	44	0	26	1	0
2	С	44	0	26	2	0
2	D	44	0	26	2	0
2	Ε	44	0	26	2	0
2	F	44	0	26	1	0
2	G	44	0	26	2	0
2	Н	44	0	26	1	0
3	А	12	0	16	5	0
3	В	6	0	8	0	0
3	С	18	0	24	10	0
3	F	6	0	8	0	0
4	А	220	0	0	0	0
4	В	193	0	0	0	0
4	С	184	0	0	3	0
4	D	181	0	0	0	0
4	Е	132	0	0	0	0
4	F	149	0	0	1	0
4	G	80	0	0	0	0
4	Н	37	0	0	0	0
All	All	20724	0	20325	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:162:ARG:HH12	3:C:402:GOL:H11	1.52	0.74
1:C:162:ARG:HH22	3:C:402:GOL:H32	1.52	0.74
1:A:199:GLY:H	3:A:402:GOL:H2	1.55	0.71
1:C:88:VAL:HG21	1:C:102:VAL:CG1	2.21	0.70
1:C:199:GLY:H	3:C:404:GOL:H2	1.57	0.69
1:H:157:LEU:HD11	1:H:242:PHE:HB2	1.75	0.68
1:F:268[A]:HIS:ND1	1:F:269:GLU:OE1	2.27	0.67
1:H:310:LYS:HA	1:H:313:ALA:HB3	1.79	0.63
1:A:200:PRO:HG2	1:B:286:ARG:HH22	1.65	0.61
1:C:88:VAL:CG2	1:C:102:VAL:HG12	2.30	0.61



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:294:THR:HG22	1:D:297:GLU:HG3	1.83	0.60
1:F:112:LEU:HD12	1:F:144:ILE:HD13	1.84	0.60
1:C:286[B]:ARG:HH22	1:D:200:PRO:HG2	1.67	0.59
1:D:37:VAL:HG12	1:D:63:LEU:HD11	1.84	0.59
1:F:34:TYR:HB2	1:F:75:LEU:HD12	1.84	0.59
1:G:67:PRO:HB2	1:G:68:ARG:HD2	1.84	0.59
3:A:403:GOL:H2	1:B:199:GLY:H	1.68	0.59
1:B:166:PHE:CE2	1:B:213:ARG:HG2	2.38	0.59
1:C:96:ARG:HH21	1:C:99:LEU:CD2	2.15	0.59
1:A:200:PRO:HG2	1:B:286:ARG:NH2	2.18	0.58
1:G:167:ILE:HG12	1:G:194:TYR:CE1	2.39	0.58
1:H:126:VAL:O	2:H:401:NAD:H2N	2.04	0.57
1:C:88:VAL:CG2	1:C:102:VAL:CG1	2.82	0.57
1:E:91:LYS:HB3	1:E:94:MET:HE3	1.85	0.57
1:B:159:ASP:OD2	1:B:185:HIS:ND1	2.33	0.57
1:C:231:ALA:HB3	3:C:402:GOL:H31	1.86	0.56
1:D:294:THR:HG22	1:D:297:GLU:CG	2.36	0.56
1:A:128:ASN:HD22	1:A:130:VAL:H	1.54	0.55
1:A:199:GLY:N	3:A:402:GOL:H2	2.22	0.55
1:A:285:GLU:HG2	1:B:173:PRO:HG3	1.89	0.55
1:E:22:LEU:HD12	1:E:54:ILE:HG21	1.88	0.55
1:C:162:ARG:HH12	3:C:402:GOL:C1	2.20	0.54
1:C:162:ARG:HH22	3:C:402:GOL:H11	1.73	0.54
1:A:24:GLU:OE2	1:C:23:ARG:NH2	2.40	0.54
1:A:126:VAL:O	2:A:401:NAD:H2N	2.08	0.54
1:G:185:HIS:NE2	2:G:401:NAD:N7N	2.56	0.54
1:G:167:ILE:HG12	1:G:194:TYR:HE1	1.73	0.53
1:D:185:HIS:NE2	2:D:401:NAD:N7N	2.56	0.53
1:C:88:VAL:HG21	1:C:102:VAL:HG11	1.91	0.53
1:C:126:VAL:O	2:C:401:NAD:H2N	2.09	0.53
1:B:126:VAL:O	2:B:401:NAD:H2N	2.09	0.52
1:C:90:ARG:HB2	1:C:99:LEU:HD12	1.90	0.52
1:E:91:LYS:HB3	1:E:94:MET:CE	2.40	0.52
1:E:129:PRO:HG2	1:E:132[B]:SER:OG	2.09	0.52
1:A:22:LEU:HD12	1:A:54:ILE:HG21	1.91	0.52
1:E:111:VAL:CG1	1:E:141:LEU:HD13	2.39	0.51
1:H:259:TYR:CZ	1:H:276:PRO:HB3	2.44	0.51
1:H:309:LYS:O	1:H:310:LYS:HB2	2.10	0.51
1:G:182:VAL:HG21	1:G:290:ILE:HD12	1.93	0.51
1:F:126:VAL:O	2:F:401:NAD:H2N	2.10	0.51
1:F:88:VAL:HG21	1:F:102:VAL:HG11	1.93	0.51



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:C:68:ARG:HD3	1:C:112:LEU:HD12	1.93	0.50
1:G:131:ASN:HA	1:G:261:TYR:CZ	2.46	0.50
1:E:185:HIS:NE2	2:E:401:NAD:N7N	2.60	0.50
1:F:22:LEU:HD23	1:F:49:ILE:HD12	1.94	0.49
1:H:22:LEU:HD12	1:H:54:ILE:HG21	1.94	0.49
1:C:208:LYS:HE3	4:C:660:HOH:O	2.12	0.49
1:C:269:GLU:HG2	4:C:631:HOH:O	2.12	0.49
1:F:33:LEU:O	1:F:58:HIS:HA	2.13	0.49
1:C:96:ARG:HH21	1:C:99:LEU:HD23	1.77	0.49
1:A:185:HIS:NE2	2:A:401:NAD:N7N	2.62	0.48
1:D:5:ALA:HA	1:D:32:SER:O	2.13	0.48
1:F:171:ARG:CZ	1:F:174:LEU:HD13	2.44	0.47
1:H:63:LEU:HD22	1:H:64:PRO:HA	1.96	0.47
1:C:162:ARG:NH1	3:C:402:GOL:H11	2.25	0.47
1:H:183:GLY:O	1:H:273:LEU:HD22	2.14	0.47
1:H:157:LEU:HD21	1:H:242:PHE:HD1	1.80	0.47
1:H:98:ASP:O	1:H:102:VAL:HG23	2.14	0.47
1:H:318:PHE:CE2	1:H:322:LYS:HG3	2.49	0.47
1:D:126:VAL:O	2:D:401:NAD:H2N	2.15	0.47
1:C:199:GLY:N	3:C:404:GOL:H2	2.26	0.46
1:C:98:ASP:O	1:C:102:VAL:HG23	2.16	0.46
1:A:298:LYS:HE2	1:A:302:GLU:OE2	2.16	0.46
1:B:134:THR:HB	1:B:135:PRO:HD3	1.98	0.46
1:B:269:GLU:HG3	1:B:270:CYS:N	2.31	0.46
1:E:96:ARG:N	1:E:96:ARG:HD3	2.30	0.46
1:D:259:TYR:CZ	1:D:276:PRO:HB3	2.51	0.46
1:H:310:LYS:HA	1:H:313:ALA:CB	2.46	0.46
1:D:67:PRO:HG2	1:G:145:GLY:HA3	1.99	0.45
1:E:94:MET:CE	1:E:99:LEU:CD1	2.94	0.45
1:H:90:ARG:HH12	1:H:96:ARG:HG3	1.80	0.45
2:C:401:NAD:H3D	3:C:403:GOL:H11	1.99	0.45
1:F:134:THR:HB	1:F:135:PRO:HD3	1.97	0.45
1:B:132:SER:C	1:B:135:PRO:HD2	2.37	0.45
1:F:90:ARG:NH2	1:F:96:ARG:N	2.65	0.44
1:B:185:HIS:O	1:B:185:HIS:CG	2.69	0.44
1:C:218:GLY:HA3	3:C:402:GOL:H12	1.99	0.44
1:G:68:ARG:HA	1:G:113:THR:OG1	2.18	0.44
1:H:108:MET:HE3	1:H:108:MET:HB3	1.82	0.44
1:A:22:LEU:HD23	1:A:49:ILE:HD12	2.00	0.44
3:A:403:GOL:H2	1:B:199:GLY:N	2.31	0.44
1:D:33:LEU:O	1:D:58:HIS:HA	2.18	0.44



	A 4 arra 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:G:34:TYR:HB2	1:G:75:LEU:HD12	2.00	0.44
1:G:147:TYR:OH	1:G:263:ASP:OD2	2.32	0.44
1:H:264:THR:O	1:H:267:GLU:HB2	2.18	0.44
1:E:126:VAL:O	2:E:401:NAD:H2N	2.17	0.44
1:H:152:LEU:C	1:H:153:LEU:HG	2.38	0.43
1:B:275:MET:HB2	1:B:276:PRO:HD2	2.00	0.43
1:G:208:LYS:HB3	1:G:208:LYS:HE3	1.82	0.43
1:B:39:ALA:N	1:B:40:PRO:CD	2.82	0.43
1:C:259:TYR:CZ	1:C:276:PRO:HB3	2.53	0.43
1:C:68:ARG:HD3	1:C:112:LEU:CD1	2.48	0.43
1:G:162:ARG:HD3	1:G:217:ALA:CB	2.48	0.43
1:C:23:ARG:NH1	4:C:508:HOH:O	2.51	0.43
1:F:223:LYS:HG2	4:F:627:HOH:O	2.17	0.43
1:B:259:TYR:CZ	1:B:276:PRO:HB3	2.54	0.42
1:G:163:ALA:O	1:G:167:ILE:HG13	2.19	0.42
1:E:112:LEU:HD22	1:E:112:LEU:C	2.40	0.42
1:F:250:LEU:HD12	1:F:250:LEU:HA	1.90	0.42
1:C:111:VAL:CG1	1:C:141:LEU:HD13	2.50	0.42
1:G:111:VAL:CG1	1:G:141:LEU:HD13	2.49	0.42
1:D:22:LEU:HD23	1:D:49:ILE:HD12	2.01	0.42
1:E:259:TYR:CZ	1:E:276:PRO:HB3	2.54	0.42
1:G:126:VAL:O	2:G:401:NAD:H2N	2.20	0.42
1:E:17:LEU:HD21	1:E:83:VAL:HG11	2.02	0.41
1:E:22:LEU:HD21	1:E:49:ILE:HB	2.02	0.41
1:G:304:ALA:O	1:G:308:VAL:HG23	2.20	0.41
1:H:182:VAL:HA	1:H:274:ALA:O	2.20	0.41
1:G:100:PHE:CZ	1:G:314:LYS:HG2	2.55	0.41
1:B:298:LYS:HB3	1:B:298:LYS:HE2	1.81	0.41
1:F:64:PRO:HA	1:F:65:PRO:HD3	1.93	0.41
1:G:323:LEU:HD13	1:G:323:LEU:HA	1.78	0.41
1:C:183:GLY:O	1:C:273:LEU:HD22	2.21	0.41
1:F:82:PHE:CZ	1:F:114:CYS:HB3	2.56	0.41
1:B:300:MET:HE2	1:B:300:MET:HB2	1.79	0.41
1:C:91:LYS:H	1:C:94:MET:CE	2.34	0.41
1:C:88:VAL:HG21	1:C:102:VAL:HG12	1.93	0.41
1:F:39:ALA:N	1:F:40:PRO:CD	2.84	0.41
1:A:199:GLY:H	3:A:402:GOL:C2	2.28	0.40
1:H:63:LEU:HD22	1:H:63:LEU:HA	1.92	0.40
1:D:67:PRO:HA	1:D:109:ASP:OD1	2.22	0.40
1:E:94:MET:HE3	1:E:99:LEU:CD1	2.51	0.40
1:H:90:ARG:NH1	1:H:96:ARG:HG3	2.37	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:ALA:HB3	1:A:40:PRO:HD3	2.02	0.40
1:F:180:PRO:HB3	1:F:259:TYR:CZ	2.56	0.40
1:A:26:PRO:HG2	1:A:251:MET:SD	2.61	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	321/331~(97%)	316 (98%)	4 (1%)	1 (0%)	41	26
1	В	322/331~(97%)	317 (98%)	5 (2%)	0	100	100
1	С	323/331~(98%)	317 (98%)	5 (2%)	1 (0%)	41	26
1	D	321/331~(97%)	315 (98%)	6 (2%)	0	100	100
1	Е	322/331~(97%)	316 (98%)	5 (2%)	1 (0%)	41	26
1	F	322/331~(97%)	317 (98%)	4 (1%)	1 (0%)	41	26
1	G	321/331~(97%)	314 (98%)	5 (2%)	2 (1%)	25	12
1	Н	321/331~(97%)	310 (97%)	11 (3%)	0	100	100
All	All	2573/2648 (97%)	2522 (98%)	45 (2%)	6 (0%)	47	33

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	187	ASP
1	G	187	ASP
1	F	187	ASP
1	Е	187	ASP
1	G	322	LYS
1	С	187	ASP



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	261/268~(97%)	255~(98%)	6(2%)	50	34
1	В	262/268~(98%)	254~(97%)	8 (3%)	40	23
1	С	263/268~(98%)	249~(95%)	14 (5%)	22	8
1	D	261/268~(97%)	246~(94%)	15 (6%)	20	6
1	Ε	262/268~(98%)	243~(93%)	19 (7%)	14	3
1	F	262/268~(98%)	245~(94%)	17 (6%)	17	4
1	G	261/268~(97%)	242~(93%)	19 (7%)	14	3
1	Н	261/268~(97%)	234 (90%)	27 (10%)	7	1
All	All	2093/2144 (98%)	1968 (94%)	125 (6%)	19	5

All (125) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	2	VAL
1	А	62	LYS
1	А	188	VAL
1	А	208	LYS
1	А	285	GLU
1	А	323	LEU
1	В	2	VAL
1	В	91	LYS
1	В	112	LEU
1	В	253	LEU
1	В	267	GLU
1	В	273	LEU
1	В	307	VAL
1	В	323	LEU
1	С	1	MET
1	С	75	LEU
1	С	88	VAL
1	С	96	ARG
1	С	97	ASP



Mol	Chain	Res	Type
1	С	112	LEU
1	С	141	LEU
1	С	143	LYS
1	С	144	ILE
1	С	174	LEU
1	С	203	ASP
1	С	253	LEU
1	С	273	LEU
1	С	323	LEU
1	D	2	VAL
1	D	68	ARG
1	D	75	LEU
1	D	99	LEU
1	D	112	LEU
1	D	141	LEU
1	D	149	LYS
1	D	174	LEU
1	D	203	ASP
1	D	250	LEU
1	D	253	LEU
1	D	267	GLU
1	D	273	LEU
1	D	286	ARG
1	D	322	LYS
1	Е	1	MET
1	Е	68	ARG
1	Е	75	LEU
1	Е	77	GLU
1	Е	96	ARG
1	Е	99	LEU
1	Е	112	LEU
1	Е	141	LEU
1	Е	143	LYS
1	Е	172	HIS
1	Е	174	LEU
1	Е	188	VAL
1	Е	203	ASP
1	Е	223	LYS
1	Е	250	LEU
1	Е	253	LEU
1	Е	267	GLU
1	Е	273	LEU



Mol	Chain	Res	Type
1	Е	286	ARG
1	F	62	LYS
1	F	75	LEU
1	F	77	GLU
1	F	90	ARG
1	F	91	LYS
1	F	108	MET
1	F	144	ILE
1	F	174	LEU
1	F	187	ASP
1	F	250	LEU
1	F	253	LEU
1	F	267	GLU
1	F	268[A]	HIS
1	F	268[B]	HIS
1	F	269	GLU
1	F	273	LEU
1	F	323	LEU
1	G	68	ARG
1	G	75	LEU
1	G	99	LEU
1	G	141	LEU
1	G	144	ILE
1	G	165	ARG
1	G	167	ILE
1	G	174	LEU
1	G	187	ASP
1	G	250	LEU
1	G	253	LEU
1	G	273	LEU
1	G	290	ILE
1	G	294	THR
1	G	296	VAL
1	G	302	GLU
1	G	307	VAL
1	G	310	LYS
1	G	323	LEU
1	Η	1	MET
1	Н	63	LEU
1	Н	75	LEU
1	Н	85	VAL
1	Н	95	THR



Mol	Chain	Res	Type
1	Н	112	LEU
1	Н	139	GLN
1	Н	141	LEU
1	Н	143	LYS
1	Н	144	ILE
1	Н	149	LYS
1	Н	153	LEU
1	Н	157	LEU
1	Н	174	LEU
1	Н	188	VAL
1	Н	208	LYS
1	Н	250	LEU
1	Н	253	LEU
1	Н	267	GLU
1	Н	273	LEU
1	Н	286	ARG
1	Н	293	ILE
1	Н	295	THR
1	Н	298	LYS
1	Н	303	GLU
1	Н	310	LYS
1	Н	312	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	128	ASN
1	D	120	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Bos	Link	Bo	ond leng	ths	B	Bond angles		
WIOI	Type	Ullalli	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2	
3	GOL	А	403	-	$5,\!5,\!5$	0.43	0	$5,\!5,\!5$	0.79	0	
2	NAD	Е	401	-	42,48,48	0.98	3 (7%)	50,73,73	1.34	6 (12%)	
2	NAD	С	401	-	42,48,48	0.86	2 (4%)	50,73,73	1.16	4 (8%)	
3	GOL	В	402	-	$5,\!5,\!5$	0.15	0	$5,\!5,\!5$	0.60	0	
3	GOL	А	402	-	$5,\!5,\!5$	0.32	0	$5,\!5,\!5$	0.54	0	
2	NAD	В	401	-	42,48,48	1.19	4 (9%)	50,73,73	1.15	3 (6%)	
3	GOL	F	402	-	$5,\!5,\!5$	0.15	0	$5,\!5,\!5$	0.49	0	
2	NAD	G	401	-	42,48,48	1.14	3 (7%)	50,73,73	1.24	3 (6%)	
3	GOL	С	403	-	$5,\!5,\!5$	0.34	0	$5,\!5,\!5$	0.87	0	
3	GOL	С	402	-	$5,\!5,\!5$	0.52	0	$5,\!5,\!5$	0.76	0	
3	GOL	С	404	-	$5,\!5,\!5$	0.32	0	$5,\!5,\!5$	0.71	0	
2	NAD	Н	401	-	42,48,48	0.88	1 (2%)	50,73,73	1.03	3 (6%)	
2	NAD	F	401	-	42,48,48	0.88	1 (2%)	50,73,73	1.24	7 (14%)	
2	NAD	D	401	-	42,48,48	0.93	3 (7%)	50,73,73	1.35	5 (10%)	
2	NAD	А	401	-	42,48,48	1.09	3 (7%)	50,73,73	1.03	2 (4%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	А	403	-	-	4/4/4/4	-
2	NAD	Е	401	-	-	5/26/62/62	0/5/5/5
2	NAD	С	401	-	-	5/26/62/62	0/5/5/5
3	GOL	В	402	-	-	3/4/4/4	-
3	GOL	А	402	-	-	4/4/4/4	-
2	NAD	В	401	-	-	5/26/62/62	0/5/5/5



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	F	402	-	-	2/4/4/4	-
2	NAD	G	401	-	-	5/26/62/62	0/5/5/5
3	GOL	С	403	-	-	2/4/4/4	-
3	GOL	С	402	-	-	4/4/4/4	-
3	GOL	С	404	-	-	3/4/4/4	-
2	NAD	Н	401	-	-	5/26/62/62	0/5/5/5
2	NAD	F	401	-	-	5/26/62/62	0/5/5/5
2	NAD	D	401	-	-	5/26/62/62	0/5/5/5
2	NAD	А	401	-	-	5/26/62/62	0/5/5/5

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	401	NAD	C2N-N1N	4.33	1.40	1.35
2	Н	401	NAD	C2N-N1N	3.64	1.39	1.35
2	В	401	NAD	O4D-C1D	3.61	1.46	1.41
2	В	401	NAD	C4N-C3N	3.58	1.45	1.39
2	А	401	NAD	C4N-C3N	3.48	1.45	1.39
2	D	401	NAD	O7N-C7N	2.93	1.29	1.24
2	А	401	NAD	C2N-N1N	2.83	1.38	1.35
2	G	401	NAD	C4N-C3N	2.74	1.44	1.39
2	Ε	401	NAD	C4N-C3N	2.71	1.43	1.39
2	В	401	NAD	C2N-N1N	2.57	1.38	1.35
2	F	401	NAD	C4N-C3N	2.52	1.43	1.39
2	Е	401	NAD	C6N-N1N	2.48	1.41	1.35
2	С	401	NAD	C6N-N1N	2.43	1.41	1.35
2	А	401	NAD	C6N-N1N	2.42	1.41	1.35
2	Ε	401	NAD	C2N-C3N	-2.25	1.35	1.39
2	В	401	NAD	C6N-N1N	2.10	1.40	1.35
2	G	401	NAD	C8A-N7A	-2.08	1.31	1.34
2	D	401	NAD	C4N-C3N	2.06	1.42	1.39
2	С	401	NAD	C4N-C3N	2.05	1.42	1.39
2	D	401	NAD	O4D-C1D	2.04	1.43	1.41

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	D	401	NAD	O4D-C1D-C2D	-4.67	100.10	106.93
2	G	401	NAD	O4D-C1D-C2D	-4.60	100.20	106.93
2	Е	401	NAD	C3N-C7N-N7N	-4.34	112.54	117.75



Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	D	401	NAD	C3N-C7N-N7N	-4.08	112.85	117.75
2	F	401	NAD	C6N-N1N-C2N	-3.88	118.43	121.97
2	А	401	NAD	O4D-C1D-C2D	-3.69	101.53	106.93
2	В	401	NAD	C3N-C7N-N7N	3.56	122.02	117.75
2	Н	401	NAD	O4D-C1D-C2D	-3.55	101.74	106.93
2	D	401	NAD	O7N-C7N-C3N	3.54	123.86	119.63
2	Е	401	NAD	O7N-C7N-C3N	3.46	123.78	119.63
2	G	401	NAD	C6N-N1N-C2N	-3.29	118.98	121.97
2	В	401	NAD	O4D-C1D-C2D	-3.23	102.20	106.93
2	С	401	NAD	O4D-C1D-C2D	-3.08	102.42	106.93
2	F	401	NAD	O7N-C7N-C3N	-3.01	116.03	119.63
2	С	401	NAD	C3N-C7N-N7N	2.98	121.33	117.75
2	F	401	NAD	O4D-C1D-C2D	-2.98	102.57	106.93
2	Н	401	NAD	C6N-N1N-C2N	-2.96	119.28	121.97
2	Е	401	NAD	C3D-C2D-C1D	-2.88	96.64	100.98
2	F	401	NAD	C3N-C2N-N1N	2.82	123.19	120.43
2	В	401	NAD	O7N-C7N-C3N	-2.78	116.30	119.63
2	С	401	NAD	C6N-N1N-C2N	-2.70	119.52	121.97
2	А	401	NAD	C6N-N1N-C2N	-2.62	119.59	121.97
2	F	401	NAD	C3N-C7N-N7N	2.60	120.87	117.75
2	С	401	NAD	O2A-PA-O1A	2.45	124.35	112.24
2	Е	401	NAD	O3D-C3D-C4D	2.33	117.79	111.05
2	D	401	NAD	O3D-C3D-C2D	-2.32	104.31	111.82
2	Е	401	NAD	O3D-C3D-C2D	-2.18	104.76	111.82
2	F	401	NAD	O3D-C3D-C2D	-2.15	104.87	111.82
2	Н	401	NAD	C5A-C6A-N6A	2.10	123.55	120.35
2	G	401	NAD	O3D-C3D-C2D	-2.03	105.26	111.82
2	Е	401	NAD	O4D-C1D-C2D	-2.03	103.96	106.93
2	D	401	NAD	C3N-C2N-N1N	2.02	122.40	120.43
2	F	401	NAD	O4B-C1B-C2B	-2.00	104.00	106.93

Continued from previous page...

There are no chirality outliers.

All (62) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	401	NAD	O4D-C1D-N1N-C2N
2	А	401	NAD	O4D-C1D-N1N-C6N
2	А	401	NAD	C2D-C1D-N1N-C2N
2	А	401	NAD	C2D-C1D-N1N-C6N
2	В	401	NAD	O4D-C1D-N1N-C2N
2	В	401	NAD	O4D-C1D-N1N-C6N
2	В	401	NAD	C2D-C1D-N1N-C2N



Mol	Chain	Res	Type	Atoms
2	В	401	NAD	C2D-C1D-N1N-C6N
2	С	401	NAD	O4D-C1D-N1N-C2N
2	С	401	NAD	O4D-C1D-N1N-C6N
2	С	401	NAD	C2D-C1D-N1N-C2N
2	С	401	NAD	C2D-C1D-N1N-C6N
2	D	401	NAD	O4D-C1D-N1N-C2N
2	D	401	NAD	O4D-C1D-N1N-C6N
2	D	401	NAD	C2D-C1D-N1N-C2N
2	D	401	NAD	C2D-C1D-N1N-C6N
2	Е	401	NAD	O4D-C1D-N1N-C2N
2	Е	401	NAD	O4D-C1D-N1N-C6N
2	Е	401	NAD	C2D-C1D-N1N-C2N
2	Е	401	NAD	C2D-C1D-N1N-C6N
2	F	401	NAD	O4D-C1D-N1N-C2N
2	F	401	NAD	O4D-C1D-N1N-C6N
2	F	401	NAD	C2D-C1D-N1N-C2N
2	F	401	NAD	C2D-C1D-N1N-C6N
2	G	401	NAD	O4D-C1D-N1N-C2N
2	G	401	NAD	O4D-C1D-N1N-C6N
2	G	401	NAD	C2D-C1D-N1N-C2N
2	G	401	NAD	C2D-C1D-N1N-C6N
2	Н	401	NAD	O4D-C1D-N1N-C2N
2	Н	401	NAD	O4D-C1D-N1N-C6N
2	Н	401	NAD	C2D-C1D-N1N-C2N
2	Н	401	NAD	C2D-C1D-N1N-C6N
3	А	402	GOL	O1-C1-C2-C3
3	А	402	GOL	O2-C2-C3-O3
3	В	402	GOL	O1-C1-C2-C3
3	С	402	GOL	O1-C1-C2-C3
3	С	402	GOL	C1-C2-C3-O3
3	С	403	GOL	C1-C2-C3-O3
3	В	402	GOL	O1-C1-C2-O2
3	А	402	GOL	C1-C2-C3-O3
3	А	403	GOL	O1-C1-C2-C3
3	С	404	GOL	C1-C2-C3-O3
3	А	402	GOL	O1-C1-C2-O2
3	А	403	GOL	O1-C1-C2-O2
3	С	402	GOL	O2-C2-C3-O3
3	С	403	GOL	O2-C2-C3-O3
3	С	404	GOL	O2-C2-C3-O3
3	А	403	GOL	O2-C2-C3-O3
3	В	402	GOL	O2-C2-C3-O3

Continued from previous page...



7	\cap	\cap	Z
1	ખ્ય	\mathbf{U}	$\boldsymbol{\omega}$

Mol	Chain	Res	Type	Atoms
3	С	402	GOL	O1-C1-C2-O2
3	С	404	GOL	O1-C1-C2-O2
3	F	402	GOL	O2-C2-C3-O3
2	Η	401	NAD	O4B-C4B-C5B-O5B
3	А	403	GOL	C1-C2-C3-O3
2	F	401	NAD	O4B-C4B-C5B-O5B
2	D	401	NAD	O4B-C4B-C5B-O5B
2	А	401	NAD	O4B-C4B-C5B-O5B
2	В	401	NAD	O4B-C4B-C5B-O5B
2	С	401	NAD	O4B-C4B-C5B-O5B
2	Е	401	NAD	O4B-C4B-C5B-O5B
2	G	401	NAD	O4B-C4B-C5B-O5B
3	F	402	GOL	O1-C1-C2-C3

Continued from previous page...

There are no ring outliers.

13 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	А	403	GOL	2	0
2	Е	401	NAD	2	0
2	С	401	NAD	2	0
3	А	402	GOL	3	0
2	В	401	NAD	1	0
2	G	401	NAD	2	0
3	С	403	GOL	1	0
3	С	402	GOL	7	0
3	С	404	GOL	2	0
2	Н	401	NAD	1	0
2	F	401	NAD	1	0
2	D	401	NAD	2	0
2	А	401	NAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.



The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RS	RZ>	>2	$OWAB(Å^2)$	Q < 0.9
1	А	323/331~(97%)	-0.54	1 (0%)	94	93	21, 30, 48, 73	0
1	В	323/331~(97%)	-0.49	2(0%)	89	89	22, 31, 54, 79	0
1	С	323/331~(97%)	-0.41	6 (1%)	66	66	22, 32, 61, 85	0
1	D	322/331~(97%)	-0.48	2(0%)	89	89	22, 33, 53, 91	0
1	Е	323/331~(97%)	-0.47	1 (0%)	94	93	27, 39, 58, 78	0
1	F	323/331~(97%)	-0.33	13 (4%)	38	36	25, 37, 64, 94	0
1	G	323/331~(97%)	-0.15	3 (0%)	84	84	28, 48, 76, 102	0
1	Н	322/331~(97%)	0.62	36 (11%)) 5	5	33, 68, 117, 144	0
All	All	2582/2648~(97%)	-0.28	64 (2%)	57	56	21, 37, 79, 144	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	91	LYS	4.9
1	Е	323	LEU	4.8
1	Н	92	PRO	4.7
1	F	93	GLY	4.6
1	А	323	LEU	4.4
1	С	93	GLY	4.3
1	Н	95	THR	4.2
1	F	63	LEU	4.1
1	Н	94	MET	3.7
1	С	91	LYS	3.6
1	Н	303	GLU	3.5
1	Н	96	ARG	3.5
1	Н	270	CYS	3.4
1	Н	99	LEU	3.4
1	Н	90	ARG	3.4
1	Н	144	ILE	3.4



Mol	Chain	Res	Type	RSRZ
1	Н	295	THR	3.4
1	Н	93	GLY	3.3
1	Н	63	LEU	3.3
1	Н	208	LYS	3.2
1	Н	266	GLY	3.1
1	В	93	GLY	3.0
1	Н	302	GLU	2.9
1	F	99	LEU	2.9
1	Н	320	ARG	2.9
1	Н	205	SER	2.8
1	F	102	VAL	2.8
1	G	323	LEU	2.8
1	Н	304	ALA	2.7
1	F	92	PRO	2.7
1	С	97	ASP	2.7
1	Н	152	LEU	2.7
1	F	188	VAL	2.6
1	F	323	LEU	2.6
1	С	94	MET	2.5
1	F	88	VAL	2.5
1	Н	111	VAL	2.5
1	G	208	LYS	2.4
1	Н	268	HIS	2.4
1	Н	298	LYS	2.4
1	Н	97	ASP	2.4
1	Н	203	ASP	2.4
1	F	94	MET	2.4
1	G	295	THR	2.4
1	F	96	ARG	2.4
1	С	323	LEU	2.4
1	Н	216	VAL	2.4
1	Н	296	VAL	2.4
1	Н	115	ALA	2.3
1	H	190	ILE	2.3
1	Н	62	LYS	2.3
1	C	98	ASP	2.3
1	Н	143	LYS	2.2
1	D	269	GLU	2.2
1	H	89	PRO	2.2
1	D	322	LYS	2.2
1	H	269	GLU	2.2
1	Н	149	LYS	2.1



Continued from previous page...

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	F	66	VAL	2.1
1	Н	64	PRO	2.1
1	F	98	ASP	2.1
1	Н	207	LEU	2.0
1	Н	293	ILE	2.0
1	В	94	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
3	GOL	С	402	6/6	0.83	0.12	$37,\!41,\!50,\!51$	0
3	GOL	F	402	6/6	0.87	0.17	39,40,42,44	0
3	GOL	А	402	6/6	0.89	0.12	41,43,47,48	0
3	GOL	А	403	6/6	0.91	0.10	40,42,44,46	0
3	GOL	С	404	6/6	0.93	0.11	43,45,50,53	0
3	GOL	С	403	6/6	0.93	0.11	$39,\!43,\!44,\!45$	0
3	GOL	В	402	6/6	0.94	0.10	38,44,46,46	0
2	NAD	Н	401	44/44	0.96	0.09	52,63,69,71	0
2	NAD	В	401	44/44	0.97	0.09	25,30,35,39	0
2	NAD	С	401	44/44	0.97	0.07	26,30,34,38	0
2	NAD	D	401	44/44	0.97	0.08	26,30,35,38	0
2	NAD	Е	401	44/44	0.97	0.08	30,37,47,55	0
2	NAD	G	401	44/44	0.98	0.08	29,42,48,49	0
2	NAD	А	401	44/44	0.98	0.08	23,28,34,36	0
2	NAD	F	401	44/44	0.98	0.06	29,34,43,44	0

The following is a graphical depiction of the model fit to experimental electron density of all



instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









































6.5 Other polymers (i)

There are no such residues in this entry.

