



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 22, 2024 – 01:33 AM EST

PDB ID : 4QRA
Title : Structure and specificity of L-D-Transpeptidase from Mycobacterium tuberculosis and antibiotic resistance: Calcium binding promotes dimer formation
Authors : Gokulan, K.; Varughese, K.I.
Deposited on : 2014-06-30
Resolution : 2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	352	 7% 75% 14% 5% • 5%
1	B	352	 6% 78% 11% • • 6%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5344 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L,d-transpeptidase LdtB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	334	2539	1590	445	496	8	0	0	0
1	B	330	2507	1572	437	490	8	0	0	0

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	146	Total	O	0	0
			146	146		
3	B	151	Total	O	0	0
			151	151		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: L,d-transpeptidase LdtB



- Molecule 1: L,d-transpeptidase LdtB



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	113.76Å 88.13Å 90.51Å 90.00° 90.02° 90.00°	Depositor
Resolution (Å)	34.86 – 2.29 34.83 – 2.29	Depositor EDS
% Data completeness (in resolution range)	97.5 (34.86-2.29) 97.6 (34.83-2.29)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.49 (at 2.29Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.182 , 0.226 0.190 , 0.228	Depositor DCC
R_{free} test set	1964 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	33.0	Xtrriage
Anisotropy	0.328	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 25.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.459 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5344	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.97	2/2603 (0.1%)	0.94	3/3561 (0.1%)
1	B	0.95	1/2571 (0.0%)	0.93	5/3518 (0.1%)
All	All	0.96	3/5174 (0.1%)	0.93	8/7079 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	2
All	All	0	5

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	112	TRP	C-N	-16.58	0.95	1.34
1	A	100	PRO	N-CD	5.31	1.55	1.47
1	B	107	PRO	N-CD	5.21	1.55	1.47

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	99	ARG	C-N-CD	-12.74	92.58	120.60
1	A	112	TRP	O-C-N	-9.54	107.43	122.70
1	B	373	ASP	CB-CG-OD1	6.64	124.28	118.30
1	A	112	TRP	CA-C-N	6.50	131.51	117.20
1	B	106	SER	C-N-CD	5.66	140.29	128.40
1	A	99	ARG	C-N-CD	5.53	140.02	128.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	95	ASN	N-CA-C	5.40	125.58	111.00
1	B	232	ASP	CB-CG-OD1	5.36	123.13	118.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	101	VAL	Peptide
1	A	88	LEU	Peptide
1	A	94	VAL	Peptide
1	B	100	PRO	Peptide
1	B	121	ASN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2539	0	2425	92	0
1	B	2507	0	2393	98	0
2	A	1	0	0	0	0
3	A	146	0	0	1	0
3	B	151	0	0	3	0
All	All	5344	0	4818	190	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (190) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:104:ARG:HB3	1:B:112:TRP:CZ2	1.32	1.62
1:B:104:ARG:CB	1:B:112:TRP:CZ2	1.86	1.55
1:B:101:VAL:CG2	1:B:116:GLU:OE2	1.64	1.45
1:B:98:GLY:O	1:B:100:PRO:HD3	1.13	1.28
1:B:86:GLY:CA	1:B:87:VAL:HG12	1.65	1.25

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:104:ARG:HB2	1:B:112:TRP:CE2	1.75	1.19
1:B:98:GLY:O	1:B:100:PRO:CD	1.91	1.17
1:B:104:ARG:HH11	1:B:105:LEU:CD1	1.62	1.11
1:A:97:ASN:HB3	1:A:98:GLY:HA3	1.12	1.09
1:B:86:GLY:HA2	1:B:87:VAL:HG12	1.21	1.09
1:A:94:VAL:HB	1:A:95:ASN:HB3	1.34	1.06
1:A:95:ASN:HB2	1:A:99:ARG:HA	1.10	1.06
1:B:101:VAL:HG21	1:B:116:GLU:CD	1.75	1.05
1:B:99:ARG:HH21	1:B:99:ARG:HG2	1.20	1.04
1:B:104:ARG:HB2	1:B:112:TRP:CZ2	1.80	1.04
1:B:104:ARG:HH11	1:B:105:LEU:HD12	1.16	1.04
1:B:121:ASN:HB2	1:B:122:ARG:HG2	1.36	1.04
1:B:107:PRO:HD3	1:B:111:ARG:O	1.59	1.03
1:A:101:VAL:HG22	1:A:102:ALA:H	1.18	1.03
1:B:104:ARG:CG	1:B:112:TRP:HZ2	1.71	1.03
1:A:95:ASN:HB2	1:A:99:ARG:CA	1.90	1.02
1:B:98:GLY:C	1:B:100:PRO:HD3	1.81	1.01
1:A:83:ALA:HB3	1:A:110:LEU:HD23	1.44	1.00
1:A:105:LEU:HD12	1:A:106:SER:HA	1.42	0.99
1:B:86:GLY:HA3	1:B:87:VAL:HG12	1.44	0.98
1:A:103:GLY:O	1:A:105:LEU:N	1.97	0.97
1:B:104:ARG:CB	1:B:112:TRP:HZ2	1.42	0.97
1:B:104:ARG:HB3	1:B:112:TRP:CH2	2.00	0.96
1:B:121:ASN:CB	1:B:122:ARG:HG2	1.97	0.95
1:B:101:VAL:HG23	1:B:102:ALA:H	1.30	0.95
1:B:109:GLY:C	1:B:110:LEU:HD23	1.86	0.95
1:B:101:VAL:HG21	1:B:116:GLU:OE2	0.77	0.94
1:A:104:ARG:O	1:A:105:LEU:HG	1.65	0.94
1:B:104:ARG:CB	1:B:112:TRP:CE2	2.42	0.93
1:B:96:ASP:H	1:B:100:PRO:HG2	1.28	0.93
1:B:104:ARG:NH1	1:B:105:LEU:CD1	2.32	0.93
1:A:97:ASN:CB	1:A:98:GLY:HA3	2.01	0.90
1:B:84:ALA:O	1:B:85:ASP:OD2	1.90	0.89
1:B:86:GLY:HA2	1:B:87:VAL:CG1	2.03	0.89
1:B:86:GLY:CA	1:B:87:VAL:CG1	2.49	0.88
1:A:89:ALA:HA	1:A:90:ALA:HB3	1.54	0.87
1:B:121:ASN:HB3	1:B:122:ARG:HA	1.56	0.87
1:B:104:ARG:HB2	1:B:112:TRP:NE1	1.90	0.86
1:A:89:ALA:HB1	1:A:90:ALA:C	1.96	0.86
1:A:95:ASN:CB	1:A:99:ARG:HA	2.01	0.85
1:A:96:ASP:OD1	1:A:97:ASN:N	2.09	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:LEU:O	1:A:106:SER:OG	1.95	0.83
1:B:86:GLY:HA3	1:B:87:VAL:O	1.78	0.83
1:A:97:ASN:HB3	1:A:98:GLY:CA	2.04	0.83
1:A:105:LEU:HD12	1:A:106:SER:CA	2.09	0.82
1:B:104:ARG:NE	1:B:104:ARG:O	2.13	0.82
1:A:95:ASN:HA	1:A:100:PRO:O	1.82	0.78
1:A:88:LEU:HB3	1:A:89:ALA:HB3	1.65	0.78
1:B:99:ARG:HG2	1:B:99:ARG:NH2	1.95	0.77
1:A:105:LEU:HD12	1:A:106:SER:N	2.00	0.76
1:B:95:ASN:HB2	1:B:100:PRO:HG2	1.66	0.76
1:B:101:VAL:CG2	1:B:116:GLU:CD	2.44	0.75
1:A:101:VAL:HG22	1:A:102:ALA:N	1.99	0.74
1:B:94:VAL:CG2	1:B:125:THR:HB	2.17	0.74
1:A:98:GLY:C	1:A:100:PRO:HD3	2.07	0.73
1:B:104:ARG:CG	1:B:112:TRP:CZ2	2.56	0.73
1:A:89:ALA:HB1	1:A:90:ALA:O	1.89	0.73
1:B:96:ASP:N	1:B:100:PRO:HG2	2.03	0.73
1:B:95:ASN:HA	1:B:100:PRO:HB2	1.71	0.72
1:A:88:LEU:HD22	1:A:88:LEU:N	2.04	0.72
1:A:88:LEU:HB3	1:A:89:ALA:CB	2.20	0.71
1:B:104:ARG:NH1	1:B:105:LEU:HD12	1.96	0.71
1:B:110:LEU:HD23	1:B:110:LEU:N	2.04	0.71
1:B:107:PRO:HG2	1:B:109:GLY:H	1.56	0.71
1:B:101:VAL:CG2	1:B:102:ALA:H	2.01	0.71
1:B:101:VAL:HG23	1:B:102:ALA:N	2.04	0.70
1:B:95:ASN:HB2	1:B:100:PRO:CG	2.21	0.70
1:B:95:ASN:HB2	1:B:100:PRO:HD2	1.74	0.69
1:A:88:LEU:CB	1:A:89:ALA:HB3	2.21	0.69
1:A:105:LEU:HA	1:A:112:TRP:NE1	2.07	0.69
1:B:93:MET:HA	1:B:125:THR:O	1.94	0.68
1:A:96:ASP:O	1:A:97:ASN:HB2	1.94	0.68
1:A:101:VAL:CG2	1:A:102:ALA:H	2.02	0.67
1:A:109:GLY:O	1:A:110:LEU:HB2	1.93	0.66
1:B:86:GLY:HA3	1:B:87:VAL:CG1	2.17	0.66
1:B:88:LEU:O	1:B:88:LEU:HD23	1.96	0.66
1:B:121:ASN:HB3	1:B:122:ARG:CA	2.26	0.66
1:B:104:ARG:HE	1:B:104:ARG:C	2.00	0.65
1:A:91:VAL:O	1:A:92:THR:HG23	1.97	0.65
1:B:88:LEU:HD23	1:B:88:LEU:C	2.18	0.64
1:A:297:ARG:HG3	1:A:366:TYR:CE2	2.32	0.64
1:B:104:ARG:NH1	1:B:105:LEU:HD13	2.12	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:ASP:HB2	1:A:123:ARG:O	1.98	0.63
1:B:95:ASN:HB2	1:B:100:PRO:CD	2.28	0.63
1:A:116:GLU:HA	1:A:116:GLU:OE1	1.98	0.63
1:B:121:ASN:HB2	1:B:122:ARG:CG	2.22	0.62
1:A:87:VAL:HG12	1:A:88:LEU:N	2.15	0.61
1:B:104:ARG:HH11	1:B:105:LEU:HD13	1.59	0.61
1:A:297:ARG:HB3	1:A:297:ARG:CZ	2.30	0.61
1:A:98:GLY:CA	1:A:100:PRO:HD3	2.31	0.60
1:B:104:ARG:HD3	1:B:104:ARG:H	1.66	0.60
1:A:140:GLN:O	1:A:141:LEU:HD13	2.02	0.59
1:A:94:VAL:CB	1:A:95:ASN:HB3	2.24	0.58
1:A:94:VAL:HG11	1:A:99:ARG:NH2	2.17	0.58
1:B:102:ALA:O	1:B:103:GLY:O	2.20	0.58
1:B:109:GLY:CA	1:B:110:LEU:HD23	2.34	0.58
1:A:156:VAL:HG21	1:A:226:VAL:HG21	1.84	0.58
1:A:95:ASN:OD1	1:A:96:ASP:N	2.37	0.57
1:B:304:ASP:O	1:B:307:THR:HG23	2.05	0.56
1:A:105:LEU:CD1	1:A:106:SER:HA	2.28	0.56
1:A:172:ILE:HD13	1:A:188:ILE:HD13	1.89	0.55
1:B:86:GLY:CA	1:B:87:VAL:CB	2.85	0.54
1:A:107:PRO:HB3	1:A:108:ASP:HA	1.89	0.54
1:A:304:ASP:OD2	1:A:319:ARG:NH2	2.41	0.54
1:B:96:ASP:H	1:B:100:PRO:CG	2.10	0.53
1:B:107:PRO:O	1:B:108:ASP:HB2	2.08	0.53
1:A:94:VAL:HG11	1:A:99:ARG:HH21	1.72	0.53
1:A:104:ARG:O	1:A:105:LEU:CG	2.47	0.53
1:A:105:LEU:HA	1:A:112:TRP:CE2	2.43	0.52
1:A:88:LEU:N	1:A:88:LEU:CD2	2.73	0.52
1:A:83:ALA:HB3	1:A:110:LEU:CD2	2.28	0.52
1:A:156:VAL:CG2	1:A:226:VAL:HG21	2.40	0.52
1:A:95:ASN:O	1:A:99:ARG:N	2.42	0.52
1:A:105:LEU:CD1	1:A:106:SER:N	2.73	0.51
1:B:95:ASN:CB	1:B:100:PRO:HG2	2.40	0.51
1:B:234:GLY:O	1:B:237:MET:HB3	2.11	0.51
1:B:299:LYS:NZ	3:B:632:HOH:O	2.44	0.50
1:B:104:ARG:HB3	1:B:112:TRP:HZ2	1.07	0.50
1:A:110:LEU:C	1:A:111:ARG:HG3	2.31	0.50
1:A:93:MET:O	1:A:102:ALA:HB2	2.12	0.50
1:A:87:VAL:CG1	1:A:88:LEU:N	2.75	0.49
1:B:94:VAL:HG22	1:B:125:THR:HB	1.93	0.49
1:B:246:HIS:HB2	3:B:560:HOH:O	2.11	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:95:ASN:HA	1:B:100:PRO:CB	2.40	0.49
1:A:152:THR:HB	1:A:237:MET:HE1	1.95	0.49
1:A:105:LEU:HD12	1:A:105:LEU:C	2.33	0.49
1:B:121:ASN:CA	1:B:122:ARG:HG2	2.43	0.49
1:B:93:MET:HE1	1:B:114:THR:HG23	1.94	0.49
1:A:93:MET:HA	1:A:125:THR:O	2.13	0.48
1:A:299:LYS:NZ	3:A:736:HOH:O	2.45	0.48
1:A:88:LEU:CB	1:A:89:ALA:CB	2.87	0.48
1:B:152:THR:HB	1:B:237:MET:HE2	1.95	0.48
1:B:81:VAL:HG22	1:B:112:TRP:HB3	1.95	0.47
1:A:103:GLY:HA3	1:A:115:THR:H	1.79	0.47
1:A:140:GLN:C	1:A:141:LEU:HD13	2.35	0.47
1:A:86:GLY:C	1:A:87:VAL:HG23	2.36	0.47
1:A:98:GLY:HA3	1:A:100:PRO:HD3	1.96	0.46
1:A:95:ASN:HB2	1:A:99:ARG:C	2.34	0.46
1:A:121:ASN:OD1	1:A:147:SER:CB	2.62	0.46
1:B:101:VAL:O	1:B:102:ALA:CB	2.63	0.46
1:A:255:ALA:HA	1:A:265:THR:O	2.15	0.46
1:A:88:LEU:HD22	1:A:88:LEU:H	1.77	0.46
1:B:104:ARG:HG2	1:B:112:TRP:CZ2	2.48	0.46
1:B:110:LEU:N	1:B:110:LEU:CD2	2.73	0.46
1:B:96:ASP:HA	1:B:97:ASN:HA	1.71	0.45
1:A:99:ARG:N	1:A:100:PRO:CD	2.79	0.45
1:B:104:ARG:HD3	1:B:104:ARG:N	2.31	0.45
1:B:148:PRO:HG2	1:B:151:LEU:HD21	1.99	0.45
1:A:110:LEU:C	1:A:111:ARG:CG	2.86	0.45
1:B:90:ALA:O	1:B:91:VAL:HG22	2.17	0.44
1:B:90:ALA:O	1:B:91:VAL:CG2	2.65	0.44
1:B:65:SER:HB3	1:B:80:SER:O	2.18	0.44
1:B:123:ARG:NH2	3:B:649:HOH:O	2.51	0.43
1:A:93:MET:HE1	1:A:114:THR:CG2	2.48	0.43
1:B:121:ASN:CB	1:B:122:ARG:CA	2.96	0.43
1:A:95:ASN:HB2	1:A:99:ARG:HG2	2.00	0.43
1:A:85:ASP:OD1	1:A:85:ASP:N	2.34	0.43
1:A:101:VAL:CG2	1:A:102:ALA:N	2.70	0.43
1:A:107:PRO:CB	1:A:108:ASP:HA	2.48	0.42
1:A:257:ALA:HB2	1:A:264:LEU:HD13	2.00	0.42
1:A:123:ARG:HD2	1:A:142:THR:CG2	2.50	0.42
1:B:198:GLY:HA3	1:B:210:TRP:CZ2	2.53	0.42
1:B:90:ALA:C	1:B:91:VAL:HG23	2.40	0.42
1:B:105:LEU:HD12	1:B:105:LEU:HA	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:95:ASN:O	1:A:100:PRO:HD2	2.18	0.42
1:A:82:THR:HG22	1:A:83:ALA:O	2.19	0.42
1:A:88:LEU:HB3	1:A:89:ALA:HB2	2.01	0.42
1:B:109:GLY:HA3	1:B:110:LEU:HD23	2.00	0.42
1:A:68:ASP:OD1	1:A:69:GLY:N	2.53	0.42
1:B:90:ALA:C	1:B:91:VAL:CG2	2.89	0.41
1:B:101:VAL:CG2	1:B:102:ALA:N	2.71	0.41
1:A:96:ASP:HB3	1:A:122:ARG:HB3	2.02	0.41
1:A:106:SER:O	1:A:107:PRO:O	2.38	0.41
1:B:170:VAL:O	1:B:209:ARG:HA	2.19	0.41
1:B:198:GLY:HA3	1:B:210:TRP:CH2	2.56	0.41
1:A:170:VAL:O	1:A:209:ARG:HA	2.20	0.41
1:A:95:ASN:OD1	1:A:96:ASP:CA	2.69	0.41
1:A:83:ALA:O	1:A:84:ALA:CB	2.69	0.41
1:A:93:MET:CE	1:A:114:THR:CG2	2.99	0.41
1:A:166:VAL:HG21	1:A:252:GLU:HG3	2.03	0.41
1:A:98:GLY:C	1:A:100:PRO:CD	2.86	0.40
1:B:104:ARG:O	1:B:104:ARG:CD	2.70	0.40
1:A:93:MET:HE1	1:A:114:THR:HG23	2.04	0.40
1:B:93:MET:CE	1:B:114:THR:HG23	2.51	0.40
1:B:107:PRO:O	1:B:108:ASP:CB	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/352 (94%)	308 (93%)	14 (4%)	8 (2%)	6	4
1	B	326/352 (93%)	305 (94%)	11 (3%)	10 (3%)	4	2
All	All	656/704 (93%)	613 (93%)	25 (4%)	18 (3%)	5	3

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	84	ALA
1	A	97	ASN
1	A	99	ARG
1	A	104	ARG
1	B	96	ASP
1	B	102	ALA
1	A	95	ASN
1	A	110	LEU
1	B	87	VAL
1	B	88	LEU
1	B	100	PRO
1	B	103	GLY
1	B	108	ASP
1	B	121	ASN
1	A	89	ALA
1	A	107	PRO
1	B	94	VAL
1	B	109	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	271/282 (96%)	255 (94%)	16 (6%)	19	27
1	B	268/282 (95%)	252 (94%)	16 (6%)	19	26
All	All	539/564 (96%)	507 (94%)	32 (6%)	19	27

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	THR
1	A	81	VAL
1	A	88	LEU
1	A	99	ARG
1	A	105	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	111	ARG
1	A	113	SER
1	A	115	THR
1	A	138	THR
1	A	141	LEU
1	A	237	MET
1	A	297	ARG
1	A	307	THR
1	A	319	ARG
1	A	322	VAL
1	A	393	ASP
1	B	87	VAL
1	B	92	THR
1	B	95	ASN
1	B	97	ASN
1	B	99	ARG
1	B	104	ARG
1	B	106	SER
1	B	107	PRO
1	B	113	SER
1	B	116	GLU
1	B	118	LEU
1	B	237	MET
1	B	276	MET
1	B	307	THR
1	B	322	VAL
1	B	393	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	112:TRP	C	113:SER	N	0.95

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	334/352 (94%)	0.03	23 (6%) 16 22	19, 31, 105, 116	0
1	B	330/352 (93%)	-0.01	21 (6%) 19 25	19, 31, 103, 114	0
All	All	664/704 (94%)	0.01	44 (6%) 18 23	19, 31, 104, 116	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	110	LEU	10.7
1	B	82	THR	8.6
1	B	108	ASP	7.7
1	A	93	MET	6.4
1	A	84	ALA	6.2
1	A	91	VAL	5.6
1	A	82	THR	5.6
1	A	107	PRO	5.2
1	A	90	ALA	5.1
1	A	109	GLY	5.0
1	B	83	ALA	5.0
1	A	83	ALA	4.8
1	A	92	THR	4.7
1	B	90	ALA	4.6
1	B	110	LEU	4.5
1	B	124	TYR	4.3
1	B	114	THR	4.1
1	A	78	PRO	4.0
1	A	118	LEU	4.0
1	A	102	ALA	3.8
1	B	89	ALA	3.6
1	B	84	ALA	3.4
1	B	93	MET	3.3
1	B	81	VAL	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	111	ARG	3.2
1	B	126	LEU	3.2
1	A	99	ARG	3.1
1	B	88	LEU	3.1
1	B	92	THR	3.0
1	B	109	GLY	2.9
1	A	111	ARG	2.8
1	A	124	TYR	2.7
1	B	87	VAL	2.7
1	A	85	ASP	2.6
1	B	99	ARG	2.5
1	A	87	VAL	2.4
1	A	64	ALA	2.4
1	A	143	PHE	2.3
1	A	108	ASP	2.3
1	B	101	VAL	2.3
1	A	126	LEU	2.2
1	A	80	SER	2.2
1	B	95	ASN	2.1
1	B	107	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	A	501	1/1	0.99	0.14	32,32,32,32	0

6.5 Other polymers [i](#)

There are no such residues in this entry.