



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 27, 2023 – 09:22 PM EDT

PDB ID : 1R0M
Title : Structure of Deinococcus radiodurans N-acylamino acid racemase at 1.3 : insights into a flexible binding pocket and evolution of enzymatic activity
Authors : Wang, W.-C.; Chiu, W.-C.; Hsu, S.-K.; Wu, C.-L.; Chen, C.-Y.; Liu, J.-S.; Hsu, W.-H.
Deposited on : 2003-09-22
Resolution : 1.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1058 (1.30-1.30)
Clashscore	141614	1101 (1.30-1.30)
Ramachandran outliers	138981	1058 (1.30-1.30)
Sidechain outliers	138945	1058 (1.30-1.30)
RSRZ outliers	127900	1029 (1.30-1.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	375	
1	B	375	
1	C	375	
1	D	375	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 12731 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-acylamino acid racemase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	360	2766	1733	507	516	10	0	0	0
1	B	360	2766	1733	507	516	10	0	0	0
1	C	360	2766	1733	507	516	10	0	0	0
1	D	360	2766	1733	507	516	10	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	94	SER	ALA	SEE REMARK 999	UNP Q9RYA6
A	148	ASP	GLY	SEE REMARK 999	UNP Q9RYA6
A	158	ARG	LYS	SEE REMARK 999	UNP Q9RYA6
A	252	SER	ALA	SEE REMARK 999	UNP Q9RYA6
A	315	SER	PRO	SEE REMARK 999	UNP Q9RYA6
B	94	SER	ALA	SEE REMARK 999	UNP Q9RYA6
B	148	ASP	GLY	SEE REMARK 999	UNP Q9RYA6
B	158	ARG	LYS	SEE REMARK 999	UNP Q9RYA6
B	252	SER	ALA	SEE REMARK 999	UNP Q9RYA6
B	315	SER	PRO	SEE REMARK 999	UNP Q9RYA6
C	94	SER	ALA	SEE REMARK 999	UNP Q9RYA6
C	148	ASP	GLY	SEE REMARK 999	UNP Q9RYA6
C	158	ARG	LYS	SEE REMARK 999	UNP Q9RYA6
C	252	SER	ALA	SEE REMARK 999	UNP Q9RYA6
C	315	SER	PRO	SEE REMARK 999	UNP Q9RYA6
D	94	SER	ALA	SEE REMARK 999	UNP Q9RYA6
D	148	ASP	GLY	SEE REMARK 999	UNP Q9RYA6
D	158	ARG	LYS	SEE REMARK 999	UNP Q9RYA6
D	252	SER	ALA	SEE REMARK 999	UNP Q9RYA6
D	315	SER	PRO	SEE REMARK 999	UNP Q9RYA6


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	485	Total 485	O 485	0	0
2	B	480	Total 480	O 480	0	0
2	C	346	Total 346	O 346	0	0
2	D	356	Total 356	O 356	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: N-acylamino acid racemase




- Molecule 1: N-acylamino acid racemase




- Molecule 1: N-acylamino acid racemase



- Molecule 1: N-acylamino acid racemase





4 Data and refinement statistics i

Property	Value	Source
Space group	P 4	Depositor
Cell constants a, b, c, α , β , γ	116.37Å 116.37Å 120.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.30 24.30 – 1.30	Depositor EDS
% Data completeness (in resolution range)	(Not available) (30.00-1.30) 99.9 (24.30-1.30)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.21 (at 1.30Å)	Xtriage
Refinement program	REFMAC 5.1	Depositor
R, R_{free}	0.154 , 0.173 0.175 , 0.186	Depositor DCC
R_{free} test set	19678 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	10.9	Xtriage
Anisotropy	0.055	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 36.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.000 for -h,-l,-k 0.000 for -h,l,k 0.001 for l,-k,h 0.002 for -l,-k,-h 0.486 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12731	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2817	0.74	4/3822 (0.1%)
1	B	0.44	0/2817	0.71	2/3822 (0.1%)
1	C	0.40	0/2817	0.73	7/3822 (0.2%)
1	D	0.41	0/2817	0.73	7/3822 (0.2%)
All	All	0.42	0/11268	0.73	20/15288 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	95	ASP	CB-CG-OD2	7.39	124.95	118.30
1	C	322	ASP	CB-CG-OD2	7.23	124.81	118.30
1	C	212	ASP	CB-CG-OD2	6.73	124.36	118.30
1	C	148	ASP	CB-CG-OD2	6.67	124.30	118.30
1	D	322	ASP	CB-CG-OD2	6.51	124.16	118.30
1	A	245	ASP	CB-CG-OD2	5.94	123.64	118.30
1	D	95	ASP	CB-CG-OD2	5.82	123.53	118.30
1	A	212	ASP	CB-CG-OD2	5.68	123.41	118.30
1	D	359	ASP	CB-CG-OD2	5.65	123.39	118.30
1	B	212	ASP	CB-CG-OD2	5.65	123.38	118.30
1	C	359	ASP	CB-CG-OD2	5.34	123.10	118.30
1	B	359	ASP	CB-CG-OD2	5.30	123.07	118.30
1	A	148	ASP	CB-CG-OD2	5.25	123.03	118.30
1	D	204	ASP	CB-CG-OD2	5.23	123.00	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	204	ASP	CB-CG-OD2	5.19	122.97	118.30
1	D	343	ASP	CB-CG-OD2	5.11	122.90	118.30
1	D	215	ASP	CB-CG-OD2	5.09	122.88	118.30
1	C	215	ASP	CB-CG-OD2	5.08	122.87	118.30
1	D	154	ASP	CB-CG-OD2	5.03	122.83	118.30
1	C	154	ASP	CB-CG-OD2	5.02	122.82	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	307	HIS	Sidechain
1	A	34	THR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2766	0	2769	44	0
1	B	2766	0	2769	35	0
1	C	2766	0	2769	37	0
1	D	2766	0	2769	33	0
2	A	485	0	0	13	0
2	B	480	0	0	16	0
2	C	346	0	0	15	0
2	D	356	0	0	14	0
All	All	12731	0	11076	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:191:ARG:HD3	2:D:683:HOH:O	1.17	1.30

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:GLU:OE2	1:A:332:ARG:N	1.63	1.27
1:C:191:ARG:HD3	2:C:673:HOH:O	1.16	1.24
1:D:280:ARG:NH1	2:D:685:HOH:O	1.73	1.18
1:B:287:GLN:HG3	2:B:581:HOH:O	1.47	1.14
1:B:185:GLU:HG3	2:B:794:HOH:O	1.50	1.09
1:D:61:MET:HG3	2:D:687:HOH:O	0.89	1.06
1:A:185:GLU:HG3	2:A:798:HOH:O	1.56	1.04
1:A:331:GLU:CD	1:A:332:ARG:H	1.60	1.04
1:A:283:HIS:HE1	1:A:316:ASN:H	1.11	0.98
1:B:233:GLU:HG2	2:B:725:HOH:O	1.65	0.97
1:D:287:GLN:HG3	2:D:694:HOH:O	1.63	0.96
1:C:283:HIS:HE1	1:C:316:ASN:H	1.13	0.96
1:A:22:LEU:HD12	1:A:34:THR:N	1.81	0.94
1:A:178:GLN:HE21	1:A:178:GLN:H	1.15	0.94
1:B:283:HIS:HE1	1:B:316:ASN:H	1.11	0.93
1:C:173:PRO:O	2:C:621:HOH:O	1.88	0.92
1:C:168:LYS:HD3	2:C:546:HOH:O	1.70	0.89
1:A:154:ASP:HB2	2:B:691:HOH:O	1.75	0.86
1:A:331:GLU:OE2	1:A:331:GLU:N	2.09	0.85
1:B:97:LEU:HA	2:B:854:HOH:O	1.76	0.85
1:B:283:HIS:CE1	1:B:316:ASN:H	1.95	0.84
1:C:283:HIS:CE1	1:C:316:ASN:H	1.95	0.84
1:A:283:HIS:CE1	1:A:316:ASN:H	1.95	0.83
1:D:280:ARG:CZ	2:D:685:HOH:O	2.17	0.82
1:C:21:PRO:O	2:C:664:HOH:O	1.98	0.81
1:D:280:ARG:NH2	2:D:685:HOH:O	2.16	0.77
1:A:372:GLU:OE2	1:A:374:ARG:NH2	2.18	0.76
1:A:233:GLU:HG2	2:A:834:HOH:O	1.87	0.74
1:D:239:ARG:HH21	1:D:239:ARG:HG2	1.53	0.73
1:A:6:ARG:N	2:A:781:HOH:O	2.22	0.72
1:A:185:GLU:CG	2:A:798:HOH:O	2.26	0.70
1:A:307:HIS:HD2	2:A:385:HOH:O	1.73	0.70
1:C:267:ASN:HD21	1:C:296:GLY:HA3	1.57	0.69
1:D:207:ARG:HG2	1:D:207:ARG:HH11	1.56	0.69
1:D:178:GLN:OE1	2:D:684:HOH:O	2.11	0.68
1:B:267:ASN:HD21	1:B:296:GLY:HA3	1.59	0.67
1:B:23:LYS:C	2:B:795:HOH:O	2.31	0.67
1:C:168:LYS:CD	2:C:526:HOH:O	2.43	0.67
1:C:127:GLY:H	1:C:310:HIS:HD2	1.43	0.66
1:A:104:ARG:NH1	2:A:806:HOH:O	2.27	0.66
1:C:267:ASN:C	1:C:267:ASN:HD22	1.99	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:GLU:OE2	1:A:331:GLU:CA	2.46	0.64
1:B:267:ASN:C	1:B:267:ASN:HD22	1.99	0.64
1:D:268:LEU:HB3	2:D:551:HOH:O	1.98	0.64
1:C:34:THR:N	2:C:701:HOH:O	2.31	0.62
1:C:127:GLY:H	1:C:310:HIS:CD2	2.17	0.62
1:B:316:ASN:HD22	1:B:318:ARG:HE	1.47	0.61
1:C:168:LYS:HD3	2:C:526:HOH:O	2.00	0.61
1:B:221:GLN:HE21	1:B:245:ASP:H	1.49	0.61
1:B:221:GLN:NE2	1:B:245:ASP:H	1.99	0.61
1:A:223:LEU:H	1:A:231:HIS:CE1	2.19	0.61
1:A:331:GLU:OE2	1:A:331:GLU:C	2.39	0.61
1:A:221:GLN:NE2	1:A:245:ASP:H	2.00	0.60
1:C:36:LYS:CG	1:C:330:TRP:HH2	2.14	0.60
1:A:221:GLN:HE21	1:A:245:ASP:H	1.49	0.59
1:B:371:GLU:OE2	1:B:373:HIS:HE1	1.85	0.59
1:A:316:ASN:HD22	1:A:318:ARG:HE	1.49	0.59
1:D:168:LYS:HD2	2:D:545:HOH:O	2.02	0.59
1:A:150:GLN:HG2	2:B:743:HOH:O	2.02	0.58
1:B:185:GLU:CG	2:B:794:HOH:O	2.25	0.58
1:C:168:LYS:HD2	2:C:526:HOH:O	2.02	0.58
1:B:223:LEU:H	1:B:231:HIS:CE1	2.21	0.57
1:C:36:LYS:HG2	1:C:330:TRP:HH2	1.67	0.57
1:D:316:ASN:HD22	1:D:318:ARG:HE	1.50	0.57
1:B:100:TYR:CE2	1:D:61:MET:SD	2.98	0.56
1:D:34:THR:N	2:D:608:HOH:O	2.39	0.56
1:B:283:HIS:HD2	1:B:284:ASP:OD1	1.90	0.54
1:B:368:GLU:HG2	2:B:829:HOH:O	2.07	0.54
1:C:283:HIS:HD2	1:C:284:ASP:OD1	1.91	0.53
1:D:293:VAL:HB	2:D:551:HOH:O	2.07	0.53
1:A:283:HIS:HD2	1:A:284:ASP:OD1	1.90	0.53
1:C:6:ARG:N	2:C:713:HOH:O	2.42	0.53
1:C:144:GLY:HA2	1:C:170:LYS:HE3	1.91	0.52
1:A:20:LEU:HD13	1:A:334:LEU:HD21	1.91	0.52
1:A:159:HIS:HD2	1:A:162:GLN:OE1	1.92	0.52
1:C:331:GLU:HG2	2:C:664:HOH:O	2.09	0.52
1:D:61:MET:CG	2:D:687:HOH:O	1.76	0.52
1:A:331:GLU:CD	1:A:332:ARG:N	2.40	0.51
1:A:283:HIS:HE1	1:A:316:ASN:N	1.95	0.51
1:A:283:HIS:CE1	1:A:316:ASN:HB3	2.46	0.51
1:C:61:MET:HE2	2:C:619:HOH:O	2.10	0.51
1:B:283:HIS:CE1	1:B:316:ASN:HB3	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:168:LYS:HE3	1:D:195:ASP:HB2	1.91	0.51
1:C:223:LEU:HB2	1:C:231:HIS:CD2	2.46	0.51
1:B:332:ARG:NH2	2:B:691:HOH:O	2.44	0.50
1:A:178:GLN:H	1:A:178:GLN:NE2	1.98	0.49
1:C:48:VAL:HG23	1:C:117:LEU:HD12	1.94	0.49
1:C:61:MET:CE	2:C:619:HOH:O	2.60	0.49
1:C:221:GLN:HA	1:C:231:HIS:HE1	1.77	0.49
1:C:283:HIS:HE1	1:C:316:ASN:N	1.95	0.48
1:D:23:LYS:HA	1:D:331:GLU:HG3	1.95	0.48
1:D:239:ARG:HG2	1:D:239:ARG:NH2	2.23	0.48
1:A:318:ARG:HD2	2:A:755:HOH:O	2.14	0.48
1:D:321:GLY:C	1:D:323:THR:H	2.18	0.48
1:C:283:HIS:CE1	1:C:316:ASN:HB3	2.49	0.47
1:A:23:LYS:HD2	2:A:822:HOH:O	2.14	0.47
1:B:48:VAL:HG23	1:B:117:LEU:HD12	1.96	0.47
1:C:35:HIS:CE1	2:C:707:HOH:O	2.68	0.47
1:A:159:HIS:HE1	2:A:501:HOH:O	1.99	0.46
1:B:283:HIS:HE1	1:B:316:ASN:N	1.95	0.46
1:C:142:SER:HB3	1:C:168:LYS:HE3	1.97	0.46
1:A:48:VAL:HG23	1:A:117:LEU:HD12	1.96	0.46
1:B:23:LYS:CD	2:B:690:HOH:O	2.64	0.46
1:D:207:ARG:HH11	1:D:207:ARG:CG	2.28	0.45
1:D:48:VAL:HG23	1:D:117:LEU:HD12	1.97	0.45
1:B:316:ASN:HD22	1:B:318:ARG:NE	2.12	0.45
1:B:6:ARG:N	2:B:802:HOH:O	2.51	0.44
1:A:331:GLU:HG2	2:A:685:HOH:O	2.18	0.44
1:B:318:ARG:HD2	2:B:736:HOH:O	2.17	0.44
1:C:141:VAL:HG13	1:C:164:TYR:CD2	2.52	0.44
1:C:283:HIS:CE1	1:C:316:ASN:N	2.75	0.44
1:C:321:GLY:C	1:C:323:THR:H	2.20	0.44
1:A:318:ARG:CD	2:A:755:HOH:O	2.66	0.44
1:B:267:ASN:C	1:B:267:ASN:ND2	2.70	0.43
1:B:100:TYR:CD2	1:D:61:MET:SD	3.11	0.43
1:D:34:THR:HG23	1:D:35:HIS:HD2	1.82	0.43
1:A:283:HIS:CE1	1:A:316:ASN:N	2.76	0.43
1:A:89:ASN:ND2	1:A:92:ALA:H	2.17	0.43
1:D:89:ASN:ND2	1:D:92:ALA:H	2.16	0.43
1:A:316:ASN:HD22	1:A:318:ARG:NE	2.14	0.42
1:B:227:ASP:OD1	1:B:231:HIS:HD2	2.02	0.42
1:C:283:HIS:CE1	1:C:314:LEU:HB3	2.54	0.42
1:A:227:ASP:OD2	1:A:231:HIS:HD2	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:360:ARG:HA	1:C:360:ARG:HD2	1.85	0.42
1:A:22:LEU:HD23	1:A:330:TRP:CZ3	2.54	0.42
1:D:89:ASN:HD22	1:D:92:ALA:H	1.67	0.42
1:A:331:GLU:HG2	2:A:519:HOH:O	2.19	0.42
1:B:318:ARG:CD	2:B:736:HOH:O	2.67	0.42
1:A:23:LYS:CD	2:A:822:HOH:O	2.67	0.42
1:D:104:ARG:HD2	1:D:249:ALA:O	2.20	0.42
1:A:176:ASP:H	1:A:178:GLN:NE2	2.17	0.42
1:D:325:SER:O	1:D:328:ARG:HB2	2.20	0.42
1:B:233:GLU:CG	2:B:725:HOH:O	2.44	0.41
1:C:35:HIS:ND1	2:C:707:HOH:O	2.36	0.41
1:B:6:ARG:HB2	1:B:7:MET:H	1.67	0.41
1:A:89:ASN:HD22	1:A:92:ALA:H	1.68	0.41
1:D:20:LEU:HD13	1:D:334:LEU:HD21	2.02	0.41
1:B:283:HIS:CE1	1:B:314:LEU:HB3	2.55	0.41
1:B:283:HIS:CE1	1:B:316:ASN:N	2.76	0.41
1:D:287:GLN:CG	2:D:694:HOH:O	2.40	0.41
1:D:294:TRP:C	2:D:551:HOH:O	2.59	0.41
1:D:316:ASN:HD22	1:D:318:ARG:NE	2.16	0.41
1:C:144:GLY:HA2	1:C:170:LYS:CE	2.51	0.40
1:B:373:HIS:CD2	2:B:689:HOH:O	2.74	0.40
1:C:149:GLU:CD	2:C:719:HOH:O	2.59	0.40
1:D:22:LEU:O	1:D:23:LYS:C	2.59	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	356/375 (95%)	345 (97%)	11 (3%)	0	100 100
1	B	356/375 (95%)	345 (97%)	11 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	356/375 (95%)	347 (98%)	9 (2%)	0	100	100
1	D	356/375 (95%)	346 (97%)	10 (3%)	0	100	100
All	All	1424/1500 (95%)	1383 (97%)	41 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	284/296 (96%)	275 (97%)	9 (3%)	39	6
1	B	284/296 (96%)	279 (98%)	5 (2%)	59	24
1	C	284/296 (96%)	278 (98%)	6 (2%)	53	16
1	D	284/296 (96%)	276 (97%)	8 (3%)	43	8
All	All	1136/1184 (96%)	1108 (98%)	28 (2%)	47	10

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ARG
1	A	34	THR
1	A	89	ASN
1	A	178	GLN
1	A	299	LEU
1	A	331	GLU
1	A	350	GLN
1	A	361	GLU
1	A	368	GLU
1	B	6	ARG
1	B	154	ASP
1	B	267	ASN
1	B	334	LEU
1	B	350	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	6	ARG
1	C	36	LYS
1	C	142	SER
1	C	170	LYS
1	C	176	ASP
1	C	267	ASN
1	D	6	ARG
1	D	34	THR
1	D	36	LYS
1	D	89	ASN
1	D	170	LYS
1	D	176	ASP
1	D	207	ARG
1	D	370	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	GLN
1	A	89	ASN
1	A	103	ASN
1	A	159	HIS
1	A	178	GLN
1	A	197	ASN
1	A	221	GLN
1	A	231	HIS
1	A	283	HIS
1	A	307	HIS
1	A	316	ASN
1	B	35	HIS
1	B	221	GLN
1	B	231	HIS
1	B	267	ASN
1	B	283	HIS
1	B	316	ASN
1	B	373	HIS
1	C	49	GLN
1	C	85	GLN
1	C	136	GLN
1	C	146	GLN
1	C	231	HIS
1	C	267	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	283	HIS
1	C	310	HIS
1	D	35	HIS
1	D	85	GLN
1	D	89	ASN
1	D	103	ASN
1	D	146	GLN
1	D	150	GLN
1	D	178	GLN
1	D	316	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	360/375 (96%)	-0.08	6 (1%) 70 71	6, 10, 19, 30	0
1	B	360/375 (96%)	-0.08	5 (1%) 75 77	6, 10, 19, 30	0
1	C	360/375 (96%)	0.29	18 (5%) 28 26	7, 13, 24, 33	0
1	D	360/375 (96%)	0.29	18 (5%) 28 26	7, 13, 25, 34	0
All	All	1440/1500 (96%)	0.10	47 (3%) 46 44	6, 11, 23, 34	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	22	LEU	4.6
1	D	34	THR	4.6
1	D	214	TYR	4.5
1	C	214	TYR	4.3
1	A	22	LEU	4.2
1	C	34	THR	3.9
1	D	186	ALA	3.8
1	C	175	TRP	3.8
1	C	329	TYR	3.8
1	D	329	TYR	3.7
1	D	175	TRP	3.6
1	C	22	LEU	3.6
1	D	145	ILE	3.6
1	C	199	ALA	3.6
1	C	174	GLY	3.5
1	C	145	ILE	3.5
1	C	203	ALA	3.3
1	D	203	ALA	3.2
1	C	186	ALA	3.2
1	D	199	ALA	3.2
1	D	22	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	99	SER	2.8
1	A	34	THR	2.8
1	A	6	ARG	2.6
1	C	201	THR	2.6
1	D	201	THR	2.5
1	D	299	LEU	2.5
1	C	151	ALA	2.5
1	C	135	GLU	2.4
1	B	6	ARG	2.4
1	A	99	SER	2.4
1	B	97	LEU	2.4
1	B	34	THR	2.3
1	D	178	GLN	2.3
1	D	151	ALA	2.3
1	D	207	ARG	2.2
1	D	147	ALA	2.2
1	C	143	LEU	2.1
1	C	206	GLY	2.1
1	D	213	GLU	2.1
1	A	35	HIS	2.1
1	A	375	ALA	2.1
1	D	323	THR	2.0
1	C	189	ASP	2.0
1	C	147	ALA	2.0
1	D	206	GLY	2.0
1	C	158	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.