



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2024 – 02:13 PM EST

PDB ID : 2R15
Title : Crystal structure of the myomesin domains 12 and 13
Authors : Pinotsis, N.; Wilmanns, M.; Lange, S.
Deposited on : 2007-08-22
Resolution : 2.24 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.24 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2391 (2.26-2.22)
Clashscore	141614	2539 (2.26-2.22)
Ramachandran outliers	138981	2489 (2.26-2.22)
Sidechain outliers	138945	2490 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	212	83% 13% ..
1	B	212	78% 17% ..

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3489 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Myomesin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	207	1609	1017	272	317	3	0	0	0
1	B	207	1611	1016	273	319	3	0	1	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1456	GLY	-	expression tag	UNP P52179
A	1457	SER	-	expression tag	UNP P52179
A	1458	SER	-	expression tag	UNP P52179
B	1456	GLY	-	expression tag	UNP P52179
B	1457	SER	-	expression tag	UNP P52179
B	1458	SER	-	expression tag	UNP P52179

- Molecule 2 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0


- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	119	Total O 119 119	0	0
4	B	128	Total O 128 128	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Myomesin-1

Chain A:  83% 13% ..



- Molecule 1: Myomesin-1

Chain B:  78% 17% ..



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	61.50Å 87.87Å 203.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.87 – 2.24 19.87 – 2.24	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.87-2.24) 95.6 (19.87-2.24)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.56 (at 2.23Å)	Xtrriage
Refinement program	CNS, REFMAC 5.2.0005	Depositor
R, R_{free}	0.196 , 0.223 0.268 , 0.287	Depositor DCC
R_{free} test set	683 reflections (2.66%)	wwPDB-VP
Wilson B-factor (Å ²)	34.6	Xtrriage
Anisotropy	0.420	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 42.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	3489	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.60	0/1642	0.67	0/2227
1	B	0.60	0/1643	0.69	0/2228
All	All	0.60	0/3285	0.68	0/4455

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1609	0	1570	21	1
1	B	1611	0	1568	39	1
2	A	4	0	3	0	0
3	A	6	0	8	0	0
3	B	12	0	16	0	0
4	A	119	0	0	2	0
4	B	128	0	0	1	0
All	All	3489	0	3165	59	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1615:GLN:HG3	1:A:1621:LEU:H	1.26	0.99
1:B:1616:THR:HG23	1:B:1618:HIS:H	1.27	0.98
1:B:1604:VAL:HG12	1:B:1648:VAL:CG1	1.98	0.94
1:B:1616:THR:CG2	1:B:1619:CYS:H	1.89	0.85
1:B:1517:GLN:HE21	1:B:1519:ASN:ND2	1.75	0.83
1:B:1604:VAL:HG12	1:B:1648:VAL:HG13	1.63	0.79
1:B:1616:THR:HG23	1:B:1618:HIS:N	2.00	0.77
1:B:1461:LEU:HD21	1:B:1540:HIS:HB2	1.68	0.74
1:B:1571[B]:ARG:NH2	1:B:1655:GLU:OE2	2.22	0.73
1:B:1522:THR:OG1	1:B:1524:ASN:HB2	1.88	0.73
1:B:1604:VAL:HG12	1:B:1648:VAL:HG12	1.70	0.72
1:B:1616:THR:HG22	1:B:1619:CYS:H	1.53	0.72
1:B:1560:ARG:NE	4:B:197:HOH:O	2.23	0.71
1:A:1500:ARG:HD3	1:A:1500:ARG:H	1.58	0.69
1:B:1476:GLN:HB3	1:B:1517:GLN:OE1	1.94	0.67
1:A:1620:ASN:OD1	1:A:1622:LYS:HE3	1.97	0.65
1:B:1504:ARG:NH2	1:B:1525:ASP:OD2	2.32	0.61
1:B:1521:PRO:HD2	1:B:1558:PHE:CE1	2.38	0.59
1:B:1517:GLN:HE21	1:B:1519:ASN:HD22	1.49	0.57
1:A:1495:ASN:ND2	1:A:1528:LYS:H	2.03	0.56
1:B:1461:LEU:HD21	1:B:1540:HIS:CB	2.34	0.56
1:A:1634:ASN:HB2	4:A:242:HOH:O	2.07	0.55
1:A:1500:ARG:O	1:A:1500:ARG:HG2	2.07	0.54
1:B:1570:ASN:HB3	1:B:1599:ASP:O	2.07	0.53
1:B:1571[B]:ARG:HH22	1:B:1655:GLU:CG	2.22	0.52
1:B:1495:ASN:ND2	1:B:1528:LYS:H	2.08	0.52
1:A:1478:TYR:HE1	1:A:1480:PHE:CE1	2.29	0.52
1:B:1488:LEU:H	1:B:1488:LEU:HD23	1.77	0.50
1:B:1461:LEU:HG	1:B:1462:SER:N	2.27	0.49
1:B:1504:ARG:HH22	1:B:1525:ASP:CG	2.16	0.49
1:B:1517:GLN:HE21	1:B:1519:ASN:HD21	1.55	0.48
1:A:1492:TRP:HB3	1:A:1499:ILE:HD12	1.95	0.48
1:A:1615:GLN:HG3	1:A:1621:LEU:N	2.11	0.47
1:B:1517:GLN:NE2	1:B:1519:ASN:ND2	2.54	0.47
1:B:1556:ALA:O	1:B:1560:ARG:HG3	2.14	0.47
1:A:1606:TRP:CD1	1:A:1621:LEU:HD13	2.50	0.46
1:A:1534:PHE:CE2	1:A:1536:GLY:O	2.69	0.45
1:B:1616:THR:HG22	1:B:1619:CYS:N	2.26	0.45
1:A:1495:ASN:HD21	1:A:1528:LYS:H	1.64	0.45
1:B:1572:ALA:HA	1:B:1597:TRP:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1522:THR:HB	1:A:1523:PRO:CD	2.47	0.44
1:A:1651:LYS:HE3	1:A:1652:TYR:CZ	2.52	0.44
1:A:1478:TYR:CE1	1:A:1480:PHE:CE1	3.06	0.44
1:B:1571[B]:ARG:HA	1:B:1652:TYR:HB2	1.99	0.44
1:A:1485:VAL:HG12	1:A:1488:LEU:HB3	1.99	0.44
1:B:1615:GLN:HG3	1:B:1621:LEU:H	1.81	0.43
1:B:1461:LEU:CD2	1:B:1540:HIS:HB2	2.44	0.43
1:B:1571[A]:ARG:HA	1:B:1652:TYR:HB2	1.99	0.43
1:B:1517:GLN:NE2	1:B:1519:ASN:HD22	2.15	0.43
1:A:1581:VAL:HG22	4:A:46:HOH:O	2.19	0.42
1:B:1611:LYS:HE3	1:B:1611:LYS:HB3	1.83	0.42
1:B:1480:PHE:CE2	1:B:1513:GLN:HB2	2.55	0.42
1:A:1557:GLU:HG3	1:A:1561:LEU:CD1	2.50	0.41
1:B:1616:THR:CG2	1:B:1619:CYS:N	2.72	0.41
1:A:1606:TRP:CZ2	1:A:1646:LEU:HD13	2.56	0.41
1:A:1581:VAL:HG13	1:B:1583:THR:HB	2.02	0.41
1:B:1568:GLU:O	1:B:1573:ARG:NH2	2.46	0.40
1:A:1648:VAL:O	1:A:1654:SER:HB2	2.22	0.40
1:B:1571[B]:ARG:HH22	1:B:1655:GLU:CD	2.23	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1478:TYR:OH	1:B:1557:GLU:OE2[7_545]	2.05	0.15

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	205/212 (97%)	197 (96%)	8 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	206/212 (97%)	201 (98%)	5 (2%)	0	100	100
All	All	411/424 (97%)	398 (97%)	13 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	172/177 (97%)	162 (94%)	10 (6%)	20	18
1	B	172/177 (97%)	162 (94%)	10 (6%)	20	18
All	All	344/354 (97%)	324 (94%)	20 (6%)	21	18

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1484	TYR
1	A	1485	VAL
1	A	1488	LEU
1	A	1490	VAL
1	A	1500	ARG
1	A	1524	ASN
1	A	1533	LEU
1	A	1561	LEU
1	A	1573	ARG
1	A	1581	VAL
1	B	1461	LEU
1	B	1481	VAL
1	B	1488	LEU
1	B	1512	GLU
1	B	1524	ASN
1	B	1558	PHE
1	B	1571[A]	ARG
1	B	1571[B]	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	1648	VAL
1	B	1667	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1495	ASN
1	A	1513	GLN
1	A	1609	ASN
1	A	1615	GLN
1	A	1634	ASN
1	B	1495	ASN
1	B	1513	GLN
1	B	1519	ASN
1	B	1570	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	603	-	5,5,5	0.49	0	5,5,5	0.63	0
3	GOL	A	601	-	5,5,5	0.37	0	5,5,5	0.21	0
3	GOL	B	602	-	5,5,5	0.51	0	5,5,5	0.67	0
2	ACT	A	604	-	3,3,3	0.94	0	3,3,3	1.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	603	-	-	3/4/4/4	-
3	GOL	A	601	-	-	3/4/4/4	-
3	GOL	B	602	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	603	GOL	C1-C2-C3-O3
3	A	601	GOL	C1-C2-C3-O3
3	B	602	GOL	O1-C1-C2-C3
3	A	601	GOL	O2-C2-C3-O3
3	B	603	GOL	O2-C2-C3-O3
3	B	603	GOL	O1-C1-C2-O2
3	B	602	GOL	O2-C2-C3-O3
3	B	602	GOL	C1-C2-C3-O3
3	A	601	GOL	O1-C1-C2-C3
3	B	602	GOL	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers

Unable to reproduce the depositors R factor - this section is therefore empty.