

Full wwPDB EM Validation Report (i)

Nov 20, 2022 – 09:45 AM EST

PDB ID : 7RAL

EMDB ID : EMD-24365

Title: SARS-CoV-2 S bound to S2X259 Fab (local refinement of the RBD/S2X259

variable domains)

Authors : Veesler, D.; Tortorici, M.A.; Seattle Structural Genomics Center for Infectious

Disease (SSGCID)

Deposited on : 2021-07-01 Resolution : Not provided

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43

Mogul : 1.8.5 (274361), CSD as541be (2020)

MolProbity : 4.02b-467 buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

MapQ : FAILED

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is unknown.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m EM~structures} \ (\#{ m Entries})$		
Clashscore	158937	4297		
Ramachandran outliers	154571	4023		
Sidechain outliers	154315	3826		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain	
1	Н	126	91%	• • 6%
2	L	113	85%	12%
3	В	1288	13% 87%	



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 2847 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called S2X259 Fab heavy chain.

Mol	Chain	Residues		At	oms			AltConf	Trace
1	Н	119	Total 862	C 548	N 148	O 160	S 6	0	0

• Molecule 2 is a protein called S2X259 Fab light chain.

Mol	Chain	Residues	Atoms Total C N O S				AltConf	Trace	
2	L	99		С	N	О	S	0	0
_	_		663	418	120	123	2		

• Molecule 3 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms				AltConf	Trace	
3	В	171	Total 1308	C 851	N 218	O 233	S 6	0	0

There are 89 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	682	GLY	ARG	engineered mutation	UNP P0DTC2
В	683	SER	ARG	engineered mutation	UNP P0DTC2
В	685	SER	ARG	engineered mutation	UNP P0DTC2
В	817	PRO	PHE	engineered mutation	UNP P0DTC2
В	892	PRO	ALA	engineered mutation	UNP P0DTC2
В	899	PRO	ALA	engineered mutation	UNP P0DTC2
В	942	PRO	ALA	engineered mutation	UNP P0DTC2
В	986	PRO	LYS	engineered mutation	UNP P0DTC2
В	987	PRO	VAL	engineered mutation	UNP P0DTC2
В	1209	GLY	-	expression tag	UNP P0DTC2
В	1210	SER	-	expression tag	UNP P0DTC2
В	1211	GLY	-	expression tag	UNP P0DTC2
В	1212	TYR	-	expression tag	UNP P0DTC2
В	1213	ILE	-	expression tag	UNP P0DTC2
В	1214	PRO	-	expression tag	UNP P0DTC2

Continued on next page...



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
В	1215	GLU	-	expression tag	UNP P0DTC2
В	1216	ALA	-	expression tag	UNP P0DTC2
В	1217	PRO	-	expression tag	UNP P0DTC2
В	1218	ARG	-	expression tag	UNP P0DTC2
В	1219	ASP	-	expression tag	UNP P0DTC2
В	1220	GLY	-	expression tag	UNP P0DTC2
В	1221	GLN	-	expression tag	UNP P0DTC2
В	1222	ALA	-	expression tag	UNP P0DTC2
В	1223	TYR	-	expression tag	UNP P0DTC2
В	1224	VAL	-	expression tag	UNP P0DTC2
В	1225	ARG	-	expression tag	UNP P0DTC2
В	1226	LYS	-	expression tag	UNP P0DTC2
В	1227	ASP	-	expression tag	UNP P0DTC2
В	1228	GLY	-	expression tag	UNP P0DTC2
В	1229	GLU	-	expression tag	UNP P0DTC2
В	1230	TRP	-	expression tag	UNP P0DTC2
В	1231	VAL	-	expression tag	UNP P0DTC2
В	1232	LEU	-	expression tag	UNP P0DTC2
В	1233	LEU	-	expression tag	UNP P0DTC2
В	1234	SER	-	expression tag	UNP P0DTC2
В	1235	THR	-	expression tag	UNP P0DTC2
В	1236	PHE	-	expression tag	UNP P0DTC2
В	1237	LEU	-	expression tag	UNP P0DTC2
В	1238	GLY	-	expression tag	UNP P0DTC2
В	1239	ARG	-	expression tag	UNP P0DTC2
В	1240	SER	-	expression tag	UNP P0DTC2
В	1241	LEU	-	expression tag	UNP P0DTC2
В	1242	GLU	-	expression tag	UNP P0DTC2
В	1243	VAL	-	expression tag	UNP P0DTC2
В	1244	LEU	-	expression tag	UNP P0DTC2
В	1245	PHE	-	expression tag	UNP P0DTC2
В	1246	GLN	-	expression tag	UNP P0DTC2
В	1247	GLY	-	expression tag	UNP P0DTC2
В	1248	PRO	-	expression tag	UNP P0DTC2
В	1249	GLY	-	expression tag	UNP P0DTC2
В	1250	HIS	-	expression tag	UNP P0DTC2
В	1251	HIS	-	expression tag	UNP P0DTC2
В	1252	HIS	-	expression tag	UNP P0DTC2
В	1253	HIS	-	expression tag	UNP P0DTC2
В	1254	HIS	-	expression tag	UNP P0DTC2
В	1255	HIS	-	expression tag	UNP P0DTC2
В	1256	HIS	-	expression tag	UNP P0DTC2

Continued on next page...




 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
В	1257	HIS	-	expression tag	UNP P0DTC2
В	1258	SER	-	expression tag	UNP P0DTC2
В	1259	ALA	-	expression tag	UNP P0DTC2
В	1260	TRP	-	expression tag	UNP P0DTC2
В	1261	SER	-	expression tag	UNP P0DTC2
В	1262	HIS	-	expression tag	UNP P0DTC2
В	1263	PRO	-	expression tag	UNP P0DTC2
В	1264	GLN	-	expression tag	UNP P0DTC2
В	1265	PHE	-	expression tag	UNP P0DTC2
В	1266	GLU	-	expression tag	UNP P0DTC2
В	1267	LYS	-	expression tag	UNP P0DTC2
В	1268	GLY	-	expression tag	UNP P0DTC2
В	1269	GLY	-	expression tag	UNP P0DTC2
В	1270	GLY	-	expression tag	UNP P0DTC2
В	1271	SER	-	expression tag	UNP P0DTC2
В	1272	GLY	-	expression tag	UNP P0DTC2
В	1273	GLY	-	expression tag	UNP P0DTC2
В	1274	GLY	-	expression tag	UNP P0DTC2
В	1275	GLY	-	expression tag	UNP P0DTC2
В	1276	SER	-	expression tag	UNP P0DTC2
В	1277	GLY	-	expression tag	UNP P0DTC2
В	1278	GLY	-	expression tag	UNP P0DTC2
В	1279	SER	-	expression tag	UNP P0DTC2
В	1280	ALA	-	expression tag	UNP P0DTC2
В	1281	TRP	-	expression tag	UNP P0DTC2
В	1282	SER	-	expression tag	UNP P0DTC2
В	1283	HIS	-	expression tag	UNP P0DTC2
В	1284	PRO	-	expression tag	UNP P0DTC2
В	1285	GLN	-	expression tag	UNP P0DTC2
В	1286	PHE	-	expression tag	UNP P0DTC2
В	1287	GLU	-	expression tag	UNP P0DTC2
В	1288	LYS	-	expression tag	UNP P0DTC2

 \bullet Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6)$ (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues	Atoms				AltConf
1	D	1	Total	С	N	О	0
4	Б	1	14	8	1	5	U




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: S2X259 Fab heavy chain









4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	223152	Depositor
Resolution determination method	Not provided	
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	70	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	Н	0.75	0/880	0.74	0/1195	
2	L	0.76	0/678	0.74	1/927 (0.1%)	
3	В	0.73	0/1344	0.75	1/1836 (0.1%)	
All	All	0.74	0/2902	0.74	$2/3958 \ (0.1\%)$	

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(^{o})$	$\operatorname{Ideal}({}^o)$
3	В	508	TYR	CB-CG-CD2	-5.52	117.69	121.00
2	L	63	ARG	NE-CZ-NH2	5.21	122.91	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Н	862	0	774	2	0
2	L	663	0	544	1	0
3	В	1308	0	1192	0	0
4	В	14	0	13	0	0
All	All	2847	0	2523	3	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (3) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$\begin{array}{c} \text{Clash} \\ \text{overlap } (\text{\AA}) \end{array}$	
1:H:27:GLY:O	1:H:28:ILE:HG12	1.54	1.07	
1:H:27:GLY:O	1:H:28:ILE:CG1	2.30	0.79	
2:L:28:ASN:OD1	2:L:29:ILE:N	2.54	0.41	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	Н	115/126 (91%)	113 (98%)	0	2 (2%)	9	9
2	L	93/113 (82%)	87 (94%)	6 (6%)	0	100	100
3	В	165/1288 (13%)	159 (96%)	6 (4%)	0	100	100
All	All	373/1527 (24%)	359 (96%)	12 (3%)	2 (0%)	32	29

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Н	28	ILE
1	Н	27	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was



analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	Н	75/101 (74%)	73 (97%)	2 (3%)	44	44
2	L	51/91 (56%)	51 (100%)	0	100	100
3	В	128/1116 (12%)	127 (99%)	1 (1%)	81	81
All	All	254/1308 (19%)	251 (99%)	3 (1%)	72	71

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Н	50	ARG
1	Н	98	ARG
3	В	466	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
3	В	501	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

	Mol	Type	Chain	Res	Link	Bond lengths		ths	В	ond ang	les
	MIOI	туре	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
Ī	4	NAG	В	1301	3	14,14,15	1.38	2 (14%)	17,19,21	1.01	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	В	1301	3	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(\text{\AA})$
4	В	1301	NAG	C1-C2	3.45	1.57	1.52
4	В	1301	NAG	O5-C5	2.16	1.47	1.43

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\operatorname{Ideal}({}^o)$
4	В	1301	NAG	C8-C7-N2	2.43	120.22	116.10

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-24365. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

This section was not generated.

6.2 Central slices (i)

This section was not generated.

6.3 Largest variance slices (i)

This section was not generated.

6.4 Orthogonal surface views (i)

This section was not generated.

6.5 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)

This section was not generated.

7.2 Volume estimate versus contour level (i)

This section was not generated.

7.3 Rotationally averaged power spectrum (i)

This section was not generated. The rotationally averaged power spectrum had issues being displayed.



8 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.



9 Map-model fit (i)

This section was not generated.

