



# Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 09:48 am BST

PDB ID : 4RSI  
Title : Yeast Smc2-Smc4 hinge domain with extended coiled coils  
Authors : Soh, Y.M.; Shin, H.C.; Oh, B.H.  
Deposited on : 2014-11-08  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	397	 50% 18% 29%
2	B	397	 58% 32% 7%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5252 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Structural maintenance of chromosomes protein 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	283	2210	1396	390	419	5	0	0	0

- Molecule 2 is a protein called Structural maintenance of chromosomes protein 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	386	3024	1884	537	592	11	0	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
3	A	1	5	4	1	0	0
3	B	1	5	4	1	0	0


- Molecule 4 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>	<b>ZeroOcc</b>	<b>AltConf</b>
4	A	7	Total O 7 7	0	0
4	B	1	Total O 1 1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Structural maintenance of chromosomes protein 2



- Molecule 2: Structural maintenance of chromosomes protein 4



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	185.26Å 49.71Å 154.28Å 90.00° 92.52° 90.00°	Depositor
Resolution (Å)	38.92 – 2.90 38.92 – 2.61	Depositor EDS
% Data completeness (in resolution range)	80.7 (38.92-2.90) 84.4 (38.92-2.61)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.22 (at 2.61Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, $R_{free}$	0.223 , 0.266 0.243 , 0.248	Depositor DCC
$R_{free}$ test set	3653 reflections (9.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.6	Xtrriage
Anisotropy	0.241	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 47.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.029 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	5252	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	84.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.45% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.54	0/2243	0.69	0/3034
2	B	0.44	0/3057	0.62	1/4112 (0.0%)
All	All	0.48	0/5300	0.65	1/7146 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	GLY	N-CA-C	-5.09	100.37	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2210	0	2195	53	0
2	B	3024	0	3029	103	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
4	A	7	0	0	0	0
4	B	1	0	0	0	0
All	All	5252	0	5224	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:787:LEU:HB2	2:B:807:VAL:HG22	1.45	0.98
2:B:706:ILE:HD13	2:B:833:MET:HG3	1.60	0.81
2:B:753:GLN:NE2	2:B:754:PRO:O	2.15	0.79
1:A:726:HIS:HE1	1:A:730:LEU:HD13	1.51	0.76
2:B:809:THR:HG22	2:B:812:GLY:H	1.50	0.76
2:B:806:ARG:HG3	2:B:816:ASP:HA	1.68	0.73
2:B:816:ASP:OD1	2:B:817:ILE:N	2.24	0.70
2:B:679:LEU:HD13	2:B:685:ILE:HD13	1.73	0.70
1:A:536:ASP:N	1:A:536:ASP:OD1	2.24	0.69
2:B:709:ALA:O	2:B:806:ARG:NH2	2.19	0.69
2:B:749:GLN:HA	2:B:777:ASN:HD21	1.59	0.67
1:A:637:THR:O	1:A:641:ILE:HG12	1.94	0.66
2:B:763:ARG:HE	2:B:765:PHE:HB3	1.61	0.66
1:A:726:HIS:CD2	2:B:898:MET:HG3	2.32	0.65
2:B:940:ARG:NH1	2:B:944:GLU:OE2	2.29	0.65
2:B:687:GLY:O	2:B:718:VAL:HG12	1.97	0.64
1:A:552:LEU:HD11	1:A:677:LEU:HD23	1.79	0.64
1:A:545:GLN:HB2	1:A:677:LEU:HB2	1.80	0.64
2:B:764:LEU:HB3	2:B:783:LEU:HD23	1.81	0.63
1:A:587:ARG:O	1:A:628:ASN:ND2	2.27	0.63
1:A:575:ARG:HA	2:B:824:GLY:HA2	1.82	0.61
2:B:789:ALA:HB1	2:B:793:LYS:HG3	1.81	0.61
2:B:863:ASN:O	2:B:866:ARG:N	2.35	0.60
1:A:584:ILE:HA	2:B:818:SER:O	2.01	0.60
1:A:660:ASP:HB3	1:A:664:THR:HB	1.83	0.59
2:B:708:THR:HG22	2:B:829:ALA:HB3	1.84	0.59
1:A:652:ILE:HD13	1:A:658:VAL:HG13	1.85	0.59
2:B:720:THR:HG22	2:B:722:GLU:H	1.68	0.59
2:B:694:ASP:HB3	2:B:834:LYS:NZ	2.18	0.58
1:A:507:LEU:HD11	1:A:680:ILE:HG23	1.85	0.58
1:A:643:PHE:HE1	1:A:661:PRO:HA	1.67	0.58
1:A:567:LEU:HD22	2:B:823:GLY:HA3	1.87	0.57
1:A:607:LEU:HD23	1:A:629:SER:O	2.04	0.57
1:A:726:HIS:HD2	2:B:898:MET:HG3	1.69	0.57
1:A:564:THR:O	1:A:568:GLU:HG2	2.04	0.57
1:A:676:LEU:HD22	1:A:680:ILE:HD11	1.86	0.56
1:A:653:THR:HG22	1:A:655:GLN:H	1.70	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:789:ALA:HA	2:B:793:LYS:HE3	1.88	0.55
1:A:726:HIS:CE1	1:A:730:LEU:HD13	2.38	0.55
2:B:706:ILE:HA	2:B:764:LEU:HD11	1.89	0.54
2:B:745:ASP:N	2:B:745:ASP:OD1	2.40	0.54
1:A:521:SER:OG	1:A:521:SER:O	2.20	0.54
2:B:628:ARG:HH21	2:B:883:ARG:HA	1.72	0.54
2:B:750:PHE:HB2	2:B:777:ASN:OD1	2.08	0.53
1:A:577:THR:HG23	2:B:822:SER:HB2	1.90	0.53
1:A:533:ILE:HD11	1:A:677:LEU:CD1	2.38	0.53
2:B:755:ILE:HD12	2:B:763:ARG:HD2	1.89	0.53
2:B:772:ASN:HD22	2:B:774:LYS:HE2	1.74	0.53
2:B:943:GLY:O	2:B:946:ASN:N	2.42	0.53
2:B:710:CYS:O	2:B:713:LEU:HD13	2.08	0.52
1:A:578:ILE:O	1:A:580:PRO:HD3	2.09	0.52
2:B:880:LYS:O	2:B:883:ARG:HB3	2.09	0.52
2:B:671:LYS:HE2	2:B:736:LEU:HA	1.92	0.52
2:B:560:PRO:O	2:B:564:GLN:HB2	2.08	0.52
2:B:942:ARG:O	2:B:946:ASN:HB2	2.10	0.52
1:A:539:ARG:NH2	1:A:540:TYR:OH	2.43	0.52
1:A:596:LEU:HD13	1:A:647:ILE:HG13	1.91	0.52
2:B:566:GLN:HA	2:B:569:GLU:HB3	1.92	0.51
1:A:501:LYS:HD3	2:B:653:ARG:HH22	1.75	0.51
1:A:641:ILE:HG22	1:A:647:ILE:HG21	1.92	0.51
2:B:717:VAL:HG22	2:B:742:ILE:HB	1.92	0.51
2:B:847:THR:O	2:B:849:GLU:N	2.43	0.51
2:B:596:LEU:HB3	2:B:914:VAL:HG23	1.93	0.51
2:B:570:SER:O	2:B:574:LEU:HG	2.11	0.51
1:A:591:SER:OG	1:A:592:GLN:N	2.44	0.51
1:A:665:LEU:HD21	2:B:725:GLN:HG3	1.93	0.50
2:B:871:THR:O	2:B:875:MET:HG3	2.11	0.49
2:B:798:VAL:HG22	2:B:807:VAL:CG2	2.43	0.49
2:B:692:LEU:HD22	2:B:713:LEU:HA	1.95	0.49
2:B:698:ILE:HG12	2:B:699:ASP:N	2.28	0.49
2:B:687:GLY:HA3	2:B:719:ASP:OD1	2.13	0.48
1:A:472:ASP:O	1:A:476:ILE:HG13	2.14	0.48
1:A:667:GLY:HA3	2:B:728:ILE:HD13	1.95	0.48
1:A:668:GLY:N	2:B:728:ILE:HG23	2.29	0.48
1:A:535:ASN:OD1	1:A:538:ILE:HD11	2.14	0.48
1:A:476:ILE:HG12	1:A:707:GLN:HG3	1.96	0.47
2:B:712:ARG:HB2	2:B:782:VAL:HG13	1.95	0.47
1:A:653:THR:HG22	1:A:655:GLN:N	2.29	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:475:ARG:O	1:A:478:ASP:N	2.47	0.47
2:B:614:ILE:HD13	2:B:897:GLU:HG2	1.97	0.47
2:B:709:ALA:HB2	2:B:808:VAL:HG11	1.97	0.47
2:B:758:PRO:O	2:B:761:VAL:HG23	2.14	0.47
2:B:721:VAL:HG13	2:B:743:LEU:HD13	1.97	0.47
1:A:517:ASN:OD1	1:A:517:ASN:N	2.48	0.46
2:B:680:GLN:OE1	2:B:688:PHE:HB3	2.16	0.46
2:B:698:ILE:HG12	2:B:699:ASP:H	1.79	0.46
2:B:847:THR:C	2:B:849:GLU:H	2.19	0.46
1:A:551:ARG:CZ	1:A:624:PHE:CZ	2.99	0.46
2:B:763:ARG:HD3	2:B:766:ASP:OD2	2.15	0.46
1:A:677:LEU:O	1:A:681:GLN:HG2	2.16	0.46
2:B:763:ARG:NH2	2:B:765:PHE:CD2	2.84	0.46
2:B:649:LEU:HD13	2:B:861:ARG:HG2	1.98	0.46
2:B:667:GLN:O	2:B:671:LYS:HB2	2.16	0.46
2:B:751:ASN:N	2:B:751:ASN:OD1	2.49	0.45
2:B:846:TYR:HB3	2:B:851:VAL:HG23	1.98	0.45
2:B:867:VAL:O	2:B:870:ASP:N	2.48	0.45
1:A:602:PRO:O	1:A:604:LYS:HG3	2.16	0.45
2:B:689:HIS:HB2	2:B:717:VAL:O	2.16	0.45
1:A:665:LEU:CD2	2:B:725:GLN:HG3	2.47	0.45
2:B:778:ALA:O	2:B:781:SER:N	2.45	0.45
2:B:564:GLN:HA	2:B:567:GLU:CD	2.38	0.45
2:B:790:GLN:HB3	2:B:810:VAL:CG2	2.46	0.45
2:B:886:GLU:O	2:B:886:GLU:HG3	2.17	0.45
2:B:723:CYS:HA	2:B:726:HIS:HB2	1.99	0.45
2:B:748:ARG:HG3	2:B:749:GLN:N	2.31	0.45
2:B:624:LEU:HD11	2:B:885:HIS:HB3	1.99	0.45
1:A:614:PHE:CG	1:A:622:MET:HG3	2.52	0.44
1:A:637:THR:HG22	1:A:641:ILE:HD11	1.98	0.44
2:B:715:ASP:OD1	2:B:740:ARG:HD2	2.17	0.44
2:B:676:LEU:HB3	2:B:688:PHE:CZ	2.53	0.44
2:B:755:ILE:HG13	2:B:763:ARG:NH1	2.32	0.44
2:B:586:GLN:NE2	2:B:925:VAL:HG22	2.33	0.44
2:B:790:GLN:HB3	2:B:810:VAL:HG23	1.99	0.44
2:B:774:LYS:HE3	2:B:775:PHE:CZ	2.53	0.44
2:B:782:VAL:HB	2:B:783:LEU:HD12	2.00	0.44
1:A:483:GLU:O	1:A:487:LYS:HG3	2.18	0.44
2:B:798:VAL:HG13	2:B:805:PHE:O	2.18	0.43
1:A:507:LEU:HD23	1:A:507:LEU:HA	1.87	0.43
1:A:643:PHE:CE1	1:A:661:PRO:HA	2.51	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:563:LEU:O	2:B:567:GLU:HG3	2.19	0.43
2:B:627:GLU:HG2	2:B:882:LEU:HD21	1.99	0.43
1:A:642:THR:HG22	1:A:643:PHE:CD1	2.54	0.43
2:B:720:THR:HG22	2:B:722:GLU:HB2	2.00	0.42
2:B:772:ASN:ND2	2:B:774:LYS:HE2	2.34	0.42
2:B:806:ARG:HB2	2:B:817:ILE:CD1	2.49	0.42
1:A:486:LEU:HD23	1:A:697:LEU:HA	2.00	0.42
2:B:720:THR:HB	2:B:723:CYS:HB3	2.01	0.42
2:B:789:ALA:O	2:B:810:VAL:HG23	2.20	0.42
2:B:724:ALA:O	2:B:728:ILE:HG13	2.19	0.42
1:A:551:ARG:CZ	1:A:624:PHE:HZ	2.31	0.42
2:B:613:LEU:O	2:B:616:ASP:N	2.52	0.42
2:B:758:PRO:HG2	2:B:805:PHE:CE2	2.54	0.42
2:B:790:GLN:HG2	2:B:793:LYS:HE2	2.01	0.42
2:B:638:ALA:HA	2:B:641:LYS:HE3	2.02	0.41
2:B:798:VAL:HG11	2:B:815:ILE:HB	2.02	0.41
1:A:479:LEU:CB	1:A:704:LEU:HD12	2.50	0.41
1:A:581:LEU:HD23	1:A:581:LEU:HA	1.84	0.41
2:B:763:ARG:NE	2:B:765:PHE:HB3	2.30	0.41
2:B:590:LYS:HB2	2:B:921:TYR:CE1	2.56	0.41
2:B:808:VAL:HG13	2:B:814:LEU:HG	2.03	0.41
1:A:535:ASN:O	1:A:536:ASP:C	2.59	0.41
2:B:797:ASN:OD1	2:B:807:VAL:HG21	2.21	0.41
2:B:573:GLN:HA	2:B:576:GLU:HB3	2.03	0.40
2:B:875:MET:O	2:B:879:LEU:HD13	2.21	0.40
2:B:848:PRO:O	2:B:852:ASP:HB2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	279/397 (70%)	237 (85%)	35 (12%)	7 (2%)	5	21
2	B	382/397 (96%)	335 (88%)	44 (12%)	3 (1%)	19	51
All	All	661/794 (83%)	572 (86%)	79 (12%)	10 (2%)	10	34

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	654	LEU
2	B	700	ASP
1	A	541	ALA
1	A	581	LEU
2	B	848	PRO
1	A	639	LYS
1	A	645	PRO
1	A	536	ASP
1	A	627	GLY
2	B	614	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	236/359 (66%)	214 (91%)	22 (9%)	9	27
2	B	328/354 (93%)	285 (87%)	43 (13%)	4	12
All	All	564/713 (79%)	499 (88%)	65 (12%)	5	17

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	460	ASP
1	A	486	LEU
1	A	521	SER
1	A	536	ASP
1	A	539	ARG
1	A	564	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	585	TYR
1	A	586	THR
1	A	595	ASP
1	A	596	LEU
1	A	605	VAL
1	A	607	LEU
1	A	611	LEU
1	A	616	GLU
1	A	641	ILE
1	A	654	LEU
1	A	676	LEU
1	A	678	VAL
1	A	703	GLU
1	A	714	THR
1	A	715	LYS
1	A	723	LEU
2	B	562	ASP
2	B	582	LEU
2	B	621	LEU
2	B	640	LEU
2	B	661	SER
2	B	679	LEU
2	B	692	LEU
2	B	697	VAL
2	B	698	ILE
2	B	703	ASP
2	B	708	THR
2	B	718	VAL
2	B	719	ASP
2	B	732	ARG
2	B	740	ARG
2	B	745	ASP
2	B	747	LEU
2	B	748	ARG
2	B	753	GLN
2	B	761	VAL
2	B	763	ARG
2	B	764	LEU
2	B	783	LEU
2	B	784	ARG
2	B	787	LEU
2	B	797	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	804	ARG
2	B	808	VAL
2	B	809	THR
2	B	814	LEU
2	B	820	THR
2	B	833	MET
2	B	843	VAL
2	B	845	ASP
2	B	852	ASP
2	B	859	SER
2	B	871	THR
2	B	885	HIS
2	B	886	GLU
2	B	890	GLU
2	B	903	LEU
2	B	936	LYS
2	B	948	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	722	ASN
1	A	726	HIS
2	B	586	GLN
2	B	753	GLN
2	B	772	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PO4	A	801	-	4,4,4	0.71	0	6,6,6	0.42	0
3	PO4	B	1001	-	4,4,4	0.81	0	6,6,6	0.59	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.