



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 2, 2021 – 02:02 PM EDT

PDB ID : 7RWK  
Title : Structure of Cap5 from *Asticcacaulis* sp.  
Authors : Huang, R.H.; Fatma, S.; Chakravarti, A.  
Deposited on : 2021-08-20  
Resolution : 2.39 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtrriage (Phenix) : 1.13  
EDS : 2.23.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 2.39 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	 2% 81% 13% ..
1	B	384	 2% 83% 12% ..

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6223 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SAVED domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	368	2931	1842	548	530	11	0	0	0
1	B	368	2927	1839	547	530	11	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	170	Total	O	0	0
			170	170		
4	B	191	Total	O	0	0
			191	191		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: SAVED domain-containing protein



- Molecule 1: SAVED domain-containing protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	69.31Å 96.92Å 131.18Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.72 – 2.39 39.72 – 2.39	Depositor EDS
% Data completeness (in resolution range)	98.9 (39.72-2.39) 96.0 (39.72-2.39)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.56 (at 2.39Å)	Xtrriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, $R_{free}$	0.193 , 0.235 0.193 , 0.235	Depositor DCC
$R_{free}$ test set	2000 reflections (5.64%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.3	Xtrriage
Anisotropy	0.731	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 38.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6223	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.54	3/3000 (0.1%)	1.00	23/4071 (0.6%)
1	B	0.50	3/2996 (0.1%)	0.76	9/4067 (0.2%)
All	All	0.52	6/5996 (0.1%)	0.89	32/8138 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	2
All	All	0	6

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	178	GLU	CD-OE1	8.81	1.35	1.25
1	A	117	ARG	CD-NE	-6.84	1.34	1.46
1	B	178	GLU	CG-CD	6.71	1.62	1.51
1	B	271	GLU	CB-CG	-5.81	1.41	1.52
1	A	117	ARG	CB-CG	-5.34	1.38	1.52
1	A	185	GLU	CG-CD	-5.03	1.44	1.51

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101	ARG	CB-CG-CD	-19.80	60.12	111.60
1	A	101	ARG	NE-CZ-NH2	15.32	127.96	120.30
1	A	117	ARG	NE-CZ-NH1	-13.08	113.76	120.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101	ARG	NE-CZ-NH1	-12.56	114.02	120.30
1	A	101	ARG	CD-NE-CZ	11.85	140.20	123.60
1	B	275	ARG	NE-CZ-NH2	-11.62	114.49	120.30
1	A	117	ARG	CD-NE-CZ	11.38	139.53	123.60
1	A	101	ARG	CG-CD-NE	9.66	132.09	111.80
1	B	271	GLU	CA-CB-CG	9.33	133.93	113.40
1	A	248	LYS	CB-CG-CD	-9.18	87.74	111.60
1	A	248	LYS	CA-CB-CG	8.49	132.08	113.40
1	B	275	ARG	CB-CG-CD	-7.74	91.47	111.60
1	A	101	ARG	CB-CA-C	-7.32	95.76	110.40
1	A	205	LEU	CB-CG-CD2	7.30	123.41	111.00
1	A	185	GLU	N-CA-CB	-7.17	97.70	110.60
1	B	271	GLU	CB-CA-C	-6.92	96.55	110.40
1	B	275	ARG	NE-CZ-NH1	6.92	123.76	120.30
1	A	185	GLU	CA-CB-CG	6.84	128.45	113.40
1	A	185	GLU	CB-CA-C	6.68	123.76	110.40
1	A	178	GLU	CA-CB-CG	6.63	127.98	113.40
1	B	275	ARG	CD-NE-CZ	6.61	132.85	123.60
1	A	117	ARG	CB-CG-CD	-6.22	95.43	111.60
1	B	178	GLU	OE1-CD-OE2	6.07	130.59	123.30
1	B	167	ASP	CB-CG-OD2	-5.99	112.91	118.30
1	A	185	GLU	OE1-CD-OE2	-5.93	116.18	123.30
1	B	275	ARG	CG-CD-NE	-5.91	99.40	111.80
1	A	41	LYS	CA-CB-CG	5.74	126.02	113.40
1	A	256	ARG	NE-CZ-NH1	-5.39	117.61	120.30
1	A	101	ARG	CA-CB-CG	5.26	124.98	113.40
1	A	117	ARG	CG-CD-NE	-5.21	100.87	111.80
1	A	325	ASP	CB-CG-OD2	-5.20	113.62	118.30
1	A	185	GLU	C-N-CA	5.02	134.26	121.70

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	117	ARG	Sidechain
1	A	136	GLN	Sidechain
1	A	185	GLU	Sidechain
1	A	325	ASP	Sidechain
1	B	167	ASP	Sidechain
1	B	275	ARG	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2931	0	2899	56	0
1	B	2927	0	2888	38	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	170	0	0	9	0
4	B	191	0	0	8	0
All	All	6223	0	5787	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:179:ASN:ND2	4:A:501:HOH:O	1.95	0.98
1:A:136:GLN:NE2	4:A:502:HOH:O	1.96	0.97
1:B:274:THR:O	1:B:278:GLY:N	2.03	0.91
1:A:117:ARG:NH2	1:A:146:PRO:O	2.15	0.80
1:A:183:GLN:HA	1:A:186:ARG:HE	1.47	0.78
1:A:185:GLU:OE1	1:A:189:ARG:NH1	2.16	0.77
1:B:134:PRO:HG2	1:B:205:LEU:HD22	1.66	0.76
1:B:289:GLU:OE1	4:B:501:HOH:O	2.03	0.76
1:A:183:GLN:HA	1:A:186:ARG:NE	2.02	0.75
1:A:275:ARG:NH1	4:A:505:HOH:O	2.19	0.74
1:B:167:ASP:OD1	4:B:502:HOH:O	2.07	0.73
1:A:179:ASN:HD22	1:A:182:ARG:HH21	1.37	0.72
1:A:131:HIS:O	4:A:503:HOH:O	2.08	0.71
1:A:359:ARG:NH2	4:A:507:HOH:O	2.25	0.69
1:A:225:ARG:HD3	4:A:532:HOH:O	1.95	0.66
1:B:275:ARG:HA	1:B:277:LEU:N	2.12	0.64
1:A:117:ARG:HH12	1:A:147:ALA:HA	1.63	0.64
1:B:7:GLN:OE1	4:B:503:HOH:O	2.16	0.62
1:A:257:THR:HB	1:A:281:THR:HG22	1.82	0.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:293:ASN:ND2	4:A:515:HOH:O	2.34	0.61
1:A:310:ARG:NH2	1:A:349:ASP:OD1	2.28	0.59
1:A:117:ARG:HH12	1:A:147:ALA:CA	2.15	0.59
1:B:198:ASP:HB3	4:B:573:HOH:O	2.02	0.58
1:A:241:GLU:H	1:A:297:HIS:CD2	2.22	0.58
1:A:183:GLN:HG2	1:A:186:ARG:CZ	2.34	0.58
1:A:272:ARG:HG2	1:A:275:ARG:HH21	1.69	0.56
1:A:325:ASP:OD2	1:A:327:HIS:NE2	2.39	0.56
1:A:346:PRO:HB2	1:A:347:LYS:HD2	1.89	0.55
1:B:117:ARG:NE	1:B:147:ALA:O	2.32	0.55
1:A:117:ARG:HH12	1:A:147:ALA:C	2.10	0.55
1:B:24:CYS:HB3	1:B:79:HIS:CE1	2.43	0.54
1:A:186:ARG:CZ	1:A:187:LYS:HD2	2.37	0.53
1:B:10:LYS:HG2	1:B:44:ILE:HD11	1.90	0.53
1:B:314:ASP:OD1	4:B:504:HOH:O	2.18	0.53
1:A:179:ASN:HD22	1:A:182:ARG:NH2	2.05	0.53
1:A:271:GLU:OE2	1:A:275:ARG:NE	2.41	0.53
1:B:271:GLU:O	1:B:274:THR:N	2.41	0.52
1:B:288:ALA:O	4:B:505:HOH:O	2.18	0.52
1:B:191:LEU:HB2	1:B:197:ILE:HD12	1.91	0.52
1:A:117:ARG:NH1	1:A:147:ALA:C	2.64	0.51
1:A:70:GLU:OE1	4:A:506:HOH:O	2.20	0.51
1:B:167:ASP:CG	1:B:359:ARG:HH21	2.14	0.50
1:B:261:LYS:NZ	1:B:268:ILE:O	2.33	0.50
1:A:117:ARG:HH22	1:A:146:PRO:C	2.13	0.50
1:A:151:LYS:NZ	1:A:196:HIS:O	2.41	0.50
1:B:347:LYS:N	1:B:347:LYS:HD3	2.27	0.49
1:A:117:ARG:NH1	1:A:147:ALA:O	2.47	0.48
1:A:117:ARG:NH1	1:A:146:PRO:O	2.47	0.48
1:A:117:ARG:HD2	1:B:23:LEU:O	2.14	0.48
1:A:183:GLN:HG2	1:A:186:ARG:NH2	2.29	0.48
1:B:225:ARG:HD3	4:B:562:HOH:O	2.12	0.48
1:B:189:ARG:NH2	4:B:517:HOH:O	2.46	0.47
1:A:189:ARG:HH11	1:A:189:ARG:HG3	1.79	0.47
1:A:127:ARG:NH2	1:A:132:ASP:O	2.48	0.47
1:A:24:CYS:HB3	1:A:79:HIS:CE1	2.51	0.46
1:B:116:ASP:OD1	1:B:116:ASP:N	2.49	0.46
1:A:238:TRP:CG	1:A:299:GLU:HG2	2.52	0.45
1:B:332:MET:HB3	1:B:336:THR:OG1	2.16	0.45
1:A:186:ARG:CZ	1:A:187:LYS:CD	2.94	0.45
1:B:145:LEU:HD12	1:B:148:TYR:O	2.16	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:345:MET:HB3	1:B:347:LYS:HE2	1.98	0.45
1:A:117:ARG:HD3	1:A:149:TYR:CD2	2.52	0.45
1:A:247:TYR:O	1:A:248:LYS:HB3	2.17	0.45
1:A:186:ARG:NH2	1:A:187:LYS:HD3	2.32	0.45
1:A:225:ARG:NH2	1:A:299:GLU:OE2	2.37	0.44
1:B:274:THR:O	1:B:278:GLY:O	2.36	0.44
1:A:37:ASP:HB3	1:A:43:TYR:CE1	2.52	0.44
1:B:100:LYS:O	1:B:104:GLU:HG3	2.17	0.44
1:B:166:ALA:O	1:B:169:GLU:HG2	2.17	0.44
1:B:347:LYS:HE2	1:B:347:LYS:HB2	1.76	0.44
1:B:23:LEU:HA	1:B:23:LEU:HD23	1.83	0.44
1:A:117:ARG:HB3	1:A:149:TYR:CE2	2.53	0.43
1:B:265:SER:HB2	1:B:293:ASN:HA	2.00	0.43
1:A:185:GLU:OE1	1:A:185:GLU:HA	2.18	0.43
1:B:346:PRO:HD2	1:B:347:LYS:NZ	2.33	0.43
1:B:358:ASN:HB2	1:B:365:PHE:CD2	2.53	0.43
1:A:186:ARG:NH1	1:A:187:LYS:HD2	2.34	0.43
1:A:238:TRP:CD2	1:A:299:GLU:HG2	2.54	0.43
1:A:344:TRP:CH2	1:A:346:PRO:HA	2.54	0.43
1:A:198:ASP:O	1:A:223:LYS:HB2	2.18	0.43
1:A:185:GLU:OE1	1:A:189:ARG:HG3	2.19	0.42
1:B:358:ASN:HB2	1:B:365:PHE:HD2	1.84	0.42
1:A:323:ALA:HB1	1:A:350:LEU:HD22	2.01	0.42
1:B:310:ARG:HH22	1:B:349:ASP:CG	2.21	0.42
1:A:117:ARG:CB	1:A:149:TYR:CE2	3.03	0.41
1:B:207:PRO:HD2	1:B:210:LEU:HD12	2.01	0.41
1:A:261:LYS:HB3	1:A:273:ILE:HD11	2.02	0.41
1:A:265:SER:HB2	1:A:293:ASN:HA	2.02	0.41
1:A:292:HIS:CD2	1:A:294:ASP:H	2.39	0.41
1:A:117:ARG:CZ	1:A:146:PRO:O	2.68	0.40
1:B:346:PRO:HD2	1:B:347:LYS:HZ3	1.86	0.40
4:A:636:HOH:O	1:B:18:GLY:HA2	2.21	0.40
1:B:167:ASP:OD1	1:B:359:ARG:NH2	2.53	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	366/384 (95%)	349 (95%)	17 (5%)	0	100	100
1	B	366/384 (95%)	350 (96%)	16 (4%)	0	100	100
All	All	732/768 (95%)	699 (96%)	33 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	309/323 (96%)	305 (99%)	4 (1%)	69	84
1	B	308/323 (95%)	308 (100%)	0	100	100
All	All	617/646 (96%)	613 (99%)	4 (1%)	86	94

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	ARG
1	A	117	ARG
1	A	136	GLN
1	A	325	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	ASN
1	A	179	ASN
1	B	138	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	368/384 (95%)	-0.00	7 (1%) 66 64	24, 39, 65, 82	0
1	B	368/384 (95%)	-0.05	9 (2%) 59 57	21, 35, 58, 95	0
All	All	736/768 (95%)	-0.03	16 (2%) 62 60	21, 37, 62, 95	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	360	THR	7.4
1	A	186	ARG	5.8
1	B	275	ARG	4.8
1	A	198	ASP	3.9
1	B	276	CYS	3.3
1	A	117	ARG	2.7
1	B	194	ASP	2.7
1	B	222	ARG	2.6
1	B	48	VAL	2.5
1	B	60	ILE	2.3
1	A	325	ASP	2.2
1	B	359	ARG	2.2
1	B	52	ILE	2.2
1	A	324	THR	2.1
1	A	279	GLU	2.1
1	A	277	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	B	402	1/1	0.84	0.07	34,34,34,34	0
3	MG	A	402	1/1	0.89	0.15	39,39,39,39	0
2	ZN	A	401	1/1	0.99	0.09	39,39,39,39	0
2	ZN	B	401	1/1	1.00	0.10	22,22,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around MG B 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around MG A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









## 6.5 Other polymers [i](#)

There are no such residues in this entry.