



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 22, 2024 – 09:55 PM EST

PDB ID : 4S05  
Title : Crystal structure of Klebsiella pneumoniae PmrA in complex with PmrA box DNA  
Authors : Hsiao, C.D.; Weng, T.H.; Li, Y.C.  
Deposited on : 2014-12-30  
Resolution : 3.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1212 (4.00-3.60)
Clashscore	141614	1288 (4.00-3.60)
Ramachandran outliers	138981	1243 (4.00-3.60)
Sidechain outliers	138945	1237 (4.00-3.60)
RSRZ outliers	127900	1121 (4.00-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	232	
1	B	232	
2	C	26	
3	D	26	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	BEF	A	301	-	-	X	-

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4528 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-binding transcriptional regulator BasR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	219	1726	1080	312	326	8	0	0	0
1	B	219	1726	1080	312	326	8	0	0	0

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	181	GLY	TRP	engineered mutation	UNP S5YJU7
A	220	ASP	ILE	engineered mutation	UNP S5YJU7
A	224	HIS	-	expression tag	UNP S5YJU7
A	225	LEU	-	expression tag	UNP S5YJU7
A	226	GLU	-	expression tag	UNP S5YJU7
A	227	HIS	-	expression tag	UNP S5YJU7
A	228	HIS	-	expression tag	UNP S5YJU7
A	229	HIS	-	expression tag	UNP S5YJU7
A	230	HIS	-	expression tag	UNP S5YJU7
A	231	HIS	-	expression tag	UNP S5YJU7
A	232	HIS	-	expression tag	UNP S5YJU7
B	181	GLY	TRP	engineered mutation	UNP S5YJU7
B	220	ASP	ILE	engineered mutation	UNP S5YJU7
B	224	HIS	-	expression tag	UNP S5YJU7
B	225	LEU	-	expression tag	UNP S5YJU7
B	226	GLU	-	expression tag	UNP S5YJU7
B	227	HIS	-	expression tag	UNP S5YJU7
B	228	HIS	-	expression tag	UNP S5YJU7
B	229	HIS	-	expression tag	UNP S5YJU7
B	230	HIS	-	expression tag	UNP S5YJU7
B	231	HIS	-	expression tag	UNP S5YJU7
B	232	HIS	-	expression tag	UNP S5YJU7


- Molecule 2 is a DNA chain called DNA (26-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	26	531	256	92	157	26	1	0	0

- Molecule 3 is a DNA chain called DNA (26-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	D	26	535	257	97	155	26	5	0	0

- Molecule 4 is BERYLLIUM TRIFLUORIDE ION (three-letter code: BEF) (formula: BeF<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Be	F		
4	A	1	4	1	3	0	0
4	B	1	4	1	3	0	0


- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
5	A	1	1	1	0	0
5	B	1	1	1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA-binding transcriptional regulator BasR



- Molecule 1: DNA-binding transcriptional regulator BasR



- Molecule 2: DNA (26-MER)



- Molecule 3: DNA (26-MER)

Chain D:  31% 62% 8%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	162.64Å 162.64Å 131.71Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.83 – 3.80 29.83 – 3.80	Depositor EDS
% Data completeness (in resolution range)	99.1 (29.83-3.80) 92.0 (29.83-3.80)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.32 (at 3.75Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, $R_{free}$	0.178 , 0.229 0.180 , 0.230	Depositor DCC
$R_{free}$ test set	2005 reflections (10.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	134.6	Xtrriage
Anisotropy	0.568	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 56.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.038 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4528	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	70.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BEF, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/1750	0.76	2/2366 (0.1%)
1	B	0.38	0/1750	0.67	0/2366
2	C	0.56	0/594	1.37	8/914 (0.9%)
3	D	0.65	0/600	1.46	12/924 (1.3%)
All	All	0.48	0/4694	0.96	22/6570 (0.3%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	7	DT	O4'-C4'-C3'	-7.38	101.55	104.50
2	C	18	DT	C6-C5-C7	-7.04	118.68	122.90
3	D	1	DC	O4'-C1'-N1	6.79	112.75	108.00
3	D	15	DT	O4'-C1'-N1	6.73	112.71	108.00
3	D	1	DC	C3'-C2'-C1'	-6.46	94.75	102.50
3	D	21	DG	C3'-C2'-C1'	-6.42	94.79	102.50
2	C	12	DT	C3'-C2'-C1'	-6.32	94.92	102.50
3	D	17	DT	N3-C4-O4	6.14	123.58	119.90
3	D	6	DT	C1'-O4'-C4'	-6.11	104.00	110.10
2	C	20	DA	O4'-C1'-N9	5.52	111.86	108.00
2	C	18	DT	C4-C5-C7	5.35	122.21	119.00
3	D	21	DG	C1'-O4'-C4'	-5.33	104.77	110.10
3	D	15	DT	C5-C4-O4	-5.30	121.19	124.90
1	A	4	LEU	CA-CB-CG	5.21	127.29	115.30
2	C	7	DT	C1'-O4'-C4'	-5.18	104.92	110.10
3	D	15	DT	N3-C4-O4	5.14	122.99	119.90
2	C	4	DT	O4'-C1'-N1	5.11	111.58	108.00
1	A	76	LEU	CA-CB-CG	5.08	126.99	115.30
2	C	5	DC	P-O5'-C5'	-5.02	112.86	120.90
3	D	6	DT	N3-C4-O4	5.02	122.91	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	24	DA	P-O3'-C3'	5.02	125.72	119.70
3	D	9	DG	O4'-C1'-N9	5.01	111.51	108.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1726	0	1755	111	0
1	B	1726	0	1755	78	0
2	C	531	0	297	42	0
3	D	535	0	296	14	0
4	A	4	0	0	4	0
4	B	4	0	0	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
All	All	4528	0	4103	226	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (226) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:24:DA:H2''	2:C:25:DG:N7	1.47	1.28
2:C:24:DA:H2''	2:C:25:DG:C8	1.81	1.14
1:A:6:ILE:HG22	1:A:49:VAL:O	1.59	1.02
2:C:9:DA:H2''	2:C:10:DT:OP2	1.65	0.93
1:B:52:LEU:HB3	1:B:81:ARG:HH11	1.33	0.91
1:A:76:LEU:HD23	1:A:97:ASP:HB3	1.52	0.90
1:A:6:ILE:CG2	1:A:50:LEU:HA	2.02	0.89
1:A:50:LEU:HD12	1:A:51:ASP:H	1.39	0.88
1:A:82:ASP:HB3	1:A:100:VAL:HG11	1.59	0.85
1:A:52:LEU:HD21	1:A:77:ILE:HD13	1.60	0.83

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:TYR:OH	2:C:17:DC:OP2	1.98	0.81
1:A:91:LEU:O	1:B:117:ARG:NH1	2.14	0.80
1:B:188:ASN:O	1:B:192:VAL:HG23	1.82	0.80
1:A:134:LEU:HD23	1:A:141:VAL:HG22	1.65	0.79
1:B:198:ARG:NH1	3:D:5:DC:OP1	2.14	0.77
2:C:24:DA:C2'	2:C:25:DG:N7	2.41	0.77
1:A:118:ARG:HH12	1:A:123:GLY:H	1.31	0.77
2:C:23:DA:H2''	2:C:24:DA:O5'	1.85	0.76
1:B:171:ARG:NH2	1:B:191:GLU:OE1	2.20	0.75
1:A:203:LYS:HD2	1:A:204:SER:HA	1.69	0.74
1:B:166:GLY:HA3	1:B:218:ASN:HD21	1.52	0.74
1:A:6:ILE:HG23	1:A:50:LEU:HA	1.68	0.73
1:A:6:ILE:HD11	1:A:54:LEU:HD11	1.68	0.73
1:B:65:ARG:HG2	1:B:68:ARG:HH21	1.54	0.72
1:B:151:THR:HB	2:C:15:DT:H3'	1.72	0.71
2:C:7:DT:H2''	2:C:8:DA:H5''	1.70	0.71
2:C:10:DT:C2'	2:C:11:DA:O5'	2.37	0.71
2:C:10:DT:H2''	2:C:11:DA:O5'	1.90	0.71
2:C:24:DA:C2'	2:C:25:DG:C8	2.70	0.71
1:A:6:ILE:HD13	1:A:50:LEU:CD1	2.22	0.70
1:A:198:ARG:HB3	1:A:203:LYS:HD3	1.74	0.69
2:C:10:DT:O2	3:D:16:DA:H2	1.74	0.69
1:A:151:THR:HB	2:C:4:DT:H3'	1.73	0.69
1:A:118:ARG:NH1	1:A:123:GLY:H	1.90	0.69
1:A:83:THR:HG23	1:A:86:ASP:OD2	1.93	0.68
1:A:64:SER:O	1:A:68:ARG:HB3	1.94	0.68
1:A:153:LYS:HD2	1:A:178:ILE:HG23	1.77	0.67
1:B:97:ASP:OD2	1:B:111:ARG:HD2	1.94	0.67
2:C:12:DT:H2''	2:C:13:DT:H5''	1.76	0.67
1:A:6:ILE:HD11	1:A:54:LEU:CD1	2.26	0.66
1:A:7:GLU:O	1:A:31:SER:HA	1.94	0.66
1:A:79:THR:HG23	1:A:81:ARG:H	1.60	0.66
1:B:141:VAL:HB	1:B:148:LEU:HD12	1.76	0.66
1:B:150:LEU:HD11	1:B:158:LEU:HD13	1.78	0.65
2:C:1:DA:OP2	2:C:1:DA:H2'	1.98	0.64
1:A:113:ARG:HD2	1:A:137:THR:HG22	1.81	0.63
3:D:22:DA:H2''	3:D:23:DA:H5''	1.80	0.63
2:C:10:DT:H2'	2:C:11:DA:C8	2.34	0.61
1:A:145:GLU:HG3	1:A:146:THR:HG23	1.83	0.61
1:B:96:ASP:OD1	1:B:96:ASP:N	2.33	0.61
1:A:50:LEU:HD12	1:A:51:ASP:N	2.14	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:40:LEU:HD22	1:B:71:MET:HE1	1.83	0.60
1:A:96:ASP:OD2	1:B:118:ARG:NH2	2.35	0.60
1:B:201:ILE:HG22	1:B:201:ILE:O	2.01	0.60
1:B:52:LEU:HB3	1:B:81:ARG:NH1	2.13	0.60
2:C:9:DA:C2'	2:C:10:DT:OP2	2.45	0.60
1:A:117:ARG:NH1	1:B:91:LEU:O	2.31	0.59
1:B:200:LYS:O	1:B:201:ILE:HB	2.01	0.59
3:D:8:DA:H2''	3:D:9:DG:C8	2.37	0.59
1:A:6:ILE:CD1	1:A:54:LEU:HD11	2.33	0.59
1:A:32:THR:HG22	1:A:56:ASP:HB2	1.85	0.58
1:A:131:ASN:H	1:A:205:ARG:HH22	1.48	0.58
2:C:21:DG:N2	3:D:5:DC:O2	2.20	0.58
1:A:84:LEU:HD11	1:B:107:GLU:HB2	1.84	0.58
1:A:188:ASN:ND2	2:C:8:DA:N7	2.51	0.58
2:C:5:DC:H2'	2:C:6:DT:H72	1.86	0.58
1:A:129:VAL:HG13	1:A:218:ASN:HB3	1.85	0.57
1:A:198:ARG:CB	1:A:203:LYS:HD3	2.35	0.57
2:C:10:DT:OP2	2:C:10:DT:H73	2.04	0.57
1:A:30:VAL:HG23	1:A:32:THR:H	1.68	0.57
1:B:150:LEU:HD22	1:B:154:GLU:HB3	1.86	0.57
1:B:158:LEU:O	1:B:162:MET:HB2	2.05	0.57
1:A:125:ASN:OD1	1:A:125:ASN:N	2.36	0.57
1:A:97:ASP:OD2	1:A:111:ARG:HD2	2.05	0.56
1:A:138:ARG:HH21	1:A:138:ARG:HB3	1.70	0.56
1:B:89:SER:O	1:B:93:THR:OG1	2.18	0.56
1:B:153:LYS:HZ3	1:B:179:TYR:HE1	1.54	0.56
3:D:23:DA:H2''	3:D:24:DA:H5''	1.86	0.56
1:B:32:THR:HG1	1:B:35:GLU:H	1.51	0.56
2:C:23:DA:C8	2:C:24:DA:N7	2.74	0.56
2:C:5:DC:H6	2:C:5:DC:H5'	1.71	0.56
1:A:198:ARG:O	1:A:203:LYS:HB2	2.06	0.55
1:B:67:ARG:HD3	1:B:71:MET:O	2.07	0.55
2:C:9:DA:H1'	2:C:10:DT:O5'	2.05	0.55
1:A:52:LEU:HD22	1:A:60:LEU:HD22	1.88	0.55
1:B:189:THR:HG21	2:C:17:DC:OP2	2.07	0.55
1:B:187:THR:O	2:C:18:DT:C7	2.54	0.54
1:B:143:LEU:HB2	1:B:148:LEU:HD21	1.88	0.54
1:A:14:GLN:O	1:A:18:LEU:HG	2.06	0.54
1:B:132:LEU:HD11	1:B:158:LEU:HD11	1.90	0.54
2:C:10:DT:O2	3:D:16:DA:C2	2.59	0.53
2:C:10:DT:O5'	2:C:10:DT:H6	1.92	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:N	1:A:177:ASP:OD1	2.42	0.53
1:A:141:VAL:HG11	1:A:158:LEU:HD21	1.90	0.53
1:B:215:MET:HG2	1:B:216:LEU:H	1.74	0.52
1:B:168:PRO:HB3	1:B:209:VAL:HG21	1.92	0.52
1:B:157:LEU:HD22	1:B:174:LEU:HD22	1.92	0.52
1:B:150:LEU:HD13	1:B:155:TYR:HA	1.91	0.51
1:A:131:ASN:H	1:A:205:ARG:NH2	2.07	0.51
1:A:198:ARG:NH1	3:D:16:DA:OP1	2.43	0.51
1:B:129:VAL:HG23	1:B:162:MET:HE3	1.92	0.51
1:A:17:ILE:HD11	1:A:29:GLY:HA3	1.93	0.51
1:B:157:LEU:HG	1:B:178:ILE:HD11	1.91	0.51
2:C:13:DT:H2''	2:C:14:DA:C8	2.46	0.51
2:C:25:DG:H2''	2:C:26:DG:H5'	1.92	0.51
1:A:216:LEU:HD23	1:A:217:ALA:H	1.76	0.50
1:B:42:SER:OG	1:B:43:ASN:N	2.45	0.50
1:B:65:ARG:O	1:B:69:GLU:N	2.42	0.50
1:B:52:LEU:CB	1:B:81:ARG:HH11	2.14	0.50
1:A:160:ARG:HH11	1:A:173:ILE:CG2	2.24	0.50
1:B:141:VAL:HG23	1:B:148:LEU:HB2	1.92	0.50
1:B:139:ARG:HG2	1:B:155:TYR:CZ	2.46	0.50
2:C:1:DA:H2''	2:C:2:DT:OP2	2.12	0.50
1:A:138:ARG:HH22	1:A:140:LEU:HD12	1.77	0.50
1:B:187:THR:HB	1:B:188:ASN:HD22	1.76	0.50
1:A:120:ASN:HB3	1:A:163:MET:HG2	1.93	0.49
1:B:63:LEU:HD11	1:B:75:VAL:HG21	1.94	0.49
3:D:4:DG:H2''	3:D:5:DC:OP2	2.12	0.49
1:A:51:ASP:OD1	4:A:301:BEF:F3	2.20	0.49
2:C:23:DA:C2'	2:C:24:DA:O5'	2.59	0.49
1:B:200:LYS:O	1:B:201:ILE:CB	2.61	0.49
1:A:71:MET:HB3	1:A:73:GLN:OE1	2.13	0.49
1:A:3:ILE:HD13	1:A:20:MET:SD	2.53	0.48
1:A:47:LEU:HD13	1:A:112:ILE:HG23	1.94	0.48
1:A:117:ARG:HD2	1:A:124:ASP:HA	1.94	0.48
1:A:138:ARG:HB3	1:A:138:ARG:NH2	2.29	0.48
1:B:84:LEU:O	1:B:88:ILE:HG12	2.13	0.48
1:B:215:MET:HG2	1:B:216:LEU:N	2.29	0.48
2:C:5:DC:C2	2:C:6:DT:C5	3.01	0.48
1:B:108:LEU:HG	1:B:112:ILE:HD12	1.96	0.48
1:A:130:GLY:HA3	1:A:205:ARG:HH21	1.79	0.48
1:B:188:ASN:O	1:B:192:VAL:CG2	2.58	0.48
1:A:2:LYS:HD3	1:A:176:ASN:O	2.14	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6:ILE:HG21	1:A:50:LEU:HD13	1.95	0.47
1:A:101:LYS:CE	4:A:301:BEF:F3	2.53	0.47
1:B:182:ASP:OD1	1:B:182:ASP:N	2.47	0.47
1:A:4:LEU:HD12	1:A:5:VAL:N	2.29	0.47
1:A:32:THR:CG2	1:A:56:ASP:HB2	2.45	0.47
1:A:65:ARG:HG2	1:A:68:ARG:HH12	1.80	0.47
1:A:78:LEU:HD21	1:A:101:LYS:HD3	1.97	0.47
1:A:198:ARG:HH22	1:A:208:THR:HG22	1.77	0.47
1:B:33:ALA:HB3	1:B:56:ASP:OD2	2.15	0.47
1:B:198:ARG:HH22	1:B:208:THR:HB	1.79	0.47
1:A:1:MET:CE	1:A:160:ARG:HH21	2.28	0.47
1:B:17:ILE:HD11	1:B:29:GLY:HA3	1.98	0.46
1:A:65:ARG:HG2	1:A:68:ARG:NH1	2.30	0.46
2:C:7:DT:C2'	2:C:8:DA:H5''	2.42	0.46
1:A:63:LEU:HD11	1:A:75:VAL:HG21	1.98	0.46
1:B:64:SER:O	1:B:68:ARG:HB2	2.16	0.46
3:D:8:DA:H2''	3:D:9:DG:N7	2.31	0.46
2:C:13:DT:OP1	2:C:13:DT:H4'	2.16	0.46
1:A:138:ARG:NH2	1:A:140:LEU:HD12	2.29	0.46
1:A:203:LYS:HA	1:A:204:SER:HA	1.73	0.46
1:A:153:LYS:HG2	2:C:5:DC:OP1	2.15	0.46
3:D:13:DA:H2''	3:D:14:DA:OP2	2.16	0.46
1:A:101:LYS:HE2	4:A:301:BEF:F3	2.06	0.46
1:B:132:LEU:HD21	1:B:141:VAL:HG12	1.98	0.46
1:A:203:LYS:CD	1:A:204:SER:HA	2.40	0.45
1:A:17:ILE:HG23	1:A:27:CYS:SG	2.56	0.45
1:A:169:VAL:O	1:A:213:GLY:HA3	2.16	0.45
2:C:5:DC:C2'	2:C:6:DT:H72	2.45	0.45
1:A:52:LEU:HD12	1:A:79:THR:HG21	1.98	0.45
1:B:7:GLU:HB3	1:B:13:LEU:HB2	1.97	0.45
3:D:12:DT:H2''	3:D:13:DA:C8	2.52	0.45
1:A:57:GLU:OE2	1:A:65:ARG:NH1	2.48	0.45
1:A:190:LEU:HD12	1:A:194:ILE:HD11	1.98	0.45
1:A:54:LEU:HA	1:A:55:PRO:HD3	1.71	0.45
1:A:155:TYR:O	1:A:159:SER:HB2	2.17	0.45
1:B:153:LYS:HG3	1:B:178:ILE:HG23	1.99	0.45
1:A:111:ARG:HH21	1:B:91:LEU:HD11	1.80	0.45
1:A:171:ARG:NH1	1:A:171:ARG:HG2	2.32	0.45
1:B:8:ASP:HB3	1:B:55:PRO:HD3	1.98	0.45
1:A:58:ASP:O	1:A:61:HIS:N	2.50	0.44
1:A:162:MET:HA	1:A:165:ALA:HB2	2.00	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:47:LEU:HD13	1:B:112:ILE:HG23	1.99	0.44
1:B:96:ASP:HB2	1:B:115:LEU:HD11	2.00	0.44
1:A:167:SER:C	1:A:215:MET:HG3	2.37	0.44
1:A:87:ARG:H	1:A:87:ARG:HG2	1.49	0.44
2:C:5:DC:C2	2:C:6:DT:C4	3.06	0.44
1:A:6:ILE:HG23	1:A:6:ILE:O	2.18	0.44
1:B:171:ARG:HD2	1:B:212:PHE:CD1	2.53	0.44
2:C:23:DA:N9	2:C:24:DA:C8	2.85	0.44
1:A:38:LEU:HD13	1:A:38:LEU:HA	1.85	0.44
1:B:173:ILE:O	1:B:177:ASP:HB2	2.18	0.44
1:A:216:LEU:HD23	1:A:217:ALA:N	2.32	0.43
1:A:182:ASP:OD1	1:A:182:ASP:N	2.50	0.43
1:B:144:GLY:HA2	1:B:145:GLU:HA	1.59	0.43
1:A:34:HIS:ND1	1:A:35:GLU:N	2.67	0.43
1:B:8:ASP:CB	1:B:55:PRO:HD3	2.48	0.43
1:A:2:LYS:HG3	1:A:26:VAL:HB	2.00	0.43
1:B:79:THR:OG1	1:B:80:ALA:N	2.51	0.43
2:C:14:DA:H2''	2:C:15:DT:OP2	2.18	0.43
1:B:187:THR:HB	1:B:188:ASN:ND2	2.34	0.43
1:B:63:LEU:HD12	1:B:63:LEU:HA	1.82	0.43
1:A:6:ILE:HD13	1:A:50:LEU:HD12	2.00	0.42
1:B:164:LYS:HA	1:B:164:LYS:HD3	1.77	0.42
1:A:1:MET:H1	1:A:46:SER:HB2	1.84	0.42
1:A:203:LYS:HD2	1:A:203:LYS:HA	1.77	0.42
1:A:78:LEU:HD23	1:A:78:LEU:O	2.19	0.42
1:B:23:GLU:OE1	1:B:109:ASN:ND2	2.53	0.42
1:A:32:THR:HB	1:A:56:ASP:OD2	2.19	0.42
1:A:108:LEU:O	1:A:112:ILE:HG13	2.19	0.42
1:B:6:ILE:HG22	1:B:54:LEU:HD21	2.01	0.42
1:A:47:LEU:HB2	1:A:116:LEU:HD21	2.02	0.42
1:A:83:THR:O	1:A:86:ASP:HB2	2.20	0.42
1:A:101:LYS:NZ	4:A:301:BEF:F3	2.40	0.42
3:D:5:DC:H5'	3:D:5:DC:C6	2.54	0.41
1:A:171:ARG:HG2	1:A:171:ARG:HH11	1.85	0.41
1:A:6:ILE:HG21	1:A:50:LEU:CD1	2.50	0.41
1:B:51:ASP:OD1	4:B:301:BEF:F1	2.28	0.41
2:C:23:DA:C5	2:C:24:DA:C5	3.08	0.41
1:A:214:TYR:N	1:A:214:TYR:CD1	2.88	0.41
1:A:34:HIS:CE1	1:A:35:GLU:HG3	2.56	0.41
1:A:87:ARG:HA	1:A:98:TYR:CE2	2.56	0.41
1:A:50:LEU:CD1	1:A:51:ASP:H	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:LYS:HG3	1:B:178:ILE:CG2	2.51	0.41
1:A:1:MET:HE2	1:A:160:ARG:HH21	1.86	0.40
1:A:99:LEU:HD12	1:A:100:VAL:H	1.86	0.40
1:B:13:LEU:O	1:B:17:ILE:HG13	2.21	0.40
1:A:118:ARG:HG2	1:B:96:ASP:OD2	2.21	0.40
1:B:149:ASP:N	1:B:149:ASP:OD1	2.54	0.40
1:B:179:TYR:HH	2:C:17:DC:P	2.31	0.40
1:B:3:ILE:HD11	1:B:25:TYR:CD2	2.57	0.40
1:B:134:LEU:HD23	1:B:141:VAL:HG13	2.03	0.40
3:D:1:DC:H4'	3:D:2:DT:OP1	2.21	0.40
1:A:80:ALA:HB2	1:A:101:LYS:HE3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/232 (94%)	206 (95%)	11 (5%)	0	100	100
1	B	217/232 (94%)	210 (97%)	6 (3%)	1 (0%)	29	66
All	All	434/464 (94%)	416 (96%)	17 (4%)	1 (0%)	47	79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	201	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/201 (94%)	150 (80%)	38 (20%)	1	9
1	B	188/201 (94%)	153 (81%)	35 (19%)	1	11
All	All	376/402 (94%)	303 (81%)	73 (19%)	1	9

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	4	LEU
1	A	7	GLU
1	A	11	LEU
1	A	26	VAL
1	A	27	CYS
1	A	30	VAL
1	A	32	THR
1	A	40	LEU
1	A	48	ILE
1	A	60	LEU
1	A	61	HIS
1	A	68	ARG
1	A	72	THR
1	A	76	LEU
1	A	78	LEU
1	A	82	ASP
1	A	83	THR
1	A	85	GLU
1	A	87	ARG
1	A	111	ARG
1	A	115	LEU
1	A	117	ARG
1	A	118	ARG
1	A	120	ASN
1	A	125	ASN
1	A	126	GLU
1	A	143	LEU
1	A	159	SER
1	A	163	MET
1	A	171	ARG
1	A	177	ASP
1	A	180	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	187	THR
1	A	190	LEU
1	A	208	THR
1	A	216	LEU
1	A	218	ASN
1	B	1	MET
1	B	4	LEU
1	B	11	LEU
1	B	12	LEU
1	B	32	THR
1	B	50	LEU
1	B	54	LEU
1	B	79	THR
1	B	83	THR
1	B	84	LEU
1	B	96	ASP
1	B	99	LEU
1	B	106	GLU
1	B	115	LEU
1	B	117	ARG
1	B	118	ARG
1	B	129	VAL
1	B	134	LEU
1	B	139	ARG
1	B	141	VAL
1	B	145	GLU
1	B	146	THR
1	B	149	ASP
1	B	153	LYS
1	B	160	ARG
1	B	162	MET
1	B	163	MET
1	B	164	LYS
1	B	175	TYR
1	B	182	ASP
1	B	187	THR
1	B	189	THR
1	B	208	THR
1	B	212	PHE
1	B	216	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	73	GLN
1	B	188	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	BEF	B	301	-	0,3,3	-	-	-		
4	BEF	A	301	-	0,3,3	-	-	-		

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	301	BEF	1	0
4	A	301	BEF	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	219/232 (94%)	-0.40	0 <b>100</b> <b>100</b>	8, 47, 101, 142	0
1	B	219/232 (94%)	-0.19	5 (2%) 60 52	17, 70, 126, 159	0
2	C	26/26 (100%)	-0.55	0 <b>100</b> <b>100</b>	63, 102, 121, 129	0
3	D	26/26 (100%)	-0.53	0 <b>100</b> <b>100</b>	65, 100, 111, 144	1 (3%)
All	All	490/516 (94%)	-0.32	5 (1%) 82 76	8, 63, 119, 159	1 (0%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	182	ASP	4.0
1	B	97	ASP	3.4
1	B	183	ASN	3.3
1	B	96	ASP	2.7
1	B	185	PRO	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	BEF	A	301	4/4	0.92	0.18	56,57,59,59	0
4	BEF	B	301	4/4	0.94	0.13	59,60,60,60	0
5	MG	B	302	1/1	0.97	0.11	16,16,16,16	0
5	MG	A	302	1/1	0.98	0.23	4,4,4,4	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.