

Full wwPDB X-ray Structure Validation Report (i)

Jan 13, 2024 – 10:23 pm GMT

PDB ID	:	6S6Q
Title	:	Crystal structure of the LRR ectodomain of the plant membrane receptor
		kinase GASSHO1/SCHENGEN3 from Arabidopsis thaliana in complex with
		CASPARIAN STRIP INTEGRITY FACTOR 2.
Authors	:	Okuda, S.; Moretti, A.; Hothorn, M.
Deposited on	:	2019-07-03
Resolution	:	2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain								
1	А	863	2% 75 %		21% ••						
1	В	863	5%	29%	. .						
2	С	21	52%	29%	19%						
2	D	21	19%	33%	10%						
3	Е	2	100%								



Mol	Chain	Length	Quality of chain						
3	F	2	100%						
3	G	2	50%	50%					
3	K	2	100%						
4	Н	3	33%	67%					
4	J	3	67%	33%					
5	Ι	2	100%						



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 13575 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	833	Total 6362	C 4011	N 1081	0 1246	S 24	0	0	0
1	В	833	Total 6370	C 4014	N 1079	0 1253	S 24	0	0	0

• Molecule 1 is a protein called LRR receptor-like serine/threonine-protein kinase GSO1.

Chain	hain Residue Modelled Actu		Actual	Comment	Reference	
A	14	GLY	-	expression tag	UNP C0LGQ5	
А	15	SER	-	expression tag	UNP C0LGQ5	
А	16	SER	-	expression tag	UNP C0LGQ5	
А	17	MET	-	expression tag	UNP C0LGQ5	
А	871	GLU	-	expression tag	UNP C0LGQ5	
А	872	ASN	-	expression tag	UNP C0LGQ5	
А	873	LEU	-	expression tag	UNP C0LGQ5	
А	874	TYR	-	expression tag	UNP C0LGQ5	
А	875	PHE	-	expression tag	UNP C0LGQ5	
А	876	GLN	-	expression tag	UNP C0LGQ5	
В	14	GLY	-	expression tag	UNP C0LGQ5	
В	15	SER	-	expression tag	UNP C0LGQ5	
В	16	SER	-	expression tag	UNP C0LGQ5	
В	17	MET	-	expression tag	UNP C0LGQ5	
В	871	GLU	-	expression tag	UNP C0LGQ5	
В	872	ASN	-	expression tag	UNP C0LGQ5	
В	873	LEU	-	expression tag	UNP C0LGQ5	
В	874	TYR	-	expression tag	UNP C0LGQ5	
В	875	PHE	-	expression tag	UNP C0LGQ5	
В	876	GLN	-	expression tag	UNP C0LGQ5	

There are 20 discrepancies between the modelled and reference sequences:

• Molecule 2 is a protein called Protein CASPARIAN STRIP INTEGRITY FACTOR 2.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
0	C	91	Total	С	Ν	0	S	0	0	0
		21	174	112	30	31	1	0	0	
0	П	-91	Total	С	Ν	Ο	S	0	0	0
	D	21	174	112	30	31	1	0	0	0

• Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
3	F	9	Total C	Ν	0	0	0	0	
0	Ľ	2	28 16	2	10	0	0		
3	F	9	Total C	Ν	0	0	0	0	0
0	о г	2	28 16	2	10	0	0	0	
9	С	0	Total C	Ν	0	0	0	0	
0	G	2	28 16	2	10				
2	K	2	Total C	Ν	0	0	0	0	
3	I	Δ	28 16	2	10	U	U	U	

• Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	Н	3	Total 39	C 22	N 2	0 15	0	0	0
4	J	3	Total 39	C 22	N 2	O 15	0	0	0

• Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose.





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
5	Ι	2	Total 25	C 14	N 1	O 10	0	0	0

• Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
6	А	1	Total C N O	0	0	
		_	14 8 1 5			
6	А	1	Total C N O	0	0	
0	11	Ĩ	14 8 1 5	Ŭ		
6	Δ	1	Total C N O	0	0	
0	11	1	14 8 1 5	0	0	
6	۸	1	Total C N O	0	0	
0	0 A	1	14 8 1 5	0	0	
6	Δ	Δ	1	Total C N O	0	0
0	A	1	14 8 1 5	0	0	
6	٨	1	Total C N O	0	0	
0	A	1	14 8 1 5	0	0	
6	٨	1	Total C N O	0	0	
0	A	1	14 8 1 5	0	0	
6	٨	1	Total C N O	0	0	
0	A	1	14 8 1 5	0	0	
6	٨	1	Total C N O	0	0	
U	A		14 8 1 5	0	U	
6	۸	1	Total C N O	0	0	
U	А		14 8 1 5	0	0	



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
6	А	1	Total C N O	0	0	
0		1	14 8 1 5	0	0	
6	Δ	1	Total C N O	0	0	
0	11	1	14 8 1 5	0	0	
6	р	1	Total C N O	0	0	
0	D	1	14 8 1 5	0	0	
G	D	1	Total C N O	0	0	
0	D	1	14 8 1 5	0	U	
G	D	1	Total C N O	0	0	
0	D	1	14 8 1 5	0	0	
6	D	1	Total C N O	0	0	
0	D		14 8 1 5	0		
6	D	1	Total C N O	0	0	
0	D	1	14 8 1 5	0	0	
6	D	1	Total C N O	0	0	
0	D	1	14 8 1 5	0	U	
G	D	1	Total C N O	0	0	
0	Б	1	14 8 1 5	0	U	
6	D	1	Total C N O	0	0	
Ö	В	1	14 8 1 5	0	U	



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.





• Molecule 1: LRR receptor-like serine/threonine-protein kinase GSO1









Chain E:

opyranose

100%

NAG1 NAG2

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose

Chain F:

100%



NAG1 NAG2

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose

Chain G:	50%	50%

NAG1 NAG2

• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:	100%

NAG1 NAG2

• Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:	33%	67%
NAG1 NAG2 BMA3		

• Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:	67%	33%
NAG1 NAG2 BMA3		

• Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:

100%





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants	192.36Å 192.36Å 149.77Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	48.30 - 2.95	Depositor
Resolution (A)	48.32 - 2.95	EDS
% Data completeness	99.9 (48.30-2.95)	Depositor
(in resolution range)	$100.0 \ (48.32 - 2.95)$	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.23	Depositor
$< I/\sigma(I) > 1$	$1.25 (at 2.96 \text{\AA})$	Xtriage
Refinement program	PHENIX	Depositor
B B.	0.209 , 0.280	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.209 , 0.280	DCC
R_{free} test set	2962 reflections $(4.98%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	88.9	Xtriage
Anisotropy	0.484	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.30 , 60.3	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13575	wwPDB-VP
Average B, all atoms $(Å^2)$	103.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.60% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, TYS, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.52	1/6464~(0.0%)	0.78	2/8785~(0.0%)	
1	В	0.61	4/6472~(0.1%)	1.06	34/8796~(0.4%)	
2	С	0.64	0/163	0.89	0/218	
2	D	0.50	0/163	0.78	0/218	
All	All	0.57	5/13262~(0.0%)	0.93	36/18017~(0.2%)	

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	235	LEU	CG-CD2	8.97	1.85	1.51
1	А	65	CYS	CB-SG	-7.32	1.69	1.82
1	В	254	GLU	CD-OE1	6.55	1.32	1.25
1	В	72	ARG	CZ-NH1	-5.87	1.25	1.33
1	В	72	ARG	CG-CD	-5.63	1.37	1.51

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	72	ARG	NE-CZ-NH2	30.25	135.42	120.30
1	В	237	ARG	NE-CZ-NH2	-29.13	105.73	120.30
1	В	72	ARG	NE-CZ-NH1	-12.48	114.06	120.30
1	В	237	ARG	NE-CZ-NH1	9.75	125.17	120.30
1	В	217	LEU	CB-CG-CD2	-9.36	95.08	111.00
1	В	72	ARG	CA-CB-CG	-9.27	93.01	113.40
1	В	72	ARG	CB-CG-CD	9.14	135.37	111.60
1	В	72	ARG	NH1-CZ-NH2	-8.73	109.80	119.40
1	В	237	ARG	NH1-CZ-NH2	8.50	128.75	119.40
1	В	448	ILE	CG1-CB-CG2	8.06	129.13	111.40
1	В	254	GLU	CA-CB-CG	8.01	131.03	113.40
1	В	72	ARG	CD-NE-CZ	7.07	133.50	123.60



Mol	Chain	\mathbf{Res}	Type	Atoms	\mathbf{Z}	$Observed(^{o})$	$Ideal(^{o})$
1	В	254	GLU	CG-CD-OE2	-6.82	104.67	118.30
1	В	356	LEU	CB-CG-CD1	-6.77	99.50	111.00
1	В	443	ARG	NE-CZ-NH1	6.66	123.63	120.30
1	В	27	LEU	CB-CG-CD1	5.99	121.19	111.00
1	А	66	ASP	CB-CG-OD1	5.97	123.68	118.30
1	В	506	LEU	C-N-CA	5.97	136.62	121.70
1	В	448	ILE	CA-CB-CG1	-5.89	99.81	111.00
1	В	27	LEU	CB-CA-C	-5.88	99.03	110.20
1	А	81	LEU	CB-CG-CD2	-5.84	101.07	111.00
1	В	254	GLU	OE1-CD-OE2	5.79	130.25	123.30
1	В	278	LEU	CA-CB-CG	5.70	128.41	115.30
1	В	31	LEU	CB-CG-CD2	-5.61	101.46	111.00
1	В	190	LEU	CB-CG-CD2	-5.56	101.54	111.00
1	В	27	LEU	N-CA-C	5.50	125.86	111.00
1	В	72	ARG	CG-CD-NE	-5.49	100.27	111.80
1	В	571	LEU	CB-CG-CD1	5.46	120.28	111.00
1	В	838	ARG	CA-CB-CG	5.45	125.40	113.40
1	В	443	ARG	CD-NE-CZ	5.44	131.22	123.60
1	В	217	LEU	CB-CG-CD1	5.43	120.23	111.00
1	В	492	LEU	CA-CB-CG	-5.38	102.93	115.30
1	В	55	ILE	C-N-CA	-5.33	108.36	121.70
1	В	443	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	В	155	LEU	CA-CB-CG	5.16	127.16	115.30
1	В	831	LYS	CG-CD-CE	-5.05	96.76	111.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	6362	0	6411	152	0
1	В	6370	0	6417	241	1
2	С	174	0	175	13	0
2	D	174	0	173	10	0
3	Е	28	0	25	1	0



$f \rightarrow f \rightarrow$									
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes			
3	F	28	0	25	0	0			
3	G	28	0	25	0	0			
3	K	28	0	25	1	0			
4	Н	39	0	34	0	0			
4	J	39	0	34	1	0			
5	Ι	25	0	22	0	0			
6	А	168	0	156	5	0			
6	В	112	0	104	2	0			
All	All	13575	0	13626	405	1			

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (405) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:235:LEU:CD2	1:B:235:LEU:CG	1.85	1.54
1:B:346:THR:HG23	1:B:348:LEU:CD1	1.72	1.17
1:B:346:THR:CG2	1:B:348:LEU:HD13	1.75	1.15
1:A:34:LYS:HE3	1:A:90:TRP:CZ2	1.81	1.14
1:A:842:ASP:HA	1:A:845:LEU:HD13	1.34	1.10
1:B:27:LEU:O	1:B:72:ARG:NH1	1.91	1.04
1:B:35:LYS:HE3	1:B:91:PHE:HA	1.41	1.02
1:A:34:LYS:HE3	1:A:90:TRP:CH2	1.95	1.01
1:B:74:ILE:HD12	1:B:75:ALA:N	1.79	0.98
1:B:328:PRO:O	1:B:331:ILE:HG22	1.65	0.97
1:B:122:GLU:HA	1:B:145:ILE:HA	1.50	0.94
1:B:434:LEU:O	1:B:458:LEU:HD22	1.68	0.93
1:A:88:SER:HG	1:A:90:TRP:HD1	0.96	0.91
1:B:163:LEU:O	1:B:166:LEU:HD23	1.73	0.87
1:B:357:SER:HA	1:B:383:LEU:HD11	1.56	0.87
1:B:74:ILE:HD12	1:B:75:ALA:H	1.37	0.86
1:B:528:LYS:HE3	1:B:550:SER:HB2	1.58	0.85
1:A:779:ASN:HD22	1:A:803:GLN:HE22	1.23	0.84
1:A:278:LEU:HD13	1:A:301:GLY:HA3	1.60	0.83
1:B:254:GLU:HG2	1:B:277:GLY:HA3	1.60	0.83
2:C:81:ILE:H	2:C:82:PRO:HD2	1.44	0.83
1:A:842:ASP:HA	1:A:845:LEU:CD1	2.10	0.82
1:B:257:SER:OG	1:B:282:SER:OG	1.95	0.81
1:B:169:LEU:HB3	1:B:190:LEU:HD11	1.63	0.80
1:B:28:GLN:H	1:B:31:LEU:HD13	1.45	0.80



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:35:LYS:HE3	1:B:91:PHE:CA	2.11	0.80
1:B:140:GLY:HA2	1:B:166:LEU:HD21	1.64	0.80
1:B:528:LYS:HE3	1:B:550:SER:CB	2.13	0.78
1:B:35:LYS:HZ1	1:B:90:TRP:HB3	1.47	0.78
1:B:232:PRO:HG2	1:B:235:LEU:CD1	2.14	0.77
2:D:77:PRO:HG3	4:J:2:NAG:H83	1.66	0.77
1:B:28:GLN:HB3	1:B:72:ARG:NH1	2.00	0.77
1:B:153:ASN:HB2	1:B:155:LEU:CD1	2.16	0.76
1:B:429:SER:HB3	1:B:454:ASN:HB2	1.68	0.76
1:A:35:LYS:NZ	1:A:90:TRP:HB2	2.02	0.74
1:B:31:LEU:HD21	1:B:93:ARG:HB2	1.70	0.74
1:B:35:LYS:HZ1	1:B:90:TRP:C	1.90	0.73
1:A:714:GLU:O	1:A:717:ASN:HB2	1.88	0.73
1:A:557:ILE:HD13	1:A:571:LEU:HD13	1.72	0.72
1:A:237:ARG:HH12	6:A:916:NAG:H62	1.55	0.71
1:A:426:LYS:HD3	1:A:449:PRO:HB3	1.70	0.71
2:C:72:LYS:HD2	2:C:73:LEU:H	1.55	0.71
1:B:35:LYS:NZ	1:B:90:TRP:HB3	2.05	0.71
1:A:381:PHE:HA	1:A:407:LEU:HD21	1.71	0.71
1:B:421:GLU:HA	1:B:443:ARG:O	1.91	0.70
1:B:290:GLN:HB3	1:B:314:LEU:HD13	1.71	0.70
1:B:853:SER:HB2	1:B:854:PRO:HD3	1.74	0.70
1:B:175:ALA:HB3	2:D:64:TYS:HE2	1.73	0.70
1:B:27:LEU:HD23	1:B:30:LEU:HB2	1.75	0.69
1:B:426:LYS:HB3	1:B:451:GLU:OE2	1.91	0.69
1:B:488:ARG:NH2	2:D:82:PRO:HG2	2.08	0.69
1:B:35:LYS:NZ	1:B:90:TRP:CB	2.56	0.69
1:A:35:LYS:HE2	1:A:91:PHE:CD1	2.28	0.68
1:A:34:LYS:CE	1:A:90:TRP:CZ2	2.70	0.68
1:B:278:LEU:HA	1:B:300:THR:O	1.94	0.68
1:B:112:PRO:HD2	1:B:115:LEU:HD11	1.76	0.67
1:B:35:LYS:HZ1	1:B:90:TRP:CB	2.06	0.67
1:B:831:LYS:HB2	1:B:858:CYS:SG	2.35	0.67
1:A:35:LYS:HZ1	1:A:90:TRP:HB2	1.57	0.67
1:A:419:ASN:OD1	1:B:443:ARG:CZ	2.43	0.67
1:B:488:ARG:CZ	2:D:82:PRO:HG2	2.25	0.66
2:C:81:ILE:H	2:C:82:PRO:CD	2.09	0.66
1:B:378:GLU:OE2	1:B:403:SER:OG	2.10	0.66
1:A:175:ALA:HB3	2:C:64:TYS:HE2	1.76	0.66
1:B:203:LEU:HD12	1:B:225:ASN:OD1	1.95	0.65
1:A:98:ILE:HD12	1:A:99:HIS:H	1.62	0.65



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:153:ASN:HB2	1:B:155:LEU:HD12	1.79	0.65
1:A:35:LYS:NZ	1:A:35:LYS:HB3	2.11	0.64
1:A:317:VAL:HG12	1:A:342:VAL:HB	1.79	0.64
1:B:450:GLN:HA	1:B:473:PRO:HB3	1.78	0.64
1:A:190:LEU:HG	1:A:193:VAL:HB	1.79	0.64
1:B:153:ASN:CB	1:B:155:LEU:HD12	2.27	0.64
1:B:35:LYS:CE	1:B:91:PHE:HA	2.25	0.64
1:B:147:SER:HB2	1:B:171:MET:HB3	1.80	0.62
1:B:232:PRO:HG2	1:B:235:LEU:HD11	1.80	0.62
1:B:235:LEU:CD2	1:B:235:LEU:HG	2.19	0.62
1:B:302:GLU:HG2	1:B:303:ILE:H	1.63	0.62
1:A:98:ILE:HD12	1:A:99:HIS:N	2.13	0.62
1:B:483:ASN:O	1:B:507:ASN:HB2	1.99	0.62
1:A:169:LEU:HB3	1:A:190:LEU:HD21	1.82	0.61
1:B:340:GLN:HG3	1:B:364:GLN:HB2	1.83	0.61
1:B:614:LYS:H	1:B:614:LYS:HD2	1.65	0.61
1:A:31:LEU:HD22	1:A:93:ARG:HH21	1.65	0.61
1:A:88:SER:OG	1:A:90:TRP:CD1	2.52	0.61
1:A:448:ILE:HD12	1:A:448:ILE:H	1.66	0.61
2:C:72:LYS:HD2	2:C:73:LEU:N	2.15	0.61
1:A:34:LYS:CE	1:A:90:TRP:CH2	2.80	0.60
1:B:189:ARG:HG3	1:B:189:ARG:HH11	1.66	0.60
1:B:28:GLN:HA	1:B:31:LEU:HD22	1.82	0.60
1:A:35:LYS:HE2	1:A:91:PHE:CG	2.36	0.60
1:A:842:ASP:HB3	6:A:915:NAG:HN2	1.67	0.60
1:A:27:LEU:HG	1:A:31:LEU:HD11	1.83	0.60
1:A:83:LEU:HB2	1:A:107:LEU:HD21	1.82	0.60
1:A:682:GLN:O	1:A:684:VAL:HG13	2.01	0.60
1:B:392:HIS:HB3	1:B:414:VAL:HG12	1.84	0.59
1:A:440:TYR:CE1	2:C:79:LYS:HB2	2.38	0.59
1:B:357:SER:HA	1:B:383:LEU:CD1	2.30	0.59
1:A:203:LEU:H	1:A:225:ASN:HD22	1.49	0.59
1:A:443:ARG:HD2	1:B:443:ARG:HH21	1.67	0.59
1:A:34:LYS:HG2	1:A:90:TRP:CD2	2.37	0.59
1:A:159:ILE:HD12	1:A:174:LEU:HD13	1.84	0.59
1:B:38:VAL:HG21	1:B:88:SER:HB2	1.85	0.59
1:B:254:GLU:CG	1:B:277:GLY:HA3	2.32	0.59
1:A:159:ILE:HD11	1:A:179:LEU:HD13	1.85	0.59
1:B:302:GLU:HG2	1:B:303:ILE:N	2.18	0.59
1:B:317:VAL:HG22	1:B:342:VAL:HG22	1.85	0.59
1:B:35:LYS:NZ	1:B:90:TRP:C	2.56	0.58



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
6:A:909:NAG:O7	6:A:909:NAG:O3	2.19	0.58
1:B:166:LEU:N	1:B:166:LEU:HD22	2.18	0.58
1:B:254:GLU:OE2	1:B:277:GLY:HA3	2.03	0.58
1:B:447:GLU:HA	1:B:469:GLU:O	2.03	0.58
1:B:281:LYS:HG2	1:B:304:PRO:HB3	1.85	0.58
1:A:97:LEU:HD11	1:A:100:LEU:HB2	1.84	0.58
1:B:55:ILE:O	1:B:55:ILE:HG22	2.04	0.58
1:B:192:ARG:O	1:B:192:ARG:HG2	2.03	0.58
1:A:203:LEU:H	1:A:225:ASN:ND2	2.02	0.58
1:B:346:THR:HG23	1:B:348:LEU:HD13	0.81	0.58
1:B:346:THR:CG2	1:B:348:LEU:CD1	2.56	0.58
1:B:153:ASN:HD22	1:B:155:LEU:HD11	1.69	0.57
1:A:35:LYS:CE	1:A:91:PHE:CD1	2.87	0.57
1:B:145:ILE:HG22	1:B:166:LEU:HD12	1.85	0.57
1:A:831:LYS:HA	1:A:851:CYS:O	2.04	0.57
1:A:773:LEU:HB3	1:A:794:LEU:HD21	1.87	0.57
1:B:28:GLN:N	1:B:31:LEU:HD13	2.18	0.57
1:B:254:GLU:HG2	1:B:277:GLY:CA	2.33	0.57
1:B:101:ASP:OD2	6:B:900:NAG:H82	2.05	0.57
1:B:828:LEU:HD12	1:B:847:ASN:OD1	2.05	0.57
1:B:360:GLN:O	1:B:361:SER:OG	2.13	0.57
1:B:423:LYS:NZ	1:B:426:LYS:HE2	2.20	0.56
1:A:556:ARG:HD3	2:C:83:ASN:HB2	1.88	0.56
1:A:140:GLY:HA2	1:A:166:LEU:HD11	1.88	0.56
1:A:210:GLU:OE1	1:A:210:GLU:N	2.36	0.56
1:A:330:SER:O	1:A:333:SER:HB3	2.05	0.56
1:B:682:GLN:O	1:B:684:VAL:HG13	2.06	0.56
1:A:426:LYS:HE2	1:A:451:GLU:CG	2.36	0.55
1:A:218:THR:HA	1:A:241:LEU:HA	1.87	0.55
1:A:329:LYS:HE3	1:A:355:GLU:OE2	2.06	0.55
1:B:170:GLN:HA	1:B:193:VAL:HA	1.87	0.55
1:A:412:TRP:CZ2	1:A:436:VAL:HG21	2.42	0.55
1:B:332:CYS:HB3	1:B:358:LYS:HB2	1.89	0.55
1:B:412:TRP:CZ2	2:D:75:ARG:HD3	2.42	0.55
1:B:47:LEU:HD13	1:B:50:TRP:CE2	2.42	0.54
1:B:199:GLN:HB3	1:B:221:THR:HG22	1.88	0.54
1:B:448:ILE:HD11	1:B:468:PHE:CG	2.43	0.54
1:B:728:LYS:HA	1:B:752:ARG:HB2	1.90	0.54
1:B:425:PRO:HB3	1:B:427:GLU:OE1	2.08	0.54
1:A:826:ASN:C	1:A:827:ASN:HD22	2.11	0.54
1:B:108:VAL:HG12	1:B:109:GLY:N	2.21	0.54



Interatomic Clash				
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:426:LYS:HD2	1:B:451:GLU:CD	2.28	0.54	
1:B:83:LEU:HB2	1:B:107:LEU:HD21	1.90	0.54	
1:A:355:GLU:OE1	1:A:355:GLU:N	2.40	0.53	
1:B:434:LEU:HD23	1:B:458:LEU:HD21	1.90	0.53	
1:A:232:PRO:O	1:A:235:LEU:HD12	2.08	0.53	
1:B:837:SER:HB3	1:B:853:SER:HB3	1.89	0.53	
1:A:34:LYS:CG	1:A:90:TRP:CD2	2.92	0.53	
1:A:593:LEU:HD12	1:A:593:LEU:H	1.73	0.53	
1:A:767:GLN:HE22	1:A:790:THR:HG22	1.74	0.53	
1:B:424:LEU:HD12	1:B:425:PRO:HD2	1.90	0.53	
1:A:278:LEU:HD12	1:A:279:ILE:H	1.74	0.53	
1:A:835:GLN:OE1	1:A:835:GLN:N	2.42	0.52	
1:B:179:LEU:O	1:B:202:TYR:HB2	2.09	0.52	
1:B:217:LEU:HG	1:B:218:THR:N	2.25	0.52	
1:A:366:ASP:HA	1:A:390:TYR:HB2	1.91	0.52	
1:B:525:GLY:O	1:B:528:LYS:NZ	2.43	0.52	
1:A:27:LEU:O	1:A:31:LEU:HG	2.09	0.52	
1:A:419:ASN:OD1	1:B:443:ARG:NH2	2.42	0.52	
1:A:640:PRO:HB2	1:A:643:LEU:HD13	1.92	0.52	
1:B:381:PHE:HE1	1:B:404:ILE:HB	1.74	0.52	
1:B:700:LEU:HD11	1:B:702:LEU:HD11	1.91	0.52	
1:B:812:VAL:HG13	1:B:815:MET:CE	2.39	0.52	
1:B:842:ASP:HA	1:B:845:LEU:HD13	1.92	0.52	
1:A:34:LYS:HG2	1:A:90:TRP:CE3	2.44	0.51	
1:B:545:PRO:O	1:B:548:LEU:HD12	2.10	0.51	
1:A:71:PHE:O	1:A:72:ARG:HB2	2.09	0.51	
1:A:185:SER:HB2	1:A:208:PRO:HB3	1.93	0.51	
1:A:687:LEU:HD13	1:A:707:LEU:HD23	1.92	0.51	
1:A:497:PRO:HD2	1:A:500:LEU:HD13	1.93	0.51	
1:B:434:LEU:HD21	1:B:437:LEU:HD13	1.91	0.51	
1:B:426:LYS:HD2	1:B:451:GLU:OE2	2.11	0.51	
1:A:818:LEU:HD23	1:A:839:TRP:CZ2	2.46	0.50	
2:D:80:LEU:HD12	2:D:82:PRO:HD2	1.93	0.50	
1:B:28:GLN:NE2	1:B:73:VAL:H	2.10	0.50	
1:A:853:SER:HB2	1:A:854:PRO:HD3	1.92	0.50	
1:B:727:ASP:HB3	1:B:728:LYS:HG3	1.93	0.50	
1:A:448:ILE:HD11	1:A:492:LEU:HD21	1.93	0.50	
1:A:501:GLY:HA2	1:A:527:LEU:HD21	1.92	0.50	
1:B:483:ASN:HA	1:B:506:LEU:HA	1.94	0.50	
1:B:112:PRO:O	1:B:115:LEU:HD12	2.12	0.50	
1:B:408:THR:O	1:B:409:ASN:HB2	2.10	0.50	



	louo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:291:THR:HG22	1:A:315:ASP:OD2	2.12	0.49
1:A:685:GLU:OE1	1:A:686:SER:HB3	2.12	0.49
1:B:234:GLU:O	1:B:237:ARG:HG3	2.11	0.49
1:B:482:LEU:HD11	1:B:484:LEU:O	2.12	0.49
1:A:208:PRO:HD2	1:A:211:LEU:HD11	1.95	0.49
1:B:97:LEU:HD23	1:B:118:LEU:HD13	1.93	0.49
1:B:139:LEU:HD22	1:B:142:LEU:HD11	1.93	0.49
1:B:550:SER:O	1:B:552:ARG:HG3	2.13	0.49
1:B:818:LEU:HD23	1:B:819:GLY:N	2.27	0.49
1:A:97:LEU:HD12	1:A:121:LEU:HD13	1.93	0.49
1:A:382:GLU:HG3	6:A:909:NAG:H82	1.94	0.49
1:A:555:THR:HG22	1:A:556:ARG:HG3	1.95	0.49
1:B:789:GLY:HA3	1:B:811:SER:OG	2.11	0.49
2:C:81:ILE:N	2:C:82:PRO:HD2	2.19	0.49
1:A:211:LEU:O	1:A:238:LEU:HD21	2.12	0.49
1:A:258:GLN:N	1:A:258:GLN:OE1	2.46	0.49
1:A:722:ASN:C	1:A:745:LEU:HD12	2.33	0.49
1:B:410:LEU:HD21	1:B:413:LEU:HD13	1.93	0.49
1:B:460:MET:HB2	1:B:484:LEU:HB3	1.94	0.49
1:B:534:MET:O	1:B:535:LEU:HD23	2.12	0.49
2:C:80:LEU:HG	2:C:82:PRO:HD2	1.94	0.49
1:A:57:TYR:O	1:A:63:VAL:HG11	2.12	0.49
1:B:498:ALA:O	1:B:523:SER:OG	2.21	0.48
1:A:34:LYS:O	1:A:37:LEU:HB2	2.13	0.48
1:A:132:THR:HG22	1:A:133:GLY:N	2.29	0.48
1:A:227:LEU:HB3	1:A:251:LEU:HD21	1.95	0.48
1:A:749:ARG:O	1:A:750:LEU:HD23	2.13	0.48
1:B:153:ASN:CB	1:B:155:LEU:CD1	2.85	0.48
1:A:329:LYS:HB3	1:A:355:GLU:OE2	2.14	0.48
1:A:810:GLY:HA2	1:A:836:PHE:CE1	2.49	0.48
1:B:418:ASN:HB2	1:B:442:ASN:HD21	1.79	0.48
1:B:746:TYR:HA	1:B:769:LEU:HA	1.96	0.48
1:B:270:LEU:HB2	1:B:294:LEU:CD2	2.44	0.48
1:A:64:THR:OG1	1:A:75:ALA:HB3	2.13	0.48
1:A:91:PHE:O	1:A:118:LEU:HD21	2.14	0.48
1:B:678:LEU:HB3	1:B:683:PHE:HE2	1.79	0.48
1:A:445:SER:OG	1:A:446:GLY:N	2.47	0.47
1:B:34:LYS:O	1:B:37:LEU:HB2	2.13	0.47
2:C:83:ASN:O	2:C:83:ASN:ND2	2.47	0.47
1:A:710:SER:OG	1:A:711:ILE:N	2.48	0.47
1:B:405:SER:OG	1:B:427:GLU:HB3	2.14	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:D:64:TYS:O2	2:D:64:TYS:HE1	2.13	0.47
1:A:31:LEU:HD13	1:A:93:ARG:CB	2.45	0.47
1:A:247:ALA:HB1	1:A:271:MET:HG2	1.97	0.47
3:K:1:NAG:O7	3:K:1:NAG:O3	2.26	0.47
1:A:74:ILE:O	1:A:98:ILE:HD12	2.14	0.47
1:A:203:LEU:HG	1:A:225:ASN:ND2	2.29	0.47
1:B:72:ARG:NH2	1:B:72:ARG:HG2	2.24	0.47
1:B:556:ARG:NH1	1:B:579:SER:HB3	2.28	0.47
2:D:64:TYS:O2	2:D:64:TYS:CE1	2.61	0.47
1:A:315:ASP:OD2	2:C:70:LYS:HE3	2.15	0.47
1:B:342:VAL:HG12	1:B:366:ASP:HB3	1.96	0.47
1:B:460:MET:CB	1:B:484:LEU:HB3	2.44	0.47
1:A:364:GLN:HG2	1:A:388:ASP:HB2	1.97	0.47
1:B:35:LYS:HD3	1:B:91:PHE:CE2	2.50	0.47
1:B:745:LEU:HD21	1:B:748:LEU:HD13	1.97	0.47
1:B:34:LYS:HE2	1:B:34:LYS:HA	1.97	0.47
1:B:60:TRP:HB2	1:B:63:VAL:CG1	2.45	0.47
1:B:470:GLY:O	1:B:492:LEU:HD22	2.15	0.47
1:A:192:ARG:HG2	1:A:192:ARG:HH21	1.79	0.46
1:A:842:ASP:HB3	6:A:915:NAG:N2	2.30	0.46
1:B:283:LEU:HD22	1:B:283:LEU:H	1.80	0.46
1:B:404:ILE:O	1:B:431:LEU:HD21	2.15	0.46
1:A:49:GLN:OE1	1:A:61:THR:N	2.48	0.46
1:B:375:SER:HA	1:B:397:GLU:O	2.16	0.46
1:A:78:LEU:HD12	1:A:102:LEU:CD2	2.46	0.46
1:B:484:LEU:HD12	1:B:508:ILE:HB	1.97	0.46
1:B:831:LYS:HA	1:B:851:CYS:O	2.15	0.46
1:B:245:ASN:O	1:B:246:LEU:HD23	2.16	0.46
1:B:269:SER:O	1:B:270:LEU:HD23	2.16	0.46
1:B:842:ASP:HB3	6:B:914:NAG:HN2	1.80	0.46
1:A:497:PRO:HD2	1:A:500:LEU:CD1	2.45	0.46
1:A:723:VAL:HG22	1:A:747:GLU:HB3	1.97	0.46
1:B:28:GLN:HE22	1:B:72:ARG:HA	1.78	0.46
1:A:577:TYR:H	1:A:598:SER:HB3	1.80	0.46
1:B:60:TRP:HB2	1:B:63:VAL:HG11	1.98	0.46
1:B:444:PHE:HD2	1:B:466:ASN:OD1	1.99	0.46
1:A:98:ILE:HD13	1:A:99:HIS:CD2	2.51	0.45
1:B:57:TYR:OH	1:B:72:ARG:NH2	2.50	0.45
1:A:128:SER:HA	1:A:152:ASP:HB3	1.99	0.45
1:B:317:VAL:HG13	1:B:342:VAL:CG2	2.47	0.45
1:A:34:LYS:CG	1:A:90:TRP:CE2	2.99	0.45



Interatomic Clash				
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:808:VAL:HA	1:A:809:PRO:HD3	1.75	0.45	
1:B:166:LEU:N	1:B:166:LEU:CD2	2.79	0.45	
1:B:794:LEU:HD21	1:B:796:THR:O	2.17	0.45	
1:B:274:GLN:O	1:B:276:GLN:HG2	2.16	0.45	
1:B:47:LEU:N	1:B:47:LEU:HD23	2.32	0.45	
1:B:528:LYS:HZ2	1:B:551:LEU:HG	1.81	0.45	
1:B:126:LEU:HB2	1:B:150:ILE:HG22	1.99	0.45	
1:B:385:GLU:OE1	1:B:385:GLU:HA	2.17	0.45	
1:B:525:GLY:O	1:B:528:LYS:HE2	2.16	0.45	
1:B:525:GLY:HA2	1:B:528:LYS:NZ	2.32	0.45	
1:B:283:LEU:HD12	1:B:286:LEU:HD11	1.98	0.45	
1:B:492:LEU:HA	1:B:492:LEU:HD23	1.49	0.45	
1:B:815:MET:CE	1:B:818:LEU:HD12	2.47	0.45	
1:A:173:ALA:O	1:A:174:LEU:HD23	2.17	0.45	
1:A:31:LEU:HD13	1:A:93:ARG:HB2	1.98	0.44	
1:A:604:LEU:HD11	1:A:606:LEU:HD11	1.98	0.44	
1:B:232:PRO:HG2	1:B:235:LEU:HD13	1.94	0.44	
1:A:48:ARG:H	1:A:48:ARG:HG2	1.54	0.44	
1:A:79:THR:OG1	1:A:104:SER:HB3	2.18	0.44	
1:A:146:ARG:HG3	1:A:146:ARG:HH11	1.83	0.44	
1:A:556:ARG:CD	2:C:83:ASN:HB2	2.47	0.44	
1:A:746:TYR:HA	1:A:769:LEU:HA	1.99	0.44	
1:B:197:ILE:O	1:B:198:LEU:HD23	2.17	0.44	
1:A:664:PRO:HA	1:A:665:PRO:HD3	1.89	0.44	
1:B:459:LYS:HA	1:B:482:LEU:HA	2.00	0.44	
1:A:284:ALA:HA	1:A:310:MET:SD	2.57	0.44	
1:B:31:LEU:CD2	1:B:93:ARG:HB2	2.45	0.44	
1:B:685:GLU:HB3	1:B:686:SER:H	1.60	0.44	
1:A:426:LYS:CD	1:A:449:PRO:HB3	2.43	0.44	
1:B:219:VAL:HG13	1:B:243:ILE:HB	1.99	0.44	
1:B:525:GLY:O	1:B:528:LYS:CE	2.65	0.44	
1:B:528:LYS:CE	1:B:550:SER:HB2	2.39	0.44	
1:A:201:ASN:HB2	1:A:225:ASN:HD21	1.82	0.44	
1:A:426:LYS:HE2	1:A:451:GLU:CD	2.38	0.44	
1:B:153:ASN:HB3	1:B:155:LEU:HD12	1.96	0.44	
1:B:253:GLY:H	1:B:276:GLN:HG3	1.83	0.44	
1:B:418:ASN:HB2	1:B:442:ASN:ND2	2.33	0.44	
1:B:607:GLY:HA2	1:B:631:SER:O	2.18	0.44	
1:A:372:LEU:HB2	1:A:394:ASN:OD1	2.18	0.43	
1:B:70:LEU:HD12	1:B:70:LEU:HA	1.83	0.43	
1:B:362:LEU:O	1:B:386:LEU:HD23	2.18	0.43	



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:B:350:GLY:O	1:B:372:LEU:HA	2.19	0.43
1:A:815:MET:HE2	1:A:818:LEU:HD22	2.00	0.43
1:B:276:GLN:HA	1:B:298:ASN:HB3	2.01	0.43
1:B:402:PRO:HB3	1:B:427:GLU:OE1	2.18	0.43
1:A:602:ASP:OD2	1:A:603:ARG:HG3	2.18	0.43
1:B:303:ILE:HG21	1:B:308:TRP:CH2	2.54	0.43
1:B:423:LYS:HZ3	1:B:426:LYS:HE2	1.82	0.43
1:B:528:LYS:HD3	1:B:551:LEU:HA	2.00	0.43
1:B:359:CYS:O	1:B:383:LEU:HD21	2.19	0.43
1:B:549:ILE:O	1:B:573:GLY:HA3	2.19	0.43
1:B:567:THR:OG1	1:B:589:ASP:OD2	2.36	0.43
1:A:608:LYS:HD2	1:A:608:LYS:N	2.33	0.43
1:B:270:LEU:HB2	1:B:294:LEU:HD22	1.99	0.43
1:B:562:ASN:HB3	1:B:564:LEU:HD22	2.01	0.43
1:B:641:LEU:O	1:B:644:VAL:HG12	2.19	0.43
1:B:402:PRO:HB3	1:B:427:GLU:HG2	2.00	0.43
1:B:427:GLU:H	1:B:427:GLU:CD	2.22	0.43
1:B:779:ASN:OD1	1:B:803:GLN:OE1	2.37	0.43
1:B:853:SER:HB2	1:B:854:PRO:CD	2.46	0.43
1:A:412:TRP:CZ3	1:A:436:VAL:HG11	2.55	0.42
1:B:540:LEU:N	1:B:540:LEU:HD12	2.33	0.42
1:A:412:TRP:CZ2	2:C:75:ARG:HD2	2.53	0.42
1:B:339:GLU:O	1:B:363:LYS:N	2.41	0.42
1:B:488:ARG:HG3	1:B:512:ALA:HB3	2.01	0.42
1:A:278:LEU:HD12	1:A:279:ILE:N	2.35	0.42
1:A:278:LEU:HA	1:A:300:THR:O	2.20	0.42
1:B:855:LEU:HD12	1:B:855:LEU:N	2.34	0.42
1:B:35:LYS:NZ	1:B:91:PHE:N	2.68	0.42
1:A:794:LEU:HD12	1:A:795:GLU:N	2.34	0.42
1:B:528:LYS:HE3	1:B:550:SER:CA	2.48	0.42
1:A:145:ILE:HG21	1:A:166:LEU:HD23	2.01	0.42
1:B:522:SER:HG	1:B:547:SER:CB	2.33	0.42
1:B:528:LYS:HE3	1:B:550:SER:C	2.40	0.42
1:B:556:ARG:HH11	1:B:579:SER:HB3	1.84	0.42
1:B:815:MET:HE1	1:B:818:LEU:HD12	2.02	0.42
1:A:78:LEU:HD12	1:A:102:LEU:HD21	2.01	0.42
1:A:173:ALA:HA	1:A:197:ILE:HB	2.01	0.42
1:B:57:TYR:O	1:B:63:VAL:HG11	2.19	0.42
1:B:145:ILE:CG2	1:B:166:LEU:HD12	2.50	0.42
1:A:514:ASN:HB3	1:A:515:GLN:H	1.66	0.42
1:A:412:TRP:CH2	1:A:436:VAL:HG21	2.55	0.42



	i agem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:514:ASN:HB3	1:B:515:GLN:H	1.73	0.42
1:A:128:SER:H	1:A:152:ASP:HB3	1.85	0.41
1:B:153:ASN:HB2	1:B:155:LEU:HD13	1.97	0.41
1:B:440:TYR:OH	2:D:77:PRO:O	2.25	0.41
1:A:375:SER:HA	1:A:397:GLU:O	2.19	0.41
1:A:794:LEU:HD12	1:A:795:GLU:H	1.86	0.41
1:B:28:GLN:HG3	1:B:94:PHE:HD1	1.85	0.41
1:B:308:TRP:O	1:B:333:SER:O	2.37	0.41
1:A:329:LYS:O	1:A:355:GLU:HG2	2.19	0.41
1:A:426:LYS:HE3	1:A:451:GLU:H	1.85	0.41
1:B:458:LEU:HD12	1:B:461:ILE:CG2	2.50	0.41
1:B:678:LEU:HB3	1:B:683:PHE:CE2	2.54	0.41
1:B:812:VAL:HG13	1:B:815:MET:HE3	2.00	0.41
1:A:804:LEU:HD12	1:A:826:ASN:OD1	2.20	0.41
1:B:318:LEU:HD12	1:B:323:LEU:HD11	2.01	0.41
1:B:797:LEU:HD12	1:B:815:MET:HE1	2.01	0.41
1:B:28:GLN:NE2	1:B:73:VAL:HG22	2.34	0.41
1:B:53:ASP:N	1:B:53:ASP:OD1	2.52	0.41
1:B:237:ARG:HE	1:B:237:ARG:HB3	1.28	0.41
1:B:448:ILE:HA	1:B:449:PRO:HD3	1.67	0.41
1:B:226:MET:HE2	1:B:226:MET:HB2	1.88	0.41
1:B:369:ASN:H	1:B:393:ASN:HB3	1.85	0.41
1:B:541:GLN:OE1	1:B:563:ARG:NH1	2.50	0.41
3:E:1:NAG:H61	3:E:2:NAG:C7	2.51	0.41
1:A:735:LEU:HA	1:A:736:PRO:HD3	1.92	0.41
1:A:812:VAL:O	1:A:815:MET:HG3	2.21	0.41
1:B:608:LYS:HA	1:B:632:SER:HB2	2.02	0.41
1:B:831:LYS:O	1:B:831:LYS:HG3	2.11	0.41
1:B:455:CYS:HB3	1:B:458:LEU:HD23	2.01	0.41
1:A:63:VAL:HA	1:A:76:LEU:HD23	2.03	0.41
1:A:346:THR:OG1	1:A:348:LEU:HG	2.21	0.41
1:B:47:LEU:HD13	1:B:50:TRP:CZ2	2.55	0.41
1:B:99:HIS:ND1	1:B:123:SER:HB2	2.36	0.41
1:B:156:VAL:CG1	1:B:157:GLY:N	2.84	0.41
1:B:408:THR:O	1:B:409:ASN:CB	2.68	0.41
1:B:676:LEU:HD21	1:B:678:LEU:HD11	2.03	0.41
1:B:753:ASN:HB2	1:B:755:LEU:HD12	2.03	0.41
1:A:289:LEU:HD12	1:A:289:LEU:HA	1.93	0.41
1:B:611:LEU:O	1:B:633:ASN:O	2.39	0.41
1:A:698:LEU:HD23	1:A:720:ALA:O	2.22	0.40
1:B:423:LYS:HZ1	1:B:426:LYS:HE2	1.86	0.40



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:804:LEU:HD12	1:B:826:ASN:OD1	2.21	0.40
1:B:260:GLY:HA2	1:B:286:LEU:HD21	2.03	0.40
1:B:326:SER:OG	1:B:327:LEU:N	2.54	0.40
2:D:81:ILE:N	2:D:82:PRO:CD	2.85	0.40
1:A:290:GLN:O	1:A:314:LEU:HB2	2.21	0.40
1:B:55:ILE:O	1:B:55:ILE:CG2	2.69	0.40
1:B:255:ILE:CD1	1:B:294:LEU:HD13	2.52	0.40
1:A:35:LYS:HD3	1:A:91:PHE:CZ	2.56	0.40
1:A:326:SER:HB2	1:A:349:SER:O	2.21	0.40
1:B:520:ILE:HD11	1:B:535:LEU:CD1	2.52	0.40
1:B:366:ASP:HA	1:B:390:TYR:HB2	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:237:ARG:NH2	1:B:237:ARG:NH2[8_555]	2.10	0.10

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	831/863~(96%)	766 (92%)	65~(8%)	0	100	100
1	В	831/863~(96%)	762 (92%)	68 (8%)	1 (0%)	51	83
2	С	18/21~(86%)	16 (89%)	1 (6%)	1 (6%)	2	8
2	D	18/21~(86%)	14 (78%)	3 (17%)	1 (6%)	2	8
All	All	1698/1768~(96%)	1558 (92%)	137 (8%)	3~(0%)	47	79

All (3) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
2	С	81	ILE
2	D	80	LEU
1	В	475	SER

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	735/765~(96%)	723~(98%)	12 (2%)	62	84
1	В	738/765~(96%)	715 (97%)	23~(3%)	40	71
2	С	19/19~(100%)	17 (90%)	2(10%)	7	24
2	D	19/19~(100%)	16 (84%)	3 (16%)	2	10
All	All	1511/1568~(96%)	1471 (97%)	40 (3%)	46	75

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	35	LYS
1	А	48	ARG
1	А	88	SER
1	А	185	SER
1	А	192	ARG
1	А	235	LEU
1	А	263	SER
1	А	539	SER
1	А	682	GLN
1	А	701	SER
1	А	803	GLN
1	А	832	LEU
1	В	72	ARG
1	В	86	SER
1	В	93	ARG
1	В	147	SER
1	В	278	LEU
1	В	295	SER
1	В	318	LEU



Mol	Chain	Res	Type
1	В	344	SER
1	В	351	GLU
1	В	409	ASN
1	В	507	ASN
1	В	523	SER
1	В	543	ASN
1	В	563	ARG
1	В	614	LYS
1	В	701	SER
1	В	730	GLN
1	В	735	LEU
1	В	752	ARG
1	В	794	LEU
1	В	816	LYS
1	В	842	ASP
1	В	857	ARG
2	С	72	LYS
2	С	83	ASN
2	D	72	LYS
2	D	79	LYS
2	D	83	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	40	ASN
1	А	165	ASN
1	А	225	ASN
1	А	467	HIS
1	А	693	ASN
1	А	753	ASN
1	А	767	GLN
1	А	803	GLN
1	А	827	ASN
1	В	28	GLN
1	В	266	GLN
1	В	337	ASN
1	В	411	GLN
1	В	467	HIS
1	В	507	ASN
1	В	803	GLN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Ма	Turne	Chain	Dec	Tinle	Bond lengths			B	ond ang	les
MOI	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TYS	С	64	2,1	15,16,17	1.62	3 (20%)	18,22,24	1.97	3 (16%)
2	TYS	D	64	2	15,16,17	2.05	3 (20%)	18,22,24	3.08	5 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TYS	С	64	2,1	-	6/10/11/13	0/1/1/1
2	TYS	D	64	2	-	5/10/11/13	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(\text{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
2	D	64	TYS	OH-S	-4.75	1.51	1.58
2	С	64	TYS	OH-S	-4.34	1.51	1.58
2	D	64	TYS	O1-S	4.11	1.62	1.45
2	D	64	TYS	OH-CZ	-3.86	1.36	1.42
2	С	64	TYS	OH-CZ	-3.11	1.37	1.42
2	С	64	TYS	O3-S	2.66	1.66	1.50

All (8) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	D	64	TYS	CB-CA-C	8.18	126.80	111.47
2	D	64	TYS	CG-CB-CA	6.97	128.22	114.10
2	С	64	TYS	O3-S-OH	6.44	121.33	105.83
2	D	64	TYS	CB-CG-CD1	-4.50	111.97	120.91
2	D	64	TYS	CD2-CG-CD1	3.57	123.78	118.17
2	С	64	TYS	CB-CA-C	-3.36	105.17	111.47
2	D	64	TYS	CE2-CD2-CG	-3.02	116.87	121.03
2	С	64	TYS	OH-S-O2	-2.78	99.60	107.71

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
2	С	64	TYS	C-CA-CB-CG
2	С	64	TYS	CZ-OH-S-O3
2	D	64	TYS	N-CA-CB-CG
2	D	64	TYS	C-CA-CB-CG
2	D	64	TYS	CE1-CZ-OH-S
2	D	64	TYS	CE2-CZ-OH-S
2	С	64	TYS	CZ-OH-S-O1
2	С	64	TYS	CZ-OH-S-O2
2	С	64	TYS	N-CA-CB-CG
2	D	64	TYS	CA-CB-CG-CD1
2	С	64	TYS	CA-CB-CG-CD1

All (11) torsion outliers are listed below:

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	С	64	TYS	1	0
2	D	64	TYS	3	0

5.5 Carbohydrates (i)

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection.



N.T. 1	T	Class	D	T 1.	Bo	ond leng	ths	В	ond ang	les
NIOI	Type	Chain	Res	LINK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	E	1	3,1	14,14,15	0.62	1 (7%)	17,19,21	0.86	1 (5%)
3	NAG	Е	2	3	14,14,15	0.67	1 (7%)	17,19,21	0.65	0
3	NAG	F	1	3,1	14,14,15	0.86	1 (7%)	17,19,21	1.11	2 (11%)
3	NAG	F	2	3	14,14,15	0.44	0	17,19,21	0.97	1 (5%)
3	NAG	G	1	3,1	14,14,15	0.69	0	17,19,21	0.78	1 (5%)
3	NAG	G	2	3	14,14,15	0.41	0	17,19,21	0.49	0
4	NAG	Н	1	4,1	14,14,15	0.52	0	17,19,21	0.60	0
4	NAG	Н	2	4	14,14,15	0.84	1 (7%)	17,19,21	0.51	0
4	BMA	Н	3	4	11,11,12	1.55	2 (18%)	15,15,17	1.01	2 (13%)
5	NAG	Ι	1	5,1	14,14,15	0.21	0	17,19,21	0.91	1 (5%)
5	BMA	Ι	2	5	11,11,12	1.31	2 (18%)	15,15,17	1.04	1 (6%)
4	NAG	J	1	4,1	14,14,15	0.39	0	17,19,21	1.04	1 (5%)
4	NAG	J	2	4	14,14,15	0.72	1 (7%)	17,19,21	1.09	1 (5%)
4	BMA	J	3	4	11,11,12	1.22	2 (18%)	15,15,17	1.03	1 (6%)
3	NAG	K	1	3,1	14,14,15	0.31	0	17,19,21	0.90	0
3	NAG	K	2	3	14,14,15	1.38	1 (7%)	17,19,21	1.19	2 (11%)

RMSZ is the root-mean-square of all Z scores of the	e bond lengths ((or angles).
---	------------------	--------------

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	Е	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	Е	2	3	-	1/6/23/26	0/1/1/1
3	NAG	F	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	F	2	3	-	1/6/23/26	0/1/1/1
3	NAG	G	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
4	NAG	Н	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	Н	2	4	-	0/6/23/26	0/1/1/1
4	BMA	Н	3	4	-	1/2/19/22	0/1/1/1
5	NAG	Ι	1	5,1	-	2/6/23/26	0/1/1/1
5	BMA	Ι	2	5	-	0/2/19/22	0/1/1/1
4	NAG	J	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	J	2	4	-	2/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BMA	J	3	4	-	0/2/19/22	0/1/1/1
3	NAG	K	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	К	2	3	-	3/6/23/26	0/1/1/1

Continued from previous page...

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
3	Κ	2	NAG	C1-C2	4.79	1.59	1.52
4	Н	3	BMA	C2-C3	3.38	1.57	1.52
3	F	1	NAG	O5-C1	-3.05	1.38	1.43
4	Н	2	NAG	O5-C1	-2.82	1.39	1.43
5	Ι	2	BMA	C1-C2	2.79	1.58	1.52
4	Н	3	BMA	C1-C2	2.73	1.58	1.52
5	Ι	2	BMA	C2-C3	2.45	1.56	1.52
4	J	3	BMA	C2-C3	2.29	1.55	1.52
3	Ε	2	NAG	C1-C2	2.29	1.55	1.52
4	J	2	NAG	O5-C1	-2.29	1.40	1.43
3	E	1	NAG	O5-C1	-2.15	1.40	1.43
4	J	3	BMA	C1-C2	2.14	1.57	1.52

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	Κ	2	NAG	O5-C1-C2	-3.55	105.68	111.29
4	J	2	NAG	C1-O5-C5	3.42	116.82	112.19
5	Ι	1	NAG	C1-O5-C5	3.11	116.41	112.19
4	J	1	NAG	C1-O5-C5	3.05	116.32	112.19
3	F	2	NAG	C1-O5-C5	2.81	116.00	112.19
3	Е	1	NAG	C1-O5-C5	2.78	115.96	112.19
5	Ι	2	BMA	C1-O5-C5	2.63	115.75	112.19
3	Κ	2	NAG	C2-N2-C7	2.59	126.59	122.90
3	F	1	NAG	C1-O5-C5	2.50	115.57	112.19
4	Н	3	BMA	O2-C2-C1	2.25	113.76	109.15
4	J	3	BMA	C1-O5-C5	2.14	115.09	112.19
3	F	1	NAG	O3-C3-C2	-2.09	105.13	109.47
3	G	1	NAG	C1-O5-C5	2.05	114.97	112.19
4	H	3	BMA	C1-O5-C5	2.04	114.95	112.19

There are no chirality outliers.

All (24) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	K	1	NAG	C1-C2-N2-C7
4	J	2	NAG	C8-C7-N2-C2
4	J	2	NAG	O7-C7-N2-C2
4	J	1	NAG	O5-C5-C6-O6
4	J	1	NAG	C4-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
4	Н	1	NAG	O5-C5-C6-O6
5	Ι	1	NAG	O5-C5-C6-O6
3	F	1	NAG	O5-C5-C6-O6
4	Н	3	BMA	O5-C5-C6-O6
4	Н	1	NAG	C1-C2-N2-C7
3	Е	2	NAG	C3-C2-N2-C7
3	F	1	NAG	C3-C2-N2-C7
3	F	2	NAG	C3-C2-N2-C7
3	Κ	1	NAG	C3-C2-N2-C7
3	Κ	2	NAG	C3-C2-N2-C7
4	J	1	NAG	C3-C2-N2-C7
3	G	2	NAG	C4-C5-C6-O6
5	Ι	1	NAG	C4-C5-C6-O6
3	G	2	NAG	C3-C2-N2-C7
3	K	2	NAG	C4-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
3	Κ	2	NAG	O5-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	Е	2	NAG	1	0
3	Е	1	NAG	1	0
4	J	2	NAG	1	0
3	K	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.































5.6 Ligand geometry (i)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Mol Type Ch		Dog	Link	Bo	ond leng	$_{\rm ths}$	B	ond ang	les
WIOI	туре	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	А	909	1	14,14,15	0.46	0	17,19,21	1.14	1 (5%)
6	NAG	В	914	1	14,14,15	0.83	1 (7%)	17,19,21	0.53	0
6	NAG	В	911	1	14,14,15	0.72	0	17,19,21	0.75	1 (5%)
6	NAG	А	915	1	14,14,15	0.64	0	17,19,21	0.59	0
6	NAG	В	904	1	14,14,15	1.69	2 (14%)	17,19,21	0.89	1 (5%)
6	NAG	А	903	1	14,14,15	0.67	1 (7%)	17,19,21	1.00	1 (5%)
6	NAG	А	913	1	14,14,15	0.64	1 (7%)	17,19,21	1.06	1 (5%)
6	NAG	А	914	1	14,14,15	0.63	1 (7%)	17,19,21	0.50	0
6	NAG	А	912	1	14,14,15	0.43	0	17,19,21	0.49	0
6	NAG	А	911	1	14,14,15	0.26	0	17,19,21	0.52	0
6	NAG	В	913	1	14,14,15	0.34	0	17,19,21	0.52	0
6	NAG	А	910	1	14,14,15	0.84	1 (7%)	17,19,21	0.54	0
6	NAG	А	917	1	14,14,15	0.85	1 (7%)	17,19,21	1.00	1 (5%)
6	NAG	А	904	1	14,14,15	0.31	0	17,19,21	0.62	0
6	NAG	А	916	1	14,14,15	0.56	0	17,19,21	0.59	0
6	NAG	В	915	1	14,14,15	0.62	0	17,19,21	0.71	1(5%)
6	NAG	В	912	1	14,14,15	0.96	2 (14%)	17,19,21	0.96	1 (5%)
6	NAG	А	900	1	14,14,15	0.25	0	17,19,21	1.31	2 (11%)
6	NAG	В	910	1	14,14,15	0.35	0	17,19,21	0.99	1 (5%)
6	NAG	В	900	1	14,14,15	1.11	2 (14%)	17,19,21	2.13	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	А	909	1	-	3/6/23/26	0/1/1/1
6	NAG	В	914	1	-	2/6/23/26	0/1/1/1
6	NAG	В	911	1	-	1/6/23/26	0/1/1/1
6	NAG	А	915	1	-	0/6/23/26	0/1/1/1
6	NAG	В	904	1	-	2/6/23/26	0/1/1/1
6	NAG	А	903	1	-	3/6/23/26	0/1/1/1
6	NAG	А	913	1	-	3/6/23/26	0/1/1/1
6	NAG	А	914	1	-	2/6/23/26	0/1/1/1
6	NAG	А	912	1	-	1/6/23/26	0/1/1/1
6	NAG	A	911	1	-	2/6/23/26	0/1/1/1
6	NAG	В	913	1	-	2/6/23/26	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	А	910	1	-	3/6/23/26	0/1/1/1
6	NAG	А	917	1	-	1/6/23/26	0/1/1/1
6	NAG	А	904	1	-	1/6/23/26	0/1/1/1
6	NAG	А	916	1	-	2/6/23/26	0/1/1/1
6	NAG	В	915	1	-	1/6/23/26	0/1/1/1
6	NAG	В	912	1	-	1/6/23/26	0/1/1/1
6	NAG	А	900	1	-	1/6/23/26	0/1/1/1
6	NAG	В	910	1	-	2/6/23/26	0/1/1/1
6	NAG	В	900	1	-	5/6/23/26	0/1/1/1

Continued from previous page...

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
6	В	904	NAG	O5-C1	5.01	1.51	1.43
6	В	904	NAG	C1-C2	3.69	1.57	1.52
6	В	900	NAG	C1-C2	-3.08	1.47	1.52
6	А	917	NAG	O5-C1	2.89	1.48	1.43
6	В	912	NAG	O5-C1	2.82	1.48	1.43
6	В	900	NAG	O5-C1	2.36	1.47	1.43
6	А	910	NAG	O5-C1	-2.28	1.40	1.43
6	В	914	NAG	C1-C2	2.27	1.55	1.52
6	А	914	NAG	O5-C1	2.16	1.47	1.43
6	А	913	NAG	C1-C2	2.16	1.55	1.52
6	В	912	NAG	C1-C2	2.10	1.55	1.52
6	А	903	NAG	O5-C1	2.01	1.46	1.43

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
6	В	900	NAG	C2-N2-C7	6.83	132.63	122.90
6	А	909	NAG	C2-N2-C7	4.18	128.86	122.90
6	В	910	NAG	C1-O5-C5	3.81	117.35	112.19
6	А	900	NAG	C1-O5-C5	3.59	117.06	112.19
6	А	913	NAG	C1-O5-C5	3.29	116.64	112.19
6	В	912	NAG	C1-O5-C5	3.27	116.62	112.19
6	А	903	NAG	C1-O5-C5	3.05	116.32	112.19
6	В	900	NAG	C1-C2-N2	3.04	115.69	110.49
6	В	904	NAG	C1-O5-C5	2.73	115.90	112.19
6	В	900	NAG	C4-C3-C2	-2.69	107.08	111.02
6	А	917	NAG	C1-O5-C5	2.59	115.70	112.19
6	А	900	NAG	C2-N2-C7	2.44	126.37	122.90



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
6	В	911	NAG	C1-O5-C5	2.27	115.27	112.19
6	В	915	NAG	C1-O5-C5	2.24	115.23	112.19
6	В	900	NAG	C1-O5-C5	2.17	115.13	112.19

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
6	А	900	NAG	C3-C2-N2-C7
6	А	909	NAG	C3-C2-N2-C7
6	В	900	NAG	C3-C2-N2-C7
6	В	914	NAG	O5-C5-C6-O6
6	В	913	NAG	O5-C5-C6-O6
6	А	909	NAG	C4-C5-C6-O6
6	В	913	NAG	C4-C5-C6-O6
6	А	913	NAG	O5-C5-C6-O6
6	В	900	NAG	C8-C7-N2-C2
6	В	900	NAG	O7-C7-N2-C2
6	В	910	NAG	O5-C5-C6-O6
6	В	914	NAG	C4-C5-C6-O6
6	А	914	NAG	O5-C5-C6-O6
6	А	909	NAG	O5-C5-C6-O6
6	А	913	NAG	C4-C5-C6-O6
6	В	900	NAG	O5-C5-C6-O6
6	А	912	NAG	O5-C5-C6-O6
6	А	910	NAG	O5-C5-C6-O6
6	А	916	NAG	O5-C5-C6-O6
6	В	911	NAG	O5-C5-C6-O6
6	В	915	NAG	O5-C5-C6-O6
6	А	904	NAG	O5-C5-C6-O6
6	В	910	NAG	C4-C5-C6-O6
6	А	911	NAG	C4-C5-C6-O6
6	А	911	NAG	O5-C5-C6-O6
6	А	916	NAG	C1-C2-N2-C7
6	В	904	NAG	C4-C5-C6-O6
6	А	903	NAG	C4-C5-C6-O6
6	А	910	NAG	C1-C2-N2-C7
6	А	914	NAG	C4-C5-C6-O6
6	A	903	NAG	C3-C2-N2-C7
6	A	913	NAG	C3-C2-N2-C7
6	А	917	NAG	C3-C2-N2-C7
6	В	912	NAG	C4-C5-C6-O6



contracta j. cont process as pagein										
Mol	Chain	\mathbf{Res}	Type	Atoms						
6	А	903	NAG	O5-C5-C6-O6						
6	А	910	NAG	C3-C2-N2-C7						
6	В	904	NAG	C3-C2-N2-C7						
6	В	900	NAG	C4-C5-C6-O6						

Continued from previous page...

There are no ring outliers.

5 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	А	909	NAG	2	0
6	В	914	NAG	1	0
6	А	915	NAG	2	0
6	А	916	NAG	1	0
6	В	900	NAG	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$<$ RSRZ $>$	#RSRZ>	$\cdot 2$	$OWAB(Å^2)$	Q<0.9
1	А	833/863~(96%)	0.09	20 (2%) 59	42	51, 92, 143, 208	0
1	В	833/863~(96%)	0.23	42 (5%) 28	18	57, 106, 152, 186	0
2	С	20/21~(95%)	0.94	5~(25%) 0	0	65, 97, 165, 179	0
2	D	20/21~(95%)	1.23	4 (20%) 1	0	89, 127, 153, 164	0
All	All	1706/1768~(96%)	0.18	71 (4%) 36	23	51, 99, 150, 208	0

All (71) RSRZ outliers are listed below:

Mol	Chain	Res Type		RSRZ
1	В	292	LEU	6.4
1	В	452	ILE	4.7
1	В	380	LEU	4.6
1	В	524	PHE	4.6
2	D	63	ASP	4.0
2	С	82	PRO	3.9
2	С	83	ASN	3.8
1	В	172	LEU	3.8
1	В	428	ILE	3.7
1	В	404	ILE	3.6
1	А	91	PHE	3.6
1	В	220	PHE	3.6
1	В	318	LEU	3.6
1	В	500	LEU	3.5
2	D	66	HIS	3.4
2	D	83	ASN	3.2
1	В	125	PHE	3.1
1	В	268	LEU	3.1
1	В	42	GLN	3.0
1	A	90	TRP	2.9
1	В	508	ILE	2.9



6S6Q	
------	--

Mol	Chain	Res	Type	RSRZ
1	В	316	LEU	2.9
1	В	476	ILE	2.8
1	В	472	ILE	2.8
2	С	81	ILE	2.8
1	В	186	GLN	2.8
1	А	100	LEU	2.8
1	А	812	VAL	2.7
1	В	443	ARG	2.7
2	С	63	ASP	2.7
1	А	81	LEU	2.7
1	В	424	LEU	2.6
1	В	100	LEU	2.6
1	А	735	LEU	2.6
2	D	82	PRO	2.6
1	В	289	LEU	2.6
1	А	124	LEU	2.6
1	В	244	LEU	2.6
1	А	211	LEU	2.5
1	В	773	LEU	2.5
1	А	195	SER	2.5
1	В	102	LEU	2.4
1	А	343	LEU	2.4
1	В	786	SER	2.4
1	В	189	ARG	2.4
1	В	126	LEU	2.4
1	А	33	VAL	2.4
1	А	32	GLU	2.3
1	В	233	ALA	2.3
1	А	255	ILE	2.3
1	А	739	MET	2.3
1	В	76	LEU	2.2
1	A	163	LEU	2.2
1	В	217	LEU	2.2
1	В	437	LEU	2.2
1	В	124	LEU	2.1
1	A	126	LEU	2.1
1	А	667	LEU	2.1
1	В	431	LEU	2.1
1	В	438	PHE	2.1
1	В	389	LEU	2.1
1	В	496	LEU	2.1
1	А	197	ILE	2.1



Mol	Chain	Res	Type	RSRZ
1	В	460	MET	2.1
1	А	356	LEU	2.1
1	В	341	LEU	2.0
1	В	540	LEU	2.0
1	А	766	LEU	2.0
2	С	66	HIS	2.0
1	В	520	ILE	2.0
1	В	568	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	TYS	С	64	16/17	0.94	0.29	100,111,128,141	0
2	TYS	D	64	16/17	0.94	0.27	101,116,150,171	0

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	NAG	Е	2	14/15	0.72	0.20	172,181,190,190	0
3	NAG	G	2	14/15	0.77	0.37	140,161,169,170	0
4	NAG	Н	2	14/15	0.77	0.33	156,170,175,175	0
4	BMA	Н	3	11/12	0.79	0.28	144,153,165,166	0
4	BMA	J	3	11/12	0.79	0.17	164,169,177,177	0
3	NAG	K	2	14/15	0.80	0.30	142,151,186,187	0
3	NAG	F	2	14/15	0.83	0.21	116,129,133,138	0
5	BMA	Ι	2	11/12	0.84	0.18	129,141,148,148	0
3	NAG	Е	1	14/15	0.86	0.13	137,152,168,175	0
4	NAG	J	2	14/15	0.86	0.26	110,158,167,168	0
4	NAG	Н	1	14/15	0.87	0.14	116,134,146,163	0
4	NAG	J	1	14/15	0.89	0.30	75,106,122,137	0
3	NAG	K	1	14/15	0.91	0.20	86,115,126,141	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
5	NAG	Ι	1	14/15	0.92	0.21	60,86,104,120	0
3	NAG	G	1	14/15	0.97	0.17	38,75,92,108	0
3	NAG	F	1	14/15	0.97	0.18	72,82,92,98	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.























6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{\AA}^2)$	Q<0.9
6	NAG	В	915	14/15	0.64	0.37	157,165,177,181	0
6	NAG	А	904	14/15	0.68	0.21	116,136,148,152	0
6	NAG	В	904	14/15	0.74	0.18	122,140,146,146	0
6	NAG	А	903	14/15	0.78	0.35	120,140,149,152	0
6	NAG	А	917	14/15	0.81	0.15	114,133,140,142	0
6	NAG	В	911	14/15	0.84	0.23	104,119,128,135	0
6	NAG	А	916	14/15	0.85	0.18	129,140,149,153	0
6	NAG	А	913	14/15	0.87	0.15	98,122,134,134	0
6	NAG	А	909	14/15	0.87	0.19	109,138,154,160	0
6	NAG	В	913	14/15	0.88	0.20	$107,\!126,\!135,\!137$	0
6	NAG	А	910	14/15	0.89	0.23	86,110,147,153	0
6	NAG	A	912	14/15	0.89	0.28	78,114,125,127	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
6	NAG	В	910	14/15	0.89	0.20	90,120,126,128	0
6	NAG	А	911	14/15	0.92	0.22	92,113,130,130	0
6	NAG	В	914	14/15	0.92	0.23	86,122,132,134	0
6	NAG	В	912	14/15	0.92	0.12	107,120,129,132	0
6	NAG	А	914	14/15	0.93	0.11	95,126,136,138	0
6	NAG	В	900	14/15	0.93	0.15	80,91,116,118	0
6	NAG	А	900	14/15	0.93	0.15	65,86,103,104	0
6	NAG	А	915	14/15	0.94	0.15	77,104,109,109	0

Continued from previous page...

6.5 Other polymers (i)

There are no such residues in this entry.

