



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 27, 2023 – 04:37 AM EDT

PDB ID : 3SFE
Title : crystal structure of porcine mitochondrial respiratory complex II bound with oxaloacetate and thiabendazole
Authors : Zhou, Q.J.; Zhai, Y.J.; Liu, M.; Sun, F.
Deposited on : 2011-06-13
Resolution : 2.81 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3617 (2.84-2.80)
Clashscore	141614	4060 (2.84-2.80)
Ramachandran outliers	138981	3978 (2.84-2.80)
Sidechain outliers	138945	3980 (2.84-2.80)
RSRZ outliers	127900	3552 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	622	
2	B	252	
3	C	140	
4	D	103	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	OAA	A	701	-	-	X	-

2 Entry composition i

There are 12 unique types of molecules in this entry. The entry contains 8687 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	613	4737	2959	851	895	32	0	1	0

- Molecule 2 is a protein called Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	240	1927	1217	327	361	22	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	252	VAL	ALA	SEE REMARK 999	UNP Q007T0

- Molecule 3 is a protein called Succinate dehydrogenase cytochrome b560 subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	139	1068	697	180	184	7	0	0	0


- Molecule 4 is a protein called Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	102	765	499	128	133	5	0	0	0

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
D	100	ALA	VAL	SEE REMARK 999	UNP A5GZW8

- Molecule 5 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
5	A	1	53	27	9	15	2	0	0

- Molecule 6 is OXALOACETATE ION (three-letter code: OAA) (formula: $C_4H_3O_5^-$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			9	4	5		

- Molecule 7 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 8 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 9 is FE3-S4 CLUSTER (three-letter code: F3S) (formula: Fe₃S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	Fe	S	0	0
			7	3	4		

- Molecule 10 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
10	C	1	43	34	1	4	4	0	0

- Molecule 11 is 2-(1,3-THIAZOL-4-YL)-1H-BENZIMIDAZOLE (three-letter code: TMG) (formula: C₁₀H₇N₃S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	S		
11	C	1	14	10	3	1	0	0


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	22	Total	O	0	0
			22	22		
12	B	12	Total	O	0	0
			12	12		
12	C	10	Total	O	0	0
			10	10		
12	D	8	Total	O	0	0
			8	8		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Succinate dehydrogenase [ubiquinone] flavoprotein subunit, mitochondrial




- Molecule 2: Succinate dehydrogenase [ubiquinone] iron-sulfur subunit, mitochondrial





- Molecule 3: Succinate dehydrogenase cytochrome b560 subunit, mitochondrial





- Molecule 4: Succinate dehydrogenase [ubiquinone] cytochrome b small subunit, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.71Å 83.42Å 294.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.81 45.21 – 2.81	Depositor EDS
% Data completeness (in resolution range)	78.1 (50.00-2.81) 78.2 (45.21-2.81)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.31 (at 2.81Å)	Xtrriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.214 , 0.270 0.215 , 0.272	Depositor DCC
R_{free} test set	1717 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	54.1	Xtrriage
Anisotropy	0.231	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 46.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	8687	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OAA, FES, HEM, SF4, FAD, TMG, F3S

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/4839	0.56	0/6545
2	B	0.39	0/1969	0.53	0/2656
3	C	0.38	0/1095	0.52	0/1488
4	D	0.35	0/784	0.49	0/1066
All	All	0.38	0/8687	0.54	0/11755

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4737	0	4631	103	0
2	B	1927	0	1904	46	0
3	C	1068	0	1107	23	0
4	D	765	0	773	12	0
5	A	53	0	31	12	0
6	A	9	0	0	4	0
7	B	4	0	0	0	0
8	B	8	0	0	0	0
9	B	7	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	C	43	0	30	0	0
11	C	14	0	7	2	0
12	A	22	0	0	0	0
12	B	12	0	0	0	0
12	C	10	0	0	0	0
12	D	8	0	0	0	0
All	All	8687	0	8483	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:HIS:NE2	5:A:700:FAD:HM82	1.67	1.07
1:A:310:ARG:HH11	1:A:310:ARG:HG3	1.29	0.92
1:A:374:ASN:HB3	1:A:376:LYS:H	1.36	0.88
1:A:57:HIS:CE1	5:A:700:FAD:HM82	2.11	0.85
1:A:577:GLN:H	1:A:577:GLN:HE21	1.23	0.84
1:A:29:GLY:H	1:A:58:THR:HG21	1.47	0.77
1:A:152:ASP:HB2	1:A:339:PRO:HD2	1.71	0.72
1:A:298:ARG:HH22	6:A:701:OAA:C1	2.02	0.71
1:A:373:THR:HG22	1:A:374:ASN:O	1.90	0.71
4:D:53:LEU:HD11	4:D:76:LEU:HD12	1.73	0.70
1:A:57:HIS:NE2	5:A:700:FAD:HM81	2.05	0.69
1:A:264:LEU:CB	5:A:700:FAD:HM73	2.22	0.69
2:B:129:LEU:HD11	2:B:195:ARG:HB2	1.75	0.69
1:A:181:ASP:HA	1:A:237:MET:HG2	1.74	0.68
4:D:72:LEU:O	4:D:76:LEU:HB2	1.93	0.68
2:B:246:LYS:O	2:B:247:GLU:HB2	1.92	0.68
1:A:298:ARG:NH2	6:A:701:OAA:C1	2.57	0.67
1:A:264:LEU:HB3	5:A:700:FAD:HM73	1.77	0.67
4:D:60:ALA:HA	4:D:68:MET:HG2	1.78	0.66
1:A:190:ARG:HD2	1:A:440:PRO:HB2	1.77	0.65
1:A:563:ASP:H	1:A:571:GLN:HE22	1.46	0.64
2:B:52:LYS:HD2	2:B:57:SER:HA	1.78	0.64
3:C:46:ARG:HE	4:D:87:VAL:HG22	1.62	0.63
1:A:58:THR:HG23	5:A:700:FAD:O1A	1.97	0.63
2:B:215:CYS:HA	9:B:304:F3S:S1	2.38	0.63
2:B:164:CYS:SG	2:B:182:ALA:HB2	2.39	0.62
1:A:486:VAL:HG22	1:A:553:GLU:HG3	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:299:ASP:O	1:A:303:ARG:HB2	2.00	0.62
1:A:264:LEU:HD22	5:A:700:FAD:H6	1.81	0.61
1:A:61:ALA:HB3	1:A:155:GLY:HA3	1.81	0.61
3:C:46:ARG:NE	4:D:87:VAL:HG22	2.16	0.61
1:A:569:GLN:C	1:A:571:GLN:H	2.03	0.61
2:B:51:ILE:HD11	2:B:59:LEU:HD22	1.83	0.60
2:B:230:ASN:ND2	2:B:233:LYS:H	1.99	0.60
1:A:58:THR:HG22	5:A:700:FAD:O4'	2.01	0.60
1:A:310:ARG:HH11	1:A:310:ARG:CG	2.12	0.60
1:A:264:LEU:HD22	5:A:700:FAD:C6	2.33	0.59
1:A:190:ARG:CD	1:A:440:PRO:HB2	2.33	0.58
2:B:103:PRO:HD2	2:B:166:THR:HG23	1.83	0.58
2:B:164:CYS:SG	2:B:165:SER:N	2.77	0.58
1:A:310:ARG:HG3	1:A:310:ARG:NH1	2.07	0.57
1:A:171:THR:HB	1:A:173:TYR:CE1	2.39	0.57
2:B:219:MET:CE	2:B:232:GLY:HA3	2.34	0.57
3:C:52:LEU:HD21	3:C:98:LEU:HA	1.85	0.57
2:B:198:PHE:CD2	2:B:201:GLU:HG3	2.40	0.57
1:A:458:ARG:NH2	1:A:514:MET:HG2	2.20	0.57
2:B:155:LEU:HD12	2:B:192:ILE:HD11	1.86	0.56
1:A:81:PHE:O	1:A:85:VAL:HG12	2.06	0.56
1:A:246:GLN:NE2	1:A:600:ARG:HE	2.04	0.56
1:A:405:HIS:ND1	1:A:409:ARG:HG3	2.21	0.55
1:A:59:VAL:HB	1:A:159:LEU:HD23	1.89	0.55
1:A:104:ALA:HB3	1:A:105:PRO:HD3	1.90	0.54
4:D:49:VAL:HG11	4:D:78:LEU:HD13	1.88	0.54
3:C:37:LEU:HB3	3:C:38:PRO:HD3	1.89	0.54
2:B:214:ARG:NH2	4:D:86:GLN:OE1	2.41	0.54
1:A:258:ILE:HG13	1:A:265:ILE:HD11	1.89	0.53
1:A:72:MET:HG2	1:A:128:GLN:HB2	1.89	0.53
2:B:75:MET:HG3	2:B:77:ILE:HD11	1.89	0.53
1:A:409:ARG:HH22	6:A:701:OAA:C1	2.22	0.53
2:B:208:ASP:HB2	2:B:209:PRO:HD2	1.91	0.53
3:C:28:PRO:HB2	3:C:32:ILE:HG12	1.89	0.52
1:A:49:THR:HG1	5:A:700:FAD:HO2A	1.58	0.52
2:B:198:PHE:HD2	2:B:201:GLU:HG3	1.74	0.52
1:A:246:GLN:HE22	1:A:600:ARG:HE	1.56	0.52
1:A:113:ASN:ND2	2:B:138:GLY:H	2.07	0.52
1:A:353:VAL:HG12	1:A:358:ILE:HD11	1.92	0.52
1:A:518:THR:HA	1:A:521:VAL:HG22	1.91	0.52
1:A:217:TYR:HB3	1:A:232:GLY:HA3	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:492:GLU:O	1:A:496:LYS:HB2	2.10	0.51
1:A:111:LEU:HD11	1:A:419:VAL:HG21	1.92	0.51
1:A:415:LEU:HG	5:A:700:FAD:C2	2.40	0.51
3:C:78:LYS:HA	3:C:82:LEU:HD11	1.93	0.51
1:A:158:LEU:HD23	1:A:415:LEU:HD22	1.91	0.51
1:A:172:SER:HG	3:C:5:GLY:N	2.07	0.51
2:B:219:MET:HE2	2:B:232:GLY:HA3	1.92	0.51
1:A:220:THR:HG23	1:A:529:LEU:HD22	1.92	0.51
4:D:43:TRP:O	4:D:47:ARG:HG2	2.11	0.50
1:A:401:CYS:C	1:A:403:SER:H	2.12	0.50
1:A:57:HIS:CE1	1:A:226:SER:HA	2.47	0.50
1:A:480:HIS:HD2	1:A:489:VAL:O	1.95	0.49
2:B:52:LYS:HA	2:B:56:ASP:O	2.11	0.49
3:C:46:ARG:NH2	11:C:1:TMG:H14	2.28	0.49
2:B:230:ASN:HD22	2:B:230:ASN:C	2.16	0.49
1:A:569:GLN:C	1:A:571:GLN:N	2.66	0.49
1:A:231:THR:HA	1:A:529:LEU:HD21	1.94	0.48
1:A:228:HIS:NE2	2:B:66:ARG:HG2	2.28	0.48
1:A:298:ARG:NH2	1:A:411:GLY:HA2	2.28	0.48
1:A:190:ARG:NH1	1:A:441:SER:O	2.47	0.48
1:A:374:ASN:HB2	1:A:378:GLN:H	1.79	0.48
1:A:497:ILE:HG22	1:A:534:LEU:HD13	1.96	0.48
2:B:102:LEU:HD22	2:B:166:THR:HG21	1.96	0.48
1:A:374:ASN:HB3	1:A:376:LYS:N	2.17	0.47
2:B:230:ASN:ND2	2:B:233:LYS:HB3	2.29	0.47
1:A:310:ARG:CG	1:A:310:ARG:NH1	2.75	0.47
1:A:414:SER:O	1:A:418:LEU:HD13	2.15	0.47
4:D:123:ASP:OD1	4:D:124:VAL:HG23	2.14	0.47
1:A:264:LEU:HD13	1:A:365:HIS:CE1	2.49	0.47
3:C:74:LEU:HD12	4:D:132:MET:HE2	1.95	0.47
1:A:464:ILE:O	1:A:508:LYS:N	2.48	0.47
1:A:490:LEU:HD13	1:A:541:GLU:HA	1.96	0.47
2:B:209:PRO:O	2:B:214:ARG:NH1	2.47	0.46
1:A:64:GLY:HA2	1:A:154:THR:HG21	1.97	0.46
2:B:76:ASN:HB3	2:B:100:TYR:HB2	1.97	0.46
1:A:415:LEU:HA	1:A:418:LEU:HD22	1.97	0.46
1:A:458:ARG:HH22	1:A:514:MET:HG2	1.80	0.46
2:B:121:GLN:NE2	2:B:171:TYR:OH	2.47	0.46
2:B:198:PHE:O	2:B:201:GLU:HG2	2.15	0.46
1:A:113:ASN:HD22	2:B:138:GLY:H	1.63	0.46
2:B:47:ALA:O	2:B:51:ILE:HG23	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:461:ASN:HD22	1:A:508:LYS:HE3	1.81	0.45
2:B:214:ARG:HA	2:B:214:ARG:NE	2.30	0.45
4:D:92:VAL:CG1	4:D:97:LEU:HB3	2.47	0.45
1:A:72:MET:HE2	1:A:121:THR:HG21	1.99	0.45
2:B:155:LEU:CD1	2:B:192:ILE:HD11	2.47	0.45
3:C:7:THR:HB	3:C:10:GLU:H	1.82	0.44
1:A:514:MET:HE3	1:A:514:MET:HA	1.98	0.44
1:A:516:TRP:HB3	2:B:60:THR:HG21	1.99	0.44
1:A:252:GLN:HB3	1:A:366:TYR:HB3	1.99	0.44
1:A:307:LEU:O	1:A:311:GLU:HG2	2.18	0.44
2:B:129:LEU:HD11	2:B:195:ARG:CB	2.45	0.43
1:A:221:TYR:CG	1:A:364:VAL:HG21	2.53	0.43
1:A:30:ALA:H	1:A:418:LEU:HG	1.83	0.43
1:A:130:ALA:HB2	1:A:145:HIS:CD2	2.53	0.43
3:C:29:HIS:HD2	3:C:30:ILE:HD12	1.84	0.43
2:B:45:LEU:O	2:B:49:ILE:HG12	2.18	0.43
3:C:96:PHE:HA	3:C:137:SER:OG	2.18	0.43
3:C:91:LYS:O	3:C:95:VAL:HG23	2.19	0.43
2:B:51:ILE:HA	2:B:55:ILE:HG12	2.00	0.43
1:A:72:MET:CE	1:A:121:THR:HG21	2.49	0.43
1:A:553:GLU:O	1:A:556:LYS:HE3	2.18	0.43
3:C:82:LEU:HB3	3:C:87:ILE:HD13	2.00	0.42
1:A:238:VAL:HG13	1:A:243:LEU:HB2	2.02	0.42
2:B:62:ARG:NH1	2:B:113:PRO:HD2	2.35	0.42
3:C:62:SER:HB2	3:C:66:LEU:HD12	2.00	0.42
3:C:107:ARG:HD2	3:C:125:SER:HB2	2.00	0.42
2:B:155:LEU:HD13	2:B:189:ARG:HA	2.01	0.42
1:A:330:PRO:HA	1:A:331:PRO:HD3	1.85	0.42
2:B:10:ARG:HG2	2:B:93:LEU:HD21	2.02	0.42
2:B:154:GLY:O	2:B:185:MET:HE1	2.20	0.42
4:D:57:LEU:HB2	4:D:58:PRO:CD	2.50	0.42
1:A:269:CYS:SG	1:A:341:ILE:HD13	2.60	0.41
1:A:286:GLU:HG3	1:A:293:LYS:HE2	2.02	0.41
2:B:16:ILE:HG12	2:B:99:ILE:HB	2.03	0.41
1:A:460:ALA:HB1	1:A:507:LEU:O	2.19	0.41
1:A:52:PHE:CD1	1:A:53:PRO:HD2	2.55	0.41
1:A:171:THR:HB	1:A:173:TYR:HE1	1.82	0.41
1:A:258:ILE:HD13	1:A:263:CYS:HB2	2.01	0.41
1:A:346:MET:HA	1:A:351:VAL:H	1.85	0.41
1:A:373:THR:HG23	1:A:377:GLY:HA2	2.02	0.41
1:A:563:ASP:H	1:A:571:GLN:NE2	2.15	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:302:SER:HB2	1:A:362:PRO:HB3	2.03	0.41
1:A:411:GLY:O	1:A:412:ALA:HB3	2.20	0.41
2:B:220:ASN:HD21	3:C:39:MET:HE2	1.86	0.41
3:C:42:SER:HB2	11:C:1:TMG:N11	2.35	0.41
2:B:102:LEU:HB3	2:B:166:THR:HG21	2.02	0.41
1:A:217:TYR:HB3	1:A:232:GLY:CA	2.51	0.41
1:A:270:ARG:HD2	1:A:294:ASP:O	2.21	0.41
3:C:87:ILE:O	3:C:91:LYS:HB3	2.20	0.41
1:A:128:GLN:HA	1:A:147:CYS:O	2.20	0.41
1:A:264:LEU:HB2	5:A:700:FAD:HM73	1.98	0.41
1:A:374:ASN:HD22	1:A:374:ASN:HA	1.65	0.41
2:B:73:CYS:HB2	2:B:74:ALA:H	1.73	0.41
2:B:176:ASP:HB3	3:C:16:TRP:CZ2	2.56	0.41
1:A:333:GLN:HG2	1:A:337:ARG:HG3	2.02	0.41
2:B:35:ILE:HD11	2:B:51:ILE:HG22	2.03	0.41
1:A:264:LEU:HD11	6:A:701:OAA:O3	2.21	0.40
1:A:577:GLN:H	1:A:577:GLN:NE2	2.04	0.40
1:A:620:ARG:HE	1:A:622:TYR:HE1	1.68	0.40
1:A:378:GLN:HG2	1:A:394:TYR:CE2	2.57	0.40
3:C:28:PRO:HB2	3:C:32:ILE:CG1	2.52	0.40
3:C:66:LEU:HA	3:C:67:PRO:HD3	1.90	0.40
2:B:172:TRP:HZ3	3:C:30:ILE:HG22	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	612/622 (98%)	565 (92%)	42 (7%)	5 (1%)	19 47
2	B	238/252 (94%)	217 (91%)	18 (8%)	3 (1%)	12 34
3	C	137/140 (98%)	128 (93%)	8 (6%)	1 (1%)	22 51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	D	100/103 (97%)	92 (92%)	7 (7%)	1 (1%)	15	42
All	All	1087/1117 (97%)	1002 (92%)	75 (7%)	10 (1%)	17	44

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	86	LEU
1	A	374	ASN
2	B	73	CYS
1	A	403	SER
2	B	74	ALA
4	D	37	LYS
1	A	260	GLY
1	A	568	ILE
2	B	64	SER
1	A	570	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	500/506 (99%)	459 (92%)	41 (8%)	11	31
2	B	214/221 (97%)	194 (91%)	20 (9%)	9	25
3	C	117/118 (99%)	107 (92%)	10 (8%)	10	30
4	D	76/76 (100%)	70 (92%)	6 (8%)	12	33
All	All	907/921 (98%)	830 (92%)	77 (8%)	10	30

All (77) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	SER
1	A	15	VAL
1	A	17	ASP
1	A	32	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	65	ILE
1	A	73	GLU
1	A	85	VAL
1	A	123	ASP
1	A	131	PHE
1	A	157	SER
1	A	165	ARG
1	A	167	LEU
1	A	171	THR
1	A	198	GLU
1	A	235	THR
1	A	277	ILE
1	A	294	ASP
1	A	298	ARG
1	A	310	ARG
1	A	324	LEU
1	A	332	GLU
1	A	354	THR
1	A	374	ASN
1	A	381	ARG
1	A	388	GLN
1	A	403	SER
1	A	445	ASN
1	A	454	LEU
1	A	458	ARG
1	A	461	ASN
1	A	463	THR
1	A	464	ILE
1	A	465	ARG
1	A	485	ARG
1	A	514	MET
1	A	541	GLU
1	A	554	ASP
1	A	556	LYS
1	A	561	GLU
1	A	577	GLN
1	A	578	GLU
2	B	34	GLU
2	B	51	ILE
2	B	63	ARG
2	B	66	ARG
2	B	69	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	89	ILE
2	B	94	ASP
2	B	96	VAL
2	B	146	ILE
2	B	147	GLU
2	B	166	THR
2	B	189	ARG
2	B	192	ILE
2	B	205	LYS
2	B	214	ARG
2	B	217	THR
2	B	220	ASN
2	B	230	ASN
2	B	237	GLU
2	B	246	LYS
3	C	7	THR
3	C	23	ASN
3	C	30	ILE
3	C	43	ILE
3	C	46	ARG
3	C	52	LEU
3	C	80	LEU
3	C	89	THR
3	C	108	HIS
3	C	123	THR
4	D	47	ARG
4	D	52	LEU
4	D	78	LEU
4	D	98	GLN
4	D	134	TRP
4	D	136	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	113	ASN
1	A	128	GLN
1	A	143	GLN
1	A	156	HIS
1	A	246	GLN
1	A	254	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	384	ASN
1	A	461	ASN
1	A	474	GLN
1	A	480	HIS
1	A	506	HIS
1	A	550	HIS
1	A	571	GLN
1	A	577	GLN
1	A	579	HIS
2	B	31	GLN
2	B	39	ASN
2	B	92	ASN
2	B	121	GLN
2	B	220	ASN
2	B	230	ASN
3	C	17	ASN
3	C	29	HIS
4	D	98	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	FES	B	302	2	0,4,4	-	-	-		
10	HEM	C	1305	3,4	41,50,50	2.48	19 (46%)	45,82,82	2.18	16 (35%)
11	TMG	C	1	-	12,16,16	1.03	0	8,22,22	14.18	2 (25%)
6	OAA	A	701	-	8,8,8	6.85	4 (50%)	9,10,10	1.34	1 (11%)
8	SF4	B	303	2	0,12,12	-	-	-		
9	F3S	B	304	2	0,9,9	-	-	-		
5	FAD	A	700	1	53,58,58	1.32	6 (11%)	68,89,89	1.44	13 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	FES	B	302	2	-	-	0/1/1/1
10	HEM	C	1305	3,4	-	6/12/54/54	-
11	TMG	C	1	-	-	0/0/4/4	0/3/3/3
6	OAA	A	701	-	-	3/8/8/8	-
8	SF4	B	303	2	-	-	0/6/5/5
9	F3S	B	304	2	-	-	0/3/3/3
5	FAD	A	700	1	-	8/30/50/50	0/6/6/6

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	701	OAA	C2-C1	-16.50	1.25	1.51
6	A	701	OAA	C2-C3	-6.45	1.25	1.51
6	A	701	OAA	C3-C4	-5.64	1.46	1.53
10	C	1305	HEM	C3C-C2C	5.44	1.47	1.40
10	C	1305	HEM	CHB-C1B	5.40	1.48	1.35
5	A	700	FAD	C9A-C5X	5.29	1.50	1.41
10	C	1305	HEM	C3B-C2B	5.20	1.47	1.37
10	C	1305	HEM	CHA-C4D	5.05	1.47	1.35
6	A	701	OAA	O3-C3	4.72	1.32	1.23
10	C	1305	HEM	C2A-C3A	3.71	1.48	1.37
10	C	1305	HEM	C4D-ND	-3.54	1.34	1.40
5	A	700	FAD	C8-C7	3.52	1.49	1.40
10	C	1305	HEM	C4D-C3D	-3.47	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	C	1305	HEM	C2C-C1C	3.27	1.50	1.42
10	C	1305	HEM	C3B-C4B	-3.21	1.38	1.44
10	C	1305	HEM	C1B-NB	-2.68	1.35	1.40
10	C	1305	HEM	C4A-CHB	2.66	1.48	1.41
10	C	1305	HEM	CHC-C4B	2.61	1.48	1.41
10	C	1305	HEM	C1D-C2D	-2.59	1.39	1.44
10	C	1305	HEM	CHD-C1D	2.56	1.48	1.41
10	C	1305	HEM	C1B-C2B	-2.55	1.39	1.44
10	C	1305	HEM	FE-NB	2.50	2.09	1.96
5	A	700	FAD	C10-N10	2.46	1.42	1.37
10	C	1305	HEM	C1A-CHA	2.46	1.47	1.41
10	C	1305	HEM	FE-ND	2.45	2.09	1.96
10	C	1305	HEM	C1D-ND	-2.41	1.33	1.38
5	A	700	FAD	C5X-N5	-2.35	1.34	1.39
5	A	700	FAD	C4-N3	-2.23	1.34	1.38
5	A	700	FAD	C4X-N5	2.17	1.35	1.30

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	C	1	TMG	C10-C14-S13	-40.00	101.36	112.53
10	C	1305	HEM	C3B-C2B-C1B	-6.69	101.53	106.49
5	A	700	FAD	N3A-C2A-N1A	-4.37	121.85	128.68
10	C	1305	HEM	C4A-C3A-C2A	-4.16	104.10	107.00
10	C	1305	HEM	C2B-C1B-NB	4.00	114.58	109.84
10	C	1305	HEM	C3D-C4D-ND	3.52	114.08	110.17
5	A	700	FAD	C4X-C10-N10	3.17	121.11	116.48
10	C	1305	HEM	C4C-CHD-C1D	3.09	126.64	122.56
10	C	1305	HEM	C2D-C1D-ND	2.95	113.42	109.88
10	C	1305	HEM	CMB-C2B-C1B	2.94	129.52	125.04
10	C	1305	HEM	C4B-CHC-C1C	2.94	126.44	122.56
10	C	1305	HEM	CAA-CBA-CGA	-2.93	105.53	113.76
5	A	700	FAD	C4X-C4-N3	2.82	120.34	113.19
10	C	1305	HEM	CHD-C1D-ND	-2.81	121.38	124.43
11	C	1	TMG	C14-S13-C12	2.79	98.05	92.37
5	A	700	FAD	C4X-C10-N1	-2.69	118.50	124.73
5	A	700	FAD	C10-N1-C2	2.61	122.12	116.90
10	C	1305	HEM	CHA-C4D-ND	-2.54	121.25	124.38
5	A	700	FAD	C5X-N5-C4X	2.52	122.27	118.07
5	A	700	FAD	C4-N3-C2	-2.52	120.99	125.64
10	C	1305	HEM	C2C-C3C-C4C	-2.46	105.18	106.90
5	A	700	FAD	C3B-C2B-C1B	2.34	104.50	100.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	700	FAD	C4A-C5A-N7A	-2.30	107.00	109.40
5	A	700	FAD	C1'-C2'-C3'	2.24	116.04	109.79
5	A	700	FAD	C4'-C3'-C2'	-2.22	108.74	113.36
6	A	701	OAA	O4-C4-C3	-2.22	118.76	121.72
5	A	700	FAD	O4-C4-C4X	-2.21	120.74	126.60
10	C	1305	HEM	CAD-CBD-CGD	-2.17	108.94	113.60
10	C	1305	HEM	CHB-C1B-NB	-2.16	121.72	124.38
5	A	700	FAD	C9A-C5X-N5	-2.15	120.10	122.43
10	C	1305	HEM	CMC-C2C-C3C	2.13	128.66	124.68
10	C	1305	HEM	CHC-C4B-NB	-2.01	122.25	124.43

There are no chirality outliers.

All (17) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	700	FAD	N10-C1'-C2'-O2'
5	A	700	FAD	N10-C1'-C2'-C3'
5	A	700	FAD	PA-O3P-P-O5'
6	A	701	OAA	C2-C3-C4-O4
6	A	701	OAA	C2-C3-C4-O5
10	C	1305	HEM	C2B-C3B-CAB-CBB
10	C	1305	HEM	C4B-C3B-CAB-CBB
10	C	1305	HEM	C3D-CAD-CBD-CGD
10	C	1305	HEM	C2A-CAA-CBA-CGA
5	A	700	FAD	C5B-O5B-PA-O3P
6	A	701	OAA	O3-C3-C4-O4
10	C	1305	HEM	CAA-CBA-CGA-O2A
10	C	1305	HEM	CAA-CBA-CGA-O1A
5	A	700	FAD	C5'-O5'-P-O3P
5	A	700	FAD	O4B-C4B-C5B-O5B
5	A	700	FAD	C5B-O5B-PA-O1A
5	A	700	FAD	O4'-C4'-C5'-O5'


There are no ring outliers.

4 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	C	1	TMG	2	0
6	A	701	OAA	4	0
9	B	304	F3S	1	0
5	A	700	FAD	12	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	613/622 (98%)	0.19	25 (4%) 37 27	32, 52, 84, 92	0
2	B	240/252 (95%)	0.09	10 (4%) 36 26	38, 48, 69, 76	0
3	C	139/140 (99%)	0.19	8 (5%) 23 15	51, 60, 83, 85	0
4	D	102/103 (99%)	0.05	2 (1%) 65 56	50, 64, 73, 78	0
All	All	1094/1117 (97%)	0.16	45 (4%) 37 27	32, 55, 81, 92	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	81	CYS	3.8
4	D	35	SER	3.7
1	A	317	PRO	3.7
1	A	323	TYR	3.3
2	B	64	SER	3.3
3	C	21	GLY	3.3
1	A	10	SER	3.2
2	B	94	ASP	3.2
2	B	8	ALA	3.2
1	A	226	SER	3.2
1	A	436	GLY	3.1
1	A	279	SER	3.1
1	A	315	CYS	3.1
3	C	84	PRO	2.9
1	A	365	HIS	2.9
1	A	280	GLN	2.8
2	B	11	ILE	2.8
2	B	70	CYS	2.8
1	A	277	ILE	2.7
3	C	80	LEU	2.7
1	A	215	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	9	PRO	2.6
1	A	218	GLY	2.6
3	C	79	SER	2.5
1	A	230	SER	2.5
1	A	229	THR	2.5
1	A	227	ALA	2.4
1	A	57	HIS	2.4
1	A	225	THR	2.4
1	A	499[A]	ARG	2.4
1	A	60	ALA	2.3
1	A	278	ASN	2.3
2	B	93	LEU	2.3
1	A	316	GLY	2.3
1	A	12	GLN	2.2
3	C	20	LEU	2.2
2	B	69	ILE	2.2
2	B	72	SER	2.1
1	A	216	GLY	2.1
4	D	135	LYS	2.1
2	B	96	VAL	2.1
3	C	143	MET	2.1
3	C	82	LEU	2.1
1	A	214	THR	2.0
1	A	293	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	FAD	A	700	53/53	0.96	0.31	37,40,44,45	0
6	OAA	A	701	9/9	0.96	0.28	75,75,76,76	0
10	HEM	C	1305	43/43	0.97	0.21	64,66,67,68	0
11	TMG	C	1	14/14	0.97	0.17	44,45,48,49	0
9	F3S	B	304	7/7	0.99	0.13	45,45,47,49	0
7	FES	B	302	4/4	0.99	0.22	49,49,51,51	0
8	SF4	B	303	8/8	0.99	0.17	37,38,39,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.