



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 01:53 pm BST

PDB ID : 3SKF  
Title : Crystal structure of beta-site app-cleaving enzyme 1 (BACE-WT) complex with (2S)-2-((3S)-3-(acetylamino)-3-(butan-2-yl)-2-oxopyrrolidin-1-yl)-N-((2S,3R)-3-hydroxy-4-((3-methoxybenzyl)amino)-1-phenylbutan-2-yl)-4-phenylbutanamide  
Authors : Muckelbauer, J.K.  
Deposited on : 2011-06-22  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	455	 % 61% 20% • 15%
1	B	455	 2% 60% 21% •• 15%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	IOD	B	395	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6361 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-secretase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	387	3038	1946	505	573	14	0	0	0
1	B	387	3039	1947	505	573	14	0	0	0

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-61	MET	-	EXPRESSION TAG	UNP P56817
A	-60	ALA	-	EXPRESSION TAG	UNP P56817
A	-59	SER	-	EXPRESSION TAG	UNP P56817
A	-58	MET	-	EXPRESSION TAG	UNP P56817
A	-57	THR	-	EXPRESSION TAG	UNP P56817
A	-56	GLY	-	EXPRESSION TAG	UNP P56817
A	-55	GLY	-	EXPRESSION TAG	UNP P56817
A	-54	GLN	-	EXPRESSION TAG	UNP P56817
A	-53	GLN	-	EXPRESSION TAG	UNP P56817
A	-52	MET	-	EXPRESSION TAG	UNP P56817
A	-51	GLY	-	EXPRESSION TAG	UNP P56817
A	-50	ARG	-	EXPRESSION TAG	UNP P56817
A	-49	GLY	-	EXPRESSION TAG	UNP P56817
A	-48	SER	-	EXPRESSION TAG	UNP P56817
B	-61	MET	-	EXPRESSION TAG	UNP P56817
B	-60	ALA	-	EXPRESSION TAG	UNP P56817
B	-59	SER	-	EXPRESSION TAG	UNP P56817
B	-58	MET	-	EXPRESSION TAG	UNP P56817
B	-57	THR	-	EXPRESSION TAG	UNP P56817
B	-56	GLY	-	EXPRESSION TAG	UNP P56817
B	-55	GLY	-	EXPRESSION TAG	UNP P56817
B	-54	GLN	-	EXPRESSION TAG	UNP P56817
B	-53	GLN	-	EXPRESSION TAG	UNP P56817
B	-52	MET	-	EXPRESSION TAG	UNP P56817
B	-51	GLY	-	EXPRESSION TAG	UNP P56817

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-50	ARG	-	EXPRESSION TAG	UNP P56817
B	-49	GLY	-	EXPRESSION TAG	UNP P56817
B	-48	SER	-	EXPRESSION TAG	UNP P56817

- Molecule 2 is (2S)-2-[(3S)-3-(acetylamino)-3-[(2S)-butan-2-yl]-2-oxopyrrolidin-1-yl]-N-[(2S,3R)-3-hydroxy-4-[(3-methoxybenzyl)amino]-1-phenylbutan-2-yl]-4-phenylbutanamide (three-letter code: PB7) (formula: C<sub>38</sub>H<sub>50</sub>N<sub>4</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total	C	N	O	0	0
			47	38	4	5		
2	B	1	Total	C	N	O	0	0
			47	38	4	5		

- Molecule 3 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	I		
3	B	1	Total	I	0	0
			1	1		
3	A	1	Total	I	0	0
			1	1		


- Molecule 4 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	A	89	Total 89	O 89	0	0
4	B	99	Total 99	O 99	0	0


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-secretase 1



- Molecule 1: Beta-secretase 1







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.29Å 130.26Å 85.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.06 – 3.00 34.06 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.4 (34.06-3.00) 99.5 (34.06-3.00)	Depositor EDS
$R_{merge}$	0.23	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.63 (at 3.00Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.252 , 0.313 0.252 , 0.306	Depositor DCC
$R_{free}$ test set	1064 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.8	Xtrriage
Anisotropy	0.069	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 46.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.010 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.89	EDS
Total number of atoms	6361	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.64 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0775e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PB7, IOD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.48	1/3116 (0.0%)	0.64	1/4238 (0.0%)
1	B	0.48	1/3117 (0.0%)	0.65	2/4239 (0.0%)
All	All	0.48	2/6233 (0.0%)	0.65	3/8477 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	359	CYS	CB-SG	-6.54	1.71	1.82
1	B	359	CYS	CB-SG	-5.17	1.73	1.81

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	149	LEU	CA-CB-CG	6.85	131.06	115.30
1	B	140	LEU	CA-CB-CG	5.22	127.31	115.30
1	A	267	LEU	CA-CB-CG	5.22	127.30	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	379	MET	Peptide
1	B	380	GLU	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3038	0	2950	76	0
1	B	3039	0	2952	80	0
2	A	47	0	50	2	0
2	B	47	0	50	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	89	0	0	5	0
4	B	99	0	0	2	0
All	All	6361	0	6002	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:254:THR:HB	1:B:279:ILE:HD11	1.24	1.18
1:A:276:PRO:O	1:A:279:ILE:HG22	1.63	0.96
1:A:235:ARG:HB2	1:A:332:VAL:HG23	1.47	0.95
1:B:67:VAL:HB	1:B:80:LEU:HD21	1.50	0.94
1:B:276:PRO:O	1:B:279:ILE:HG22	1.73	0.88
1:B:235:ARG:HB2	1:B:332:VAL:HG12	1.59	0.84
1:A:67:VAL:HB	1:A:80:LEU:HD21	1.61	0.80
1:B:254:THR:HB	1:B:279:ILE:CD1	2.12	0.77
1:B:13:GLY:HA3	1:B:30:LEU:HD11	1.70	0.74
1:A:310:GLU:HG2	4:A:481:HOH:O	1.91	0.71
1:B:2:MET:HG2	1:B:90:GLY:HA2	1.72	0.70
1:A:2:MET:HG2	1:A:90:GLY:HA2	1.73	0.69
1:B:188:LEU:HD13	1:B:355:ALA:HB2	1.75	0.69
1:B:295:SER:CB	1:B:377:LEU:HD23	2.23	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:282:VAL:HG13	1:B:299:THR:HG23	1.77	0.66
1:A:34:GLY:O	2:A:394:PB7:H14	1.95	0.66
1:A:6:LEU:HD12	1:A:16:VAL:HG12	1.78	0.66
1:A:379:MET:CG	1:A:379:MET:O	2.43	0.66
1:A:67:VAL:HB	1:A:80:LEU:CD2	2.25	0.66
1:A:140:LEU:HD13	1:A:146:VAL:HG11	1.79	0.65
1:A:276:PRO:HB2	1:A:279:ILE:CG2	2.28	0.64
1:A:379:MET:O	1:A:379:MET:HG3	1.99	0.63
1:A:276:PRO:HB2	1:A:279:ILE:HG22	1.80	0.63
1:A:22:SER:HB2	1:A:59:THR:OG1	2.01	0.61
1:B:197:TRP:H	1:B:197:TRP:HD1	1.47	0.60
1:B:33:THR:H	1:B:229:SER:HB3	1.66	0.60
1:A:33:THR:H	1:A:229:SER:CB	2.15	0.60
1:A:282:VAL:HG13	1:A:299:THR:HG23	1.84	0.60
1:A:235:ARG:HB2	1:A:332:VAL:CG2	2.29	0.60
1:A:188:LEU:HD13	1:A:355:ALA:HB2	1.85	0.59
1:B:380:GLU:C	1:B:382:CYS:H	2.05	0.59
1:B:69:VAL:HG22	1:B:128:ARG:HB2	1.85	0.59
1:A:300:ILE:HD13	1:A:337:ILE:HD12	1.84	0.58
1:B:33:THR:H	1:B:229:SER:CB	2.15	0.58
1:A:95:VAL:HG11	1:A:140:LEU:HA	1.86	0.57
1:B:295:SER:CB	1:B:377:LEU:CD2	2.83	0.56
1:B:6:LEU:HD11	1:B:174:MET:HB2	1.87	0.56
1:A:69:VAL:HG22	1:A:128:ARG:HB2	1.88	0.56
1:A:125:GLU:OE2	1:A:195:ARG:NH2	2.38	0.55
1:B:125:GLU:OE2	1:B:195:ARG:NH2	2.37	0.54
1:A:197:TRP:HD1	1:A:197:TRP:H	1.55	0.54
1:B:180:ASP:HB3	1:B:183:LEU:HD22	1.89	0.54
1:B:375:VAL:O	1:B:377:LEU:N	2.39	0.54
1:A:64:ARG:NE	4:A:420:HOH:O	2.40	0.54
1:B:148:ASN:HB3	1:B:348:ALA:HB2	1.91	0.53
1:A:179:ILE:HG23	1:A:342:TYR:HE2	1.74	0.53
1:A:375:VAL:O	1:A:377:LEU:N	2.41	0.53
1:A:376:THR:OG1	1:B:364:GLU:CD	2.47	0.53
1:B:89:HIS:HD2	4:B:457:HOH:O	1.92	0.52
1:A:199:TYR:HB3	1:A:352:ILE:HD11	1.92	0.52
1:A:248:ILE:HG13	1:A:281:PRO:HG2	1.91	0.51
1:B:32:ASP:HA	1:B:229:SER:HB3	1.92	0.51
1:A:271:GLN:O	1:A:274:THR:HB	2.11	0.51
1:B:13:GLY:HA3	1:B:30:LEU:CD1	2.40	0.51
1:B:199:TYR:HB3	1:B:352:ILE:HD11	1.93	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:6:LEU:CD1	1:B:174:MET:HB2	2.41	0.51
1:B:67:VAL:HB	1:B:80:LEU:CD2	2.33	0.50
1:B:295:SER:HB3	1:B:377:LEU:CD2	2.42	0.50
1:B:295:SER:HB2	1:B:377:LEU:HD23	1.94	0.50
1:A:33:THR:H	1:A:229:SER:HB3	1.75	0.50
1:B:34:GLY:O	2:B:394:PB7:H14	2.12	0.50
1:A:364:GLU:OE2	1:B:376:THR:N	2.40	0.49
1:A:33:THR:H	1:A:229:SER:HB2	1.76	0.49
1:B:260:GLY:C	1:B:266:GLN:HB3	2.32	0.49
1:A:6:LEU:CD1	1:A:16:VAL:HG12	2.41	0.49
1:B:27:LEU:HD22	1:B:116:GLU:HG3	1.94	0.49
1:A:13:GLY:HA3	1:A:30:LEU:CD1	2.42	0.49
1:A:279:ILE:HA	1:B:211:GLN:HG3	1.94	0.49
1:A:63:LEU:HD22	1:A:81:GLY:HA2	1.95	0.48
1:B:194:ARG:HG3	1:B:202:ILE:HD11	1.95	0.48
1:B:119:LEU:HG	1:B:121:LEU:HD22	1.95	0.48
1:A:13:GLY:HA3	1:A:30:LEU:HD11	1.94	0.48
2:A:394:PB7:O43	2:A:394:PB7:H32A	2.13	0.48
1:B:301:LEU:HB3	1:B:302:PRO:HD2	1.96	0.48
1:A:302:PRO:O	1:A:306:LEU:HB2	2.14	0.47
1:A:228:ASP:HB3	1:A:332:VAL:HG12	1.95	0.47
1:A:2:MET:CG	1:A:90:GLY:HA2	2.42	0.47
1:A:152:LEU:CD1	1:A:174:MET:HG3	2.45	0.47
1:B:215:MET:CE	1:B:243:ALA:HB3	2.44	0.47
1:A:135:PRO:HD2	1:A:138:ASP:OD2	2.15	0.47
1:B:375:VAL:C	1:B:377:LEU:H	2.18	0.46
1:A:375:VAL:C	1:A:377:LEU:H	2.19	0.46
1:B:222:TYR:HA	1:B:223:ASP:HA	1.69	0.46
1:B:300:ILE:HD13	1:B:337:ILE:HD12	1.98	0.46
1:B:71:TYR:HE2	1:B:76:TRP:HE1	1.62	0.46
1:A:248:ILE:HG13	1:A:281:PRO:CG	2.46	0.46
1:A:222:TYR:HA	1:A:223:ASP:HA	1.72	0.46
1:A:336:VAL:HG12	1:A:337:ILE:HD13	1.98	0.46
1:B:149:LEU:HD22	1:B:346:ASP:HA	1.98	0.46
1:B:248:ILE:HG13	1:B:281:PRO:CG	2.46	0.46
1:A:27:LEU:HD22	1:A:116:GLU:HG3	1.98	0.45
1:B:349:ARG:HH11	1:B:351:ARG:NH2	2.13	0.45
1:B:188:LEU:HD13	1:B:355:ALA:CB	2.43	0.45
1:A:32:ASP:HA	1:A:229:SER:HB3	1.97	0.45
1:A:6:LEU:HD11	1:A:174:MET:HB2	1.98	0.45
1:B:282:VAL:CG1	1:B:299:THR:HG23	2.46	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:379:MET:HG2	1:B:380:GLU:HB3	1.99	0.45
1:B:233:ASN:HD22	1:B:325:SER:HB3	1.81	0.44
1:A:6:LEU:CD1	1:A:174:MET:HB2	2.47	0.44
1:B:282:VAL:HG13	1:B:299:THR:CG2	2.47	0.44
1:A:65:LYS:HE2	4:A:473:HOH:O	2.17	0.44
1:B:10:SER:HB3	1:B:339:GLU:OE2	2.16	0.44
1:A:322:PHE:CE2	1:A:324:ILE:HB	2.53	0.44
1:B:380:GLU:C	1:B:382:CYS:N	2.71	0.44
1:B:67:VAL:HG12	1:B:80:LEU:HD22	1.99	0.44
1:B:302:PRO:O	1:B:306:LEU:HB2	2.18	0.43
1:B:235:ARG:HG3	1:B:332:VAL:CG1	2.48	0.43
1:A:218:LYS:HG3	1:A:381:ASP:O	2.17	0.43
1:B:114:ASN:HD22	1:B:167:LEU:CD2	2.31	0.43
1:B:69:VAL:HG22	1:B:128:ARG:CB	2.47	0.43
1:A:33:THR:HG23	1:A:229:SER:HB2	2.00	0.43
1:A:16:VAL:HG13	1:A:31:VAL:CG2	2.48	0.43
1:A:85:VAL:CG1	1:A:136:PHE:HE1	2.31	0.43
1:B:254:THR:CB	1:B:279:ILE:HD11	2.18	0.43
1:A:211:GLN:HG3	1:B:279:ILE:HA	2.01	0.43
1:A:275:THR:HA	1:A:276:PRO:HD3	1.85	0.42
1:A:349:ARG:HH11	1:A:351:ARG:NH2	2.17	0.42
1:A:85:VAL:HG12	1:A:95:VAL:O	2.19	0.42
1:B:68:TYR:CD2	1:B:70:PRO:HD3	2.54	0.42
1:A:260:GLY:C	1:A:266:GLN:HB3	2.40	0.42
1:A:85:VAL:HG11	1:A:136:PHE:HE1	1.83	0.42
1:B:20:VAL:O	1:B:25:GLN:HB2	2.19	0.42
1:B:379:MET:O	1:B:380:GLU:HG3	2.20	0.42
1:B:140:LEU:CD1	1:B:146:VAL:HG11	2.50	0.42
1:B:250:ALA:O	1:B:253:SER:OG	2.38	0.42
1:B:308:PRO:HD2	4:B:398:HOH:O	2.20	0.42
1:B:256:LYS:HA	1:B:256:LYS:HD3	1.88	0.42
1:A:122:ALA:HA	1:A:199:TYR:CE2	2.55	0.42
1:A:193:ILE:HB	1:A:350:LYS:HG2	2.01	0.42
1:A:17:GLU:HB3	4:A:445:HOH:O	2.20	0.41
1:A:20:VAL:O	1:A:25:GLN:HB2	2.19	0.41
1:A:238:LYS:CG	1:A:326:GLN:NE2	2.84	0.41
1:A:364:GLU:CD	1:B:376:THR:OG1	2.58	0.41
1:A:16:VAL:HG13	1:A:31:VAL:HG23	2.03	0.41
1:A:238:LYS:HG3	1:A:326:GLN:NE2	2.35	0.41
1:A:71:TYR:HE2	1:A:76:TRP:HE1	1.67	0.41
1:B:146:VAL:HA	1:B:147:PRO:HD3	1.90	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:371:GLU:HG2	4:A:458:HOH:O	2.21	0.41
1:B:152:LEU:CD1	1:B:174:MET:HG3	2.50	0.41
1:B:197:TRP:CD1	1:B:197:TRP:N	2.83	0.41
1:A:215:MET:HE3	1:A:243:ALA:HB3	2.02	0.41
1:A:71:TYR:HE2	1:A:76:TRP:NE1	2.18	0.41
1:B:248:ILE:HG13	1:B:281:PRO:HG2	2.03	0.41
1:B:215:MET:HE3	1:B:243:ALA:HB3	2.02	0.40
1:B:218:LYS:HG3	1:B:381:ASP:O	2.22	0.40
1:B:275:THR:HA	1:B:276:PRO:HD3	1.88	0.40
1:A:376:THR:HG23	1:B:364:GLU:OE1	2.21	0.40
1:B:140:LEU:HD13	1:B:146:VAL:HG11	2.04	0.40
1:B:68:TYR:CE2	1:B:70:PRO:HD3	2.56	0.40
1:B:154:LEU:O	1:B:339:GLU:HA	2.21	0.40
1:B:72:THR:OG1	2:B:394:PB7:H12	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	385/455 (85%)	366 (95%)	18 (5%)	1 (0%)	41	76
1	B	385/455 (85%)	363 (94%)	20 (5%)	2 (0%)	29	68
All	All	770/910 (85%)	729 (95%)	38 (5%)	3 (0%)	34	72

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	376	THR
1	B	376	THR
1	B	380	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	329/381 (86%)	289 (88%)	40 (12%)	5	21
1	B	329/381 (86%)	291 (88%)	38 (12%)	5	23
All	All	658/762 (86%)	580 (88%)	78 (12%)	5	22

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	0	VAL
1	A	59	THR
1	A	63	LEU
1	A	73	GLN
1	A	95	VAL
1	A	105	SER
1	A	116	GLU
1	A	121	LEU
1	A	126	ILE
1	A	133	LEU
1	A	140	LEU
1	A	141	VAL
1	A	145	HIS
1	A	146	VAL
1	A	166	VAL
1	A	185	THR
1	A	187	SER
1	A	188	LEU
1	A	197	TRP
1	A	213	LEU
1	A	229	SER
1	A	248	ILE
1	A	255	GLU
1	A	265	GLU
1	A	279	ILE
1	A	282	VAL
1	A	285	LEU

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	287	LEU
1	A	292	THR
1	A	301	LEU
1	A	306	LEU
1	A	316	GLN
1	A	332	VAL
1	A	359	CYS
1	A	364	GLU
1	A	373	PRO
1	A	376	THR
1	A	377	LEU
1	A	378	ASP
1	A	379	MET
1	B	0	VAL
1	B	3	VAL
1	B	16	VAL
1	B	49	HIS
1	B	59	THR
1	B	73	GLN
1	B	89	HIS
1	B	95	VAL
1	B	116	GLU
1	B	126	ILE
1	B	133	LEU
1	B	140	LEU
1	B	141	VAL
1	B	146	VAL
1	B	149	LEU
1	B	152	LEU
1	B	165	GLU
1	B	167	LEU
1	B	183	LEU
1	B	185	THR
1	B	187	SER
1	B	197	TRP
1	B	213	LEU
1	B	234	LEU
1	B	252	SER
1	B	253	SER
1	B	265	GLU
1	B	268	VAL
1	B	282	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	285	LEU
1	B	292	THR
1	B	306	LEU
1	B	316	GLN
1	B	357	SER
1	B	359	CYS
1	B	376	THR
1	B	377	LEU
1	B	380	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	326	GLN
1	B	28	ASN
1	B	89	HIS
1	B	114	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PB7	A	394	-	50,50,50	5.28	28 (56%)	57,68,68	1.06	5 (8%)
2	PB7	B	394	-	50,50,50	5.34	28 (56%)	57,68,68	1.21	4 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PB7	A	394	-	-	7/46/62/62	0/4/4/4
2	PB7	B	394	-	-	4/46/62/62	0/4/4/4

All (56) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	394	PB7	O43-C19	13.09	1.42	1.22
2	B	394	PB7	O43-C19	13.06	1.42	1.22
2	B	394	PB7	O45-C21	10.22	1.43	1.23
2	A	394	PB7	O45-C21	9.67	1.42	1.23
2	B	394	PB7	O44-C20	9.02	1.43	1.23
2	B	394	PB7	C20-N40	8.73	1.48	1.34
2	A	394	PB7	C20-N40	8.62	1.48	1.34
2	A	394	PB7	C19-N39	8.61	1.49	1.34
2	A	394	PB7	O44-C20	8.57	1.42	1.23
2	A	394	PB7	C14-C17	8.38	1.53	1.39
2	B	394	PB7	C14-C17	8.37	1.53	1.39
2	B	394	PB7	C14-C18	8.13	1.53	1.38
2	A	394	PB7	C14-C18	8.00	1.52	1.38
2	B	394	PB7	C19-N39	7.88	1.48	1.34
2	B	394	PB7	C13-C18	7.84	1.54	1.38
2	B	394	PB7	C21-N41	7.44	1.50	1.34
2	A	394	PB7	C13-C18	7.39	1.53	1.38
2	B	394	PB7	C7-C13	7.19	1.54	1.38
2	A	394	PB7	C7-C13	7.06	1.53	1.38
2	A	394	PB7	C5-C10	7.06	1.53	1.38
2	B	394	PB7	C7-C12	7.02	1.53	1.38
2	A	394	PB7	C7-C12	6.96	1.53	1.38
2	B	394	PB7	C8-C15	6.93	1.53	1.38
2	B	394	PB7	C4-C9	6.88	1.53	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	394	PB7	C21-N41	6.83	1.49	1.34
2	A	394	PB7	C10-C16	6.78	1.53	1.38
2	B	394	PB7	C3-C8	6.77	1.53	1.38
2	B	394	PB7	C5-C10	6.76	1.53	1.38
2	A	394	PB7	C6-C11	6.75	1.53	1.38
2	B	394	PB7	C11-C16	6.75	1.53	1.38
2	B	394	PB7	C6-C11	6.68	1.53	1.38
2	B	394	PB7	C12-C17	6.67	1.53	1.38
2	A	394	PB7	C3-C8	6.66	1.52	1.38
2	B	394	PB7	C10-C16	6.66	1.53	1.38
2	A	394	PB7	C4-C9	6.65	1.52	1.38
2	A	394	PB7	C12-C17	6.61	1.53	1.38
2	B	394	PB7	C9-C15	6.50	1.52	1.38
2	A	394	PB7	C11-C16	6.47	1.52	1.38
2	A	394	PB7	C8-C15	6.46	1.52	1.38
2	A	394	PB7	C9-C15	6.38	1.52	1.38
2	B	394	PB7	C4-C1	5.94	1.53	1.38
2	A	394	PB7	C6-C2	5.86	1.53	1.38
2	B	394	PB7	C3-C1	5.78	1.53	1.38
2	B	394	PB7	C6-C2	5.77	1.53	1.38
2	A	394	PB7	C5-C2	5.74	1.53	1.38
2	B	394	PB7	C5-C2	5.72	1.53	1.38
2	A	394	PB7	C4-C1	5.63	1.52	1.38
2	A	394	PB7	C3-C1	5.55	1.52	1.38
2	A	394	PB7	C35-N39	3.52	1.50	1.46
2	B	394	PB7	O47-C18	3.15	1.44	1.37
2	A	394	PB7	O47-C18	3.02	1.43	1.37
2	B	394	PB7	C24-N40	2.63	1.50	1.45
2	B	394	PB7	C35-N39	2.47	1.49	1.46
2	A	394	PB7	C24-N40	2.45	1.49	1.45
2	A	394	PB7	C37-N41	2.38	1.50	1.46
2	B	394	PB7	C37-N41	2.04	1.49	1.46

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	394	PB7	C23-N39-C19	-3.59	111.12	113.43
2	B	394	PB7	O44-C20-N40	3.48	127.01	122.28
2	A	394	PB7	C27-C36-C32	-3.45	107.25	110.96
2	B	394	PB7	C27-C36-C32	-3.31	107.40	110.96
2	A	394	PB7	C23-N39-C19	-2.94	111.54	113.43
2	B	394	PB7	C25-C20-N40	-2.74	112.43	115.98

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	394	PB7	C30-C37-C38	2.24	115.41	111.65
2	A	394	PB7	C35-N39-C19	2.07	124.60	122.03
2	A	394	PB7	O43-C19-N39	2.01	128.87	126.19

There are no chirality outliers.

All (11) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	394	PB7	C22-C24-C36-C32
2	B	394	PB7	N42-C34-C38-O46
2	A	394	PB7	C14-C18-O47-C28
2	A	394	PB7	C13-C18-O47-C28
2	B	394	PB7	C17-C31-N42-C34
2	B	394	PB7	N42-C34-C38-C37
2	A	394	PB7	C22-C24-C36-C27
2	A	394	PB7	C19-C24-C36-C32
2	B	394	PB7	C21-C35-N39-C23
2	A	394	PB7	C10-C16-C30-C37
2	A	394	PB7	C11-C16-C30-C37

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	394	PB7	2	0
2	B	394	PB7	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	387/455 (85%)	-0.15	5 (1%) 77 51	22, 32, 35, 36	0
1	B	387/455 (85%)	-0.09	8 (2%) 63 34	22, 32, 35, 36	0
All	All	774/910 (85%)	-0.12	13 (1%) 70 41	22, 32, 35, 36	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	314	THR	5.0
1	B	258	PRO	3.0
1	A	314	THR	2.9
1	A	145	HIS	2.8
1	A	312	VAL	2.7
1	A	378	ASP	2.5
1	B	381	ASP	2.4
1	A	313	ALA	2.3
1	B	311	ASP	2.3
1	B	293	ASN	2.2
1	B	315	SER	2.1
1	B	266	GLN	2.1
1	B	162	ASN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	IOD	B	395	1/1	0.48	0.71	294,294,294,294	0
3	IOD	A	395	1/1	0.86	0.28	233,233,233,233	0
2	PB7	A	394	47/47	0.91	0.27	30,31,32,32	0
2	PB7	B	394	47/47	0.91	0.25	30,31,32,32	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.