



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 19, 2023 – 06:09 PM EST

PDB ID : 8SPE
Title : Crystal structure of Bax core domain BH3-groove dimer - tetrameric fraction P31
Authors : Miller, M.S.; Cowan, A.D.; Colman, P.M.; Czabotar, P.E.
Deposited on : 2023-05-03
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	81	
1	B	81	
1	C	81	
1	D	81	
1	E	81	
1	F	81	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	81	10% 69% 27%
1	H	81	11% 70% 5% 25%
1	I	81	83% 16%
1	J	81	79% 9% 12%
1	K	81	15% 79% 6% 15%
1	L	81	17% 75% 23%
1	M	81	14% 88% 10%
1	N	81	2% 84% 14%
1	O	81	4% 73% 5% 22%
1	P	81	7% 81% 19%
1	Q	81	5% 83% 5% 12%
1	R	81	% 80% 6% 14%
1	S	81	5% 85% 14%
1	T	81	7% 79% 5% 16%
1	U	81	14% 77% 9% 15%
1	V	81	10% 75% 21%
1	W	81	5% 75% 5% 20%
1	X	81	6% 74% 6% 20%
1	Y	81	9% 83% 14%
1	Z	81	9% 84% 15%
1	a	81	2% 83% 14%
1	b	81	4% 88% 11%
1	c	81	2% 78% 5% 17%
1	d	81	% 88% 12%
1	e	81	12% 81% 15%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	f	81	
1	g	81	
1	h	81	
1	i	81	
1	j	81	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PEG	F	201	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 18988 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Apoptosis regulator BAX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	69	Total 549	C 351	N 94	O 101	S 3	0	0	0
1	B	71	Total 562	C 358	N 96	O 105	S 3	0	0	0
1	C	74	Total 560	C 357	N 96	O 105	S 2	0	0	0
1	D	71	Total 558	C 356	N 96	O 103	S 3	0	0	0
1	Q	71	Total 554	C 353	N 95	O 103	S 3	0	0	0
1	R	70	Total 547	C 350	N 94	O 100	S 3	0	0	0
1	S	70	Total 547	C 350	N 94	O 100	S 3	0	0	0
1	T	68	Total 537	C 343	N 92	O 99	S 3	0	0	0
1	G	59	Total 458	C 296	N 79	O 82	S 1	0	0	0
1	H	61	Total 478	C 309	N 82	O 85	S 2	0	0	0
1	U	69	Total 524	C 337	N 89	O 96	S 2	0	0	0
1	V	64	Total 502	C 322	N 86	O 91	S 3	0	0	0
1	E	72	Total 560	C 357	N 96	O 104	S 3	0	0	0
1	F	72	Total 563	C 358	N 96	O 106	S 3	0	0	0
1	I	68	Total 511	C 326	N 87	O 96	S 2	0	0	0
1	J	71	Total 561	C 358	N 96	O 104	S 3	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	K	69	Total	C	N	O	S	0	0	0
			529	338	91	97	3			
1	L	62	Total	C	N	O	S	0	0	0
			463	306	72	82	3			
1	M	73	Total	C	N	O	S	0	0	0
			557	357	94	103	3			
1	N	70	Total	C	N	O	S	0	0	0
			550	352	92	103	3			
1	O	63	Total	C	N	O	S	0	0	0
			475	306	79	88	2			
1	P	66	Total	C	N	O	S	0	0	0
			472	308	78	84	2			
1	W	65	Total	C	N	O	S	0	0	0
			515	330	86	96	3			
1	X	65	Total	C	N	O	S	0	0	0
			508	326	87	92	3			
1	Y	70	Total	C	N	O	S	0	1	0
			545	349	93	100	3			
1	Z	69	Total	C	N	O	S	0	0	0
			543	347	93	100	3			
1	a	70	Total	C	N	O	S	0	0	0
			557	355	95	104	3			
1	b	72	Total	C	N	O	S	0	0	0
			562	359	96	104	3			
1	c	67	Total	C	N	O	S	0	0	0
			533	343	92	95	3			
1	d	71	Total	C	N	O	S	0	0	0
			555	354	95	103	3			
1	e	69	Total	C	N	O	S	0	0	0
			544	348	93	100	3			
1	f	68	Total	C	N	O	S	0	0	0
			524	337	89	96	2			
1	g	62	Total	C	N	O	S	0	0	0
			449	292	72	82	3			
1	h	65	Total	C	N	O	S	0	0	0
			465	299	75	89	2			
1	i	68	Total	C	N	O	S	0	0	0
			507	329	81	94	3			
1	j	68	Total	C	N	O	S	0	0	0
			486	314	79	90	3			

There are 252 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	48	GLY	-	expression tag	UNP Q07812
A	49	PRO	-	expression tag	UNP Q07812
A	50	LEU	-	expression tag	UNP Q07812
A	51	GLY	-	expression tag	UNP Q07812
A	52	SER	-	expression tag	UNP Q07812
A	62	SER	CYS	conflict	UNP Q07812
A	126	SER	CYS	conflict	UNP Q07812
B	48	GLY	-	expression tag	UNP Q07812
B	49	PRO	-	expression tag	UNP Q07812
B	50	LEU	-	expression tag	UNP Q07812
B	51	GLY	-	expression tag	UNP Q07812
B	52	SER	-	expression tag	UNP Q07812
B	62	SER	CYS	conflict	UNP Q07812
B	126	SER	CYS	conflict	UNP Q07812
C	48	GLY	-	expression tag	UNP Q07812
C	49	PRO	-	expression tag	UNP Q07812
C	50	LEU	-	expression tag	UNP Q07812
C	51	GLY	-	expression tag	UNP Q07812
C	52	SER	-	expression tag	UNP Q07812
C	62	SER	CYS	conflict	UNP Q07812
C	126	SER	CYS	conflict	UNP Q07812
D	48	GLY	-	expression tag	UNP Q07812
D	49	PRO	-	expression tag	UNP Q07812
D	50	LEU	-	expression tag	UNP Q07812
D	51	GLY	-	expression tag	UNP Q07812
D	52	SER	-	expression tag	UNP Q07812
D	62	SER	CYS	conflict	UNP Q07812
D	126	SER	CYS	conflict	UNP Q07812
Q	48	GLY	-	expression tag	UNP Q07812
Q	49	PRO	-	expression tag	UNP Q07812
Q	50	LEU	-	expression tag	UNP Q07812
Q	51	GLY	-	expression tag	UNP Q07812
Q	52	SER	-	expression tag	UNP Q07812
Q	62	SER	CYS	conflict	UNP Q07812
Q	126	SER	CYS	conflict	UNP Q07812
R	48	GLY	-	expression tag	UNP Q07812
R	49	PRO	-	expression tag	UNP Q07812
R	50	LEU	-	expression tag	UNP Q07812
R	51	GLY	-	expression tag	UNP Q07812
R	52	SER	-	expression tag	UNP Q07812
R	62	SER	CYS	conflict	UNP Q07812
R	126	SER	CYS	conflict	UNP Q07812
S	48	GLY	-	expression tag	UNP Q07812

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
S	49	PRO	-	expression tag	UNP Q07812
S	50	LEU	-	expression tag	UNP Q07812
S	51	GLY	-	expression tag	UNP Q07812
S	52	SER	-	expression tag	UNP Q07812
S	62	SER	CYS	conflict	UNP Q07812
S	126	SER	CYS	conflict	UNP Q07812
T	48	GLY	-	expression tag	UNP Q07812
T	49	PRO	-	expression tag	UNP Q07812
T	50	LEU	-	expression tag	UNP Q07812
T	51	GLY	-	expression tag	UNP Q07812
T	52	SER	-	expression tag	UNP Q07812
T	62	SER	CYS	conflict	UNP Q07812
T	126	SER	CYS	conflict	UNP Q07812
G	48	GLY	-	expression tag	UNP Q07812
G	49	PRO	-	expression tag	UNP Q07812
G	50	LEU	-	expression tag	UNP Q07812
G	51	GLY	-	expression tag	UNP Q07812
G	52	SER	-	expression tag	UNP Q07812
G	62	SER	CYS	conflict	UNP Q07812
G	126	SER	CYS	conflict	UNP Q07812
H	48	GLY	-	expression tag	UNP Q07812
H	49	PRO	-	expression tag	UNP Q07812
H	50	LEU	-	expression tag	UNP Q07812
H	51	GLY	-	expression tag	UNP Q07812
H	52	SER	-	expression tag	UNP Q07812
H	62	SER	CYS	conflict	UNP Q07812
H	126	SER	CYS	conflict	UNP Q07812
U	48	GLY	-	expression tag	UNP Q07812
U	49	PRO	-	expression tag	UNP Q07812
U	50	LEU	-	expression tag	UNP Q07812
U	51	GLY	-	expression tag	UNP Q07812
U	52	SER	-	expression tag	UNP Q07812
U	62	SER	CYS	conflict	UNP Q07812
U	126	SER	CYS	conflict	UNP Q07812
V	48	GLY	-	expression tag	UNP Q07812
V	49	PRO	-	expression tag	UNP Q07812
V	50	LEU	-	expression tag	UNP Q07812
V	51	GLY	-	expression tag	UNP Q07812
V	52	SER	-	expression tag	UNP Q07812
V	62	SER	CYS	conflict	UNP Q07812
V	126	SER	CYS	conflict	UNP Q07812
E	48	GLY	-	expression tag	UNP Q07812

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	49	PRO	-	expression tag	UNP Q07812
E	50	LEU	-	expression tag	UNP Q07812
E	51	GLY	-	expression tag	UNP Q07812
E	52	SER	-	expression tag	UNP Q07812
E	62	SER	CYS	conflict	UNP Q07812
E	126	SER	CYS	conflict	UNP Q07812
F	48	GLY	-	expression tag	UNP Q07812
F	49	PRO	-	expression tag	UNP Q07812
F	50	LEU	-	expression tag	UNP Q07812
F	51	GLY	-	expression tag	UNP Q07812
F	52	SER	-	expression tag	UNP Q07812
F	62	SER	CYS	conflict	UNP Q07812
F	126	SER	CYS	conflict	UNP Q07812
I	48	GLY	-	expression tag	UNP Q07812
I	49	PRO	-	expression tag	UNP Q07812
I	50	LEU	-	expression tag	UNP Q07812
I	51	GLY	-	expression tag	UNP Q07812
I	52	SER	-	expression tag	UNP Q07812
I	62	SER	CYS	conflict	UNP Q07812
I	126	SER	CYS	conflict	UNP Q07812
J	48	GLY	-	expression tag	UNP Q07812
J	49	PRO	-	expression tag	UNP Q07812
J	50	LEU	-	expression tag	UNP Q07812
J	51	GLY	-	expression tag	UNP Q07812
J	52	SER	-	expression tag	UNP Q07812
J	62	SER	CYS	conflict	UNP Q07812
J	126	SER	CYS	conflict	UNP Q07812
K	48	GLY	-	expression tag	UNP Q07812
K	49	PRO	-	expression tag	UNP Q07812
K	50	LEU	-	expression tag	UNP Q07812
K	51	GLY	-	expression tag	UNP Q07812
K	52	SER	-	expression tag	UNP Q07812
K	62	SER	CYS	conflict	UNP Q07812
K	126	SER	CYS	conflict	UNP Q07812
L	48	GLY	-	expression tag	UNP Q07812
L	49	PRO	-	expression tag	UNP Q07812
L	50	LEU	-	expression tag	UNP Q07812
L	51	GLY	-	expression tag	UNP Q07812
L	52	SER	-	expression tag	UNP Q07812
L	62	SER	CYS	conflict	UNP Q07812
L	126	SER	CYS	conflict	UNP Q07812
M	48	GLY	-	expression tag	UNP Q07812

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	49	PRO	-	expression tag	UNP Q07812
M	50	LEU	-	expression tag	UNP Q07812
M	51	GLY	-	expression tag	UNP Q07812
M	52	SER	-	expression tag	UNP Q07812
M	62	SER	CYS	conflict	UNP Q07812
M	126	SER	CYS	conflict	UNP Q07812
N	48	GLY	-	expression tag	UNP Q07812
N	49	PRO	-	expression tag	UNP Q07812
N	50	LEU	-	expression tag	UNP Q07812
N	51	GLY	-	expression tag	UNP Q07812
N	52	SER	-	expression tag	UNP Q07812
N	62	SER	CYS	conflict	UNP Q07812
N	126	SER	CYS	conflict	UNP Q07812
O	48	GLY	-	expression tag	UNP Q07812
O	49	PRO	-	expression tag	UNP Q07812
O	50	LEU	-	expression tag	UNP Q07812
O	51	GLY	-	expression tag	UNP Q07812
O	52	SER	-	expression tag	UNP Q07812
O	62	SER	CYS	conflict	UNP Q07812
O	126	SER	CYS	conflict	UNP Q07812
P	48	GLY	-	expression tag	UNP Q07812
P	49	PRO	-	expression tag	UNP Q07812
P	50	LEU	-	expression tag	UNP Q07812
P	51	GLY	-	expression tag	UNP Q07812
P	52	SER	-	expression tag	UNP Q07812
P	62	SER	CYS	conflict	UNP Q07812
P	126	SER	CYS	conflict	UNP Q07812
W	48	GLY	-	expression tag	UNP Q07812
W	49	PRO	-	expression tag	UNP Q07812
W	50	LEU	-	expression tag	UNP Q07812
W	51	GLY	-	expression tag	UNP Q07812
W	52	SER	-	expression tag	UNP Q07812
W	62	SER	CYS	conflict	UNP Q07812
W	126	SER	CYS	conflict	UNP Q07812
X	48	GLY	-	expression tag	UNP Q07812
X	49	PRO	-	expression tag	UNP Q07812
X	50	LEU	-	expression tag	UNP Q07812
X	51	GLY	-	expression tag	UNP Q07812
X	52	SER	-	expression tag	UNP Q07812
X	62	SER	CYS	conflict	UNP Q07812
X	126	SER	CYS	conflict	UNP Q07812
Y	48	GLY	-	expression tag	UNP Q07812

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Y	49	PRO	-	expression tag	UNP Q07812
Y	50	LEU	-	expression tag	UNP Q07812
Y	51	GLY	-	expression tag	UNP Q07812
Y	52	SER	-	expression tag	UNP Q07812
Y	62	SER	CYS	conflict	UNP Q07812
Y	126	SER	CYS	conflict	UNP Q07812
Z	48	GLY	-	expression tag	UNP Q07812
Z	49	PRO	-	expression tag	UNP Q07812
Z	50	LEU	-	expression tag	UNP Q07812
Z	51	GLY	-	expression tag	UNP Q07812
Z	52	SER	-	expression tag	UNP Q07812
Z	62	SER	CYS	conflict	UNP Q07812
Z	126	SER	CYS	conflict	UNP Q07812
a	48	GLY	-	expression tag	UNP Q07812
a	49	PRO	-	expression tag	UNP Q07812
a	50	LEU	-	expression tag	UNP Q07812
a	51	GLY	-	expression tag	UNP Q07812
a	52	SER	-	expression tag	UNP Q07812
a	62	SER	CYS	conflict	UNP Q07812
a	126	SER	CYS	conflict	UNP Q07812
b	48	GLY	-	expression tag	UNP Q07812
b	49	PRO	-	expression tag	UNP Q07812
b	50	LEU	-	expression tag	UNP Q07812
b	51	GLY	-	expression tag	UNP Q07812
b	52	SER	-	expression tag	UNP Q07812
b	62	SER	CYS	conflict	UNP Q07812
b	126	SER	CYS	conflict	UNP Q07812
c	48	GLY	-	expression tag	UNP Q07812
c	49	PRO	-	expression tag	UNP Q07812
c	50	LEU	-	expression tag	UNP Q07812
c	51	GLY	-	expression tag	UNP Q07812
c	52	SER	-	expression tag	UNP Q07812
c	62	SER	CYS	conflict	UNP Q07812
c	126	SER	CYS	conflict	UNP Q07812
d	48	GLY	-	expression tag	UNP Q07812
d	49	PRO	-	expression tag	UNP Q07812
d	50	LEU	-	expression tag	UNP Q07812
d	51	GLY	-	expression tag	UNP Q07812
d	52	SER	-	expression tag	UNP Q07812
d	62	SER	CYS	conflict	UNP Q07812
d	126	SER	CYS	conflict	UNP Q07812
e	48	GLY	-	expression tag	UNP Q07812

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
e	49	PRO	-	expression tag	UNP Q07812
e	50	LEU	-	expression tag	UNP Q07812
e	51	GLY	-	expression tag	UNP Q07812
e	52	SER	-	expression tag	UNP Q07812
e	62	SER	CYS	conflict	UNP Q07812
e	126	SER	CYS	conflict	UNP Q07812
f	48	GLY	-	expression tag	UNP Q07812
f	49	PRO	-	expression tag	UNP Q07812
f	50	LEU	-	expression tag	UNP Q07812
f	51	GLY	-	expression tag	UNP Q07812
f	52	SER	-	expression tag	UNP Q07812
f	62	SER	CYS	conflict	UNP Q07812
f	126	SER	CYS	conflict	UNP Q07812
g	48	GLY	-	expression tag	UNP Q07812
g	49	PRO	-	expression tag	UNP Q07812
g	50	LEU	-	expression tag	UNP Q07812
g	51	GLY	-	expression tag	UNP Q07812
g	52	SER	-	expression tag	UNP Q07812
g	62	SER	CYS	conflict	UNP Q07812
g	126	SER	CYS	conflict	UNP Q07812
h	48	GLY	-	expression tag	UNP Q07812
h	49	PRO	-	expression tag	UNP Q07812
h	50	LEU	-	expression tag	UNP Q07812
h	51	GLY	-	expression tag	UNP Q07812
h	52	SER	-	expression tag	UNP Q07812
h	62	SER	CYS	conflict	UNP Q07812
h	126	SER	CYS	conflict	UNP Q07812
i	48	GLY	-	expression tag	UNP Q07812
i	49	PRO	-	expression tag	UNP Q07812
i	50	LEU	-	expression tag	UNP Q07812
i	51	GLY	-	expression tag	UNP Q07812
i	52	SER	-	expression tag	UNP Q07812
i	62	SER	CYS	conflict	UNP Q07812
i	126	SER	CYS	conflict	UNP Q07812
j	48	GLY	-	expression tag	UNP Q07812
j	49	PRO	-	expression tag	UNP Q07812
j	50	LEU	-	expression tag	UNP Q07812
j	51	GLY	-	expression tag	UNP Q07812
j	52	SER	-	expression tag	UNP Q07812
j	62	SER	CYS	conflict	UNP Q07812
j	126	SER	CYS	conflict	UNP Q07812

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Zn 1 1	0	0
2	C	2	Total Zn 2 2	0	0
2	D	1	Total Zn 1 1	0	0
2	I	1	Total Zn 1 1	0	0
2	J	1	Total Zn 1 1	0	0
2	M	1	Total Zn 1 1	0	0
2	c	1	Total Zn 1 1	0	0
2	h	1	Total Zn 1 1	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	I	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	J	1	Total	C	O	0	0
			4	2	2		
3	N	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	F	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	O	0	0
			2	2		
5	B	5	Total	O	0	0
			5	5		
5	C	4	Total	O	0	0
			4	4		
5	D	1	Total	O	0	0
			1	1		
5	R	1	Total	O	0	0
			1	1		
5	T	1	Total	O	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	H	2	Total O 2 2	0	0
5	V	1	Total O 1 1	0	0
5	E	1	Total O 1 1	0	0
5	F	5	Total O 5 5	0	0
5	I	1	Total O 1 1	0	0
5	J	2	Total O 2 2	0	0
5	L	1	Total O 1 1	0	0
5	M	3	Total O 3 3	0	0
5	N	3	Total O 3 3	0	0
5	X	1	Total O 1 1	0	0
5	a	1	Total O 1 1	0	0
5	d	1	Total O 1 1	0	0
5	e	1	Total O 1 1	0	0
5	i	1	Total O 1 1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Apoptosis regulator BAX





- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX



- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX





- Molecule 1: Apoptosis regulator BAX





- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX





- Molecule 1: Apoptosis regulator BAX





- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX








- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX





- Molecule 1: Apoptosis regulator BAX



- Molecule 1: Apoptosis regulator BAX




- Molecule 1: Apoptosis regulator BAX





- Molecule 1: Apoptosis regulator BAX





- Molecule 1: Apoptosis regulator BAX



- Molecule 1: Apoptosis regulator BAX



- Molecule 1: Apoptosis regulator BAX



4 Data and refinement statistics i

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	141.35Å 141.35Å 110.19Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	35.43 – 2.30 46.27 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.6 (35.43-2.30) 92.4 (46.27-2.30)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.09 (at 2.29Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.229 , 0.256 0.229 , 0.254	Depositor DCC
R_{free} test set	1996 reflections (1.83%)	wwPDB-VP
Wilson B-factor (Å ²)	43.0	Xtriage
Anisotropy	0.318	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.044 for -h,-k,l 0.053 for h,-h-k,-l 0.098 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	18988	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, ZN, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.27	0/558	0.46	0/748
1	B	0.24	0/571	0.45	0/766
1	C	0.24	0/569	0.43	0/764
1	D	0.26	0/567	0.47	0/761
1	E	0.27	0/569	0.49	0/765
1	F	0.26	0/572	0.47	0/769
1	G	0.25	0/466	0.47	0/626
1	H	0.26	0/486	0.48	0/650
1	I	0.25	0/519	0.44	0/698
1	J	0.26	0/570	0.46	0/765
1	K	0.30	0/538	0.55	0/726
1	L	0.27	0/470	0.45	0/631
1	M	0.25	0/566	0.49	0/760
1	N	0.25	0/559	0.47	0/751
1	O	0.26	0/483	0.42	0/651
1	P	0.26	0/480	0.42	0/650
1	Q	0.27	0/563	0.46	0/757
1	R	0.26	0/556	0.46	0/747
1	S	0.27	0/556	0.47	0/747
1	T	0.30	0/545	0.51	0/730
1	U	0.25	0/532	0.45	0/715
1	V	0.24	0/510	0.45	0/684
1	W	0.25	0/523	0.47	0/700
1	X	0.25	0/517	0.48	0/696
1	Y	0.26	0/557	0.52	0/750
1	Z	0.25	0/551	0.45	0/738
1	a	0.25	0/566	0.48	0/759
1	b	0.25	0/571	0.48	0/767
1	c	0.28	0/541	0.50	0/723
1	d	0.25	0/564	0.44	0/758
1	e	0.30	0/552	0.54	0/740
1	f	0.27	0/533	0.54	0/718

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	g	0.28	0/457	0.47	0/619
1	h	0.24	0/471	0.46	0/641
1	i	0.27	0/516	0.45	0/699
1	j	0.25	0/495	0.44	0/675
All	All	0.26	0/19219	0.47	0/25844

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	67/81 (83%)	65 (97%)	1 (2%)	1 (2%)	10	10
1	B	69/81 (85%)	67 (97%)	2 (3%)	0	100	100
1	C	70/81 (86%)	66 (94%)	2 (3%)	2 (3%)	4	3
1	D	69/81 (85%)	65 (94%)	4 (6%)	0	100	100
1	E	70/81 (86%)	68 (97%)	1 (1%)	1 (1%)	11	11
1	F	70/81 (86%)	66 (94%)	4 (6%)	0	100	100
1	G	55/81 (68%)	52 (94%)	3 (6%)	0	100	100
1	H	57/81 (70%)	56 (98%)	1 (2%)	0	100	100
1	I	64/81 (79%)	62 (97%)	2 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	J	69/81 (85%)	68 (99%)	0	1 (1%)	11	11
1	K	67/81 (83%)	64 (96%)	3 (4%)	0	100	100
1	L	56/81 (69%)	54 (96%)	2 (4%)	0	100	100
1	M	69/81 (85%)	63 (91%)	5 (7%)	1 (1%)	11	11
1	N	68/81 (84%)	66 (97%)	2 (3%)	0	100	100
1	O	59/81 (73%)	58 (98%)	0	1 (2%)	9	8
1	P	62/81 (76%)	60 (97%)	2 (3%)	0	100	100
1	Q	69/81 (85%)	65 (94%)	3 (4%)	1 (1%)	11	11
1	R	68/81 (84%)	65 (96%)	2 (3%)	1 (2%)	10	10
1	S	68/81 (84%)	66 (97%)	2 (3%)	0	100	100
1	T	64/81 (79%)	60 (94%)	3 (5%)	1 (2%)	9	9
1	U	65/81 (80%)	59 (91%)	4 (6%)	2 (3%)	4	2
1	V	60/81 (74%)	57 (95%)	1 (2%)	2 (3%)	4	2
1	W	61/81 (75%)	59 (97%)	2 (3%)	0	100	100
1	X	63/81 (78%)	60 (95%)	2 (3%)	1 (2%)	9	9
1	Y	69/81 (85%)	63 (91%)	6 (9%)	0	100	100
1	Z	65/81 (80%)	63 (97%)	2 (3%)	0	100	100
1	a	68/81 (84%)	62 (91%)	5 (7%)	1 (2%)	10	10
1	b	70/81 (86%)	68 (97%)	2 (3%)	0	100	100
1	c	63/81 (78%)	58 (92%)	5 (8%)	0	100	100
1	d	69/81 (85%)	66 (96%)	3 (4%)	0	100	100
1	e	65/81 (80%)	56 (86%)	8 (12%)	1 (2%)	10	10
1	f	66/81 (82%)	61 (92%)	5 (8%)	0	100	100
1	g	58/81 (72%)	52 (90%)	4 (7%)	2 (3%)	3	2
1	h	61/81 (75%)	60 (98%)	1 (2%)	0	100	100
1	i	66/81 (82%)	61 (92%)	5 (8%)	0	100	100
1	j	66/81 (82%)	61 (92%)	4 (6%)	1 (2%)	10	10
All	All	2345/2916 (80%)	2222 (95%)	103 (4%)	20 (1%)	17	20

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	84	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	j	73	ASN
1	Q	84	ASP
1	R	123	LYS
1	V	73	ASN
1	J	123	LYS
1	X	73	ASN
1	g	73	ASN
1	C	123	LYS
1	a	73	ASN
1	U	89	ARG
1	V	81	ALA
1	E	73	ASN
1	e	105	PHE
1	C	86	ASP
1	U	73	ASN
1	M	102	ASP
1	O	123	LYS
1	g	75	GLU
1	T	87	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	59/68 (87%)	56 (95%)	3 (5%)	24	33
1	B	60/68 (88%)	58 (97%)	2 (3%)	38	53
1	C	57/68 (84%)	54 (95%)	3 (5%)	22	31
1	D	59/68 (87%)	57 (97%)	2 (3%)	37	51
1	E	58/68 (85%)	56 (97%)	2 (3%)	37	51
1	F	59/68 (87%)	58 (98%)	1 (2%)	60	76
1	G	46/68 (68%)	43 (94%)	3 (6%)	17	23
1	H	48/68 (71%)	44 (92%)	4 (8%)	11	14
1	I	50/68 (74%)	49 (98%)	1 (2%)	55	72

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	J	59/68 (87%)	53 (90%)	6 (10%)	7	8
1	K	53/68 (78%)	48 (91%)	5 (9%)	8	10
1	L	45/68 (66%)	44 (98%)	1 (2%)	52	69
1	M	58/68 (85%)	57 (98%)	1 (2%)	60	76
1	N	58/68 (85%)	56 (97%)	2 (3%)	37	51
1	O	46/68 (68%)	43 (94%)	3 (6%)	17	23
1	P	41/68 (60%)	41 (100%)	0	100	100
1	Q	58/68 (85%)	55 (95%)	3 (5%)	23	32
1	R	57/68 (84%)	53 (93%)	4 (7%)	15	19
1	S	56/68 (82%)	55 (98%)	1 (2%)	59	75
1	T	56/68 (82%)	53 (95%)	3 (5%)	22	30
1	U	51/68 (75%)	46 (90%)	5 (10%)	8	9
1	V	51/68 (75%)	50 (98%)	1 (2%)	55	72
1	W	55/68 (81%)	51 (93%)	4 (7%)	14	18
1	X	52/68 (76%)	48 (92%)	4 (8%)	13	16
1	Y	56/68 (82%)	53 (95%)	3 (5%)	22	30
1	Z	57/68 (84%)	56 (98%)	1 (2%)	59	75
1	a	60/68 (88%)	58 (97%)	2 (3%)	38	53
1	b	59/68 (87%)	58 (98%)	1 (2%)	60	76
1	c	56/68 (82%)	52 (93%)	4 (7%)	14	19
1	d	58/68 (85%)	58 (100%)	0	100	100
1	e	57/68 (84%)	55 (96%)	2 (4%)	36	50
1	f	53/68 (78%)	49 (92%)	4 (8%)	13	17
1	g	41/68 (60%)	39 (95%)	2 (5%)	25	35
1	h	43/68 (63%)	42 (98%)	1 (2%)	50	67
1	i	50/68 (74%)	48 (96%)	2 (4%)	31	44
1	j	44/68 (65%)	44 (100%)	0	100	100
All	All	1926/2448 (79%)	1840 (96%)	86 (4%)	27	39

All (86) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	102	ASP
1	A	106	ASN
1	B	57	LYS
1	B	65	ARG
1	C	52	SER
1	C	60	SER
1	C	76	LEU
1	D	60	SER
1	D	64	LYS
1	Q	58	LYS
1	Q	75	GLU
1	Q	85	THR
1	R	60	SER
1	R	70	LEU
1	R	98	ASP
1	R	122	LEU
1	S	58	LYS
1	T	57	LYS
1	T	58	LYS
1	T	86	ASP
1	G	59	LEU
1	G	119	LYS
1	G	123	LYS
1	H	57	LYS
1	H	89	ARG
1	H	94	ARG
1	H	106	ASN
1	U	60	SER
1	U	62	SER
1	U	102	ASP
1	U	104	ASN
1	U	120	LEU
1	V	101	SER
1	E	62	SER
1	E	94	ARG
1	F	57	LYS
1	I	62	SER
1	J	56	THR
1	J	70	LEU
1	J	71	ASP
1	J	73	ASN
1	J	75	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	104	ASN
1	K	60	SER
1	K	62	SER
1	K	74	MET
1	K	76	LEU
1	K	106	ASN
1	L	76	LEU
1	M	58	LYS
1	N	73	ASN
1	N	104	ASN
1	O	74	MET
1	O	94	ARG
1	O	122	LEU
1	W	60	SER
1	W	74	MET
1	W	98	ASP
1	W	101	SER
1	X	62	SER
1	X	64	LYS
1	X	87	SER
1	X	94	ARG
1	Y	62	SER
1	Y	77	GLN
1	Y	101	SER
1	Z	109	ARG
1	a	86	ASP
1	a	89	ARG
1	b	90	GLU
1	c	57	LYS
1	c	78	ARG
1	c	83	VAL
1	c	104	ASN
1	e	99	MET
1	e	123	LYS
1	f	57	LYS
1	f	58	LYS
1	f	89	ARG
1	f	101	SER
1	g	71	ASP
1	g	72	SER
1	h	72	SER
1	i	84	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	i	91	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	106	ASN
1	D	104	ASN
1	D	106	ASN
1	S	77	GLN
1	J	73	ASN
1	K	73	ASN
1	M	77	GLN
1	M	104	ASN
1	M	106	ASN
1	N	73	ASN
1	N	104	ASN
1	O	106	ASN
1	c	104	ASN
1	i	77	GLN
1	j	77	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 9 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	D	202	-	3,3,3	0.44	0	2,2,2	0.37	0
3	EDO	N	201	-	3,3,3	0.41	0	2,2,2	0.30	0
3	EDO	C	203	-	3,3,3	0.44	0	2,2,2	0.18	0
3	EDO	F	202	-	3,3,3	0.45	0	2,2,2	0.35	0
3	EDO	J	202	-	3,3,3	0.45	0	2,2,2	0.27	0
3	EDO	I	202	-	3,3,3	0.10	0	2,2,2	0.14	0
4	PEG	F	201	-	6,6,6	0.09	0	5,5,5	0.04	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	D	202	-	-	1/1/1/1	-
3	EDO	N	201	-	-	0/1/1/1	-
3	EDO	C	203	-	-	0/1/1/1	-
3	EDO	F	202	-	-	0/1/1/1	-
3	EDO	J	202	-	-	1/1/1/1	-
3	EDO	I	202	-	-	0/1/1/1	-
4	PEG	F	201	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	F	201	PEG	O2-C3-C4-O4
3	D	202	EDO	O1-C1-C2-O2
4	F	201	PEG	C4-C3-O2-C2
4	F	201	PEG	O1-C1-C2-O2
3	J	202	EDO	O1-C1-C2-O2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	69/81 (85%)	0.18	3 (4%) 35 42	33, 50, 79, 114	0
1	B	71/81 (87%)	-0.06	0 100 100	29, 41, 68, 78	0
1	C	74/81 (91%)	0.10	2 (2%) 54 62	28, 42, 79, 95	0
1	D	71/81 (87%)	0.15	2 (2%) 53 60	31, 48, 67, 76	0
1	E	72/81 (88%)	0.18	2 (2%) 53 60	28, 50, 83, 130	0
1	F	72/81 (88%)	0.15	1 (1%) 75 80	29, 40, 71, 116	0
1	G	59/81 (72%)	1.04	8 (13%) 3 4	44, 79, 115, 130	0
1	H	61/81 (75%)	0.72	9 (14%) 2 3	49, 79, 107, 119	0
1	I	68/81 (83%)	-0.01	0 100 100	30, 42, 71, 92	0
1	J	71/81 (87%)	0.25	0 100 100	31, 50, 71, 82	0
1	K	69/81 (85%)	0.92	12 (17%) 1 1	41, 80, 144, 167	0
1	L	62/81 (76%)	1.16	14 (22%) 0 1	49, 79, 128, 133	0
1	M	73/81 (90%)	0.93	11 (15%) 2 3	35, 63, 114, 168	0
1	N	70/81 (86%)	0.25	2 (2%) 51 58	33, 51, 89, 105	0
1	O	63/81 (77%)	0.33	3 (4%) 30 37	40, 64, 104, 119	0
1	P	66/81 (81%)	0.69	6 (9%) 9 12	39, 69, 109, 121	0
1	Q	71/81 (87%)	0.36	4 (5%) 24 30	35, 58, 86, 162	0
1	R	70/81 (86%)	0.21	1 (1%) 75 80	36, 51, 81, 97	0
1	S	70/81 (86%)	0.48	4 (5%) 23 30	46, 63, 94, 124	0
1	T	68/81 (83%)	0.76	6 (8%) 10 13	40, 70, 102, 157	0
1	U	69/81 (85%)	0.85	11 (15%) 1 2	41, 73, 108, 124	0
1	V	64/81 (79%)	0.73	8 (12%) 3 5	40, 70, 103, 120	0
1	W	65/81 (80%)	0.75	4 (6%) 20 26	52, 74, 97, 120	0
1	X	65/81 (80%)	0.64	5 (7%) 13 17	45, 74, 103, 175	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	Y	70/81 (86%)	0.76	7 (10%) 7 10	41, 71, 116, 184	0
1	Z	69/81 (85%)	0.49	7 (10%) 7 9	43, 65, 84, 106	0
1	a	70/81 (86%)	0.31	2 (2%) 51 58	33, 53, 85, 197	0
1	b	72/81 (88%)	0.25	3 (4%) 36 43	37, 55, 89, 103	0
1	c	67/81 (82%)	0.24	2 (2%) 50 57	37, 57, 73, 87	0
1	d	71/81 (87%)	0.19	1 (1%) 75 80	34, 55, 86, 129	0
1	e	69/81 (85%)	0.73	10 (14%) 2 3	46, 69, 109, 143	0
1	f	68/81 (83%)	0.95	12 (17%) 1 1	48, 82, 141, 181	0
1	g	62/81 (76%)	0.68	5 (8%) 12 16	58, 85, 116, 159	0
1	h	65/81 (80%)	0.87	7 (10%) 5 8	62, 86, 135, 183	0
1	i	68/81 (83%)	1.17	17 (25%) 0 0	64, 89, 146, 186	0
1	j	68/81 (83%)	0.69	9 (13%) 3 4	55, 93, 125, 186	0
All	All	2452/2916 (84%)	0.52	200 (8%) 11 15	28, 62, 113, 197	0

All (200) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	f	85	THR	8.6
1	j	86	ASP	8.5
1	Y	85	THR	8.5
1	L	100	PHE	8.3
1	G	76	LEU	8.1
1	i	83	VAL	7.7
1	K	72	SER	7.7
1	P	100	PHE	7.3
1	Y	86	ASP	6.5
1	M	83	VAL	6.4
1	T	85	THR	5.9
1	L	79	MET	5.7
1	V	81	ALA	5.6
1	h	85	THR	5.5
1	L	95	VAL	5.4
1	P	54	ALA	5.3
1	T	82	ALA	5.1
1	g	81	ALA	5.1
1	i	84	ASP	5.1
1	V	60	SER	5.1
1	U	83	VAL	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	94	ARG	5.0
1	L	80	ILE	5.0
1	X	86	ASP	4.9
1	i	85	THR	4.9
1	W	104	ASN	4.8
1	h	105	PHE	4.7
1	M	80	ILE	4.7
1	j	101	SER	4.7
1	g	80	ILE	4.7
1	a	83	VAL	4.7
1	P	76	LEU	4.6
1	g	86	ASP	4.6
1	h	56	THR	4.6
1	N	124	ALA	4.5
1	U	80	ILE	4.5
1	K	70	LEU	4.3
1	Y	80	ILE	4.3
1	K	85	THR	4.3
1	e	83	VAL	4.3
1	i	122	LEU	4.2
1	f	84	ASP	4.2
1	P	104	ASN	4.1
1	H	124	ALA	4.1
1	i	81	ALA	4.1
1	G	70	LEU	4.1
1	L	101	SER	4.0
1	L	65	ARG	4.0
1	V	78	ARG	4.0
1	M	93	PHE	4.0
1	h	92	PHE	3.9
1	f	70	LEU	3.9
1	T	74	MET	3.9
1	U	104	ASN	3.8
1	U	92	PHE	3.8
1	K	84	ASP	3.8
1	K	74	MET	3.8
1	M	94	ARG	3.8
1	X	85	THR	3.7
1	S	114	PHE	3.6
1	Y	83	VAL	3.6
1	W	80	ILE	3.6
1	H	104	ASN	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	h	80	ILE	3.6
1	j	85	THR	3.6
1	U	94	ARG	3.6
1	i	63	LEU	3.5
1	g	82	ALA	3.5
1	g	76	LEU	3.5
1	H	59	LEU	3.5
1	h	86	ASP	3.5
1	K	122	LEU	3.4
1	M	102	ASP	3.4
1	e	84	ASP	3.3
1	G	74	MET	3.3
1	i	120	LEU	3.3
1	V	75	GLU	3.2
1	i	124	ALA	3.2
1	M	92	PHE	3.2
1	a	84	ASP	3.2
1	U	77	GLN	3.2
1	H	61	GLU	3.2
1	f	94	ARG	3.2
1	i	105	PHE	3.1
1	f	86	ASP	3.1
1	W	100	PHE	3.1
1	D	55	SER	3.1
1	P	101	SER	3.1
1	i	80	ILE	3.1
1	F	53	ASP	3.0
1	H	100	PHE	3.0
1	j	100	PHE	3.0
1	K	76	LEU	3.0
1	i	93	PHE	3.0
1	i	82	ALA	3.0
1	e	101	SER	3.0
1	i	100	PHE	3.0
1	M	103	GLY	3.0
1	j	99	MET	2.9
1	Q	86	ASP	2.9
1	H	93	PHE	2.8
1	L	116	PHE	2.8
1	f	73	ASN	2.8
1	W	86	ASP	2.8
1	O	122	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	j	80	ILE	2.8
1	h	78	ARG	2.8
1	K	73	ASN	2.8
1	P	122	LEU	2.8
1	i	86	ASP	2.8
1	G	121	VAL	2.8
1	Q	84	ASP	2.8
1	Q	125	LEU	2.8
1	R	122	LEU	2.7
1	U	100	PHE	2.7
1	V	74	MET	2.7
1	M	87	SER	2.7
1	e	104	ASN	2.7
1	e	80	ILE	2.7
1	N	122	LEU	2.7
1	Q	69	GLU	2.6
1	L	91	VAL	2.6
1	i	91	VAL	2.6
1	j	55	SER	2.6
1	X	65	ARG	2.6
1	S	55	SER	2.6
1	L	108	GLY	2.6
1	S	76	LEU	2.6
1	i	125	LEU	2.6
1	H	90	GLU	2.6
1	K	65	ARG	2.6
1	e	81	ALA	2.6
1	V	122	LEU	2.5
1	L	97	ALA	2.5
1	K	66	ILE	2.5
1	f	66	ILE	2.5
1	f	71	ASP	2.5
1	Z	114	PHE	2.5
1	C	76	LEU	2.5
1	b	83	VAL	2.5
1	C	124	ALA	2.5
1	f	72	SER	2.4
1	M	81	ALA	2.4
1	Y	65	ARG	2.4
1	U	93	PHE	2.4
1	Z	100	PHE	2.4
1	G	91	VAL	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	92	PHE	2.4
1	V	80	ILE	2.4
1	E	124	ALA	2.4
1	K	83	VAL	2.4
1	e	91	VAL	2.4
1	A	84	ASP	2.4
1	O	74	MET	2.4
1	U	120	LEU	2.3
1	U	105	PHE	2.3
1	L	87	SER	2.3
1	c	124	ALA	2.3
1	K	123	LYS	2.3
1	f	74	MET	2.3
1	b	84	ASP	2.3
1	M	97	ALA	2.3
1	Z	59	LEU	2.3
1	Z	122	LEU	2.3
1	c	122	LEU	2.3
1	e	94	ARG	2.3
1	T	55	SER	2.3
1	V	59	LEU	2.2
1	D	125	LEU	2.2
1	Z	93	PHE	2.2
1	A	85	THR	2.2
1	Z	88	PRO	2.2
1	e	82	ALA	2.2
1	j	56	THR	2.2
1	L	75	GLU	2.2
1	M	104	ASN	2.2
1	E	85	THR	2.2
1	G	90	GLU	2.2
1	f	56	THR	2.1
1	S	78	ARG	2.1
1	f	59	LEU	2.1
1	X	83	VAL	2.1
1	H	66	ILE	2.1
1	G	77	GLN	2.1
1	H	105	PHE	2.1
1	e	114	PHE	2.1
1	O	70	LEU	2.1
1	j	70	LEU	2.1
1	L	56	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	Y	114	PHE	2.1
1	X	59	LEU	2.1
1	A	123	LYS	2.1
1	U	106	ASN	2.0
1	T	124	ALA	2.0
1	Y	90	GLU	2.0
1	b	78	ARG	2.0
1	d	120	LEU	2.0
1	T	73	ASN	2.0
1	Z	55	SER	2.0
1	i	123	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	PEG	F	201	7/7	0.73	0.57	42,50,53,53	0
3	EDO	J	202	4/4	0.79	0.29	49,55,56,60	0
3	EDO	D	202	4/4	0.83	0.14	58,64,66,68	0
3	EDO	C	203	4/4	0.84	0.38	42,47,54,61	0
2	ZN	h	201	1/1	0.86	0.17	152,152,152,152	0
3	EDO	F	202	4/4	0.91	0.34	50,51,57,58	0
3	EDO	N	201	4/4	0.92	0.22	42,43,46,49	0
3	EDO	I	202	4/4	0.92	0.16	50,53,54,56	0
2	ZN	D	201	1/1	0.94	0.07	85,85,85,85	0
2	ZN	I	201	1/1	0.94	0.12	70,70,70,70	0
2	ZN	J	201	1/1	0.95	0.09	105,105,105,105	0
2	ZN	C	202	1/1	0.97	0.12	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	ZN	C	201	1/1	0.97	0.05	80,80,80,80	0
2	ZN	B	201	1/1	0.98	0.09	49,49,49,49	0
2	ZN	M	201	1/1	0.98	0.15	63,63,63,63	0
2	ZN	c	201	1/1	0.99	0.17	54,54,54,54	0

6.5 Other polymers [i](#)

There are no such residues in this entry.