

# Full wwPDB X-ray Structure Validation Report (i)

### Oct 9, 2023 – 11:53 PM EDT

PDB ID	:	7SQ2
Title	:	Reprocessed and refined structure of Phospholipase C-beta and Gq signaling
		complex
Authors	:	Endo-Streeter, S.T.; Sondek, J.; Harden, T.K.
Deposited on	:	2021-11-04
Resolution	:	2.60  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.35.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
Metric	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
R <sub>free</sub>	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain						
1	А	327	% 71%		23%	•••			
2	В	885	4% 66%	17%	•	15%			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MG	В	908	-	-	-	Х
6	ACT	В	905	-	-	-	Х
6	ACT	В	906	-	-	-	Х



#### 7SQ2

# 2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 8957 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Guanine nucleotide-binding protein G(q) subunit alpha.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	317	Total 2616	C 1671	N 442	O 491	S 12	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	33	GLY	-	expression tag	UNP P21279
А	34	ALA	_	expression tag	UNP P21279

• Molecule 2 is a protein called 1-phosphatidylinositol 4,5-bisphosphate phosphodiesterase beta-3.

Mol	Chain	Residues		A	toms			ZeroOcc	AltConf	Trace
2	В	755	Total 6062	C 3863	N 1034	0 1134	S 31	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	2	GLY	-	expression tag	UNP Q01970
В	3	ALA	-	expression tag	UNP Q01970
В	4	MET	-	expression tag	UNP Q01970
В	5	ASP	-	expression tag	UNP Q01970
В	6	PRO	-	expression tag	UNP Q01970
В	7	GLU	-	expression tag	UNP Q01970
В	8	PHE	-	expression tag	UNP Q01970
В	9	MET	-	expression tag	UNP Q01970

• Molecule 3 is TETRAFLUOROALUMINATE ION (three-letter code: ALF) (formula: AlF<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	At	$\mathbf{oms}$		ZeroOcc	AltConf
3	А	1	Total 5	Al 1	F 4	0	0

• Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Mg 1 1	0	0
4	В	1	Total Mg 1 1	0	0

• Molecule 5 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $C_{10}H_{15}N_5O_{11}P_2$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	Δ	1	Total	С	Ν	Ο	Р	0	0
0	А	1	28	10	5	11	2	0	0

• Molecule 6 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	В	1	Total Ca 1 1	0	0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	97	Total O 97 97	0	0
8	В	118	Total O 118 118	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



 $\bullet$  Molecule 1: Guanine nucleotide-binding protein  ${\rm G}({\rm q})$  subunit alpha



#### 668 1679 1679 1679 1716 1717 1716 1717

#### Y820 Y821 Y822 V823 V823 C824 V823 C824 C824 C824 C834 C834 C835 P836 P826 P836 P836 P826 P826



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	202.84Å 90.82Å 93.14Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $101.19^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	40.55 - 2.60	Depositor
Resolution (A)	40.51 - 2.60	EDS
% Data completeness	99.5 (40.55-2.60)	Depositor
(in resolution range)	99.5 (40.51 - 2.60)	EDS
$R_{merge}$	(Not available)	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.44 (at 2.61 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
P. P.	0.199 , $0.263$	Depositor
$n, n_{free}$	0.200 , $0.263$	DCC
$R_{free}$ test set	2571 reflections $(5.04%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	64.3	Xtriage
Anisotropy	0.548	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30 , $58.9$	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	8957	wwPDB-VP
Average B, all atoms $(Å^2)$	98.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.64% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, MG, ALF, ACT, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

N/L-1	Chain	Bo	nd lengths	Bond angles		
Moi Chain		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.64	0/2672	0.72	0/3612	
2	В	0.65	1/6193~(0.0%)	0.72	1/8383~(0.0%)	
All	All	0.64	1/8865~(0.0%)	0.72	1/11995~(0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	31
2	В	0	60
All	All	0	91

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	В	668	GLY	C-O	9.54	1.39	1.23

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	709	ASP	CB-CA-C	-5.01	100.38	110.40

There are no chirality outliers.

All (91) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	100	PRO	Mainchain



Conti	nued fron	ı previ	ous page	
Mol	Chain	Res	Type	Group
1	А	133	LYS	Mainchain
1	А	142	GLN	Mainchain
1	А	149	ARG	Mainchain
1	А	159	TYR	Sidechain
1	А	166	ARG	Mainchain
1	А	167	VAL	Mainchain
1	А	174	PRO	Mainchain
1	А	195	ASP	Mainchain
1	А	213	ARG	Mainchain
1	А	215	LYS	Mainchain
1	А	225	SER	Mainchain
1	А	226	ILE	Mainchain
1	А	230	VAL	Mainchain
1	А	240	VAL	Mainchain
1	А	241	GLU	Mainchain
1	А	242	SER	Mainchain
1	А	244	ASN	Mainchain
1	А	251	SER	Mainchain
1	А	257	THR	Mainchain
1	А	273	LEU	Mainchain
1	А	287	HIS	Mainchain
1	А	301	ASP	Mainchain
1	А	330	CYS	Mainchain
1	А	39	GLU	Mainchain
1	А	44	LEU	Mainchain
1	А	48	GLY	Mainchain
1	А	51	GLY	Mainchain
1	А	60	ARG	Mainchain
1	А	63	HIS	Mainchain
1	А	73	ARG	Mainchain
2	В	100	GLU	Mainchain
2	В	117	PHE	Mainchain
2	В	120	PHE	Mainchain
2	В	13	LEU	Mainchain
2	В	131	TRP	Mainchain
2	В	156	ALA	Mainchain
2	В	194	GLY	Mainchain
2	В	219	LYS	Mainchain
2	В	227	ASP	Mainchain
2	В	230	LEU	Mainchain
2	В	237	GLY	Mainchain,Peptide
2	В	276	ILE	Mainchain
•				

 ILE
 Mainchain

 Continued on next page...



Mol	Chain	Res	Type	Group
2	В	28	PHE	Mainchain
2	В	29	ILE	Mainchain
2	В	297	SER	Mainchain
2	В	31	TRP	Mainchain
2	В	319	MET	Mainchain
2	В	330	SER	Mainchain
2	В	346	SER	Mainchain
2	В	347	VAL	Mainchain
2	В	365	VAL	Mainchain
2	В	367	LYS	Mainchain
2	В	383	MET	Mainchain
2	В	386	GLU	Mainchain
2	В	413	GLU	Mainchain
2	В	418	SER	Mainchain
2	В	42	THR	Mainchain
2	В	44	ARG	Mainchain
2	В	463	ILE	Mainchain
2	В	466	LYS	Mainchain
2	В	52	LEU	Mainchain
2	В	54	TRP	Mainchain
2	В	61	VAL	Mainchain
2	В	618	SER	Mainchain
2	В	621	VAL	Mainchain
2	В	624	LYS	Mainchain
2	В	63	THR	Mainchain
2	В	638	GLU	Mainchain
2	В	704	PHE	Mainchain
2	В	708	PRO	Mainchain
2	В	709	ASP	Mainchain
2	В	710	LYS	Mainchain
2	В	716	THR	Mainchain
2	В	726	ASN	Mainchain
2	В	739	SER	Mainchain
2	В	748	GLU	Mainchain
2	В	760	ARG	Mainchain
2	В	765	ARG	Mainchain
2	В	767	SER	Mainchain
2	В	777	ASP	Mainchain
2	В	789	PRO	Mainchain
2	В	801	GLU	Mainchain
2	В	820	TYR	Mainchain
2	В	822	TYR	Mainchain

Continued from previous page...



	5	1	1 0	
Mol	Chain	$\mathbf{Res}$	Type	Group
2	В	824	CYS	Mainchain
2	В	842	THR	Mainchain
2	В	843	GLU	Mainchain
2	В	852	HIS	Mainchain
2	В	859	LEU	Mainchain

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2616	0	2581	47	0
2	В	6062	0	6069	88	0
3	А	5	0	0	0	0
4	А	1	0	0	0	0
4	В	1	0	0	0	0
5	А	28	0	12	1	0
6	А	4	0	3	0	0
6	В	24	0	18	2	0
7	В	1	0	0	0	0
8	А	97	0	0	9	0
8	В	118	0	0	18	0
All	All	8957	0	8683	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
2100III-1	1100111-2	distance (Å)	overlap (Å)
2:B:834:CYS:O	8:B:1001:HOH:O	1.79	1.00
2:B:100:GLU:O	8:B:1002:HOH:O	1.81	0.98
2:B:83:ASP:HB2	2:B:84:PRO:HD3	1.45	0.95
1:A:231:ALA:O	1:A:234:GLU:HG2	1.84	0.77
1:A:241:GLU:OE2	8:A:501:HOH:O	2.02	0.77
2:B:149:ARG:NH1	8:B:1001:HOH:O	2.07	0.76
1:A:159:TYR:OH	8:A:502:HOH:O	2.04	0.74



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:826:ARG:NH1	8:B:1003:HOH:O	2.22	0.72	
2:B:795:ARG:NH2	8:B:1004:HOH:O	2.24	0.70	
2:B:83:ASP:HB2	2:B:84:PRO:CD	2.20	0.69	
1:A:306:ARG:HG2	1:A:328:PHE:CE1	2.28	0.69	
1:A:58:GLN:HE21	1:A:58:GLN:HA	1.59	0.68	
2:B:220:LEU:HG	2:B:772:PHE:CZ	2.30	0.67	
6:B:906:ACT:H1	8:B:1010:HOH:O	1.96	0.65	
2:B:704:PHE:CZ	2:B:710:LYS:HE2	2.32	0.64	
2:B:763:ARG:NH1	2:B:764:THR:O	2.32	0.62	
2:B:872:ARG:HG3	2:B:872:ARG:HH11	1.66	0.61	
2:B:83:ASP:CB	2:B:84:PRO:HD3	2.28	0.60	
1:A:320:SER:HB3	8:A:556:HOH:O	2.02	0.59	
2:B:199:ARG:NH1	8:B:1008:HOH:O	2.36	0.59	
2:B:13:LEU:N	2:B:13:LEU:HD23	2.18	0.58	
2:B:39:ASN:HB2	8:B:1070:HOH:O	2.03	0.58	
1:A:311:LYS:O	1:A:315:ASP:HB2	2.03	0.57	
2:B:679:LEU:CD1	8:B:1027:HOH:O	2.53	0.57	
1:A:196:LEU:O	1:A:198:SER:N	2.40	0.56	
1:A:175:THR:O	1:A:178:ASP:HB2	2.05	0.55	
1:A:44:LEU:HD11	1:A:227:MET:CE	2.36	0.55	
2:B:35:THR:HG21	8:B:1070:HOH:O	2.07	0.55	
2:B:374:GLU:OE2	2:B:428:TYR:OH	2.24	0.55	
2:B:679:LEU:HD13	8:B:1027:HOH:O	2.07	0.55	
2:B:255:ARG:HD3	8:B:1072:HOH:O	2.07	0.55	
2:B:35:THR:CG2	8:B:1070:HOH:O	2.55	0.54	
2:B:401:PHE:HA	2:B:404:SER:O	2.07	0.54	
2:B:679:LEU:CD1	8:B:1074:HOH:O	2.55	0.54	
1:A:44:LEU:HD11	1:A:227:MET:HE3	1.90	0.54	
2:B:243:LEU:C	2:B:243:LEU:HD23	2.28	0.54	
2:B:377:ILE:HD12	2:B:392:VAL:HG21	1.90	0.53	
2:B:233:ILE:O	2:B:233:ILE:HG22	2.06	0.53	
2:B:146:ASN:ND2	2:B:313:LEU:HD22	2.24	0.53	
2:B:19:VAL:HG12	2:B:21:THR:H	1.74	0.53	
1:A:317:ASN:O	1:A:319:ASP:N	2.42	0.52	
2:B:879:LEU:O	2:B:880:ILE:C	2.46	0.52	
2:B:834:CYS:HB3	8:B:1028:HOH:O	2.09	0.52	
2:B:396:ILE:O	2:B:400:ALA:HB2	2.09	0.52	
2:B:58:ASN:O	2:B:59:MET:HB2	2.10	0.51	
2:B:422:GLN:O	2:B:425:MET:HB3	2.09	0.51	
2:B:467:ASN:OD1	2:B:468:LYS:N	2.37	0.51	
1:A:317:ASN:O	1:A:320:SER:N	2.43	0.51	



		Interatomic Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2·B·413·GLU·OE2	2·B·579·THB·OG1	2.24	0.51	
2:B:370:PRO:HB2	2:B:371:PRO:HD3	1.92	0.50	
1:A:93:ALA:CB	1:A:144:CYS:SG	3.00	0.50	
$1 \cdot A \cdot 106 \cdot ASN \cdot ND2$	1.A.138.ASP.HB2	2.26	0.50	
2:B:288:ARG:O	2:B:290:GLN:HG3	2.11	0.50	
1:A:317:ASN:C	1:A:319:ASP:N	2.62	0.50	
1:A:87:MET:O	1:A:91:ILE:HG13	2.11	0.50	
2:B:779:GLU:N	2:B:779:GLU:OE1	2.44	0.50	
1:A:331:ALA:HA	1:A:337:ILE:HD11	1.94	0.49	
1:A:202:ARG:HH22	2:B:709:ASP:HB3	1.77	0.49	
1:A:49:GLU:HB2	8:A:512:HOH:O	2.12	0.49	
2:B:826:ARG:NE	8:B:1005:HOH:O	2.30	0.48	
1:A:209:GLN:HA	1:A:241:GLU:OE2	2.13	0.48	
1:A:47:THR:O	1:A:208:GLY:O	2.33	0.47	
2:B:315:LEU:O	2:B:315:LEU:HG	2.15	0.47	
2:B:464:LEU:N	2:B:464:LEU:HD12	2.29	0.47	
2:B:745:ILE:O	2:B:767:SER:N	2.43	0.47	
2:B:82:LYS:O	2:B:85:LYS:HG3	2.15	0.46	
1:A:93:ALA:HB3	1:A:144:CYS:SG	2.55	0.46	
2:B:692:TYR:CE2	2:B:812:PRO:HD3	2.49	0.46	
2:B:632:SER:HB3	2:B:635:GLU:HB2	1.98	0.46	
2:B:601:LYS:O	2:B:601:LYS:HG3	2.16	0.46	
1:A:264:PHE:HA	1:A:267:SER:OG	2.15	0.46	
2:B:157:TYR:OH	2:B:161:LYS:HD2	2.15	0.46	
1:A:264:PHE:O	1:A:322:LYS:NZ	2.48	0.46	
1:A:274:ASN:HA	1:A:329:THR:O	2.15	0.46	
1:A:207:GLY:HA3	1:A:212:GLU:HG3	1.97	0.45	
2:B:220:LEU:HG	2:B:772:PHE:HZ	1.79	0.45	
2:B:752:PHE:O	2:B:792:ALA:HA	2.16	0.45	
1:A:264:PHE:O	1:A:322:LYS:HE3	2.17	0.45	
2:B:58:ASN:OD1	2:B:58:ASN:N	2.48	0.45	
1:A:230:VAL:HG21	1:A:313:PHE:CZ	2.52	0.45	
2:B:182:ASP:O	2:B:186:VAL:HG23	2.17	0.45	
2:B:220:LEU:CD2	2:B:772:PHE:HZ	2.30	0.45	
1:A:41:LYS:NZ	2:B:721:ASP:OD2	2.46	0.45	
1:A:264:PHE:O	1:A:322:LYS:CE	2.65	0.45	
1:A:344:VAL:O	1:A:348:ILE:HG13	2.17	0.45	
2:B:599:PRO:HA	2:B:617:MET:O	2.17	0.45	
1:A:47:THR:HG23	1:A:48:GLY:N	2.32	0.44	
1:A:320:SER:CB	8:A:556:HOH:O	2.63	0.44	
2:B:71:ASP:HB2	2:B:355:LEU:HD13	1.99	0.44	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:81:PRO:O	2:B:82:LYS:CB	2.66	0.44
2:B:178:MET:HG2	2:B:179:PHE:CE2	2.53	0.44
2:B:58:ASN:ND2	2:B:60:GLU:HB3	2.33	0.44
1:A:93:ALA:HB1	1:A:144:CYS:SG	2.57	0.44
5:A:403:GDP:O1A	8:A:503:HOH:O	2.21	0.44
2:B:41:VAL:HG12	2:B:56:GLY:HA2	2.00	0.44
2:B:611:ARG:NH2	2:B:616:GLU:OE2	2.49	0.44
1:A:57:LYS:HG2	1:A:67:TYR:OH	2.17	0.43
2:B:725:ALA:C	2:B:726:ASN:HD22	2.21	0.43
2:B:159:LYS:HD2	6:B:905:ACT:H2	2.00	0.43
2:B:43:LEU:HD12	2:B:54:TRP:HB3	2.00	0.43
1:A:163:ASP:CG	8:A:507:HOH:O	2.58	0.43
1:A:296:ASP:OD1	1:A:296:ASP:N	2.51	0.43
1:A:317:ASN:O	1:A:318:PRO:C	2.58	0.43
2:B:22:LEU:HG	2:B:131:TRP:CZ3	2.54	0.43
2:B:136:PHE:CE1	2:B:402:LYS:HE2	2.53	0.43
2:B:307:ILE:HG13	2:B:307:ILE:O	2.19	0.42
2:B:31:TRP:HE3	2:B:32:ASP:O	2.02	0.42
2:B:386:GLU:O	2:B:386:GLU:HG2	2.17	0.42
1:A:112:LEU:HD21	1:A:127:PRO:HG2	2.01	0.42
2:B:176:LEU:HD12	2:B:186:VAL:HG11	2.02	0.42
2:B:589:GLU:OE1	2:B:589:GLU:N	2.50	0.42
1:A:217:ILE:HG13	8:A:505:HOH:O	2.19	0.42
2:B:817:ARG:O	2:B:842:THR:OG1	2.35	0.42
2:B:879:LEU:O	2:B:880:ILE:HD12	2.19	0.42
1:A:76:THR:HG22	1:A:80:TYR:CZ	2.54	0.42
2:B:323:LEU:HD12	2:B:456:PRO:HG3	2.01	0.42
1:A:53:SER:HB2	8:A:503:HOH:O	2.19	0.42
2:B:655:ASP:O	2:B:657:SER:N	2.52	0.41
2:B:13:LEU:HD21	2:B:314:ASP:OD1	2.20	0.41
2:B:835:LEU:HB2	2:B:836:PRO:HD3	2.01	0.41
1:A:317:ASN:C	1:A:319:ASP:H	2.24	0.41
1:A:270:ILE:HD12	1:A:270:ILE:N	2.36	0.41
2:B:238:LYS:O	2:B:239:PRO:C	2.59	0.41
2:B:679:LEU:HD12	8:B:1027:HOH:O	2.18	0.41
1:A:47:THR:HB	1:A:251:SER:HB3	2.03	0.41
2:B:44:ARG:HG3	2:B:53:TYR:CZ	2.56	0.41
2:B:44:ARG:HA	2:B:131:TRP:HH2	1.85	0.41
2:B:225:ASP:O	2:B:229:ILE:HG13	2.21	0.40
1:A:58:GLN:HA	1:A:58:GLN:NE2	2.33	0.40
2:B:125:ASP:O	2:B:127:THR:N	2.44	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:320:THR:O	2:B:455:SER:OG	2.39	0.40
2:B:589:GLU:O	2:B:592:THR:HG22	2.21	0.40
2:B:751:MET:O	2:B:758:THR:HA	2.21	0.40
2:B:679:LEU:HD11	8:B:1074:HOH:O	2.17	0.40
2:B:679:LEU:HD12	2:B:679:LEU:N	2.37	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	315/327~(96%)	292 (93%)	20 (6%)	3(1%)	15	32
2	В	749/885~(85%)	664 (89%)	74 (10%)	11 (2%)	10	21
All	All	1064/1212 (88%)	956 (90%)	94 (9%)	14 (1%)	12	24

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	В	81	PRO
2	В	82	LYS
1	А	197	GLN
2	В	85	LYS
2	В	99	LEU
2	В	126	ASP
1	А	351	LEU
2	В	235	ALA
2	В	622	GLU
2	В	769	GLY
2	В	83	ASP
1	А	318	PRO
2	В	281	PRO



Continued from previous page...

Mol	Chain	$\mathbf{Res}$	Type
2	В	233	ILE

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	289/297~(97%)	288 (100%)	1 (0%)	92	98
2	В	672/777~(86%)	667~(99%)	5(1%)	84	94
All	All	961/1074~(90%)	955~(99%)	6 (1%)	86	95

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	58	GLN
2	В	14	GLU
2	В	80	LEU
2	В	636	PHE
2	В	845	SER
2	В	879	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such side chains are listed below:

Mol	Chain	Res	Type
1	А	58	GLN
2	В	643	GLN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

# 5.6 Ligand geometry (i)

Of 12 ligands modelled in this entry, 3 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	Bond angles			
	туре	Unam	nes	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	ACT	В	902	-	3,3,3	1.01	0	3,3,3	0.74	0	
3	ALF	А	401	-	0,4,4	-	-	-			
6	ACT	А	404	-	3,3,3	0.98	0	3, 3, 3	0.80	0	
6	ACT	В	905	-	3,3,3	0.96	0	$3,\!3,\!3$	0.81	0	
6	ACT	В	906	-	3,3,3	0.94	0	3,3,3	0.83	0	
6	ACT	В	904	-	3,3,3	0.96	0	3,3,3	0.82	0	
6	ACT	В	901	-	3,3,3	0.94	0	3,3,3	0.84	0	
5	GDP	A	403	4	24,30,30	0.96	2 (8%)	30,47,47	1.51	6 (20%)	
6	ACT	В	903	-	3,3,3	0.97	0	3,3,3	0.83	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GDP	А	403	4	-	3/12/32/32	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
5	А	403	GDP	C6-N1	-2.30	1.34	1.37
5	А	403	GDP	C5-C4	2.06	1.48	1.43

All (6) bond angle outliers are listed below:



70	$\cap$	n
10	Q.	2

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
5	А	403	GDP	PA-O3A-PB	-4.11	118.71	132.83
5	А	403	GDP	O3B-PB-O2B	2.62	117.65	107.64
5	А	403	GDP	C8-N7-C5	2.61	107.95	102.99
5	А	403	GDP	O6-C6-C5	-2.37	119.75	124.37
5	А	403	GDP	O3B-PB-O3A	-2.19	97.29	104.64
5	А	403	GDP	C5-C6-N1	2.14	117.74	113.95

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	А	403	GDP	PA-O3A-PB-O2B
5	А	403	GDP	PA-O3A-PB-O3B
5	А	403	GDP	PA-O3A-PB-O1B

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	$\operatorname{Res}$	Type	Clashes	Symm-Clashes
6	В	905	ACT	1	0
6	В	906	ACT	1	0
5	А	403	GDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

# 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	317/327~(96%)	-0.06	4 (1%) 77 73	58, 81, 118, 171	0
2	В	755/885~(85%)	0.11	32 (4%) 36 29	63, 99, 157, 208	0
All	All	1072/1212 (88%)	0.06	36 (3%) 45 38	58, 92, 153, 208	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	В	97	ALA	7.4
2	В	235	ALA	6.0
2	В	366	TRP	5.1
2	В	98	ARG	4.9
1	А	353	LEU	4.5
2	В	370	PRO	4.5
2	В	341	LEU	4.3
2	В	236	LYS	4.3
1	А	37	ARG	4.2
2	В	381	PHE	4.2
2	В	12	GLN	3.2
2	В	231	LEU	3.2
2	В	449	PRO	3.2
2	В	367	LYS	2.9
2	В	239	PRO	2.8
2	В	589	GLU	2.8
2	В	82	LYS	2.8
2	В	240	TYR	2.8
2	В	424	LYS	2.6
2	В	610	LYS	2.6
2	В	443	ASP	2.6
2	В	371	PRO	2.6
2	В	855	TYR	2.5
2	В	383	MET	2.5



	U	1	1 0	
Mol	Chain	Res	Type	RSRZ
2	В	338	ALA	2.4
2	В	286	LEU	2.4
2	В	238	LYS	2.3
2	В	801	GLU	2.3
1	А	352	ASN	2.3
2	В	222	LEU	2.2
2	В	237	GLY	2.2
2	В	29	ILE	2.1
2	В	125	ASP	2.1
2	В	802	GLY	2.1
2	В	369	ARG	2.0
1	А	48	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
6	ACT	В	905	4/4	0.33	0.64	95,111,121,131	0
6	ACT	В	906	4/4	0.51	0.49	86,102,115,117	0
6	ACT	А	404	4/4	0.64	0.39	103,121,122,148	0
4	MG	В	908	1/1	0.67	0.51	90,90,90,90	0
6	ACT	В	904	4/4	0.80	0.69	100,116,118,122	0
7	CA	В	907	1/1	0.86	0.17	126,126,126,126	0
6	ACT	В	901	4/4	0.87	0.29	83,91,96,102	0
6	ACT	В	902	4/4	0.91	0.23	$53,\!60,\!63,\!78$	0
6	ACT	В	903	4/4	0.94	0.10	87,87,96,103	0
4	MG	A	402	1/1	0.96	0.37	59, 59, 59, 59	0
3	ALF	А	401	5/5	0.98	0.25	$67,\!75,\!103,\!129$	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
5	GDP	А	403	28/28	0.98	0.18	$35,\!51,\!70,\!88$	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



















# 6.5 Other polymers (i)

There are no such residues in this entry.

