



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 1, 2023 – 02:05 PM EDT

PDB ID : 8T3J
Title : Crystal structure of native exfoliative toxin C (ExhC) from *Mammaliicoccus sciuri*
Authors : Calil, F.A.; Gismene, C.; Hernandez Gonzalez, J.E.; Ziem Nascimento, A.F.; Santisteban, A.R.N.; Arni, R.K.; Barros Mariutti, R.
Deposited on : 2023-06-07
Resolution : 2.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	 4% 72% 18% • 8%
1	B	258	 4% 71% 20% • 7%
1	C	258	 4% 69% 21% • 7%

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 10933 atoms, of which 5375 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Exfoliative toxin C.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	238	3626	1158	1794	315	358	1	59	0	0
1	B	239	3644	1163	1802	317	361	1	59	0	0
1	C	239	3607	1153	1779	316	358	1	63	0	0

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP F6M8N2
A	244	GLY	-	expression tag	UNP F6M8N2
A	245	GLY	-	expression tag	UNP F6M8N2
A	246	GLU	-	expression tag	UNP F6M8N2
A	247	ASN	-	expression tag	UNP F6M8N2
A	248	LEU	-	expression tag	UNP F6M8N2
A	249	TYR	-	expression tag	UNP F6M8N2
A	250	PHE	-	expression tag	UNP F6M8N2
A	251	GLN	-	expression tag	UNP F6M8N2
A	252	SER	-	expression tag	UNP F6M8N2
A	253	HIS	-	expression tag	UNP F6M8N2
A	254	HIS	-	expression tag	UNP F6M8N2
A	255	HIS	-	expression tag	UNP F6M8N2
A	256	HIS	-	expression tag	UNP F6M8N2
A	257	HIS	-	expression tag	UNP F6M8N2
A	258	HIS	-	expression tag	UNP F6M8N2
B	1	MET	-	initiating methionine	UNP F6M8N2
B	244	GLY	-	expression tag	UNP F6M8N2
B	245	GLY	-	expression tag	UNP F6M8N2
B	246	GLU	-	expression tag	UNP F6M8N2
B	247	ASN	-	expression tag	UNP F6M8N2
B	248	LEU	-	expression tag	UNP F6M8N2
B	249	TYR	-	expression tag	UNP F6M8N2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	250	PHE	-	expression tag	UNP F6M8N2
B	251	GLN	-	expression tag	UNP F6M8N2
B	252	SER	-	expression tag	UNP F6M8N2
B	253	HIS	-	expression tag	UNP F6M8N2
B	254	HIS	-	expression tag	UNP F6M8N2
B	255	HIS	-	expression tag	UNP F6M8N2
B	256	HIS	-	expression tag	UNP F6M8N2
B	257	HIS	-	expression tag	UNP F6M8N2
B	258	HIS	-	expression tag	UNP F6M8N2
C	1	MET	-	initiating methionine	UNP F6M8N2
C	244	GLY	-	expression tag	UNP F6M8N2
C	245	GLY	-	expression tag	UNP F6M8N2
C	246	GLU	-	expression tag	UNP F6M8N2
C	247	ASN	-	expression tag	UNP F6M8N2
C	248	LEU	-	expression tag	UNP F6M8N2
C	249	TYR	-	expression tag	UNP F6M8N2
C	250	PHE	-	expression tag	UNP F6M8N2
C	251	GLN	-	expression tag	UNP F6M8N2
C	252	SER	-	expression tag	UNP F6M8N2
C	253	HIS	-	expression tag	UNP F6M8N2
C	254	HIS	-	expression tag	UNP F6M8N2
C	255	HIS	-	expression tag	UNP F6M8N2
C	256	HIS	-	expression tag	UNP F6M8N2
C	257	HIS	-	expression tag	UNP F6M8N2
C	258	HIS	-	expression tag	UNP F6M8N2


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	22	Total O 22 22	0	0
2	B	15	Total O 15 15	0	0
2	C	19	Total O 19 19	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Exfoliative toxin C



- Molecule 1: Exfoliative toxin C



- Molecule 1: Exfoliative toxin C



4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	167.09Å 167.09Å 157.74Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.28 – 2.71 47.28 – 2.71	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.28-2.71) 99.8 (47.28-2.71)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 2.69Å)	Xtrriage
Refinement program	REFMAC 5.8.0411	Depositor
R, R_{free}	0.211 , 0.270 0.217 , 0.266	Depositor DCC
R_{free} test set	1534 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	81.2	Xtrriage
Anisotropy	0.145	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 59.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10933	wwPDB-VP
Average B, all atoms (Å ²)	82.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/1872	0.80	0/2531
1	B	0.46	0/1882	0.80	0/2543
1	C	0.44	0/1868	0.80	0/2527
All	All	0.45	0/5622	0.80	0/7601

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
1	C	0	3
All	All	0	6

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	236	ARG	Sidechain
1	A	48	ARG	Sidechain
1	B	90	ARG	Sidechain
1	C	112	ILE	Peptide
1	C	173	ARG	Sidechain
1	C	90	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1832	1794	1781	32	0
1	B	1842	1802	1789	28	0
1	C	1828	1779	1758	34	0
2	A	22	0	0	4	0
2	B	15	0	0	1	0
2	C	19	0	0	1	0
All	All	5558	5375	5328	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:113:ASP:O	1:C:123:SER:OG	1.73	1.06
1:A:211:HIS:HE1	2:A:310:HOH:O	1.57	0.86
1:B:5:SER:N	2:B:301:HOH:O	2.18	0.76
1:C:70:ASN:HB3	1:C:72:HIS:CD2	2.32	0.65
1:C:81:PRO:O	1:C:108:ALA:HB3	1.98	0.64
1:B:70:ASN:HB3	1:B:72:HIS:CD2	2.33	0.63
1:C:34:SER:OG	1:C:37:GLN:HG3	1.99	0.63
1:A:81:PRO:O	1:A:108:ALA:HB3	1.98	0.62
1:B:34:SER:OG	1:B:37:GLN:HG3	1.99	0.62
1:B:81:PRO:O	1:B:108:ALA:HB3	1.99	0.62
1:A:70:ASN:HB3	1:A:72:HIS:CD2	2.35	0.61
1:A:110:GLU:HB3	1:A:126:ILE:HD11	1.81	0.61
1:A:34:SER:OG	1:A:37:GLN:HG3	2.00	0.61
1:C:62:ILE:HD11	1:C:145:LEU:HG	1.84	0.59
1:A:116:PHE:CD2	1:A:234:LEU:HD11	2.37	0.59
1:A:66:THR:OG1	1:A:126:ILE:HG22	2.03	0.58
1:B:66:THR:OG1	1:B:126:ILE:HG22	2.04	0.57
1:C:66:THR:OG1	1:C:126:ILE:HG22	2.06	0.56
1:B:70:ASN:HD22	1:B:196:SER:HB3	1.72	0.55
1:C:70:ASN:HD22	1:C:196:SER:HB3	1.72	0.55
1:B:198:SER:O	1:B:210:LEU:HD12	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:120:VAL:HG12	1:C:122:ILE:HG22	1.91	0.52
1:A:84:ILE:HD13	1:A:125:ILE:HD13	1.92	0.52
1:A:120:VAL:HG12	1:A:122:ILE:HG22	1.91	0.52
1:C:158:ASN:ND2	1:C:173:ARG:HD3	2.25	0.52
1:A:198:SER:O	1:A:210:LEU:HD12	2.10	0.51
1:B:145:LEU:HB3	1:B:235:ILE:HD12	1.92	0.51
1:A:27:LYS:NZ	2:A:301:HOH:O	2.44	0.51
1:C:198:SER:O	1:C:210:LEU:HD12	2.11	0.50
1:C:158:ASN:HD22	1:C:173:ARG:HD3	1.76	0.50
1:C:51:VAL:HG22	1:C:84:ILE:HG12	1.94	0.49
1:C:145:LEU:HB3	1:C:235:ILE:HD12	1.95	0.49
1:B:120:VAL:HG12	1:B:122:ILE:HG22	1.94	0.49
1:C:130:ASN:HD21	1:C:134:LYS:HB2	1.78	0.49
1:B:110:GLU:O	1:B:126:ILE:HD13	2.14	0.48
1:A:130:ASN:HD21	1:A:134:LYS:HB2	1.79	0.48
1:A:51:VAL:HG22	1:A:84:ILE:HG12	1.96	0.47
1:C:110:GLU:O	1:C:126:ILE:HD13	2.14	0.47
1:C:27:LYS:HG2	1:C:31:ASP:OD2	2.15	0.46
1:A:110:GLU:O	1:A:126:ILE:HD13	2.15	0.46
1:A:211:HIS:CE1	2:A:310:HOH:O	2.46	0.46
1:B:79:ASN:HA	1:B:111:ILE:HD12	1.97	0.46
1:A:48:ARG:NH1	2:A:302:HOH:O	2.48	0.46
1:A:146:GLY:C	1:A:235:ILE:HD11	2.36	0.46
1:B:130:ASN:HD21	1:B:134:LYS:HB2	1.81	0.46
1:C:126:ILE:HG12	1:C:126:ILE:O	2.15	0.46
1:B:126:ILE:O	1:B:126:ILE:HG12	2.16	0.45
1:A:85:ILE:HD13	1:A:107:GLU:HA	1.98	0.45
1:A:126:ILE:O	1:A:126:ILE:HG12	2.17	0.45
1:A:36:GLU:OE1	1:A:36:GLU:N	2.49	0.45
1:A:208:VAL:C	1:A:230:PHE:CD2	2.90	0.44
1:C:115:PRO:HG2	1:C:116:PHE:CD2	2.52	0.44
1:B:51:VAL:HG22	1:B:84:ILE:HG12	1.99	0.44
1:C:79:ASN:HA	1:C:111:ILE:HD12	1.98	0.44
1:C:208:VAL:C	1:C:230:PHE:CD2	2.90	0.44
1:A:182:ASP:OD2	1:A:182:ASP:N	2.51	0.44
1:B:84:ILE:HD13	1:B:125:ILE:HD13	1.98	0.44
1:A:70:ASN:CB	1:A:72:HIS:CD2	3.01	0.44
1:A:233:PHE:CE1	1:A:236:ARG:NH2	2.86	0.44
1:B:208:VAL:C	1:B:230:PHE:CD2	2.91	0.44
1:B:61:PHE:CD2	1:B:142:ALA:HA	2.53	0.43
1:C:85:ILE:HA	1:C:106:PHE:O	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:61:PHE:CD2	1:C:142:ALA:HA	2.53	0.43
1:B:212:ILE:HD11	1:B:228:VAL:HG23	2.01	0.43
1:C:70:ASN:CB	1:C:72:HIS:CD2	3.00	0.43
1:C:84:ILE:HD13	1:C:125:ILE:HD13	2.01	0.43
1:C:128:LYS:CB	1:C:129:PRO:HD2	2.49	0.43
1:B:110:GLU:HG2	1:B:111:ILE:H	1.85	0.42
1:A:85:ILE:HA	1:A:106:PHE:O	2.19	0.42
1:A:192:VAL:HB	1:A:193:PRO:HD2	2.02	0.42
1:B:70:ASN:CB	1:B:72:HIS:CD2	3.01	0.42
1:A:61:PHE:CD2	1:A:142:ALA:HA	2.55	0.42
1:A:146:GLY:HA3	1:A:206:LYS:HD2	2.02	0.42
1:B:36:GLU:OE1	1:B:36:GLU:N	2.49	0.42
1:C:115:PRO:HG2	1:C:116:PHE:CE2	2.54	0.41
1:A:84:ILE:HD13	1:A:125:ILE:CD1	2.50	0.41
1:C:44:GLN:CD	1:C:141:LYS:HB3	2.41	0.41
1:C:110:GLU:HG2	1:C:111:ILE:H	1.85	0.41
1:A:95:SER:O	1:A:96:ASN:HB2	2.21	0.41
1:B:112:ILE:N	1:B:112:ILE:HD12	2.36	0.41
1:B:159:LEU:HD23	1:B:159:LEU:C	2.41	0.41
1:B:179:GLN:HB2	1:B:188:TYR:HE1	1.86	0.41
1:B:192:VAL:HB	1:B:193:PRO:CD	2.51	0.41
1:C:36:GLU:OE1	1:C:36:GLU:N	2.49	0.41
1:C:237:ASP:O	1:C:240:GLN:HG2	2.21	0.41
1:C:119:GLY:N	2:C:301:HOH:O	2.30	0.41
1:B:14:TRP:CE2	1:B:18:TYR:CE2	3.09	0.40
1:C:192:VAL:HB	1:C:193:PRO:HD2	2.03	0.40
1:C:192:VAL:HB	1:C:193:PRO:CD	2.51	0.40
1:A:79:ASN:HD22	1:A:79:ASN:HA	1.66	0.40
1:A:112:ILE:N	1:A:112:ILE:HD12	2.37	0.40
1:C:14:TRP:CE2	1:C:18:TYR:CE2	3.09	0.40
1:B:27:LYS:HD3	1:B:27:LYS:HA	1.90	0.40
1:B:147:ASN:ND2	1:B:232:ASP:OD1	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	236/258 (92%)	224 (95%)	12 (5%)	0	100	100
1	B	237/258 (92%)	226 (95%)	11 (5%)	0	100	100
1	C	237/258 (92%)	227 (96%)	10 (4%)	0	100	100
All	All	710/774 (92%)	677 (95%)	33 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	199/220 (90%)	184 (92%)	15 (8%)	13	31
1	B	200/220 (91%)	184 (92%)	16 (8%)	12	27
1	C	196/220 (89%)	182 (93%)	14 (7%)	14	34
All	All	595/660 (90%)	550 (92%)	45 (8%)	13	30

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	SER
1	A	15	ASN
1	A	26	SER
1	A	49	LEU
1	A	50	ASN
1	A	66	THR
1	A	79	ASN
1	A	126	ILE
1	A	128	LYS
1	A	132	GLU
1	A	150	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	173	ARG
1	A	175	GLN
1	A	182	ASP
1	A	233	PHE
1	B	22	PRO
1	B	27	LYS
1	B	45	SER
1	B	48	ARG
1	B	49	LEU
1	B	56	VAL
1	B	64	LYS
1	B	66	THR
1	B	79	ASN
1	B	113	ASP
1	B	116	PHE
1	B	126	ILE
1	B	128	LYS
1	B	132	GLU
1	B	173	ARG
1	B	243	LYS
1	C	15	ASN
1	C	48	ARG
1	C	49	LEU
1	C	50	ASN
1	C	56	VAL
1	C	66	THR
1	C	79	ASN
1	C	94	GLU
1	C	101	LEU
1	C	126	ILE
1	C	128	LYS
1	C	132	GLU
1	C	240	GLN
1	C	243	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	HIS
1	A	79	ASN
1	A	149	ASN
1	A	211	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	217	HIS
1	B	15	ASN
1	B	70	ASN
1	B	72	HIS
1	B	158	ASN
1	B	211	HIS
1	B	217	HIS
1	C	70	ASN
1	C	72	HIS
1	C	158	ASN
1	C	211	HIS
1	C	217	HIS
1	C	240	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	238/258 (92%)	0.48	10 (4%) 36 35	49, 77, 125, 147	0
1	B	239/258 (92%)	0.38	11 (4%) 32 31	47, 76, 127, 147	0
1	C	239/258 (92%)	0.48	10 (4%) 36 35	45, 83, 135, 162	0
All	All	716/774 (92%)	0.45	31 (4%) 35 33	45, 78, 130, 162	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	152	LYS	6.4
1	C	77	ALA	4.6
1	A	152	LYS	4.2
1	C	80	ASN	4.0
1	C	83	LYS	4.0
1	C	152	LYS	3.4
1	B	204	GLU	3.3
1	A	83	LYS	3.2
1	B	80	ASN	3.1
1	B	75	LYS	2.9
1	A	146	GLY	2.9
1	B	78	LYS	2.9
1	C	36	GLU	2.7
1	A	75	LYS	2.7
1	A	78	LYS	2.7
1	B	151	LEU	2.7
1	C	39	LYS	2.5
1	A	204	GLU	2.4
1	B	111	ILE	2.4
1	C	79	ASN	2.4
1	C	149	ASN	2.3
1	A	153	LYS	2.3
1	A	36	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	78	LYS	2.2
1	B	36	GLU	2.2
1	C	151	LEU	2.1
1	B	39	LYS	2.1
1	B	55	ALA	2.1
1	A	151	LEU	2.1
1	A	140	ILE	2.1
1	B	140	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.