



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 7, 2024 – 02:57 PM EST

PDB ID : 8TJ4  
Title : CRYSTAL STRUCTURE OF THE A/Bangkok/1/1979(H3N2) INFLUENZA VIRUS HEMAGGLUTININ WITH HUMAN RECEPTOR ANALOG 6'-SLNLN  
Authors : Wu, N.C.; Zhu, X.; Wilson, I.A.  
Deposited on : 2023-07-20  
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	323	 92% 6%
1	C	323	 89% 8%
1	E	323	 93%
1	G	323	 92% 6%


*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	B	174	95%
2	D	174	93% 6%
2	F	174	96%
2	H	174	94% 5%
3	I	2	100%
3	L	2	50% 50%
3	O	2	100%
3	S	2	100%
3	T	2	50% 50%
3	U	2	100%
3	V	2	50% 50%
3	W	2	50% 50%
3	X	2	50% 50%
4	J	3	67% 33%
4	M	3	67% 33%
4	N	3	100%
5	K	5	40% 60%
5	Q	5	40% 20% 40%
5	R	5	60% 40%
6	P	4	50% 50%
6	Y	4	25% 50% 25%
7	Z	6	33% 50% 17%
8	a	3	33% 67%
8	c	3	100%
9	b	2	50% 50%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
9	d	2	 50% 50%

## 2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 18202 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin HA1 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	317	2460	1543	434	471	12	0	0	0
1	C	317	2460	1543	434	471	12	0	0	0
1	E	317	2460	1543	434	471	12	0	0	0
1	G	317	2460	1543	434	471	12	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	7	ALA	-	expression tag	UNP P03441
A	8	ASP	-	expression tag	UNP P03441
A	9	PRO	-	expression tag	UNP P03441
A	10	GLY	-	expression tag	UNP P03441
A	294	PHE	UNK	conflict	UNP P03441
C	7	ALA	-	expression tag	UNP P03441
C	8	ASP	-	expression tag	UNP P03441
C	9	PRO	-	expression tag	UNP P03441
C	10	GLY	-	expression tag	UNP P03441
C	294	PHE	UNK	conflict	UNP P03441
E	7	ALA	-	expression tag	UNP P03441
E	8	ASP	-	expression tag	UNP P03441
E	9	PRO	-	expression tag	UNP P03441
E	10	GLY	-	expression tag	UNP P03441
E	294	PHE	UNK	conflict	UNP P03441
G	7	ALA	-	expression tag	UNP P03441
G	8	ASP	-	expression tag	UNP P03441
G	9	PRO	-	expression tag	UNP P03441
G	10	GLY	-	expression tag	UNP P03441
G	294	PHE	UNK	conflict	UNP P03441

- Molecule 2 is a protein called Hemagglutinin HA2 chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	172	Total 1386	C 860	N 243	O 277	S 6	0	0	0
2	D	172	Total 1386	C 860	N 243	O 277	S 6	0	0	0
2	F	172	Total 1392	C 863	N 246	O 277	S 6	0	0	0
2	H	172	Total 1392	C 863	N 246	O 277	S 6	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	18	VAL	UNK	conflict	UNP P03441
B	19	ASP	UNK	conflict	UNP P03441
D	18	VAL	UNK	conflict	UNP P03441
D	19	ASP	UNK	conflict	UNP P03441
F	18	VAL	UNK	conflict	UNP P03441
F	19	ASP	UNK	conflict	UNP P03441
H	18	VAL	UNK	conflict	UNP P03441
H	19	ASP	UNK	conflict	UNP P03441

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	I	2	Total 28	C 16	N 2	O 10	0	0	0
3	L	2	Total 28	C 16	N 2	O 10	0	0	0
3	O	2	Total 28	C 16	N 2	O 10	0	0	0
3	S	2	Total 28	C 16	N 2	O 10	0	0	0
3	T	2	Total 28	C 16	N 2	O 10	0	0	0
3	U	2	Total 28	C 16	N 2	O 10	0	0	0

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	V	2	28	16	2	10	0	0	0
3	W	2	28	16	2	10	0	0	0
3	X	2	28	16	2	10	0	0	0

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	J	3	39	22	2	15	0	0	0
4	M	3	39	22	2	15	0	0	0
4	N	3	39	22	2	15	0	0	0

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
5	K	5	61	34	2	25	0	0	0
5	Q	5	61	34	2	25	0	0	0
5	R	5	61	34	2	25	0	0	0

- Molecule 6 is an oligosaccharide called alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
6	P	4	48	28	2	18	0	0	0
6	Y	4	48	28	2	18	0	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	Z	6	72	40	2	30	0	0	0

- Molecule 8 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
8	a	3	46	25	2	19	0	0	0
8	c	3	46	25	2	19	0	0	0


- Molecule 9 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose.






Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	b	2	Total	C	N	O	0	0	0
			32	17	1	14			
9	d	2	Total	C	N	O	0	0	0
			32	17	1	14			

- Molecule 10 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	A	1	Total	C	N	O	0	0
			14	8	1	5		
10	B	1	Total	C	N	O	0	0
			14	8	1	5		
10	D	1	Total	C	N	O	0	0
			14	8	1	5		
10	E	1	Total	C	N	O	0	0
			14	8	1	5		
10	F	1	Total	C	N	O	0	0
			14	8	1	5		
10	G	1	Total	C	N	O	0	0
			14	8	1	5		
10	H	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 11 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	B	1	Total	C	O	0	0
			13	8	5		
11	F	1	Total	C	O	0	0
			13	8	5		

- Molecule 12 is 2-(2-METHOXYETHOXY)ETHANOL (three-letter code: PG0) (formula:  $C_5H_{12}O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	B	1	Total	C	O	0	0
			8	5	3		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	H	1	Total	C	O	0	0
			8	5	3		

- Molecule 13 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula:  $C_4H_{10}O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	E	1	Total	C	O	0	0
			7	4	3		
13	F	1	Total	C	O	0	0
			7	4	3		
13	F	1	Total	C	O	0	0
			7	4	3		

- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	233	Total	O	0	0
			233	233		
14	B	207	Total	O	0	0
			207	207		
14	C	234	Total	O	0	0
			234	234		
14	D	216	Total	O	0	0
			216	216		
14	E	227	Total	O	0	0
			227	227		

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
14	F	214	Total 214	O 214	0	0
14	G	237	Total 237	O 237	0	0
14	H	201	Total 201	O 201	0	0

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemagglutinin HA1 chain

Chain A:  92% 6%





- Molecule 1: Hemagglutinin HA1 chain

Chain C:  89% 8%



- Molecule 1: Hemagglutinin HA1 chain

Chain E:  93%




- Molecule 1: Hemagglutinin HA1 chain

Chain G:  92% 6%




- Molecule 2: Hemagglutinin HA2 chain


Chain B:  95%




- Molecule 2: Hemagglutinin HA2 chain




- Molecule 2: Hemagglutinin HA2 chain



- Molecule 2: Hemagglutinin HA2 chain




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  100%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  50% 50%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  50% 50%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  50% 50%MAG1  
MAG2

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  67% 33%MAG1  
MAG2  
EMAS

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  67% 33%

MAG1  
MAG2  
BMA3

- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%

MAG1  
MAG2  
BMA3

- Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  40% 60%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  40% 20% 40%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5

- Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  60% 40%

MAG1  
MAG2  
BMA3  
MAN4  
MAN5


- Molecule 6: alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%

MAG1  
FUC2  
MAG3  
FUC4




- Molecule 6: alpha-L-fucopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)][alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  25% 50% 25%



- Molecule 7: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  33% 50% 17%




- Molecule 8: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  33% 67%



- Molecule 8: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%



- Molecule 9: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose

Chain b:  50% 50%



- Molecule 9: N-acetyl-alpha-neuraminic acid-(2-6)-beta-D-galactopyranose

Chain d:  50% 50%



## 4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	100.66Å 100.66Å 687.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.23 – 1.95 45.23 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.2 (45.23-1.95) 99.5 (45.23-1.95)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.13	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.80 (at 1.95Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, $R_{free}$	0.189 , 0.223 0.190 , 0.222	Depositor DCC
$R_{free}$ test set	9453 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.9	Xtrriage
Anisotropy	0.370	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 39.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.477 for -h-k,k,-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	18202	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.02 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.5092e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, PG4, MAN, PG0, FUC, NAG, SIA, BMA, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/2518	0.61	0/3423
1	C	0.37	0/2518	0.62	0/3423
1	E	0.36	0/2518	0.60	0/3423
1	G	0.38	0/2518	0.62	0/3423
2	B	0.42	0/1410	0.63	0/1896
2	D	0.47	0/1410	0.73	0/1896
2	F	0.43	0/1416	0.66	0/1903
2	H	0.50	0/1416	0.74	0/1903
All	All	0.40	0/15724	0.64	0/21290

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2460	0	2405	9	0
1	C	2460	0	2405	12	0
1	E	2460	0	2405	8	0
1	G	2460	0	2404	9	0
2	B	1386	0	1300	6	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1386	0	1300	5	0
2	F	1392	0	1311	3	0
2	H	1392	0	1311	6	0
3	I	28	0	25	0	0
3	L	28	0	25	0	0
3	O	28	0	25	0	0
3	S	28	0	25	1	0
3	T	28	0	25	0	0
3	U	28	0	25	0	0
3	V	28	0	25	0	0
3	W	28	0	25	1	0
3	X	28	0	25	0	0
4	J	39	0	34	0	0
4	M	39	0	34	0	0
4	N	39	0	34	0	0
5	K	61	0	52	0	0
5	Q	61	0	52	1	0
5	R	61	0	52	0	0
6	P	48	0	43	0	0
6	Y	48	0	43	2	0
7	Z	72	0	61	1	0
8	a	46	0	40	0	0
8	c	46	0	40	0	0
9	b	32	0	28	0	0
9	d	32	0	28	0	0
10	A	14	0	13	0	0
10	B	14	0	13	0	0
10	D	14	0	13	0	0
10	E	14	0	13	0	0
10	F	14	0	13	0	0
10	G	14	0	13	0	0
10	H	14	0	13	0	0
11	B	13	0	18	2	0
11	F	13	0	18	1	0
12	B	8	0	12	1	0
12	H	8	0	12	0	0
13	E	7	0	10	2	0
13	F	14	0	20	3	0
14	A	233	0	0	1	0
14	B	207	0	0	2	0
14	C	234	0	0	1	0
14	D	216	0	0	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	E	227	0	0	1	0
14	F	214	0	0	1	0
14	G	237	0	0	0	0
14	H	201	0	0	0	0
All	All	18202	0	15788	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 67 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:177:LEU:HB2	1:G:260:ILE:HD11	1.74	0.69
2:F:71:SER:HB3	13:F:204:PEG:H31	1.73	0.69
1:A:177:LEU:HB2	1:A:260:ILE:HD11	1.76	0.66
1:C:177:LEU:HB2	1:C:260:ILE:HD11	1.79	0.65
1:G:222:TRP:CZ2	1:G:225:GLY:HA2	2.33	0.63

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/323 (98%)	304 (96%)	11 (4%)	0	100	100
1	C	315/323 (98%)	304 (96%)	11 (4%)	0	100	100
1	E	315/323 (98%)	305 (97%)	9 (3%)	1 (0%)	41	30
1	G	315/323 (98%)	304 (96%)	11 (4%)	0	100	100
2	B	170/174 (98%)	160 (94%)	10 (6%)	0	100	100
2	D	170/174 (98%)	161 (95%)	9 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	170/174 (98%)	161 (95%)	9 (5%)	0	100	100
2	H	170/174 (98%)	160 (94%)	10 (6%)	0	100	100
All	All	1940/1988 (98%)	1859 (96%)	80 (4%)	1 (0%)	51	43

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	196	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/283 (98%)	272 (98%)	6 (2%)	52	44
1	C	278/283 (98%)	272 (98%)	6 (2%)	52	44
1	E	278/283 (98%)	272 (98%)	6 (2%)	52	44
1	G	278/283 (98%)	274 (99%)	4 (1%)	67	62
2	B	145/148 (98%)	145 (100%)	0	100	100
2	D	145/148 (98%)	143 (99%)	2 (1%)	67	62
2	F	146/148 (99%)	145 (99%)	1 (1%)	84	82
2	H	146/148 (99%)	145 (99%)	1 (1%)	84	82
All	All	1694/1724 (98%)	1668 (98%)	26 (2%)	65	60

5 of 26 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	18	HIS
1	E	189	LYS
1	G	321	ARG
1	E	174	PHE
1	E	197	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	33	GLN
1	G	33	GLN
2	H	27	GLN
1	A	132	GLN
1	A	33	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

66 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	NAG	I	1	1,3	14,14,15	0.18	0	17,19,21	0.71	0
3	NAG	I	2	3	14,14,15	0.47	0	17,19,21	0.45	0
4	NAG	J	1	1,4	14,14,15	0.92	1 (7%)	17,19,21	0.45	0
4	NAG	J	2	4	14,14,15	0.54	0	17,19,21	0.60	0
4	BMA	J	3	4	11,11,12	0.88	0	15,15,17	0.64	0
5	NAG	K	1	1,5	14,14,15	0.32	0	17,19,21	0.58	0
5	NAG	K	2	5	14,14,15	0.16	0	17,19,21	0.47	0
5	BMA	K	3	5	11,11,12	0.83	0	15,15,17	1.05	1 (6%)
5	MAN	K	4	5	11,11,12	0.82	0	15,15,17	0.99	1 (6%)
5	MAN	K	5	5	11,11,12	0.91	0	15,15,17	1.09	2 (13%)
3	NAG	L	1	1,3	14,14,15	0.43	0	17,19,21	0.54	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	L	2	3	14,14,15	1.38	2 (14%)	17,19,21	1.08	1 (5%)
4	NAG	M	1	1,4	14,14,15	0.24	0	17,19,21	0.78	1 (5%)
4	NAG	M	2	4	14,14,15	0.49	0	17,19,21	0.58	0
4	BMA	M	3	4	11,11,12	0.98	0	15,15,17	0.82	0
4	NAG	N	1	1,4	14,14,15	0.58	0	17,19,21	0.45	0
4	NAG	N	2	4	14,14,15	0.40	0	17,19,21	0.50	0
4	BMA	N	3	4	11,11,12	0.92	0	15,15,17	0.84	0
3	NAG	O	1	1,3	14,14,15	0.32	0	17,19,21	0.56	0
3	NAG	O	2	3	14,14,15	0.20	0	17,19,21	0.80	0
6	NAG	P	1	1,6	14,14,15	0.40	0	17,19,21	0.73	1 (5%)
6	FUC	P	2	6	10,10,11	0.83	0	14,14,16	0.89	1 (7%)
6	NAG	P	3	6	14,14,15	0.34	0	17,19,21	0.50	0
6	FUC	P	4	6	10,10,11	0.89	0	14,14,16	0.74	0
5	NAG	Q	1	1,5	14,14,15	0.29	0	17,19,21	0.46	0
5	NAG	Q	2	5	14,14,15	0.20	0	17,19,21	0.45	0
5	BMA	Q	3	5	11,11,12	0.53	0	15,15,17	0.93	1 (6%)
5	MAN	Q	4	5	11,11,12	0.85	0	15,15,17	0.98	2 (13%)
5	MAN	Q	5	5	11,11,12	0.99	0	15,15,17	0.87	1 (6%)
5	NAG	R	1	1,5	14,14,15	0.29	0	17,19,21	0.60	0
5	NAG	R	2	5	14,14,15	0.27	0	17,19,21	0.46	0
5	BMA	R	3	5	11,11,12	0.82	0	15,15,17	0.78	0
5	MAN	R	4	5	11,11,12	1.44	2 (18%)	15,15,17	1.15	1 (6%)
5	MAN	R	5	5	11,11,12	0.82	0	15,15,17	1.05	2 (13%)
3	NAG	S	1	1,3	14,14,15	0.22	0	17,19,21	0.68	0
3	NAG	S	2	3	14,14,15	0.99	1 (7%)	17,19,21	1.30	1 (5%)
3	NAG	T	1	1,3	14,14,15	0.73	1 (7%)	17,19,21	0.45	0
3	NAG	T	2	3	14,14,15	0.44	0	17,19,21	0.38	0
3	NAG	U	1	1,3	14,14,15	0.40	0	17,19,21	0.44	0
3	NAG	U	2	3	14,14,15	0.52	0	17,19,21	0.51	0
3	NAG	V	1	1,3	14,14,15	0.29	0	17,19,21	0.75	1 (5%)
3	NAG	V	2	3	14,14,15	0.31	0	17,19,21	0.56	0
3	NAG	W	1	1,3	14,14,15	0.21	0	17,19,21	0.72	1 (5%)
3	NAG	W	2	3	14,14,15	0.43	0	17,19,21	0.48	0
3	NAG	X	1	1,3	14,14,15	0.60	0	17,19,21	0.43	0
3	NAG	X	2	3	14,14,15	0.67	1 (7%)	17,19,21	0.68	0
6	NAG	Y	1	1,6	14,14,15	0.36	0	17,19,21	0.65	0
6	FUC	Y	2	6	10,10,11	0.91	0	14,14,16	0.91	1 (7%)
6	NAG	Y	3	6	14,14,15	0.45	0	17,19,21	0.51	0
6	FUC	Y	4	6	10,10,11	1.01	1 (10%)	14,14,16	1.05	1 (7%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	Z	1	1,7	14,14,15	0.39	0	17,19,21	0.43	0
7	NAG	Z	2	7	14,14,15	0.16	0	17,19,21	0.55	0
7	BMA	Z	3	7	11,11,12	0.60	0	15,15,17	0.82	0
7	MAN	Z	4	7	11,11,12	1.25	1 (9%)	15,15,17	1.17	2 (13%)
7	MAN	Z	5	7	11,11,12	0.68	0	15,15,17	1.07	2 (13%)
7	MAN	Z	6	7	11,11,12	0.84	0	15,15,17	1.01	2 (13%)
8	NAG	a	1	8	15,15,15	1.48	3 (20%)	21,21,21	1.49	3 (14%)
8	GAL	a	2	8	11,11,12	0.82	0	15,15,17	1.10	0
8	SIA	a	3	8	20,20,21	2.10	3 (15%)	24,28,31	1.42	3 (12%)
9	GAL	b	1	9	12,12,12	0.54	0	17,17,17	0.82	0
9	SIA	b	2	9	20,20,21	2.21	3 (15%)	24,28,31	1.48	4 (16%)
8	NAG	c	1	8	15,15,15	1.35	1 (6%)	21,21,21	1.25	3 (14%)
8	GAL	c	2	8	11,11,12	0.84	0	15,15,17	1.16	1 (6%)
8	SIA	c	3	8	20,20,21	2.02	3 (15%)	24,28,31	1.30	4 (16%)
9	GAL	d	1	9	12,12,12	0.65	0	17,17,17	0.83	0
9	SIA	d	2	9	20,20,21	2.07	3 (15%)	24,28,31	1.41	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	I	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
4	NAG	J	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	J	2	4	-	2/6/23/26	0/1/1/1
4	BMA	J	3	4	-	0/2/19/22	0/1/1/1
5	NAG	K	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	K	2	5	-	2/6/23/26	0/1/1/1
5	BMA	K	3	5	-	2/2/19/22	0/1/1/1
5	MAN	K	4	5	-	2/2/19/22	0/1/1/1
5	MAN	K	5	5	-	0/2/19/22	0/1/1/1
3	NAG	L	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	L	2	3	-	2/6/23/26	0/1/1/1
4	NAG	M	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	M	2	4	-	2/6/23/26	0/1/1/1
4	BMA	M	3	4	-	0/2/19/22	0/1/1/1
4	NAG	N	1	1,4	-	0/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	N	2	4	-	0/6/23/26	0/1/1/1
4	BMA	N	3	4	-	0/2/19/22	0/1/1/1
3	NAG	O	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	O	2	3	-	3/6/23/26	0/1/1/1
6	NAG	P	1	1,6	-	0/6/23/26	0/1/1/1
6	FUC	P	2	6	-	-	0/1/1/1
6	NAG	P	3	6	-	0/6/23/26	0/1/1/1
6	FUC	P	4	6	-	-	0/1/1/1
5	NAG	Q	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	Q	2	5	-	0/6/23/26	0/1/1/1
5	BMA	Q	3	5	-	2/2/19/22	0/1/1/1
5	MAN	Q	4	5	-	1/2/19/22	0/1/1/1
5	MAN	Q	5	5	-	0/2/19/22	0/1/1/1
5	NAG	R	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	R	2	5	-	0/6/23/26	0/1/1/1
5	BMA	R	3	5	-	2/2/19/22	0/1/1/1
5	MAN	R	4	5	-	0/2/19/22	0/1/1/1
5	MAN	R	5	5	-	2/2/19/22	0/1/1/1
3	NAG	S	1	1,3	-	3/6/23/26	0/1/1/1
3	NAG	S	2	3	-	2/6/23/26	0/1/1/1
3	NAG	T	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	T	2	3	-	2/6/23/26	0/1/1/1
3	NAG	U	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	U	2	3	-	2/6/23/26	0/1/1/1
3	NAG	V	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	V	2	3	-	1/6/23/26	0/1/1/1
3	NAG	W	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	W	2	3	-	0/6/23/26	0/1/1/1
3	NAG	X	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	X	2	3	-	2/6/23/26	0/1/1/1
6	NAG	Y	1	1,6	-	0/6/23/26	0/1/1/1
6	FUC	Y	2	6	-	-	0/1/1/1
6	NAG	Y	3	6	-	0/6/23/26	0/1/1/1
6	FUC	Y	4	6	-	-	0/1/1/1
7	NAG	Z	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	Z	2	7	-	0/6/23/26	0/1/1/1
7	BMA	Z	3	7	-	2/2/19/22	0/1/1/1
7	MAN	Z	4	7	-	0/2/19/22	0/1/1/1
7	MAN	Z	5	7	-	0/2/19/22	0/1/1/1
7	MAN	Z	6	7	-	0/2/19/22	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	a	1	8	-	2/6/26/26	0/1/1/1
8	GAL	a	2	8	-	0/2/19/22	0/1/1/1
8	SIA	a	3	8	-	0/18/34/38	0/1/1/1
9	GAL	b	1	9	-	0/2/22/22	0/1/1/1
9	SIA	b	2	9	-	0/18/34/38	0/1/1/1
8	NAG	c	1	8	-	1/6/26/26	0/1/1/1
8	GAL	c	2	8	-	1/2/19/22	0/1/1/1
8	SIA	c	3	8	-	0/18/34/38	0/1/1/1
9	GAL	d	1	9	-	0/2/22/22	0/1/1/1
9	SIA	d	2	9	-	1/18/34/38	0/1/1/1

The worst 5 of 26 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	b	2	SIA	C2-C1	8.58	1.60	1.52
9	d	2	SIA	C2-C1	7.97	1.59	1.52
8	a	3	SIA	C2-C1	7.82	1.59	1.52
8	c	3	SIA	C2-C1	7.63	1.59	1.52
8	c	1	NAG	C1-C2	4.83	1.58	1.52

The worst 5 of 49 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	S	2	NAG	C1-O5-C5	5.05	119.03	112.19
8	a	1	NAG	C4-C3-C2	4.48	116.90	110.34
8	a	1	NAG	C1-C2-C3	3.75	115.66	110.54
8	a	3	SIA	O1A-C1-C2	-3.57	114.14	122.57
8	c	1	NAG	C1-C2-C3	3.48	115.29	110.54

There are no chirality outliers.

5 of 47 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	X	2	NAG	O5-C5-C6-O6
3	O	2	NAG	C4-C5-C6-O6
5	Q	3	BMA	C4-C5-C6-O6
7	Z	3	BMA	C4-C5-C6-O6
3	S	2	NAG	O5-C5-C6-O6


There are no ring outliers.


8 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	S	1	NAG	1	0
7	Z	4	MAN	1	0
5	Q	5	MAN	1	0
6	Y	3	NAG	1	0
3	W	1	NAG	1	0
5	Q	3	BMA	1	0
7	Z	3	BMA	1	0
6	Y	2	FUC	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

























































## 5.6 Ligand geometry

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
10	NAG	A	401	1	14,14,15	0.52	0	17,19,21	0.71	0
10	NAG	H	201	2	14,14,15	0.75	1 (7%)	17,19,21	0.60	0
12	PG0	B	203	-	7,7,7	0.47	0	6,6,6	0.23	0
10	NAG	D	201	2	14,14,15	0.41	0	17,19,21	1.02	2 (11%)
12	PG0	H	202	-	7,7,7	0.47	0	6,6,6	0.34	0
10	NAG	F	201	2	14,14,15	0.61	1 (7%)	17,19,21	0.51	0
13	PEG	F	203	-	6,6,6	0.18	0	5,5,5	0.16	0
13	PEG	F	204	-	6,6,6	0.19	0	5,5,5	0.07	0
13	PEG	E	402	-	6,6,6	0.21	0	5,5,5	0.17	0
10	NAG	B	201	2	14,14,15	0.61	1 (7%)	17,19,21	0.57	0
11	PG4	B	202	-	12,12,12	0.25	0	11,11,11	0.65	0
11	PG4	F	202	-	12,12,12	0.21	0	11,11,11	0.68	0
10	NAG	E	401	1	14,14,15	0.61	0	17,19,21	0.50	0
10	NAG	G	401	1	14,14,15	0.69	0	17,19,21	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	A	401	1	-	1/6/23/26	0/1/1/1
10	NAG	H	201	2	-	0/6/23/26	0/1/1/1
12	PG0	B	203	-	-	5/5/5/5	-
10	NAG	D	201	2	-	1/6/23/26	0/1/1/1
12	PG0	H	202	-	-	2/5/5/5	-
10	NAG	F	201	2	-	2/6/23/26	0/1/1/1
13	PEG	F	203	-	-	2/4/4/4	-
13	PEG	F	204	-	-	1/4/4/4	-
13	PEG	E	402	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	B	201	2	-	0/6/23/26	0/1/1/1
11	PG4	B	202	-	-	7/10/10/10	-
11	PG4	F	202	-	-	7/10/10/10	-
10	NAG	E	401	1	-	0/6/23/26	0/1/1/1
10	NAG	G	401	1	-	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	H	201	NAG	C1-C2	2.38	1.55	1.52
10	F	201	NAG	C1-C2	2.19	1.55	1.52
10	B	201	NAG	C1-C2	2.07	1.55	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	D	201	NAG	C1-O5-C5	3.32	116.69	112.19
10	D	201	NAG	C2-N2-C7	2.01	125.77	122.90

There are no chirality outliers.

5 of 30 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
13	F	204	PEG	C1-C2-O2-C3
13	F	203	PEG	C1-C2-O2-C3
12	B	203	PG0	C1-C2-O1-C3
11	F	202	PG4	C4-C3-O2-C2
13	E	402	PEG	C1-C2-O2-C3

There are no ring outliers.



6 monomers are involved in 8 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	B	203	PG0	1	0
13	F	203	PEG	2	0
13	F	204	PEG	1	0
13	E	402	PEG	2	0
11	B	202	PG4	2	0
11	F	202	PG4	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	317/323 (98%)	-0.15	0 <a href="#">100</a> <a href="#">100</a>	18, 36, 58, 76	0
1	C	317/323 (98%)	-0.11	1 (0%) <a href="#">94</a> <a href="#">96</a>	17, 34, 61, 82	0
1	E	317/323 (98%)	-0.13	2 (0%) <a href="#">89</a> <a href="#">93</a>	17, 36, 60, 75	0
1	G	317/323 (98%)	-0.17	0 <a href="#">100</a> <a href="#">100</a>	17, 35, 61, 83	0
2	B	172/174 (98%)	-0.23	1 (0%) <a href="#">89</a> <a href="#">93</a>	17, 26, 42, 69	0
2	D	172/174 (98%)	-0.01	3 (1%) <a href="#">70</a> <a href="#">77</a>	16, 26, 46, 80	0
2	F	172/174 (98%)	-0.16	3 (1%) <a href="#">70</a> <a href="#">77</a>	18, 26, 43, 68	0
2	H	172/174 (98%)	-0.22	3 (1%) <a href="#">70</a> <a href="#">77</a>	16, 26, 45, 78	0
All	All	1956/1988 (98%)	-0.15	13 (0%) <a href="#">87</a> <a href="#">92</a>	16, 31, 58, 83	0

The worst 5 of 13 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	58	LYS	5.6
2	H	57	GLU	5.3
2	D	58	LYS	4.5
2	F	59	THR	4.0
2	D	57	GLU	3.8

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	MAN	K	5	11/12	0.40	0.27	98,103,107,108	0
5	MAN	Q	4	11/12	0.51	0.19	84,88,92,94	0
7	MAN	Z	6	11/12	0.51	0.18	82,87,89,90	0
8	NAG	c	1	15/15	0.57	0.31	71,97,103,103	0
5	MAN	R	4	11/12	0.60	0.27	97,102,104,106	0
5	MAN	Q	5	11/12	0.62	0.27	76,82,93,94	0
8	NAG	a	1	15/15	0.62	0.37	73,96,107,111	0
3	NAG	U	2	14/15	0.62	0.21	85,97,103,105	0
4	BMA	M	3	11/12	0.65	0.22	92,102,104,105	0
5	MAN	K	4	11/12	0.65	0.17	83,95,99,99	0
3	NAG	V	2	14/15	0.65	0.39	87,94,99,100	0
4	BMA	J	3	11/12	0.67	0.18	92,100,108,108	0
4	BMA	N	3	11/12	0.69	0.18	92,102,110,110	0
5	MAN	R	5	11/12	0.71	0.20	91,100,104,106	0
6	NAG	Y	3	14/15	0.72	0.29	75,83,87,87	0
3	NAG	O	2	14/15	0.72	0.28	87,96,102,104	0
7	MAN	Z	5	11/12	0.75	0.20	82,93,98,99	0
7	MAN	Z	4	11/12	0.75	0.14	82,85,94,97	0
3	NAG	I	1	14/15	0.78	0.18	46,62,69,72	0
5	BMA	Q	3	11/12	0.78	0.14	63,69,77,87	0
3	NAG	S	1	14/15	0.79	0.18	46,62,67,71	0
6	NAG	Y	1	14/15	0.79	0.17	45,62,77,84	0
6	FUC	Y	4	10/11	0.80	0.38	88,93,99,100	0
3	NAG	I	2	14/15	0.80	0.31	66,80,92,92	0
5	BMA	R	3	11/12	0.81	0.14	77,82,91,101	0
3	NAG	S	2	14/15	0.81	0.19	54,76,86,90	0
3	NAG	X	2	14/15	0.81	0.19	59,77,83,87	0
6	NAG	P	3	14/15	0.81	0.18	74,81,86,87	0
4	NAG	N	2	14/15	0.83	0.17	58,80,92,101	0
9	GAL	b	1	12/12	0.83	0.24	49,72,79,87	0
6	FUC	P	4	10/11	0.84	0.19	77,85,90,90	0
3	NAG	W	2	14/15	0.84	0.24	62,72,86,90	0
8	GAL	c	2	11/12	0.85	0.23	48,72,89,95	0
6	FUC	Y	2	10/11	0.86	0.25	58,68,71,71	0
6	FUC	P	2	10/11	0.86	0.17	59,64,67,68	0
6	NAG	P	1	14/15	0.87	0.10	43,61,74,80	0
4	NAG	M	2	14/15	0.87	0.29	61,78,94,102	0
3	NAG	T	2	14/15	0.87	0.16	61,71,79,82	0
4	NAG	J	2	14/15	0.87	0.14	58,72,93,98	0
3	NAG	L	2	14/15	0.87	0.16	89,98,107,107	0
5	BMA	K	3	11/12	0.88	0.08	71,78,88,90	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	NAG	R	2	14/15	0.88	0.11	41,60,75,79	0
3	NAG	L	1	14/15	0.89	0.13	55,66,81,89	0
3	NAG	V	1	14/15	0.89	0.17	55,62,72,84	0
3	NAG	U	1	14/15	0.89	0.18	53,65,80,89	0
9	GAL	d	1	12/12	0.89	0.16	43,65,79,79	0
5	NAG	Q	1	14/15	0.90	0.16	47,54,65,66	0
5	NAG	Q	2	14/15	0.90	0.12	44,55,60,62	0
3	NAG	W	1	14/15	0.90	0.13	45,50,60,61	0
8	GAL	a	2	11/12	0.90	0.15	45,72,85,90	0
4	NAG	M	1	14/15	0.91	0.11	44,52,60,60	0
3	NAG	X	1	14/15	0.91	0.09	30,42,54,60	0
5	NAG	K	1	14/15	0.91	0.13	45,51,57,59	0
3	NAG	T	1	14/15	0.91	0.11	30,41,56,58	0
5	NAG	K	2	14/15	0.92	0.11	41,55,72,76	0
5	NAG	R	1	14/15	0.92	0.12	45,51,58,59	0
7	BMA	Z	3	11/12	0.92	0.10	62,70,79,85	0
4	NAG	N	1	14/15	0.92	0.09	32,39,52,65	0
4	NAG	J	1	14/15	0.93	0.09	27,39,52,56	0
3	NAG	O	1	14/15	0.93	0.10	54,61,71,86	0
8	SIA	c	3	20/21	0.93	0.10	39,46,53,53	0
7	NAG	Z	1	14/15	0.93	0.11	51,55,62,62	0
9	SIA	b	2	20/21	0.93	0.13	36,45,51,59	0
8	SIA	a	3	20/21	0.93	0.10	37,45,52,55	0
9	SIA	d	2	20/21	0.93	0.10	36,44,50,55	0
7	NAG	Z	2	14/15	0.94	0.10	47,58,63,63	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain I:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain L:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain O:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain S:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain T:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain U:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain V:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain W:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain X:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain J:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain M:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain K:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain Q:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain R:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain P:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain Y:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain Z:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain a:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain c:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain b:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
10	NAG	A	401	14/15	0.58	0.23	67,79,87,92	0
10	NAG	H	201	14/15	0.58	0.31	45,74,81,82	0
10	NAG	E	401	14/15	0.67	0.14	71,75,80,82	0
10	NAG	G	401	14/15	0.70	0.14	70,76,79,80	0
13	PEG	F	203	7/7	0.76	0.16	47,52,58,59	0
11	PG4	B	202	13/13	0.77	0.22	44,50,60,61	0
11	PG4	F	202	13/13	0.78	0.21	41,51,59,61	0
12	PG0	H	202	8/8	0.79	0.17	42,48,50,59	0
10	NAG	D	201	14/15	0.79	0.18	48,70,74,77	0
13	PEG	E	402	7/7	0.81	0.19	37,42,50,53	0
10	NAG	B	201	14/15	0.81	0.16	46,57,70,73	0
13	PEG	F	204	7/7	0.82	0.14	46,51,55,63	0
10	NAG	F	201	14/15	0.83	0.15	47,58,70,71	0
12	PG0	B	203	8/8	0.88	0.24	42,54,61,66	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around NAG H 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAG E 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAG G 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAG D 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAG B 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAG F 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers

There are no such residues in this entry.