



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2023 – 03:20 PM EDT

PDB ID : 7TSL
Title : Structure of human endothelial nitric oxide synthase heme domain in complex with 4-methyl-6-(3-(4-methylpiperazin-1-yl)propyl)pyridin-2-amine
Authors : Li, H.; Poulos, T.L.
Deposited on : 2022-01-31
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	 4% 79% 11% • 9%
1	B	440	 % 82% 8% • 9%
1	C	440	 3% 78% 12% • 8%
1	D	440	 % 80% 10% • 9%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 14126 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitric oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	401	3209	2043	566	584	16	0	1	0
1	B	402	3222	2051	568	587	16	0	3	0
1	C	403	3223	2052	569	586	16	0	1	0
1	D	402	3214	2046	567	585	16	0	1	0

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	298	GLU	ASP	variant	UNP P29474
B	298	GLU	ASP	variant	UNP P29474
C	298	GLU	ASP	variant	UNP P29474
D	298	GLU	ASP	variant	UNP P29474

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula: C₉H₁₅N₅O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		
3	C	1	Total	C	N	O	0	0
			17	9	5	3		
3	D	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is 4-methyl-6-[3-(4-methylpiperazin-1-yl)propyl]pyridin-2-amine (three-letter code: KMR) (formula: C₁₄H₂₄N₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			18	14	4		
4	B	1	Total	C	N	0	0
			18	14	4		
4	C	1	Total	C	N	0	0
			18	14	4		
4	D	1	Total	C	N	0	0
			18	14	4		

- Molecule 5 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C₈H₁₉NO₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Cl	0	0
			1	1		
7	B	1	Total	Cl	0	0
			1	1		
7	C	1	Total	Cl	0	0
			1	1		
7	D	1	Total	Cl	0	0
			1	1		

- Molecule 8 is GADOLINIUM ATOM (three-letter code: GD) (formula: Gd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total 1	Gd 1	0	0
8	B	1	Total 1	Gd 1	0	0
8	C	1	Total 1	Gd 1	0	0
8	D	1	Total 1	Gd 1	0	0

- Molecule 9 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total 1	Zn 1	0	0
9	C	1	Total 1	Zn 1	0	0

- Molecule 10 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	140	Total 140	O 140	0	0
10	B	217	Total 217	O 217	0	0
10	C	160	Total 160	O 160	0	0
10	D	249	Total 249	O 249	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitric oxide synthase, endothelial

Chain A: 





- Molecule 1: Nitric oxide synthase, endothelial

Chain B: 




- Molecule 1: Nitric oxide synthase, endothelial

Chain C: 





- Molecule 1: Nitric oxide synthase, endothelial



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	60.28Å 153.65Å 109.08Å 90.00° 90.60° 90.00°	Depositor
Resolution (Å)	36.68 – 1.90 39.03 – 1.90	Depositor EDS
% Data completeness (in resolution range)	93.8 (36.68-1.90) 94.5 (39.03-1.90)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.08 (at 1.89Å)	Xtrriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.204 , 0.254 0.200 , 0.251	Depositor DCC
R_{free} test set	7418 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	36.3	Xtrriage
Anisotropy	0.456	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 47.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.146 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14126	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GD, GOL, CL, HEM, BTB, KMR, H4B, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/3304	0.50	0/4501
1	B	0.41	0/3323	0.52	0/4528
1	C	0.35	0/3318	0.51	0/4520
1	D	0.42	0/3309	0.54	0/4509
All	All	0.38	0/13254	0.52	0/18058

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3209	0	3112	29	0
1	B	3222	0	3127	32	0
1	C	3223	0	3129	29	0
1	D	3214	0	3116	27	0
2	A	43	0	30	2	0
2	B	43	0	30	3	0
2	C	43	0	30	3	0
2	D	43	0	30	2	0
3	A	17	0	15	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	17	0	15	3	0
3	C	17	0	15	1	0
3	D	17	0	15	1	0
4	A	18	0	0	0	0
4	B	18	0	0	0	0
4	C	18	0	0	0	0
4	D	18	0	0	0	0
5	A	42	0	55	5	0
5	B	28	0	35	4	0
5	C	42	0	55	10	0
5	D	28	0	36	5	0
6	A	12	0	16	0	0
6	B	6	0	8	0	0
6	C	12	0	16	1	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
9	A	1	0	0	0	0
9	C	1	0	0	0	0
10	A	140	0	0	2	0
10	B	217	0	0	5	0
10	C	160	0	0	4	0
10	D	249	0	0	3	0
All	All	14126	0	12885	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:298:GLU:OE2	5:B:505:BTB:N	2.20	0.75
1:C:382:CYS:HA	5:C:504:BTB:H12	1.72	0.72
2:A:501:HEM:HBB2	2:A:501:HEM:HHC	1.71	0.71
1:C:160:THR:HG23	1:C:162:THR:H	1.56	0.71
1:B:247:GLN:HB2	1:B:250:ARG:HD3	1.71	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:384:ASP:HB3	6:C:508:GOL:H11	1.72	0.70
2:C:501:HEM:HBB2	2:C:501:HEM:HHC	1.76	0.67
2:D:501:HEM:HMC2	2:D:501:HEM:HBC2	1.77	0.67
1:C:200:ASP:OD1	1:C:200:ASP:N	2.27	0.66
1:A:82:ASP:OD2	10:A:601:HOH:O	2.13	0.66
2:D:501:HEM:HBB2	2:D:501:HEM:HHC	1.76	0.66
1:A:321:GLU:H	1:A:321:GLU:CD	1.99	0.65
1:D:321:GLU:OE2	5:D:504:BTB:O4	2.15	0.65
1:D:124:LEU:HD11	1:D:154:GLU:HG3	1.79	0.65
2:A:501:HEM:HMC2	2:A:501:HEM:HBC2	1.79	0.64
1:D:257:GLN:NE2	10:D:604:HOH:O	2.31	0.64
1:D:290:PRO:HB3	1:D:304:LEU:HD23	1.80	0.64
1:A:89:GLN:HG3	1:A:90:GLN:N	2.15	0.61
1:A:88:ALA:O	1:B:97:ARG:NH1	2.34	0.61
1:A:163:TYR:OH	1:A:344:GLY:O	2.16	0.60
1:C:107:ARG:N	10:C:607:HOH:O	2.34	0.60
1:D:140:ARG:HH12	1:D:145:ALA:HB3	1.66	0.60
1:D:89:GLN:O	10:D:601:HOH:O	2.16	0.60
1:B:97:ARG:NH1	10:B:603:HOH:O	2.35	0.59
1:C:156:GLU:O	1:C:160:THR:HG22	2.02	0.59
1:C:128:ARG:O	1:C:132:ASN:ND2	2.36	0.59
2:B:501:HEM:HHC	2:B:501:HEM:HBB2	1.87	0.57
1:C:132:ASN:O	1:C:136:SER:OG	2.19	0.57
1:C:365:ARG:HH12	3:C:502:H4B:C4	2.18	0.56
1:C:475:TYR:OH	2:C:501:HEM:O1D	2.10	0.56
1:C:133:GLN:NE2	10:C:603:HOH:O	2.25	0.56
1:A:103:LEU:HD12	1:B:463:GLU:HB3	1.86	0.55
1:B:70:ARG:HD2	1:B:79:ILE:HD13	1.88	0.55
1:C:279:TRP:HB2	1:C:302:LEU:HD11	1.89	0.55
1:C:70:ARG:HG3	1:C:81:TYR:CE2	2.42	0.55
5:C:506:BTB:O4	5:C:506:BTB:O1	2.20	0.54
2:C:501:HEM:HBC2	2:C:501:HEM:HMC2	1.88	0.54
1:B:202:ARG:HH11	1:B:202:ARG:HB2	1.73	0.53
1:C:70:ARG:NH2	10:C:605:HOH:O	2.29	0.53
1:A:147:GLU:HA	1:A:150:LEU:HD12	1.91	0.53
1:C:234:ARG:NH2	1:C:240:ASP:OD2	2.41	0.53
1:D:275:ILE:HD12	1:D:281:PRO:HG3	1.91	0.53
1:C:88:ALA:HB3	1:D:97:ARG:HD2	1.92	0.52
1:A:416:THR:OG1	10:A:602:HOH:O	2.19	0.51
1:D:298:GLU:OE1	5:D:505:BTB:H52	2.11	0.51
1:D:447:TRP:HA	3:D:502:H4B:N1	2.25	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:271:THR:O	1:D:275:ILE:HG12	2.10	0.50
1:A:97:ARG:HH11	1:A:97:ARG:HB2	1.76	0.50
1:D:70:ARG:NH2	10:D:605:HOH:O	2.37	0.50
1:C:450:PRO:HG2	1:C:457:THR:HG21	1.94	0.49
1:D:386:ASP:OD1	1:D:388:ARG:NH1	2.45	0.49
1:B:279:TRP:HB2	1:B:302:LEU:HD21	1.94	0.49
1:A:365:ARG:HH12	3:A:502:H4B:C4	2.26	0.49
1:C:275:ILE:HD11	1:C:281:PRO:HB3	1.95	0.48
3:B:502:H4B:O4	10:B:601:HOH:O	2.20	0.48
1:C:364:THR:O	1:C:368:CYS:HB2	2.13	0.48
1:B:475:TYR:OH	2:B:501:HEM:O1D	2.18	0.48
1:A:102:SER:O	3:A:502:H4B:O10	2.29	0.48
1:A:433:ASN:O	1:A:436:LYS:HG3	2.13	0.48
5:C:505:BTB:H72	5:C:505:BTB:H41	1.48	0.48
1:B:192:LYS:HE2	1:B:192:LYS:HB3	1.49	0.48
1:B:364:THR:O	1:B:368:CYS:HB2	2.14	0.47
5:B:505:BTB:H71	5:B:505:BTB:H11	1.41	0.47
1:C:378:ASP:OD1	10:C:601:HOH:O	2.20	0.47
1:A:216:LYS:HG3	1:A:217:TYR:N	2.30	0.47
1:C:89:GLN:HE21	1:C:470:SER:H	1.62	0.47
1:A:292:LEU:HD22	1:A:300:PRO:HB2	1.97	0.47
5:B:505:BTB:H51	5:B:505:BTB:H32	1.56	0.47
5:A:504:BTB:H51	5:A:504:BTB:H32	1.46	0.46
1:A:364:THR:O	1:A:368:CYS:HB2	2.16	0.46
1:B:384:ASP:OD1	5:C:505:BTB:H51	2.16	0.46
1:B:387:THR:HA	1:B:394:TRP:CD1	2.51	0.46
1:A:233:GLN:HB3	1:A:348:PHE:CE2	2.51	0.46
1:D:119:ALA:N	1:D:120:PRO:HD3	2.30	0.46
1:A:256:GLN:C	1:A:258:ASP:H	2.20	0.46
1:A:183:ARG:HD3	1:A:447:TRP:CD2	2.51	0.46
1:B:138:ILE:O	1:B:140:ARG:HG2	2.16	0.46
1:A:75:GLU:HG3	1:B:370:PRO:HG2	1.98	0.45
1:A:465:VAL:HG12	1:A:467:TYR:HD1	1.80	0.45
1:D:178:TRP:CE3	1:D:190:TRP:HA	2.51	0.45
1:D:279:TRP:HB2	1:D:302:LEU:HD21	1.98	0.45
1:D:90:GLN:HB3	1:D:468:PHE:CD2	2.51	0.45
1:C:244:TRP:CD1	1:C:479:PRO:HG2	2.52	0.45
1:D:436:LYS:HB3	1:D:436:LYS:HE2	1.72	0.45
5:C:504:BTB:H12	5:C:504:BTB:H51	1.78	0.44
1:A:100:LEU:HB3	1:A:103:LEU:HD22	1.98	0.44
1:B:106:PRO:HG3	10:B:604:HOH:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:97:ARG:HD3	1:D:97:ARG:HA	1.76	0.44
5:A:505:BTB:H11	5:A:505:BTB:H51	1.51	0.44
1:B:256:GLN:HB2	1:B:260:SER:O	2.18	0.43
5:C:504:BTB:H41	5:C:504:BTB:H72	1.88	0.43
1:C:97:ARG:HG2	1:D:88:ALA:HB3	2.01	0.43
1:B:93:PRO:HG3	1:B:106:PRO:HB3	2.00	0.43
1:A:269:GLU:O	1:A:272:GLU:HG2	2.18	0.43
1:B:298:GLU:HG2	10:B:735:HOH:O	2.19	0.43
1:D:298:GLU:CD	5:D:505:BTB:H41	2.39	0.43
1:C:341:LEU:HB3	1:C:348:PHE:HB2	2.00	0.43
1:A:364:THR:HG21	1:A:452:ILE:HG23	2.01	0.43
1:C:261:VAL:HG11	1:C:265:PRO:HA	2.01	0.43
5:B:505:BTB:H52	5:B:505:BTB:H81	1.34	0.43
1:B:124:LEU:HB3	1:B:128:ARG:HH22	1.84	0.42
1:C:183:ARG:HD3	1:C:447:TRP:CD2	2.54	0.42
5:A:506:BTB:H72	5:A:506:BTB:H41	1.61	0.42
1:A:128:ARG:O	1:A:132:ASN:ND2	2.52	0.42
1:B:124:LEU:HD23	1:B:124:LEU:HA	1.85	0.42
2:B:501:HEM:HBC2	2:B:501:HEM:HMC2	2.00	0.42
5:C:506:BTB:H31	5:C:506:BTB:H72	1.79	0.42
1:B:258:ASP:OD2	1:B:258:ASP:N	2.39	0.42
1:B:301:GLU:HB3	1:B:303:PHE:CE1	2.55	0.42
1:B:326:LEU:HD12	5:C:504:BTB:H72	2.02	0.42
5:D:505:BTB:H82	5:D:505:BTB:H51	1.59	0.42
1:D:388:ARG:CZ	1:D:388:ARG:HB2	2.49	0.42
1:B:124:LEU:HB3	1:B:128:ARG:HH12	1.83	0.42
1:B:447:TRP:HA	3:B:502:H4B:N1	2.34	0.42
1:D:298:GLU:OE2	5:D:505:BTB:H41	2.20	0.42
1:B:312:GLU:CD	1:B:329:ARG:HH21	2.23	0.42
1:B:242:ARG:NH2	1:B:479:PRO:HD3	2.34	0.42
1:C:202:ARG:HG2	1:C:206:GLU:CD	2.40	0.42
5:C:504:BTB:O8	5:C:504:BTB:H62	2.20	0.42
1:A:384:ASP:OD1	5:A:504:BTB:O3	2.37	0.41
1:D:68:PHE:CD2	1:D:83:THR:HA	2.55	0.41
1:D:455:SER:HA	1:D:460:PHE:CG	2.55	0.41
1:A:242:ARG:HD2	1:A:349:PRO:HB2	2.02	0.41
1:A:393:LEU:O	1:A:397:LYS:HG3	2.20	0.41
1:B:365:ARG:HH12	3:B:502:H4B:C4	2.32	0.41
1:C:233:GLN:HB3	1:C:348:PHE:CE2	2.56	0.41
1:A:322:TRP:CD1	5:A:504:BTB:H61	2.56	0.41
1:B:238:ARG:NH2	10:B:617:HOH:O	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:449:VAL:HA	1:D:450:PRO:HD3	1.96	0.40
1:B:257:GLN:HG3	1:B:258:ASP:N	2.35	0.40
1:C:308:GLU:O	1:C:308:GLU:HG2	2.21	0.40
1:B:382:CYS:SG	5:C:504:BTB:H42	2.61	0.40
1:C:129:ASP:HA	1:C:132:ASN:HD22	1.86	0.40
1:D:170:LEU:HD11	1:D:230:VAL:HG21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	398/440 (90%)	381 (96%)	17 (4%)	0	100	100
1	B	401/440 (91%)	391 (98%)	9 (2%)	1 (0%)	47	38
1	C	400/440 (91%)	382 (96%)	17 (4%)	1 (0%)	41	31
1	D	399/440 (91%)	390 (98%)	9 (2%)	0	100	100
All	All	1598/1760 (91%)	1544 (97%)	52 (3%)	2 (0%)	51	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	258	ASP
1	C	239	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	342/373 (92%)	326 (95%)	16 (5%)	26	16
1	B	344/373 (92%)	334 (97%)	10 (3%)	42	35
1	C	343/373 (92%)	322 (94%)	21 (6%)	18	9
1	D	342/373 (92%)	327 (96%)	15 (4%)	28	19
All	All	1371/1492 (92%)	1309 (96%)	62 (4%)	27	18

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	89	GLN
1	A	91	ASP
1	A	97	ARG
1	A	98	ARG
1	A	107	ARG
1	A	125	SER
1	A	128	ARG
1	A	129	ASP
1	A	133	GLN
1	A	209	THR
1	A	216	LYS
1	A	234	ARG
1	A	291	LEU
1	A	321	GLU
1	A	329	ARG
1	A	436	LYS
1	B	89	GLN
1	B	97	ARG
1	B	128	ARG
1	B	139	LYS
1	B	144	GLN
1	B	202	ARG
1	B	257	GLN
1	B	258	ASP
1	B	326	LEU
1	B	389	THR
1	C	89	GLN
1	C	98	ARG
1	C	107	ARG
1	C	124	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	125	SER
1	C	140	ARG
1	C	149	ARG
1	C	200	ASP
1	C	202	ARG
1	C	234	ARG
1	C	238	ARG
1	C	257	GLN
1	C	262	ARG
1	C	272	GLU
1	C	280	THR
1	C	308	GLU
1	C	309	LEU
1	C	391	SER
1	C	396	ASP
1	C	417	ILE
1	C	436	LYS
1	D	71	VAL
1	D	87	GLN
1	D	124	LEU
1	D	136	SER
1	D	168[A]	SER
1	D	168[B]	SER
1	D	192	LYS
1	D	200	ASP
1	D	206	GLU
1	D	207	MET
1	D	258	ASP
1	D	262	ARG
1	D	326	LEU
1	D	378	ASP
1	D	436	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	89	GLN
1	C	132	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 37 ligands modelled in this entry, 10 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	C	507	-	5,5,5	0.34	0	5,5,5	0.34	0
4	KMR	A	503	-	19,19,19	0.31	0	25,25,25	1.83	6 (24%)
5	BTB	B	504	8	13,13,13	0.61	0	7,16,16	0.62	0
3	H4B	D	502	-	16,18,18	0.92	0	11,26,26	2.68	6 (54%)
4	KMR	C	503	-	19,19,19	0.42	0	25,25,25	2.01	8 (32%)
6	GOL	C	508	-	5,5,5	0.82	0	5,5,5	0.50	0
5	BTB	C	506	-	13,13,13	0.37	0	7,16,16	0.41	0
5	BTB	A	505	-	13,13,13	0.43	0	7,16,16	0.72	0
2	HEM	B	501	1	41,50,50	1.52	7 (17%)	45,82,82	1.69	10 (22%)
2	HEM	A	501	1	41,50,50	1.51	4 (9%)	45,82,82	1.64	10 (22%)
4	KMR	D	503	-	19,19,19	0.52	0	25,25,25	1.56	3 (12%)
6	GOL	A	507	-	5,5,5	0.28	0	5,5,5	0.29	0
5	BTB	D	504	8	13,13,13	0.40	0	7,16,16	0.93	1 (14%)
4	KMR	B	503	-	19,19,19	0.60	0	25,25,25	1.92	5 (20%)
3	H4B	C	502	-	16,18,18	0.84	0	11,26,26	2.65	6 (54%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	BTB	A	504	8	13,13,13	0.41	0	7,16,16	1.10	0
5	BTB	A	506	-	13,13,13	0.38	0	7,16,16	0.30	0
6	GOL	B	506	-	5,5,5	0.34	0	5,5,5	0.31	0
5	BTB	D	505	-	13,13,13	0.86	0	7,16,16	1.45	2 (28%)
3	H4B	B	502	-	16,18,18	0.83	0	11,26,26	2.73	6 (54%)
3	H4B	A	502	-	16,18,18	0.92	0	11,26,26	2.58	5 (45%)
5	BTB	C	504	8	13,13,13	0.40	0	7,16,16	1.16	1 (14%)
6	GOL	A	508	-	5,5,5	0.34	0	5,5,5	0.35	0
2	HEM	D	501	1	41,50,50	1.52	6 (14%)	45,82,82	1.80	15 (33%)
5	BTB	B	505	-	13,13,13	0.54	0	7,16,16	0.57	0
5	BTB	C	505	-	13,13,13	0.67	0	7,16,16	0.81	0
2	HEM	C	501	1	41,50,50	1.47	5 (12%)	45,82,82	1.87	12 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	C	507	-	-	2/4/4/4	-
4	KMR	A	503	-	-	3/6/16/16	0/2/2/2
5	BTB	B	504	8	-	3/21/21/21	-
3	H4B	D	502	-	-	0/8/17/17	0/2/2/2
4	KMR	C	503	-	-	3/6/16/16	0/2/2/2
6	GOL	C	508	-	-	0/4/4/4	-
5	BTB	C	506	-	-	7/21/21/21	-
5	BTB	A	505	-	-	10/21/21/21	-
2	HEM	B	501	1	-	5/12/54/54	-
2	HEM	A	501	1	-	8/12/54/54	-
4	KMR	D	503	-	-	1/6/16/16	0/2/2/2
6	GOL	A	507	-	-	4/4/4/4	-
5	BTB	D	504	8	-	3/21/21/21	-
4	KMR	B	503	-	-	2/6/16/16	0/2/2/2
3	H4B	C	502	-	-	0/8/17/17	0/2/2/2
5	BTB	A	504	8	-	7/21/21/21	-
5	BTB	A	506	-	-	11/21/21/21	-
6	GOL	B	506	-	-	4/4/4/4	-
5	BTB	D	505	-	-	5/21/21/21	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	H4B	B	502	-	-	0/8/17/17	0/2/2/2
3	H4B	A	502	-	-	3/8/17/17	0/2/2/2
5	BTB	C	504	8	-	1/21/21/21	-
6	GOL	A	508	-	-	2/4/4/4	-
2	HEM	D	501	1	-	2/12/54/54	-
5	BTB	B	505	-	-	5/21/21/21	-
5	BTB	C	505	-	-	5/21/21/21	-
2	HEM	C	501	1	-	3/12/54/54	-

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	HEM	C3C-C2C	-3.84	1.35	1.40
2	B	501	HEM	C3C-CAC	3.78	1.55	1.47
2	A	501	HEM	C3C-C2C	-3.70	1.35	1.40
2	C	501	HEM	C3C-CAC	3.62	1.55	1.47
2	A	501	HEM	C3C-CAC	3.61	1.55	1.47
2	D	501	HEM	FE-NB	3.38	2.13	1.96
2	C	501	HEM	C3C-C2C	-3.36	1.35	1.40
2	D	501	HEM	C3C-CAC	3.24	1.54	1.47
2	A	501	HEM	CAB-C3B	3.14	1.56	1.47
2	C	501	HEM	FE-NB	3.13	2.12	1.96
2	B	501	HEM	CAB-C3B	3.09	1.55	1.47
2	C	501	HEM	CAB-C3B	3.09	1.55	1.47
2	B	501	HEM	C3C-C2C	-3.02	1.36	1.40
2	B	501	HEM	CMD-C2D	2.87	1.56	1.50
2	D	501	HEM	CAB-C3B	2.79	1.55	1.47
2	B	501	HEM	CMB-C2B	2.67	1.56	1.50
2	A	501	HEM	FE-NB	2.66	2.10	1.96
2	B	501	HEM	FE-NB	2.52	2.09	1.96
2	D	501	HEM	CAA-C2A	2.29	1.55	1.52
2	D	501	HEM	CMD-C2D	2.07	1.55	1.50
2	B	501	HEM	FE-ND	2.06	2.07	1.96
2	C	501	HEM	CAA-C2A	2.03	1.55	1.52

All (96) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	503	KMR	C02-N01-C06	5.80	122.49	118.10
3	A	502	H4B	C8A-C4A-C4	5.59	119.53	114.57
3	D	502	H4B	C8A-C4A-C4	5.46	119.42	114.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	H4B	C8A-C4A-C4	5.29	119.27	114.57
3	C	502	H4B	C8A-C4A-C4	5.29	119.27	114.57
4	D	503	KMR	C02-N01-C06	5.16	122.01	118.10
4	B	503	KMR	C02-N01-C06	5.13	121.98	118.10
2	B	501	HEM	CBA-CAA-C2A	-5.03	104.03	112.62
4	A	503	KMR	C02-N01-C06	5.00	121.89	118.10
2	C	501	HEM	CBA-CAA-C2A	-4.41	105.09	112.62
4	A	503	KMR	C16-C15-N14	-4.29	105.95	110.80
4	B	503	KMR	C12-C13-N14	4.06	115.39	110.80
2	D	501	HEM	C4D-ND-C1D	3.99	109.20	105.07
2	D	501	HEM	CBD-CAD-C3D	-3.95	101.66	112.63
2	C	501	HEM	C4B-CHC-C1C	3.80	127.57	122.56
2	A	501	HEM	C4B-CHC-C1C	3.69	127.43	122.56
4	D	503	KMR	C05-C06-N01	-3.65	119.03	122.90
2	C	501	HEM	C3D-C4D-ND	-3.62	106.14	110.17
2	A	501	HEM	C1B-NB-C4B	3.60	108.79	105.07
3	B	502	H4B	N1-C2-N3	-3.60	119.77	125.42
2	B	501	HEM	C4B-CHC-C1C	3.56	127.25	122.56
3	D	502	H4B	C2-N3-C4	3.52	121.52	115.93
4	C	503	KMR	C05-C06-N01	-3.49	119.20	122.90
2	C	501	HEM	CAD-CBD-CGD	-3.46	106.16	113.60
3	D	502	H4B	N1-C2-N3	-3.46	120.00	125.42
4	C	503	KMR	C16-C15-N14	-3.44	106.92	110.80
4	B	503	KMR	C05-C06-N01	-3.41	119.28	122.90
2	C	501	HEM	C4D-ND-C1D	3.38	108.56	105.07
3	B	502	H4B	C2-N3-C4	3.31	121.19	115.93
4	B	503	KMR	C08-C06-N01	3.25	120.79	115.95
3	C	502	H4B	N1-C2-N3	-3.23	120.36	125.42
2	C	501	HEM	C1B-NB-C4B	3.22	108.40	105.07
3	C	502	H4B	C2-N3-C4	3.22	121.05	115.93
2	B	501	HEM	C1B-NB-C4B	3.22	108.40	105.07
2	A	501	HEM	C4C-CHD-C1D	3.14	126.70	122.56
2	D	501	HEM	C1B-NB-C4B	3.13	108.30	105.07
3	A	502	H4B	N1-C2-N3	-3.09	120.56	125.42
2	A	501	HEM	C3B-C2B-C1B	3.08	108.77	106.49
2	D	501	HEM	C4B-CHC-C1C	3.04	126.57	122.56
4	B	503	KMR	C15-N14-C13	3.02	113.75	109.52
2	D	501	HEM	C3D-C4D-ND	-3.02	106.81	110.17
4	C	503	KMR	C15-N14-C13	-3.00	105.32	109.52
2	D	501	HEM	CBA-CAA-C2A	-2.97	107.55	112.62
3	A	502	H4B	C2-N3-C4	2.97	120.65	115.93
3	B	502	H4B	C2-N1-C8A	2.95	121.16	114.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	HEM	C4D-ND-C1D	2.95	108.12	105.07
3	B	502	H4B	C4-C4A-N5	2.94	121.59	119.12
4	A	503	KMR	C05-C06-N01	-2.80	119.93	122.90
2	B	501	HEM	C4D-ND-C1D	2.80	107.97	105.07
2	D	501	HEM	CMC-C2C-C3C	2.79	129.91	124.68
3	C	502	H4B	C4-C4A-N5	2.79	121.46	119.12
4	C	503	KMR	C08-C06-N01	2.76	120.06	115.95
2	D	501	HEM	C4A-C3A-C2A	2.72	108.89	107.00
2	B	501	HEM	C3B-C2B-C1B	2.71	108.49	106.49
4	A	503	KMR	C08-C06-N01	2.69	119.96	115.95
4	D	503	KMR	C08-C06-N01	2.68	119.94	115.95
3	D	502	H4B	C2-N1-C8A	2.68	120.54	114.54
3	C	502	H4B	C2-N1-C8A	2.67	120.52	114.54
3	A	502	H4B	C2-N1-C8A	2.64	120.46	114.54
5	D	505	BTB	O1-C1-C2	-2.59	104.36	111.44
2	B	501	HEM	CMC-C2C-C3C	2.55	129.46	124.68
5	C	504	BTB	O3-C3-C2	2.55	118.43	111.44
3	A	502	H4B	C4-C4A-N5	2.54	121.25	119.12
4	C	503	KMR	C13-C12-N11	2.43	115.63	110.64
2	A	501	HEM	C4A-C3A-C2A	2.41	108.67	107.00
2	D	501	HEM	CHD-C1D-ND	2.40	127.04	124.43
5	D	505	BTB	C6-C5-N	2.35	120.77	111.59
3	D	502	H4B	C4-C4A-N5	2.35	121.09	119.12
2	C	501	HEM	CBD-CAD-C3D	-2.35	106.10	112.63
3	C	502	H4B	N2-C2-N3	2.34	120.89	117.25
2	D	501	HEM	C2D-C1D-ND	-2.34	107.08	109.88
2	B	501	HEM	CHC-C4B-C3B	2.33	128.13	124.57
4	C	503	KMR	N02-C02-N01	2.32	120.16	116.49
2	C	501	HEM	CHC-C4B-C3B	2.31	128.10	124.57
2	B	501	HEM	C3D-C4D-ND	-2.30	107.61	110.17
4	A	503	KMR	C15-N14-C13	-2.29	106.31	109.52
2	D	501	HEM	C4C-CHD-C1D	2.29	125.58	122.56
2	C	501	HEM	C3B-C2B-C1B	2.28	108.17	106.49
3	B	502	H4B	N2-C2-N3	2.26	120.77	117.25
2	D	501	HEM	CMA-C3A-C4A	-2.24	125.02	128.46
2	A	501	HEM	CAD-CBD-CGD	-2.22	108.84	113.60
2	C	501	HEM	CHA-C4D-ND	2.21	127.11	124.38
2	A	501	HEM	CHC-C4B-C3B	2.18	127.91	124.57
5	D	504	BTB	O4-C4-C2	-2.18	105.46	111.44
2	C	501	HEM	CAD-C3D-C2D	-2.18	123.81	127.88
4	C	503	KMR	C16-N11-C12	2.18	113.74	108.83
2	B	501	HEM	CBD-CAD-C3D	-2.17	106.60	112.63

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	HEM	CHC-C4B-C3B	2.15	127.85	124.57
4	A	503	KMR	N02-C02-N01	2.14	119.87	116.49
2	A	501	HEM	CHB-C1B-NB	2.12	127.00	124.38
2	A	501	HEM	CMA-C3A-C4A	-2.11	125.23	128.46
2	C	501	HEM	CMC-C2C-C3C	2.10	128.60	124.68
2	B	501	HEM	C2B-C1B-NB	-2.08	107.37	109.84
3	D	502	H4B	N2-C2-N1	2.03	120.42	117.25
2	D	501	HEM	CHA-C4D-ND	2.01	126.87	124.38
2	D	501	HEM	C3C-C4C-NC	-2.01	107.15	110.94

There are no chirality outliers.

All (99) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	504	BTB	C1-C2-C3-O3
5	A	504	BTB	C4-C2-C3-O3
5	A	504	BTB	N-C2-C3-O3
5	A	504	BTB	C1-C2-C4-O4
5	A	504	BTB	C3-C2-C4-O4
5	A	504	BTB	N-C2-C4-O4
5	A	505	BTB	C1-C2-C4-O4
5	A	505	BTB	C3-C2-C4-O4
5	A	505	BTB	N-C2-C4-O4
5	A	505	BTB	C1-C2-N-C5
5	A	505	BTB	C3-C2-N-C5
5	A	505	BTB	C4-C2-N-C5
5	A	505	BTB	C4-C2-N-C7
5	A	506	BTB	C1-C2-C3-O3
5	A	506	BTB	N-C2-C3-O3
5	A	506	BTB	C1-C2-N-C5
5	A	506	BTB	C1-C2-N-C7
5	A	506	BTB	C3-C2-N-C5
5	A	506	BTB	C3-C2-N-C7
5	A	506	BTB	C4-C2-N-C5
5	A	506	BTB	C4-C2-N-C7
5	B	504	BTB	O1-C1-C2-C3
5	B	504	BTB	O1-C1-C2-C4
5	B	504	BTB	O1-C1-C2-N
5	B	505	BTB	C8-C7-N-C5
5	C	506	BTB	O1-C1-C2-C3
5	C	506	BTB	O1-C1-C2-C4
5	C	506	BTB	O1-C1-C2-N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	C	506	BTB	C3-C2-C4-O4
5	D	504	BTB	O1-C1-C2-C3
5	D	504	BTB	O1-C1-C2-C4
5	D	504	BTB	O1-C1-C2-N
5	D	505	BTB	C1-C2-C3-O3
5	D	505	BTB	C4-C2-C3-O3
5	D	505	BTB	C6-C5-N-C2
5	D	505	BTB	C8-C7-N-C5
6	A	507	GOL	O1-C1-C2-C3
6	B	506	GOL	O1-C1-C2-C3
6	C	507	GOL	O1-C1-C2-C3
2	B	501	HEM	C3D-CAD-CBD-CGD
5	A	504	BTB	N-C7-C8-O8
2	A	501	HEM	C2A-CAA-CBA-CGA
4	C	503	KMR	C09-C10-N11-C12
4	A	503	KMR	C09-C10-N11-C12
4	C	503	KMR	C09-C10-N11-C16
5	C	505	BTB	N-C7-C8-O8
4	A	503	KMR	C09-C10-N11-C16
6	A	507	GOL	C1-C2-C3-O3
6	A	508	GOL	O1-C1-C2-C3
6	B	506	GOL	C1-C2-C3-O3
6	A	507	GOL	O1-C1-C2-O2
6	C	507	GOL	O1-C1-C2-O2
5	C	506	BTB	N-C7-C8-O8
5	A	505	BTB	N-C7-C8-O8
6	A	508	GOL	O1-C1-C2-O2
4	B	503	KMR	C08-C09-C10-N11
6	A	507	GOL	O2-C2-C3-O3
6	B	506	GOL	O1-C1-C2-O2
3	A	502	H4B	C7-C6-C9-O9
2	A	501	HEM	C4B-C3B-CAB-CBB
2	B	501	HEM	C4B-C3B-CAB-CBB
2	C	501	HEM	C4B-C3B-CAB-CBB
2	D	501	HEM	C4B-C3B-CAB-CBB
6	B	506	GOL	O2-C2-C3-O3
4	A	503	KMR	C06-C08-C09-C10
4	B	503	KMR	C06-C08-C09-C10
5	A	506	BTB	C4-C2-C3-O3
5	A	506	BTB	C1-C2-C4-O4
5	B	505	BTB	O1-C1-C2-C4
5	C	505	BTB	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	501	HEM	C2A-CAA-CBA-CGA
2	A	501	HEM	C1A-C2A-CAA-CBA
2	A	501	HEM	C3A-C2A-CAA-CBA
5	A	505	BTB	C3-C2-N-C7
5	C	505	BTB	C3-C2-N-C7
5	C	505	BTB	C4-C2-N-C7
5	C	506	BTB	N-C2-C4-O4
5	D	505	BTB	N-C2-C3-O3
3	A	502	H4B	C7-C6-C9-C10
2	C	501	HEM	CAD-CBD-CGD-O1D
2	B	501	HEM	CAD-CBD-CGD-O2D
5	C	504	BTB	N-C7-C8-O8
2	A	501	HEM	CAD-CBD-CGD-O1D
2	A	501	HEM	CAD-CBD-CGD-O2D
2	B	501	HEM	CAD-CBD-CGD-O1D
2	C	501	HEM	CAD-CBD-CGD-O2D
2	A	501	HEM	C2D-C3D-CAD-CBD
2	A	501	HEM	C4D-C3D-CAD-CBD
2	B	501	HEM	C2A-CAA-CBA-CGA
4	C	503	KMR	C06-C08-C09-C10
4	D	503	KMR	C06-C08-C09-C10
3	A	502	H4B	N5-C6-C9-O9
5	A	506	BTB	C3-C2-C4-O4
5	B	505	BTB	O1-C1-C2-C3
5	B	505	BTB	C1-C2-C4-O4
5	B	505	BTB	C3-C2-C4-O4
5	C	505	BTB	C4-C2-C3-O3
5	C	506	BTB	C1-C2-C4-O4
5	A	505	BTB	N-C5-C6-O6

There are no ring outliers.

18 monomers are involved in 42 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	502	H4B	1	0
6	C	508	GOL	1	0
5	C	506	BTB	2	0
5	A	505	BTB	1	0
2	B	501	HEM	3	0
2	A	501	HEM	2	0
5	D	504	BTB	1	0
3	C	502	H4B	1	0



Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	504	BTB	3	0
5	A	506	BTB	1	0
5	D	505	BTB	4	0
3	B	502	H4B	3	0
3	A	502	H4B	2	0
5	C	504	BTB	6	0
2	D	501	HEM	2	0
5	B	505	BTB	4	0
5	C	505	BTB	2	0
2	C	501	HEM	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	401/440 (91%)	0.18	18 (4%) 33 36	30, 62, 108, 144	0
1	B	402/440 (91%)	-0.17	6 (1%) 73 76	29, 43, 83, 126	0
1	C	403/440 (91%)	0.05	13 (3%) 47 50	33, 59, 101, 132	0
1	D	402/440 (91%)	-0.23	3 (0%) 87 88	28, 42, 70, 124	0
All	All	1608/1760 (91%)	-0.04	40 (2%) 57 60	28, 51, 98, 144	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	238	ARG	5.2
1	B	257	GLN	5.0
1	C	202	ARG	4.7
1	A	259	GLY	4.4
1	B	89	GLN	4.3
1	A	153	VAL	4.2
1	A	89	GLN	3.9
1	D	89	GLN	3.7
1	C	257	GLN	3.6
1	C	107	ARG	3.2
1	A	142	GLY	3.1
1	C	237	GLY	3.1
1	B	141[A]	SER	3.0
1	A	480	TRP	3.0
1	C	153	VAL	3.0
1	D	257	GLN	2.9
1	A	275	ILE	2.9
1	A	254	TYR	2.9
1	B	142	GLY	2.8
1	A	305	LEU	2.8
1	C	480	TRP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	68	PHE	2.6
1	A	283	ASN	2.6
1	A	159	ALA	2.5
1	A	346	LEU	2.5
1	A	281	PRO	2.4
1	C	468	PHE	2.3
1	C	160	THR	2.3
1	D	119	ALA	2.2
1	A	292	LEU	2.2
1	B	107	ARG	2.2
1	A	304	LEU	2.1
1	A	204	ALA	2.1
1	A	202	ARG	2.1
1	A	123	LEU	2.1
1	A	238	ARG	2.1
1	C	134	TYR	2.1
1	B	68	PHE	2.0
1	C	268	VAL	2.0
1	C	292	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	GD	A	510	1/1	0.77	0.13	123,123,123,123	1
5	BTB	C	506	14/14	0.78	0.15	80,99,106,109	0
5	BTB	A	506	14/14	0.81	0.12	86,99,103,104	0
6	GOL	B	506	6/6	0.85	0.10	71,78,79,79	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	BTB	D	504	14/14	0.85	0.15	39,61,76,76	0
5	BTB	B	505	14/14	0.86	0.18	52,72,85,89	0
5	BTB	A	505	14/14	0.87	0.14	58,72,85,90	0
5	BTB	D	505	14/14	0.89	0.20	43,67,81,88	0
3	H4B	C	502	17/17	0.90	0.16	51,58,68,71	0
4	KMR	C	503	18/18	0.91	0.18	39,67,112,113	0
6	GOL	A	507	6/6	0.92	0.11	58,62,72,79	0
6	GOL	A	508	6/6	0.92	0.17	52,64,73,73	0
3	H4B	A	502	17/17	0.93	0.12	54,64,71,71	0
4	KMR	A	503	18/18	0.93	0.14	43,69,91,92	0
4	KMR	B	503	18/18	0.93	0.15	27,41,97,98	0
5	BTB	B	504	14/14	0.93	0.11	34,52,63,68	0
5	BTB	C	505	14/14	0.94	0.16	50,64,78,80	0
3	H4B	D	502	17/17	0.94	0.08	33,50,56,56	0
3	H4B	B	502	17/17	0.94	0.11	37,49,57,58	0
6	GOL	C	507	6/6	0.94	0.15	50,55,66,69	0
5	BTB	C	504	14/14	0.94	0.15	26,69,79,87	0
5	BTB	A	504	14/14	0.95	0.12	43,76,83,90	0
8	GD	C	510	1/1	0.96	0.10	72,72,72,72	1
4	KMR	D	503	18/18	0.97	0.10	24,50,84,87	0
6	GOL	C	508	6/6	0.97	0.13	24,61,69,75	0
2	HEM	B	501	43/43	0.98	0.10	23,34,62,76	0
2	HEM	C	501	43/43	0.98	0.11	32,48,73,100	0
7	CL	A	509	1/1	0.98	0.04	48,48,48,48	0
2	HEM	D	501	43/43	0.98	0.09	26,33,59,79	0
2	HEM	A	501	43/43	0.98	0.12	42,56,91,100	0
8	GD	B	508	1/1	0.99	0.14	44,44,44,44	0
7	CL	C	509	1/1	0.99	0.06	46,46,46,46	0
8	GD	D	507	1/1	0.99	0.14	49,49,49,49	0
9	ZN	A	511	1/1	0.99	0.10	43,43,43,43	0
7	CL	D	506	1/1	1.00	0.08	43,43,43,43	0
7	CL	B	507	1/1	1.00	0.05	39,39,39,39	0
9	ZN	C	511	1/1	1.00	0.10	38,38,38,38	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around KMR C 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around KMR A 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around KMR B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around KMR D 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around HEM C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.