

# Full wwPDB X-ray Structure Validation Report (i)

#### Dec 16, 2023 – 07:17 pm GMT

PDB ID	:	4U0Z
Title	:	Eukaryotic Fic Domain containing protein with bound APCPP
Authors	:	Cole, A.R.; Bunney, T.D.; Katan, M.
Deposited on	:	2014-07-14
Resolution	:	2.95  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R <sub>free</sub>	130704	3104 (3.00-2.92)		
Clashscore	141614	3462 (3.00-2.92)		
Ramachandran outliers	138981	3340 (3.00-2.92)		
Sidechain outliers	138945	3343 (3.00-2.92)		
RSRZ outliers	127900	2986 (3.00-2.92)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	344	% 74%	18%	• 6%
1	В	344	<sup>2%</sup> <b>76%</b>	17%	• 5%
1	С	344	77%	18%	• •
1	D	344	.% 75%	18%	• 6%
1	Е	344	76%	17%	• 5%



Mol	Chain	Length	Quality of chain		
1	F	344	<sup>3%</sup> 76%	16%	• 6%
1	G	344	% 77%	16%	• 6%
1	Н	344	73%	19%	• 8%



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 21328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Λ	300	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
1	Л	522	2541	1622	438	472	9	0	0	0
1	В	326	Total	С	Ν	Ο	$\mathbf{S}$	0	Ο	0
1	D	520	2528	1617	432	469	10	0	0	0
1	С	329	Total	$\mathbf{C}$	Ν	Ο	$\mathbf{S}$	0	0	0
T	U	525	2581	1649	444	476	12	0	0	0
1	Л	325	Total	$\mathbf{C}$	Ν	Ο	$\mathbf{S}$	0	0	0
T	D	525	2528	1616	436	466	10	0	0	0
1	E	397	Total	$\mathbf{C}$	Ν	Ο	$\mathbf{S}$	0	0	0
T	Ľ	521	2568	1640	441	476	11	0	0	0
1	F	300	Total	$\mathbf{C}$	Ν	Ο	$\mathbf{S}$	0	0	0
1	Ľ	522	2502	1601	428	461	12	0	0	0
1	C	300	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
L	9	522	2509	1607	428	462	12	0	0	0
1	н	318	Total	C	N	Ō	S	0	0	0
	11	510	2499	1599	429	460	11	0	0	

• Molecule 1 is a protein called Adenosine monophosphate-protein transferase FICD.

• Molecule 2 is DIPHOSPHOMETHYLPHOSPHONIC ACID ADENOSYL ESTER (threeletter code: APC) (formula: C<sub>11</sub>H<sub>18</sub>N<sub>5</sub>O<sub>12</sub>P<sub>3</sub>).





Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf												
0	Λ	1	Total	С	Ν	Ο	Р	0	0												
	A	1	31	11	5	12	3	0	0												
0	Р	р	1	Total	С	Ν	Ο	Р	0	0											
	D	1	31	11	5	12	3	0	0												
0	С	1	Total	С	Ν	Ο	Р	0	0												
	U	1	31	11	5	12	3	0	0												
0	П	2 D	П	1	Total	С	Ν	Ο	Р	0	0										
	D	1	31	11	5	12	3	0	U												
9	Б	F	Б	F	F	F	F	F	F	F	F	F	F	1	Total	С	Ν	Ο	Р	0	0
	Ľ	1	31	11	5	12	3	0	0												
9	Б	Б	F	Б	Б	Б	Б	1	Total	С	Ν	Ο	Р	0	0						
	Г	I	31	11	5	12	3	0	0												
9	C	С	C	1	Total	С	Ν	Ο	Р	0	0										
	G	I	31	11	5	12	3	0	0												
2	и	1	Total	С	Ν	Ο	Р	0	0												
	11	1	31	11	5	12	3	0													

#### • Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Mg 1 1	0	0
3	В	1	Total Mg 1 1	0	0
3	С	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	Е	1	Total Mg 1 1	0	0
3	F	1	Total Mg 1 1	0	0
3	G	1	Total Mg 1 1	0	0
3	Н	1	Total Mg 1 1	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	96	Total O 96 96	0	0
4	В	101	Total O 101 101	0	0
4	С	114	Total O 114 114	0	0
4	D	86	Total O 86 86	0	0
4	Е	96	Total O 96 96	0	0
4	F	96	Total         O           96         96	0	0
4	G	128	Total         O           128         128	0	0
4	Н	99	Total O 99 99	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Adenosine monophosphate-protein transferase FICD

• Molecule 1: Adenosine monophosphate-protein transferase FICD





## 



• Molecule 1: Adenosine monophosphate-protein transferase FICD



# I240 CIV I240 LVS V279 LI10 V279 L110 V297 L1110 V297 L111 V297 L1110 V297 L1114 V297 L1114 V297 L1114 V293 L1128 V211 L1128 V212 L114 V214 L1128 V314 L128 P330 L133 P331 L128 P333 L330 L338 L138 P331 L138 L338 L116 L338 L138 L338 L138 L338 L138 L338 L138 L339 L138 L

# 

• Molecule 1: Adenosine monophosphate-protein transferase FICD





# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	77.10Å 83.75Å 130.02Å	Deneiten
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$89.92^{\circ}$ $89.57^{\circ}$ $89.43^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	43.34 - 2.95	Depositor
Resolution (A)	43.34 - 2.95	EDS
% Data completeness	95.0 (43.34-2.95)	Depositor
(in resolution range)	94.9(43.34-2.95)	EDS
R <sub>merge</sub>	(Not available)	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.63 (at 2.95 \text{\AA})$	Xtriage
Refinement program	BUSTER 2.10.0	Depositor
P. P.	0.206 , $0.251$	Depositor
$\Pi, \Pi_{free}$	0.209 , $0.235$	DCC
$R_{free}$ test set	3307 reflections $(5.08%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	47.8	Xtriage
Anisotropy	0.873	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , $68.0$	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.45, < L^2 > = 0.27$	Xtriage
	0.417 for h,-k,-l	
Estimated twinning fraction	0.387 for -h,k,-l	Xtriage
	0.387 for -h,-k,l	
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	21328	wwPDB-VP
Average B, all atoms $(Å^2)$	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 37.12 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 4.5002e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, APC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
1VIOI	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.53	0/2596	0.69	0/3529	
1	В	0.48	0/2583	0.67	0/3514	
1	С	0.53	0/2638	0.72	1/3584~(0.0%)	
1	D	0.49	0/2583	0.67	0/3512	
1	Е	0.54	0/2625	0.70	0/3568	
1	F	0.49	0/2557	0.68	0/3477	
1	G	0.54	0/2564	0.69	0/3487	
1	Н	0.50	0/2553	0.67	0/3468	
All	All	0.51	0/20699	0.69	1/28139~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	С	209	PRO	C-N-CA	6.10	136.95	121.70

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2541	0	2457	28	0
1	В	2528	0	2412	28	0



4U0Z	
------	--

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	С	2581	0	2503	28	0
1	D	2528	0	2419	34	0
1	Е	2568	0	2476	26	0
1	F	2502	0	2383	24	0
1	G	2509	0	2407	27	0
1	Н	2499	0	2403	30	0
2	А	31	0	14	0	0
2	В	31	0	14	0	0
2	С	31	0	14	0	0
2	D	31	0	14	0	0
2	Е	31	0	14	1	0
2	F	31	0	14	0	0
2	G	31	0	14	1	0
2	Н	31	0	14	0	0
3	А	1	0	0	0	0
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
3	Е	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	Н	1	0	0	0	0
4	А	96	0	0	6	0
4	В	101	0	0	3	0
4	С	114	0	0	3	0
4	D	86	0	0	6	0
4	Е	96	0	0	3	0
4	F	96	0	0	0	0
4	G	128	0	0	3	0
4	Н	99	0	0	1	0
All	All	21328	0	19572	216	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:209:PRO:HG3	1:C:212:ASN:HB2	1.53	0.90
1:G:141:ASP:HA	4:G:643:HOH:O	1.79	0.81
1:B:258:LEU:HD13	1:H:265:ILE:HD11	1.63	0.78



	A L C	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:E:158:GLN:HG3	4:E:626:HOH:O	1.91	0.70
1:G:342:GLU:OE2	4:G:661:HOH:O	2.13	0.67
1:B:265:ILE:HD11	1:H:258:LEU:HD13	1.77	0.66
1:D:148:ILE:HD11	4:D:683:HOH:O	1.95	0.66
1:H:206:MET:SD	1:H:206:MET:C	2.75	0.65
1:C:141:ASP:HA	4:C:631:HOH:O	1.96	0.65
1:B:287:ILE:HG22	4:B:646:HOH:O	2.00	0.62
1:D:392:ARG:HH22	1:G:123:GLU:H	1.47	0.61
1:G:350:GLU:HG3	1:G:415:ILE:HD13	1.81	0.61
1:C:401:HIS:HD2	4:C:651:HOH:O	1.83	0.61
1:C:208:ILE:CB	1:C:209:PRO:HD3	2.31	0.61
1:D:248:GLU:HG3	4:D:614:HOH:O	2.00	0.61
1:D:114:LEU:HD11	4:D:683:HOH:O	2.01	0.60
1:E:148:ILE:HD11	4:E:627:HOH:O	2.01	0.60
1:D:392:ARG:HH22	1:G:123:GLU:N	1.99	0.60
1:C:350:GLU:HG3	1:C:415:ILE:HD13	1.83	0.59
1:A:158:GLN:HG3	4:A:621:HOH:O	2.02	0.59
1:A:287:ILE:HG22	4:A:650:HOH:O	2.04	0.57
1:A:350:GLU:HG3	1:A:415:ILE:HD13	1.86	0.57
1:C:209:PRO:CG	1:C:212:ASN:HB2	2.31	0.56
1:F:350:GLU:HG3	1:F:415:ILE:HD13	1.87	0.56
1:E:350:GLU:HG3	1:E:415:ILE:HD13	1.87	0.56
1:F:203:LYS:O	1:F:206:MET:SD	2.63	0.56
1:A:229:HIS:CD2	1:A:393:LYS:H	2.24	0.56
1:B:350:GLU:HG3	1:B:415:ILE:HD13	1.86	0.56
1:C:229:HIS:CD2	1:C:393:LYS:H	2.24	0.56
1:C:229:HIS:HD2	1:C:393:LYS:H	1.53	0.55
1:A:229:HIS:HD2	1:A:393:LYS:H	1.53	0.55
1:B:188:GLU:HG3	4:B:667:HOH:O	2.07	0.55
1:B:229:HIS:HD2	1:B:393:LYS:H	1.54	0.55
1:D:229:HIS:CD2	1:D:393:LYS:H	2.25	0.55
1:D:254:PRO:HD2	4:D:650:HOH:O	2.07	0.55
1:F:206:MET:SD	1:F:206:MET:C	2.85	0.55
1:B:229:HIS:CD2	1:B:393:LYS:H	2.25	0.54
1:G:229:HIS:HD2	1:G:393:LYS:H	1.55	0.54
1:F:229:HIS:HD2	1:F:393:LYS:H	1.56	0.54
1:F:418:ILE:O	1:F:422:THR:HG23	2.07	0.54
1:E:418:ILE:O	1:E:422:THR:HG23	2.08	0.54
1:H:222:THR:HA	1:H:225:HIS:HB3	1.90	0.54
1:H:350:GLU:HG3	1:H:415:ILE:HD13	1.89	0.54
1:A:222:THR:HA	1:A:225:HIS:HB3	1.90	0.54



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:222:THR:HA	1:D:225:HIS:HB3	1.90	0.53
1:D:350:GLU:HG3	1:D:415:ILE:HD13	1.89	0.53
1:E:222:THR:HA	1:E:225:HIS:HB3	1.91	0.53
1:F:222:THR:HA	1:F:225:HIS:HB3	1.91	0.53
1:G:229:HIS:CD2	1:G:393:LYS:H	2.26	0.53
1:D:418:ILE:O	1:D:422:THR:HG23	2.08	0.53
1:B:222:THR:HA	1:B:225:HIS:HB3	1.91	0.53
1:D:229:HIS:HD2	1:D:393:LYS:H	1.55	0.53
1:C:222:THR:HA	1:C:225:HIS:HB3	1.90	0.53
1:H:229:HIS:HD2	1:H:393:LYS:H	1.57	0.53
1:G:222:THR:HA	1:G:225:HIS:HB3	1.91	0.52
1:C:418:ILE:O	1:C:422:THR:HG23	2.09	0.52
1:H:418:ILE:O	1:H:422:THR:HG23	2.09	0.52
1:D:394:GLU:HG2	1:G:120:GLY:HA2	1.91	0.52
1:F:229:HIS:CD2	1:F:393:LYS:H	2.27	0.52
1:H:229:HIS:CD2	1:H:393:LYS:H	2.27	0.52
1:G:418:ILE:O	1:G:422:THR:HG23	2.09	0.52
1:G:113:ALA:HB2	1:G:128:LEU:HB3	1.92	0.52
1:G:319:HIS:HE1	1:G:361:TYR:O	1.94	0.51
1:D:358:LYS:NZ	4:D:622:HOH:O	2.44	0.51
1:B:418:ILE:O	1:B:422:THR:HG23	2.11	0.51
1:E:113:ALA:HB2	1:E:128:LEU:HB3	1.93	0.51
1:C:113:ALA:HB2	1:C:128:LEU:HB3	1.92	0.51
1:C:209:PRO:HG3	1:C:212:ASN:CB	2.34	0.50
1:H:113:ALA:HB2	1:H:128:LEU:HB3	1.94	0.50
1:E:335:VAL:HA	1:E:338:LEU:HD12	1.93	0.50
1:E:229:HIS:CD2	1:E:393:LYS:H	2.28	0.50
1:G:293:ILE:O	1:G:297:VAL:HG23	2.12	0.50
1:E:319:HIS:HE1	1:E:361:TYR:O	1.95	0.50
1:D:113:ALA:HB2	1:D:128:LEU:HB3	1.93	0.50
1:F:113:ALA:HB2	1:F:128:LEU:HB3	1.94	0.49
1:E:229:HIS:HD2	1:E:393:LYS:H	1.61	0.49
1:F:392:ARG:HB2	1:F:395:GLN:HG3	1.95	0.49
1:E:392:ARG:HB2	1:E:395:GLN:HG3	1.95	0.49
1:B:293:ILE:O	1:B:297:VAL:HG23	2.13	0.49
1:E:228:TYR:HB2	1:E:240:LEU:HD23	1.95	0.49
1:H:335:VAL:HA	1:H:338:LEU:HD12	1.95	0.49
1:A:113:ALA:HB2	1:A:128:LEU:HB3	1.93	0.49
1:F:335:VAL:HA	1:F:338:LEU:HD12	1.95	0.49
1:G:313:GLN:HE21	1:G:314:VAL:H	1.60	0.49
1:G:392:ARG:HB2	1:G:395:GLN:HG3	1.95	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:113:ALA:HB2	1:B:128:LEU:HB3	1.94	0.48
1:A:335:VAL:HA	1:A:338:LEU:HD12	1.95	0.48
1:E:114:LEU:HD11	4:E:627:HOH:O	2.13	0.48
1:D:319:HIS:HE1	1:D:361:TYR:O	1.96	0.48
1:F:313:GLN:HE21	1:F:314:VAL:H	1.62	0.48
1:F:293:ILE:O	1:F:297:VAL:HG23	2.14	0.48
1:C:392:ARG:HB2	1:C:395:GLN:HG3	1.94	0.48
1:B:392:ARG:HB2	1:B:395:GLN:HG3	1.95	0.47
1:G:335:VAL:HA	1:G:338:LEU:HD12	1.96	0.47
1:B:295:ARG:NH2	1:H:295:ARG:NH2	2.62	0.47
1:B:319:HIS:HE1	1:B:361:TYR:O	1.97	0.47
1:D:228:TYR:HB2	1:D:240:LEU:HD23	1.97	0.47
1:H:319:HIS:HE1	1:H:361:TYR:O	1.97	0.47
1:A:228:TYR:HB2	1:A:240:LEU:HD23	1.97	0.47
1:D:370:GLY:O	1:D:374:ARG:HG3	2.14	0.47
1:F:319:HIS:HE1	1:F:361:TYR:O	1.98	0.47
1:A:319:HIS:HE1	1:A:361:TYR:O	1.96	0.47
1:C:127:LYS:HD2	4:C:610:HOH:O	2.13	0.47
1:C:293:ILE:O	1:C:297:VAL:HG23	2.15	0.47
1:H:262:ASN:ND2	4:H:646:HOH:O	2.43	0.47
1:H:313:GLN:HE21	1:H:314:VAL:H	1.63	0.47
1:E:313:GLN:HE21	1:E:314:VAL:H	1.63	0.46
1:B:228:TYR:HB2	1:B:240:LEU:HD23	1.97	0.46
1:C:228:TYR:HB2	1:C:240:LEU:HD23	1.97	0.46
1:B:335:VAL:HA	1:B:338:LEU:HD12	1.97	0.46
1:G:228:TYR:HB2	1:G:240:LEU:HD23	1.97	0.46
1:E:370:GLY:O	1:E:374:ARG:HG3	2.15	0.46
1:A:418:ILE:O	1:A:422:THR:HG23	2.15	0.46
1:C:208:ILE:CB	1:C:209:PRO:CD	2.94	0.46
1:D:335:VAL:HA	1:D:338:LEU:HD12	1.97	0.46
1:H:228:TYR:HB2	1:H:240:LEU:HD23	1.98	0.46
1:A:313:GLN:HE21	1:A:314:VAL:H	1.62	0.46
1:C:319:HIS:HE1	1:C:361:TYR:O	1.98	0.46
1:D:293:ILE:O	1:D:297:VAL:HG23	2.16	0.46
1:A:293:ILE:O	1:A:297:VAL:HG23	2.16	0.46
1:E:293:ILE:O	1:E:297:VAL:HG23	2.17	0.45
1:F:341:GLU:HA	1:F:344:MET:HB3	1.99	0.45
1:B:341:GLU:HA	1:B:344:MET:HB3	1.99	0.45
1:A:341:GLU:HA	1:A:344:MET:HB3	1.98	0.45
1:A:178:VAL:HG23	4:A:692:HOH:O	2.16	0.45
1:A:370:GLY:O	1:A:374:ARG:HG3	2.16	0.45



	t i c	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:D:392:ARG:HB2	1:D:395:GLN:HG3	1.97	0.45	
1:A:343:ALA:HB1	1:A:351:PHE:CE1	2.52	0.45	
1:C:335:VAL:HA	1:C:338:LEU:HD12	1.97	0.45	
1:D:392:ARG:HH22	1:G:123:GLU:CB	2.30	0.45	
1:F:314:VAL:O	1:F:321:PRO:HD2	2.16	0.45	
1:G:341:GLU:HA	1:G:344:MET:HB3	1.99	0.45	
1:B:298:LEU:HD13	1:B:302:ASP:HB3	1.98	0.45	
1:C:341:GLU:HA	1:C:344:MET:HB3	1.99	0.45	
1:F:228:TYR:HB2	1:F:240:LEU:HD23	1.99	0.45	
1:B:252:ALA:HB1	1:H:252:ALA:HB1	1.98	0.45	
1:B:313:GLN:HE21	1:B:314:VAL:H	1.64	0.45	
1:B:314:VAL:O	1:B:321:PRO:HD2	2.17	0.44	
1:B:187:VAL:HG13	4:B:667:HOH:O	2.17	0.44	
1:E:298:LEU:HD13	1:E:302:ASP:HB3	1.98	0.44	
1:E:341:GLU:HA	1:E:344:MET:HB3	2.00	0.44	
1:A:298:LEU:HD13	1:A:302:ASP:HB3	1.99	0.44	
1:A:314:VAL:O	1:A:321:PRO:HD2	2.18	0.44	
1:F:298:LEU:HD13	1:F:302:ASP:HB3	1.99	0.44	
1:G:314:VAL:O	1:G:321:PRO:HD2	2.17	0.44	
1:H:392:ARG:HB2	1:H:395:GLN:HG3	2.00	0.44	
1:A:392:ARG:HB2	1:A:395:GLN:HG3	1.98	0.44	
1:C:370:GLY:O	1:C:374:ARG:HG3	2.18	0.44	
1:H:293:ILE:O	1:H:297:VAL:HG23	2.18	0.44	
1:H:370:GLY:O	1:H:374:ARG:HG3	2.17	0.44	
1:H:347:HIS:CD2	1:H:349:VAL:H	2.35	0.44	
1:B:347:HIS:CD2	1:B:349:VAL:H	2.36	0.43	
1:F:194:TYR:HA	1:F:197:ILE:HD12	1.99	0.43	
1:E:347:HIS:CD2	1:E:349:VAL:H	2.35	0.43	
1:H:341:GLU:HA	1:H:344:MET:HB3	2.00	0.43	
1:D:298:LEU:HD13	1:D:302:ASP:HB3	1.99	0.43	
1:G:400:TYR:CE1	2:G:501:APC:H8	2.53	0.43	
1:H:298:LEU:HD13	1:H:302:ASP:HB3	1.99	0.43	
1:A:194:TYR:HA	1:A:197:ILE:HD12	2.00	0.43	
1:A:206:MET:C	4:A:680:HOH:O	2.55	0.43	
1:D:314:VAL:O	1:D:321:PRO:HD2	2.19	0.43	
1:G:194:TYR:HA	1:G:197:ILE:HD12	1.99	0.43	
1:H:215:LEU:O	1:H:219:MET:HG2	2.17	0.43	
1:D:313:GLN:HE21	1:D:314:VAL:H	1.65	0.43	
1:E:360:VAL:HG13	2:E:501:APC:N3	2.33	0.43	
1:D:341:GLU:HA	1:D:344:MET:HB3	2.01	0.43	
1:F:227:ILE:O	1:F:231:VAL:HG22	2.19	0.43	



	to ao pagoin	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:F:347:HIS:CD2	1:F:349:VAL:H	2.36	0.43	
1:A:227:ILE:O	1:A:231:VAL:HG22	2.18	0.42	
1:C:194:TYR:HA	1:C:197:ILE:HD12	2.00	0.42	
1:D:343:ALA:HB1	1:D:351:PHE:CE1	2.54	0.42	
1:E:119:GLN:HE21	1:E:119:GLN:HB3	1.71	0.42	
1:H:194:TYR:HA	1:H:197:ILE:HD12	2.00	0.42	
1:A:148:ILE:HD11	4:A:643:HOH:O	2.18	0.42	
1:C:314:VAL:O	1:C:321:PRO:HD2	2.20	0.42	
1:E:343:ALA:HB1	1:E:351:PHE:CE1	2.54	0.42	
1:G:182:ARG:HG3	4:G:604:HOH:O	2.19	0.42	
1:A:428:THR:HG23	4:A:604:HOH:O	2.19	0.42	
1:C:343:ALA:HB1	1:C:351:PHE:CE1	2.55	0.42	
1:C:110:LEU:HD13	1:C:142:ALA:HA	2.02	0.42	
1:D:406:ALA:HB1	1:D:411:VAL:HG12	2.02	0.42	
1:B:194:TYR:HA	1:B:197:ILE:HD12	2.01	0.41	
1:G:356:HIS:C	1:G:356:HIS:CD2	2.93	0.41	
1:A:202:VAL:HG23	1:A:426:LEU:HD21	2.02	0.41	
1:E:194:TYR:HA	1:E:197:ILE:HD12	2.01	0.41	
1:H:356:HIS:CE1	1:H:399:TYR:HH	2.38	0.41	
1:A:406:ALA:HB1	1:A:411:VAL:HG12	2.03	0.41	
1:C:165:ARG:O	1:C:169:ILE:HG12	2.20	0.41	
1:D:347:HIS:CD2	1:D:349:VAL:H	2.38	0.41	
1:G:110:LEU:HD13	1:G:142:ALA:HA	2.02	0.41	
1:B:343:ALA:HB1	1:B:351:PHE:CE1	2.56	0.41	
1:D:392:ARG:HH22	1:G:123:GLU:CA	2.32	0.41	
1:D:227:ILE:O	1:D:231:VAL:HG22	2.20	0.41	
1:H:227:ILE:O	1:H:231:VAL:HG22	2.20	0.41	
1:E:225:HIS:CE1	1:E:229:HIS:CE1	3.08	0.41	
1:H:225:HIS:CE1	1:H:229:HIS:CE1	3.08	0.41	
1:C:313:GLN:HE21	1:C:314:VAL:H	1.67	0.41	
1:E:314:VAL:O	1:E:321:PRO:HD2	2.20	0.41	
1:B:110:LEU:HD13	1:B:142:ALA:HA	2.03	0.41	
1:B:202:VAL:HG23	1:B:426:LEU:HD21	2.02	0.41	
1:F:356:HIS:C	1:F:356:HIS:CD2	2.94	0.41	
1:D:225:HIS:CE1	1:D:229:HIS:CE1	3.09	0.41	
1:A:110:LEU:HD13	1:A:142:ALA:HA	2.03	0.41	
1:H:343:ALA:HB1	1:H:351:PHE:CE1	2.55	0.41	
1:D:194:TYR:HA	1:D:197:ILE:HD12	2.02	0.40	
1:F:202:VAL:HG23	1:F:426:LEU:HD21	2.02	0.40	
1:H:406:ALA:HB1	1:H:411:VAL:HG12	2.03	0.40	
1:C:389:ILE:HG12	1:C:422:THR:HG22	2.03	0.40	



4U0Z	
------	--

Continueu front process as page					
Atom-1	Atom-2	Interatomic $distance (Å)$	Clash		
		distance (A)	overlap (A)		
1:D:250:ARG:HB2	4:D:621:HOH:O	2.20	0.40		
1:F:406:ALA:HB1	1:F:411:VAL:HG12	2.03	0.40		
1:G:298:LEU:HD13	1:G:302:ASP:HB3	2.02	0.40		
1:B:165:ARG:O	1:B:169:ILE:HG12	2.21	0.40		
1:D:202:VAL:HG23	1:D:426:LEU:HD21	2.02	0.40		
1:E:212:ASN:HD22	1:E:213:SER:N	2.18	0.40		
1:F:370:GLY:O	1:F:374:ARG:HG3	2.21	0.40		
1:H:202:VAL:HG23	1:H:426:LEU:HD21	2.02	0.40		

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Per	centile	s
1	А	318/344~(92%)	310 (98%)	7 (2%)	1 (0%)	4	1 73	
1	В	322/344~(94%)	313 (97%)	7 (2%)	2(1%)	2	5 60	
1	С	327/344~(95%)	315 (96%)	7 (2%)	5 (2%)	1	0 38	
1	D	321/344 (93%)	311 (97%)	8 (2%)	2 (1%)	2	5 60	
1	Е	325/344~(94%)	315 (97%)	8 (2%)	2 (1%)	2	5 60	
1	F	318/344 (92%)	312 (98%)	4 (1%)	2 (1%)	2	5 60	
1	G	318/344~(92%)	311 (98%)	6 (2%)	1 (0%)	4	1 73	
1	Н	312/344 (91%)	307 (98%)	4 (1%)	1 (0%)	4	1 73	
All	All	2561/2752 (93%)	2494 (97%)	51 (2%)	16 (1%)	2	5 60	

All (16) Ramachandran outliers are listed below:

	Onam	nes	Type
1	С	208	ILE
1	С	209	PRO



Mol	Chain	Res	Type
1	С	210	LYS
1	С	213	SER
1	Е	213	SER
1	D	212	ASN
1	F	121	LYS
1	В	121	LYS
1	А	279	VAL
1	В	279	VAL
1	Е	279	VAL
1	F	279	VAL
1	С	279	VAL
1	D	279	VAL
1	Н	279	VAL
1	G	279	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	263/302~(87%)	241 (92%)	22 (8%)	11	35
1	В	255/302~(84%)	236~(92%)	19 (8%)	13	40
1	С	267/302~(88%)	245~(92%)	22 (8%)	11	36
1	D	255/302~(84%)	235~(92%)	20 (8%)	12	38
1	Ε	264/302~(87%)	237~(90%)	27 (10%)	7	25
1	F	251/302~(83%)	231 (92%)	20 (8%)	12	37
1	G	255/302~(84%)	234 (92%)	21 (8%)	11	36
1	Н	255/302~(84%)	234 (92%)	21 (8%)	11	36
All	All	2065/2416~(86%)	1893 (92%)	172 (8%)	11	35

All (172) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	107	ARG
	a	1	



Mol	Chain	Res	Type
1	А	114	LEU
1	А	133	LEU
1	А	156	ILE
1	А	162	LEU
1	А	180	ARG
1	А	202	VAL
1	А	203	LYS
1	А	220	GLU
1	А	240	LEU
1	А	272	LYS
1	А	287	ILE
1	А	288	SER
1	А	298	LEU
1	А	330	GLN
1	А	359	LEU
1	А	366	ILE
1	А	367	ASP
1	А	379	LEU
1	А	389	ILE
1	А	397	SER
1	А	431	PHE
1	В	114	LEU
1	В	133	LEU
1	В	156	ILE
1	В	162	LEU
1	В	180	ARG
1	В	202	VAL
1	В	220	GLU
1	В	240	LEU
1	В	272	LYS
1	В	287	ILE
1	В	288	SER
1	В	298	LEU
1	В	330	GLN
1	В	359	LEU
1	В	367	ASP
1	В	379	LEU
1	В	389	ILE
1	В	397	SER
1	В	431	PHE
1	C	107	ARG
1	С	114	LEU



Mol	Chain	Res	Type
1	С	116	MET
1	С	133	LEU
1	С	156	ILE
1	С	162	LEU
1	С	180	ARG
1	С	202	VAL
1	С	206	MET
1	С	220	GLU
1	С	240	LEU
1	С	272	LYS
1	С	287	ILE
1	С	288	SER
1	С	298	LEU
1	С	330	GLN
1	С	359	LEU
1	С	367	ASP
1	С	379	LEU
1	С	389	ILE
1	С	397	SER
1	С	431	PHE
1	D	107	ARG
1	D	114	LEU
1	D	116	MET
1	D	133	LEU
1	D	156	ILE
1	D	162	LEU
1	D	180	ARG
1	D	202	VAL
1	D	240	LEU
1	D	272	LYS
1	D	287	ILE
1	D	288	SER
1	D	298	LEU
1	D	330	GLN
1	D	359	LEU
1	D	367	ASP
1	D	379	LEU
1	D	389	ILE
1	D	397	SER
1	D	431	PHE
1	Е	107	ARG
1	Е	114	LEU



Mol	Chain	Res	Type
1	Е	116	MET
1	Е	119	GLN
1	Е	133	LEU
1	Е	156	ILE
1	Е	162	LEU
1	Е	180	ARG
1	Е	202	VAL
1	Е	206	MET
1	Е	207	SER
1	Е	210	LYS
1	Е	212	ASN
1	Е	220	GLU
1	Е	240	LEU
1	Е	272	LYS
1	Е	287	ILE
1	Е	288	SER
1	Е	298	LEU
1	Е	330	GLN
1	Е	359	LEU
1	Е	363	HIS
1	Е	367	ASP
1	Е	379	LEU
1	Е	389	ILE
1	Е	397	SER
1	Е	431	PHE
1	F	116	MET
1	F	133	LEU
1	F	156	ILE
1	F	162	LEU
1	F	180	ARG
1	F	202	VAL
1	F	206	MET
1	F	220	GLU
1	F	240	LEU
1	F	272	LYS
1	F	287	ILE
1	F	288	SER
1	F	298	LEU
1	F	330	GLN
1	F	359	LEU
1	F	367	ASP
1	F	379	LEU



Mol	Chain	Res	Type
1	F	389	ILE
1	F	397	SER
1	F	431	PHE
1	G	114	LEU
1	G	116	MET
1	G	133	LEU
1	G	156	ILE
1	G	162	LEU
1	G	180	ARG
1	G	202	VAL
1	G	219	MET
1	G	220	GLU
1	G	240	LEU
1	G	272	LYS
1	G	287	ILE
1	G	288	SER
1	G	298	LEU
1	G	330	GLN
1	G	359	LEU
1	G	367	ASP
1	G	379	LEU
1	G	389	ILE
1	G	397	SER
1	G	431	PHE
1	Н	107	ARG
1	Н	114	LEU
1	Н	133	LEU
1	Н	156	ILE
1	Н	162	LEU
1	Н	180	ARG
1	Н	202	VAL
1	Н	206	MET
1	Н	220	GLU
1	Н	240	LEU
1	Н	272	LYS
1	Н	287	ILE
1	Н	288	SER
1	Н	298	LEU
1	Н	330	GLN
1	Н	359	LEU
1	Н	367	ASP
1	Н	379	LEU



 $Continued \ from \ previous \ page...$ 

Mol	Chain	Res	Type
1	Н	389	ILE
1	Н	397	SER
1	Н	431	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (58) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	225	HIS
1	А	229	HIS
1	А	313	GLN
1	А	319	HIS
1	А	323	HIS
1	А	347	HIS
1	А	395	GLN
1	А	401	HIS
1	В	225	HIS
1	В	229	HIS
1	В	313	GLN
1	В	319	HIS
1	В	323	HIS
1	В	347	HIS
1	В	395	GLN
1	С	225	HIS
1	С	229	HIS
1	С	313	GLN
1	С	323	HIS
1	С	347	HIS
1	С	395	GLN
1	С	401	HIS
1	D	225	HIS
1	D	229	HIS
1	D	313	GLN
1	D	319	HIS
1	D	323	HIS
1	D	347	HIS
1	D	395	GLN
1	D	401	HIS
1	Е	119	GLN
1	Е	212	ASN
1	Е	225	HIS
1	Е	229	HIS
1	Е	313	GLN



Mol	Chain	Res	Type
1	Е	319	HIS
1	Е	323	HIS
1	Е	347	HIS
1	Е	395	GLN
1	F	225	HIS
1	F	229	HIS
1	F	313	GLN
1	F	319	HIS
1	F	323	HIS
1	F	347	HIS
1	F	395	GLN
1	G	225	HIS
1	G	229	HIS
1	G	313	GLN
1	G	319	HIS
1	G	347	HIS
1	G	395	GLN
1	Н	225	HIS
1	Н	229	HIS
1	Н	313	GLN
1	Н	323	HIS
1	Н	347	HIS
1	Н	395	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.



4U0Z

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	Bo	ond leng	ths	Bond angles		
IVIOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
2	APC	G	501	3	27,33,33	1.65	3 (11%)	31,52,52	1.56	3 (9%)
2	APC	В	501	-	27,33,33	1.54	3 (11%)	31,52,52	1.25	4 (12%)
2	APC	Н	501	-	27,33,33	1.61	4 (14%)	31,52,52	1.55	4 (12%)
2	APC	А	501	-	27,33,33	1.47	3 (11%)	31,52,52	1.30	5(16%)
2	APC	D	501	-	27,33,33	1.69	3 (11%)	31,52,52	1.53	5 (16%)
2	APC	Е	501	3	27,33,33	1.68	3 (11%)	31,52,52	1.35	4 (12%)
2	APC	F	501	-	27,33,33	1.68	3 (11%)	31,52,52	1.29	5 (16%)
2	APC	С	501	-	27,33,33	1.59	3 (11%)	31,52,52	1.57	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	APC	G	501	3	-	1/15/38/38	0/3/3/3
2	APC	В	501	-	-	2/15/38/38	0/3/3/3
2	APC	Н	501	-	-	1/15/38/38	0/3/3/3
2	APC	А	501	-	-	2/15/38/38	0/3/3/3
2	APC	D	501	-	-	1/15/38/38	0/3/3/3
2	APC	Е	501	3	-	2/15/38/38	0/3/3/3
2	APC	F	501	-	_	2/15/38/38	0/3/3/3
2	APC	С	501	_	_	2/15/38/38	0/3/3/3

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
2	D	501	APC	PA-O5'	7.18	1.68	1.57
2	Е	501	APC	PA-O5'	6.99	1.67	1.57
2	G	501	APC	PA-O5'	6.98	1.67	1.57
2	F	501	APC	PA-O5'	6.95	1.67	1.57
2	Н	501	APC	PA-O5'	6.45	1.67	1.57



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
2	В	501	APC	PA-O5'	6.35	1.66	1.57
2	С	501	APC	PA-O5'	6.28	1.66	1.57
2	А	501	APC	PA-O5'	6.10	1.66	1.57
2	С	501	APC	PG-O2G	-3.28	1.42	1.54
2	F	501	APC	PB-O3B	3.28	1.62	1.58
2	G	501	APC	PG-O2G	-2.68	1.44	1.54
2	Н	501	APC	PB-O3B	2.52	1.61	1.58
2	D	501	APC	PG-O2G	-2.49	1.45	1.54
2	Н	501	APC	PG-O2G	-2.42	1.45	1.54
2	Е	501	APC	PB-O2B	-2.42	1.50	1.56
2	Е	501	APC	PB-O3B	2.41	1.61	1.58
2	В	501	APC	PB-O3B	2.31	1.60	1.58
2	G	501	APC	PA-O1A	2.28	1.57	1.51
2	С	501	APC	PA-O1A	2.24	1.56	1.51
2	Н	501	APC	PA-O1A	2.22	1.56	1.51
2	В	501	APC	PB-O2B	-2.20	1.51	1.56
2	А	501	APC	PB-O1B	2.17	1.56	1.51
2	D	501	APC	PA-O1A	2.16	1.56	1.51
2	А	501	APC	PB-O2B	-2.12	1.51	1.56
2	F	501	APC	PB-O2B	-2.02	1.51	1.56

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
2	Н	501	APC	O1B-PB-C3A	5.40	123.35	109.07
2	G	501	APC	O1B-PB-C3A	5.20	122.82	109.07
2	D	501	APC	O1B-PB-C3A	5.05	122.43	109.07
2	С	501	APC	O1B-PB-C3A	5.00	122.29	109.07
2	С	501	APC	O2G-PG-O3B	4.42	119.44	104.64
2	G	501	APC	O2G-PG-O3B	4.21	118.75	104.64
2	Н	501	APC	O2G-PG-O3B	4.08	118.32	104.64
2	D	501	APC	O2G-PG-O3B	4.06	118.27	104.64
2	Е	501	APC	O2B-PB-C3A	4.02	123.03	106.58
2	F	501	APC	O2B-PB-C3A	3.92	122.60	106.58
2	А	501	APC	O2B-PB-C3A	3.90	122.53	106.58
2	В	501	APC	O2B-PB-C3A	3.89	122.49	106.58
2	Е	501	APC	O1B-PB-C3A	-3.44	99.99	109.07
2	А	501	APC	O1B-PB-C3A	-3.09	100.91	109.07
2	F	501	APC	O1B-PB-C3A	-3.01	101.11	109.07
2	В	501	APC	O1B-PB-C3A	-2.82	101.62	109.07
2	С	501	APC	O3G-PG-O3B	-2.50	96.24	104.64
2	Е	501	APC	O3G-PG-O3B	-2.29	96.94	104.64



Mol	Chain	$\mathbf{Res}$	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
2	D	501	APC	C5-C6-N6	2.21	123.71	120.35
2	А	501	APC	C5-C6-N6	2.20	123.69	120.35
2	С	501	APC	C5-C6-N6	2.18	123.67	120.35
2	Н	501	APC	C5-C6-N6	2.18	123.67	120.35
2	F	501	APC	O1A-PA-C3A	2.17	114.81	109.07
2	А	501	APC	O3G-PG-O3B	-2.14	97.46	104.64
2	F	501	APC	O3G-PG-O3B	-2.14	97.46	104.64
2	D	501	APC	O3G-PG-O3B	-2.13	97.48	104.64
2	А	501	APC	O1A-PA-C3A	2.13	114.69	109.07
2	В	501	APC	C5-C6-N6	2.11	123.56	120.35
2	F	501	APC	C5-C6-N6	2.10	123.54	120.35
2	Е	501	APC	C5-C6-N6	2.07	123.50	120.35
2	В	501	APC	O1A-PA-C3A	2.06	114.52	109.07
2	D	501	APC	O2A-PA-C3A	2.06	114.99	106.58
2	Н	501	APC	O3G-PG-O3B	-2.04	97.78	104.64
2	G	501	APC	O3G-PG-O3B	-2.03	97.82	104.64

There are no chirality outliers.

All	(13)	torsion	outliers	are	listed	below:
-----	------	---------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms
2	А	501	APC	PB-C3A-PA-O2A
2	В	501	APC	PB-C3A-PA-O2A
2	Ε	501	APC	PB-C3A-PA-O2A
2	F	501	APC	PB-C3A-PA-O2A
2	А	501	APC	PB-C3A-PA-O1A
2	В	501	APC	PB-C3A-PA-O1A
2	С	501	APC	PB-C3A-PA-O1A
2	D	501	APC	PB-C3A-PA-O1A
2	Ε	501	APC	PB-C3A-PA-O1A
2	F	501	APC	PB-C3A-PA-O1A
2	G	501	APC	PB-C3A-PA-O1A
2	Н	501	APC	PB-C3A-PA-O1A
2	С	501	APC	C5'-O5'-PA-C3A

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	501	APC	1	0
2	Е	501	APC	1	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient must be highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RS	SRZ>	>2	$OWAB(Å^2)$	Q<0.9
1	А	322/344~(93%)	-0.33	2 (0%)	89	78	16, 48, 94, 121	0
1	В	326/344~(94%)	-0.02	6 (1%)	68	51	38, 71, 116, 126	0
1	С	329/344~(95%)	-0.32	1 (0%)	94	87	16, 47, 97, 118	0
1	D	325/344~(94%)	-0.05	5 (1%)	73	57	40, 69, 111, 138	0
1	Е	327/344~(95%)	-0.36	1 (0%)	94	87	20, 46, 95, 114	0
1	F	322/344~(93%)	0.10	10 (3%)	49	32	42, 72, 120, 144	0
1	G	322/344~(93%)	-0.16	5 (1%)	72	55	14, 49, 97, 112	0
1	Н	318/344~(92%)	-0.03	6 (1%)	66	49	40, 65, 109, 129	0
All	All	2591/2752~(94%)	-0.15	36 (1%)	75	59	14, 60, 108, 144	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	132	ALA	5.1
1	D	214	ALA	4.3
1	D	432	ALA	4.2
1	G	205	VAL	4.1
1	В	109	ALA	3.7
1	Н	133	LEU	3.7
1	Н	132	ALA	3.6
1	G	128	LEU	3.5
1	F	167	LEU	3.4
1	Ε	214	ALA	3.4
1	F	110	LEU	3.4
1	F	341	GLU	3.3
1	Н	131	HIS	3.3
1	F	171	PRO	3.2
1	A	214	ALA	3.2
1	В	137	PRO	2.7



Mol	Chain	Res	Type	RSRZ
1	F	129	PHE	2.6
1	Н	214	ALA	2.6
1	F	238	LEU	2.5
1	Н	198	ILE	2.4
1	В	110	LEU	2.3
1	F	407	ASN	2.3
1	С	109	ALA	2.3
1	D	133	LEU	2.3
1	G	213	SER	2.3
1	G	137	PRO	2.2
1	F	109	ALA	2.2
1	D	213	SER	2.2
1	В	119	GLN	2.2
1	F	205	VAL	2.1
1	А	213	SER	2.1
1	F	126	GLN	2.1
1	В	171	PRO	2.1
1	Н	344	MET	2.0
1	В	132	ALA	2.0
1	G	122	ARG	2.0

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
3	MG	А	502	1/1	0.78	0.16	71,71,71,71	0
3	MG	Н	502	1/1	0.86	0.12	64,64,64,64	0
3	MG	D	502	1/1	0.88	0.09	86,86,86,86	0



		Chain	Res	Atoms	BSCC	RSR	<b>B-factors</b> $(Å^2)$	Q<0.9
2	APC	D	501	31/31	0.94	0.20	79,92,96,97	0
2	APC	F	501	31/31	0.94	0.16	62,82,94,95	0
3	MG	Е	502	1/1	0.94	0.07	59,59,59,59	0
2	APC	Н	501	31/31	0.94	0.19	80,92,95,97	0
3	MG	F	502	1/1	0.95	0.20	53,53,53,53	0
2	APC	G	501	31/31	0.96	0.17	40,59,72,75	0
2	APC	Е	501	31/31	0.96	0.18	45,63,72,74	0
2	APC	В	501	31/31	0.96	0.16	$65,\!97,\!104,\!105$	0
3	MG	В	502	1/1	0.96	0.14	52,52,52,52	0
2	APC	А	501	31/31	0.97	0.16	44,60,64,65	0
3	MG	С	502	1/1	0.97	0.16	32,32,32,32	0
3	MG	G	502	1/1	0.97	0.14	48,48,48,48	0
2	APC	С	501	31/31	0.97	0.16	33,55,63,66	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



















# 6.5 Other polymers (i)

There are no such residues in this entry.

