



# Full wwPDB X-ray Structure Validation Report i

Oct 9, 2023 – 02:54 PM EDT

PDB ID : 7UKN  
Title : Crystal Structure of DDB1 in Complex with the H-Box Motif of pUL145  
Authors : Wick, E.T.; Treadway, C.J.; Nicely, N.I.; Li, Z.; Ren, Z.; Baldwin, A.S.; Xiong, Y.; Harrison, J.S.; Brown, N.G.  
Deposited on : 2022-04-01  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	A	1142	%	69%	22%	•	7%
2	B	13		77%			23%

## 2 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 8415 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA damage-binding protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1059	8304	5275	1403	1581	45	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q16531
A	0	ALA	-	expression tag	UNP Q16531

- Molecule 2 is a protein called H-Box Motif of pUL145.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	13	97	57	21	18	1	0	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	12	12	12	0	0
3	B	2	2	2	0	0

### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA damage-binding protein 1



- Molecule 2: H-Box Motif of pUL145

Chain B:  77% 23%



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.53 Å    134.66 Å    182.95 Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	46.21 – 2.90 46.21 – 2.90	Depositor EDS
% Data completeness (in resolution range)	97.4 (46.21-2.90) 97.4 (46.21-2.90)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.69 (at 2.91 Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
$R$ , $R_{free}$	0.194 , 0.261 0.194 , 0.261	Depositor DCC
$R_{free}$ test set	1972 reflections (5.68%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	50.8	Xtriage
Anisotropy	0.198	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 48.6	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.49$ , $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	8415	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.48	1/8449 (0.0%)	0.69	5/11433 (0.0%)
2	B	0.57	0/96	0.78	0/128
All	All	0.48	1/8545 (0.0%)	0.69	5/11561 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	725	CYS	CB-SG	-5.86	1.72	1.81

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	631	LEU	CA-CB-CG	6.35	129.91	115.30
1	A	699	LEU	CA-CB-CG	5.34	127.59	115.30
1	A	313	CYS	N-CA-CB	5.26	120.07	110.60
1	A	313	CYS	CB-CA-C	-5.24	99.92	110.40
1	A	576	LEU	CA-CB-CG	5.03	126.87	115.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	34	ALA	Peptide
1	A	356	LEU	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	A	436	LEU	Peptide
1	A	523	PRO	Peptide
1	A	687	TYR	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8304	0	8312	175	1
2	B	97	0	99	3	0
3	A	12	0	0	1	0
3	B	2	0	0	0	0
All	All	8415	0	8411	175	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1125:THR:HG23	1:A:1128:ASP:HB2	1.54	0.89
1:A:207:TRP:HB3	1:A:242:GLY:HA2	1.62	0.79
1:A:687:TYR:HB3	1:A:688:PRO:HD3	1.68	0.76
1:A:1061:VAL:HG13	1:A:1104:LYS:HD3	1.68	0.75
1:A:93:GLN:HG3	1:A:98:ILE:HG12	1.68	0.74
1:A:521:ILE:HD13	1:A:526:LEU:HD23	1.70	0.72
1:A:118:THR:OG1	1:A:134:ARG:NH2	2.23	0.70
1:A:909:ILE:HD11	1:A:928:ARG:HD3	1.74	0.68
1:A:408:LYS:HZ3	1:A:430:VAL:H	1.42	0.68
1:A:1106:GLN:HA	1:A:1109:VAL:HG22	1.77	0.66
1:A:419:ARG:HD3	1:A:420:GLU:HG2	1.77	0.65
1:A:909:ILE:CD1	1:A:928:ARG:HD3	2.25	0.65
1:A:427:LEU:HG	1:A:436:LEU:HD23	1.80	0.63
1:A:426:VAL:HG13	1:A:435:VAL:HG22	1.79	0.63
1:A:722:ARG:HH21	2:B:31:CYS:HB3	1.64	0.62
1:A:185:PRO:O	1:A:187:GLY:N	2.32	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:631:LEU:HA	1:A:655:ARG:HH21	1.65	0.62
1:A:1057:ARG:HH22	1:A:1111:ASN:H	1.48	0.61
1:A:593:MET:HG2	1:A:602:LEU:HD23	1.83	0.61
1:A:72:GLU:OE1	1:A:147:ARG:NH2	2.34	0.60
1:A:743:GLN:HG2	1:A:783:GLY:HA2	1.82	0.60
1:A:889:ARG:HD2	1:A:891:TYR:CZ	2.37	0.59
1:A:985:THR:O	1:A:989:ARG:HB2	2.02	0.59
1:A:933:LEU:HD12	1:A:944:GLU:HA	1.85	0.59
1:A:419:ARG:CD	1:A:420:GLU:HG2	2.33	0.58
1:A:469:ILE:HD11	1:A:521:ILE:HD11	1.83	0.58
1:A:421:THR:HG22	1:A:422:ASP:O	2.03	0.58
1:A:600:HIS:CD2	1:A:618:ILE:HG13	2.38	0.58
1:A:191:LYS:HG3	1:A:209:GLN:HG3	1.86	0.58
1:A:507:GLN:OE1	1:A:553:SER:HB3	2.04	0.57
1:A:607:GLY:HA2	1:A:635:PRO:HB3	1.86	0.57
1:A:586:ILE:HD12	1:A:608:ASP:HB3	1.87	0.57
1:A:724:ILE:HG13	1:A:735:VAL:HG22	1.88	0.56
1:A:969:GLU:OE1	1:A:971:ALA:HB3	2.06	0.56
1:A:521:ILE:CD1	1:A:526:LEU:HD23	2.36	0.56
1:A:63:VAL:HB	1:A:80:LEU:HB3	1.87	0.55
1:A:374:GLN:HE21	1:A:391:ARG:HB2	1.71	0.55
1:A:525:GLU:HG3	1:A:526:LEU:H	1.72	0.55
1:A:1102:ARG:NH2	1:A:1127:ASP:OD1	2.39	0.55
1:A:112:ILE:HG13	1:A:112:ILE:O	2.07	0.55
1:A:916:THR:HG22	1:A:921:ILE:HG12	1.88	0.54
1:A:273:LEU:HB2	1:A:281:PHE:HB2	1.90	0.54
1:A:596:PHE:HB3	1:A:661:SER:HB2	1.89	0.54
1:A:418:ASN:O	1:A:419:ARG:HB2	2.06	0.54
1:A:185:PRO:C	1:A:187:GLY:H	2.11	0.54
1:A:358:PRO:HD2	1:A:380:GLY:HA2	1.89	0.53
1:A:1033:VAL:HG11	2:B:36:ASP:HB2	1.90	0.53
1:A:359:ILE:HG21	1:A:362:MET:HE3	1.91	0.53
1:A:124:ILE:HG12	1:A:131:ILE:HG12	1.90	0.53
1:A:235:GLU:HG2	1:A:254:LYS:HE3	1.90	0.53
1:A:910:MET:HE3	2:B:30:LEU:HD11	1.91	0.52
1:A:671:VAL:HG12	1:A:673:LEU:HB2	1.91	0.52
1:A:606:LEU:HD11	1:A:612:PHE:HE1	1.73	0.52
1:A:68:ARG:NE	1:A:75:ASP:OD1	2.42	0.52
1:A:72:GLU:OE1	1:A:103:ARG:NH2	2.40	0.52
1:A:184:ASP:OD1	1:A:184:ASP:N	2.44	0.51
1:A:905:HIS:CD2	1:A:907:ASN:H	2.29	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:472:THR:OG1	1:A:473:SER:N	2.44	0.51
1:A:885:ASN:O	1:A:886:SER:HB3	2.11	0.51
1:A:196:SER:CB	1:A:199:GLU:HG2	2.41	0.50
1:A:220:ILE:HG12	1:A:261:HIS:CD2	2.47	0.50
1:A:629:VAL:HG11	1:A:668:PHE:CZ	2.47	0.50
1:A:1102:ARG:HA	1:A:1105:MET:HB2	1.93	0.50
1:A:1051:LEU:HB2	1:A:1089:ILE:HD13	1.92	0.50
1:A:130:MET:HE1	1:A:176:PRO:CB	2.41	0.50
1:A:167:VAL:HG13	1:A:180:PHE:HB3	1.92	0.50
1:A:171:TYR:CD2	1:A:223:PRO:HA	2.46	0.50
1:A:601:TYR:CZ	1:A:666:LEU:HD21	2.47	0.50
1:A:660:TYR:OH	1:A:709:LYS:HE3	2.12	0.50
1:A:472:THR:C	1:A:474:ALA:H	2.16	0.49
1:A:644:LEU:HG	1:A:645:SER:H	1.78	0.49
1:A:59:GLY:HA2	1:A:1073:TRP:CZ3	2.47	0.49
1:A:157:ILE:HG23	1:A:201:GLU:HG3	1.94	0.49
1:A:830:ILE:HG22	1:A:873:MET:HE1	1.94	0.49
1:A:19:VAL:HG12	1:A:32:LEU:HB2	1.95	0.49
1:A:909:ILE:HD12	1:A:928:ARG:HG3	1.94	0.49
1:A:272:LEU:O	1:A:273:LEU:HD23	2.13	0.48
1:A:466:GLN:CD	1:A:467:GLN:H	2.17	0.48
1:A:58:TYR:HB3	1:A:1073:TRP:HB2	1.95	0.48
1:A:683:ASN:HA	1:A:688:PRO:HA	1.93	0.48
1:A:644:LEU:HG	1:A:645:SER:N	2.28	0.48
1:A:699:LEU:HG	1:A:700:THR:N	2.29	0.48
1:A:743:GLN:HG2	1:A:783:GLY:CA	2.44	0.48
1:A:709:LYS:HD2	1:A:709:LYS:H	1.78	0.48
1:A:83:LYS:HE3	1:A:1073:TRP:O	2.14	0.47
1:A:542:ASP:OD2	1:A:592:LEU:HD12	2.14	0.47
1:A:886:SER:O	1:A:886:SER:OG	2.32	0.47
1:A:579:LYS:HD3	1:A:581:MET:SD	2.54	0.47
1:A:14:ALA:O	1:A:35:LYS:HG3	2.14	0.47
1:A:69:PRO:HD2	1:A:72:GLU:HG3	1.95	0.47
1:A:402:ILE:HD12	1:A:699:LEU:HD23	1.95	0.47
1:A:1125:THR:CG2	1:A:1128:ASP:HB2	2.35	0.47
1:A:687:TYR:HB3	1:A:688:PRO:CD	2.43	0.47
1:A:929:SER:OG	1:A:930:VAL:N	2.47	0.47
1:A:874:VAL:HG13	1:A:881:LEU:HB3	1.97	0.47
1:A:1057:ARG:HB3	1:A:1108:VAL:HG13	1.97	0.47
1:A:288:GLU:HB3	1:A:296:THR:CG2	2.46	0.46
1:A:922:LEU:HD11	1:A:930:VAL:HG13	1.96	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1030:PHE:CZ	1:A:1038:GLY:HA3	2.51	0.46
1:A:413:LEU:HB2	1:A:424:THR:HB	1.97	0.46
1:A:722:ARG:O	1:A:723:LYS:HG2	2.15	0.46
1:A:226:PHE:CD2	1:A:297:LEU:HD13	2.50	0.46
1:A:88:ILE:HG22	1:A:103:ARG:HB2	1.97	0.46
1:A:401:SER:O	1:A:401:SER:OG	2.31	0.46
1:A:408:LYS:HE2	1:A:430:VAL:HG13	1.96	0.46
1:A:410:LEU:HD12	1:A:680:CYS:SG	2.55	0.46
1:A:999:HIS:HB2	1:A:1075:SER:O	2.16	0.46
1:A:1013:VAL:HG23	1:A:1014:MET:N	2.30	0.46
1:A:367:LEU:HD22	1:A:796:GLN:HG3	1.99	0.46
1:A:500:VAL:HG12	1:A:541:LEU:HD12	1.97	0.46
1:A:1108:VAL:HG12	1:A:1108:VAL:O	2.17	0.45
1:A:147:ARG:HA	1:A:147:ARG:HD3	1.74	0.45
1:A:434:ARG:HG3	1:A:435:VAL:N	2.31	0.45
1:A:656:PRO:HB2	1:A:671:VAL:HB	1.99	0.45
1:A:654:ASP:OD1	1:A:654:ASP:N	2.48	0.45
1:A:720:SER:HB3	3:A:1209:HOH:O	2.17	0.45
1:A:589:ARG:HA	1:A:589:ARG:HD2	1.66	0.44
1:A:695:ASN:ND2	1:A:698:THR:O	2.50	0.44
1:A:819:CYS:HB2	1:A:875:GLU:HG3	1.99	0.44
1:A:699:LEU:HG	1:A:700:THR:H	1.80	0.44
1:A:873:MET:HE2	1:A:873:MET:HB2	1.71	0.44
1:A:521:ILE:HD13	1:A:526:LEU:CD2	2.45	0.44
1:A:271:TYR:HB2	1:A:283:LEU:HB3	2.00	0.44
1:A:355:ASN:ND2	1:A:357:GLY:HA2	2.33	0.44
1:A:367:LEU:HD23	1:A:367:LEU:HA	1.84	0.44
1:A:235:GLU:HG2	1:A:254:LYS:CE	2.48	0.44
1:A:130:MET:HE1	1:A:176:PRO:HB2	1.99	0.43
1:A:984:THR:O	1:A:984:THR:OG1	2.33	0.43
1:A:472:THR:O	1:A:474:ALA:N	2.51	0.43
1:A:905:HIS:NE2	1:A:907:ASN:HB3	2.33	0.43
1:A:922:LEU:HD11	1:A:930:VAL:CG1	2.48	0.43
1:A:341:ASN:ND2	1:A:345:SER:HB3	2.34	0.43
1:A:644:LEU:H	1:A:644:LEU:HD23	1.83	0.43
1:A:558:ILE:CG2	1:A:567:ARG:HB2	2.48	0.43
1:A:15:VAL:HG13	1:A:33:ILE:HG23	2.01	0.43
1:A:469:ILE:HD11	1:A:521:ILE:CD1	2.46	0.43
1:A:80:LEU:HD12	1:A:85:ASN:O	2.19	0.42
1:A:13:THR:HB	1:A:355:ASN:HA	2.02	0.42
1:A:210:GLU:HG2	1:A:240:HIS:CE1	2.53	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:606:LEU:HD11	1:A:612:PHE:CE1	2.53	0.42
1:A:31:LEU:HD21	1:A:33:ILE:HD11	2.01	0.42
1:A:308:THR:O	1:A:383:LYS:NZ	2.47	0.42
1:A:639:ARG:HB3	1:A:679:MET:HE1	2.02	0.42
1:A:703:THR:HG22	1:A:704:ILE:H	1.84	0.42
1:A:404:LEU:O	1:A:698:THR:HA	2.19	0.42
1:A:760:ALA:HA	1:A:801:VAL:HG13	2.01	0.42
1:A:181:VAL:HA	1:A:189:HIS:O	2.20	0.42
1:A:843:PRO:HG2	1:A:869:ALA:HB2	2.01	0.42
1:A:5:TYR:HB2	1:A:1043:LEU:HD11	2.02	0.42
1:A:741:GLU:CD	1:A:750:THR:O	2.58	0.42
1:A:155:PHE:CD1	1:A:200:LYS:HG2	2.55	0.41
1:A:466:GLN:CG	1:A:467:GLN:H	2.32	0.41
1:A:522:HIS:O	1:A:524:GLN:N	2.53	0.41
1:A:596:PHE:HB3	1:A:661:SER:CB	2.49	0.41
1:A:1101:SER:HB2	1:A:1104:LYS:HB2	2.02	0.41
1:A:196:SER:HB3	1:A:199:GLU:HG2	2.03	0.41
1:A:408:LYS:CD	1:A:429:PHE:HA	2.50	0.41
1:A:642:ARG:HD2	1:A:647:THR:HG23	2.02	0.41
1:A:750:THR:HB	1:A:751:ALA:H	1.71	0.41
1:A:889:ARG:HG3	1:A:904:ASN:HB3	2.03	0.41
1:A:18:CYS:HA	1:A:32:LEU:O	2.21	0.41
1:A:177:THR:HG23	1:A:193:TYR:O	2.21	0.41
1:A:593:MET:HB3	1:A:616:LEU:HD12	2.02	0.41
1:A:336:LEU:HD23	1:A:336:LEU:HA	1.82	0.41
1:A:389:ILE:HD12	1:A:389:ILE:N	2.35	0.41
1:A:532:THR:HG22	1:A:533:GLU:N	2.36	0.41
1:A:210:GLU:HG2	1:A:240:HIS:HE1	1.86	0.40
1:A:1130:ILE:HG22	1:A:1134:GLU:OE2	2.20	0.40
1:A:497:ASN:O	1:A:512:VAL:HG13	2.21	0.40
1:A:612:PHE:CZ	1:A:628:LYS:HE3	2.57	0.40
1:A:634:GLN:HB2	1:A:635:PRO:HD2	2.04	0.40
1:A:472:THR:C	1:A:474:ALA:N	2.75	0.40
1:A:679:MET:HE2	1:A:679:MET:HB3	1.86	0.40
1:A:771:PHE:HD2	1:A:845:GLN:OE1	2.03	0.40
1:A:138:GLY:O	1:A:158:ARG:HG2	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:589:ARG:NH2	1:A:983:ALA:CB[4_545]	1.62	0.58

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1035/1142 (91%)	926 (90%)	95 (9%)	14 (1%)	11 36
2	B	11/13 (85%)	10 (91%)	1 (9%)	0	100 100
All	All	1046/1155 (91%)	936 (90%)	96 (9%)	14 (1%)	12 37

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	369	ARG
1	A	618	ILE
1	A	687	TYR
1	A	174	GLN
1	A	206	PRO
1	A	296	THR
1	A	473	SER
1	A	493	PRO
1	A	420	GLU
1	A	854	SER
1	A	185	PRO
1	A	407	ILE
1	A	523	PRO
1	A	184	ASP

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	930/999 (93%)	898 (97%)	32 (3%)	37 71
2	B	10/10 (100%)	10 (100%)	0	100 100
All	All	940/1009 (93%)	908 (97%)	32 (3%)	37 71

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LYS
1	A	109	GLN
1	A	111	ARG
1	A	129	ARG
1	A	244	LYS
1	A	256	SER
1	A	284	LEU
1	A	326	SER
1	A	372	GLN
1	A	401	SER
1	A	405	PRO
1	A	414	ARG
1	A	434	ARG
1	A	473	SER
1	A	574	PHE
1	A	579	LYS
1	A	589	ARG
1	A	590	SER
1	A	627	LYS
1	A	662	SER
1	A	679	MET
1	A	680	CYS
1	A	709	LYS
1	A	769	LYS
1	A	886	SER
1	A	904	ASN
1	A	978	GLN
1	A	1000	LEU
1	A	1036	MET
1	A	1064	SER
1	A	1127	ASP
1	A	1128	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	372	GLN
1	A	374	GLN
1	A	520	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1059/1142 (92%)	-0.23	14 (1%) 77 77	18, 54, 103, 144	0
2	B	13/13 (100%)	-0.21	0 100 100	28, 37, 54, 62	0
All	All	1072/1155 (92%)	-0.23	14 (1%) 77 77	18, 54, 103, 144	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	369	ARG	4.1
1	A	684	SER	3.2
1	A	469	ILE	2.5
1	A	295	VAL	2.5
1	A	468	LEU	2.4
1	A	414	ARG	2.4
1	A	526	LEU	2.4
1	A	413	LEU	2.3
1	A	625	ASP	2.2
1	A	508	VAL	2.2
1	A	624	SER	2.2
1	A	1024	THR	2.1
1	A	419	ARG	2.1
1	A	497	ASN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates i

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.