



Full wwPDB X-ray Structure Validation Report i

May 25, 2020 – 03:14 pm BST

PDB ID : 1UN8
Title : Crystal structure of the dihydroxyacetone kinase of C. freundii (native form)
Authors : Siebold, C.; Arnold, I.; Garcia-Alles, L.F.; Baumann, U.; Erni, B.
Deposited on : 2003-09-08
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MYY	A	1551	-	-	-	X

2 Entry composition (i)


There are 3 unique types of molecules in this entry. The entry contains 8271 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DIHYDROXYACETONE KINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	542	3988	2502	698	770	18	0	0	0
1	B	542	3988	2502	698	770	18	0	0	0

- Molecule 2 is (2R)-3-(PHOSPHONOXY)-2-(TETRADECANOYLOXY)PROPYL PALMITATE (three-letter code: MYY) (formula: C₃₃H₆₅O₈P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
2	A	1	42	33	8	1	0	0
2	B	1	42	33	8	1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	102	Total O 102 102	0	0
3	B	109	Total O 109 109	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DIHYDROXYACETONE KINASE



- Molecule 1: DIHYDROXYACETONE KINASE





4 Data and refinement statistics i

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	100.44 Å 124.59 Å 237.12 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.92 – 2.50 19.92 – 2.50	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.92-2.50) 96.9 (19.92-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	4.06 (at 2.50 Å)	Xtriage
Refinement program	REFMAC 5.1.19	Depositor
R , R_{free}	0.196 , 0.246 0.238 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	46.8	Xtriage
Anisotropy	0.693	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 50.3	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8271	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MYY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/4051	0.61	0/5508
1	B	0.38	0/4051	0.61	0/5508
All	All	0.39	0/8102	0.61	0/11016

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3988	0	4005	121	0
1	B	3988	0	4005	130	0
2	A	42	0	65	1	0
2	B	42	0	65	6	0
3	A	102	0	0	7	0
3	B	109	0	0	7	0
All	All	8271	0	8140	236	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (236) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:366:THR:HG21	1:A:400:ALA:HB2	1.23	1.17
1:B:366:THR:HG21	1:B:400:ALA:HB2	1.30	1.11
1:B:395:ALA:HB2	1:B:428:MET:SD	2.00	1.01
1:A:366:THR:CG2	1:A:400:ALA:HB2	1.90	0.99
1:B:366:THR:CG2	1:B:400:ALA:HB2	1.94	0.96
1:A:481:LEU:HG	1:A:539:LEU:HD11	1.49	0.94
1:A:40:ILE:HD13	1:A:94:ALA:HB2	1.51	0.92
1:B:481:LEU:HG	1:B:539:LEU:HD11	1.49	0.91
1:B:40:ILE:HD13	1:B:94:ALA:HB2	1.52	0.90
1:A:366:THR:HG21	1:A:400:ALA:CB	2.05	0.86
1:A:339:VAL:HG23	1:B:32:LEU:HD12	1.56	0.85
1:A:395:ALA:HB1	1:A:424:LEU:HD22	1.59	0.82
1:B:395:ALA:HB1	1:B:424:LEU:HD22	1.60	0.82
1:B:366:THR:HG21	1:B:400:ALA:CB	2.08	0.82
1:A:161:ILE:HD11	1:A:314:ILE:HA	1.65	0.78
1:B:395:ALA:HB2	1:B:428:MET:CG	2.14	0.78
1:B:161:ILE:HD11	1:B:314:ILE:HA	1.65	0.78
1:B:395:ALA:CB	1:B:428:MET:SD	2.74	0.75
1:A:140:ASP:HB2	1:A:152:ILE:HD13	1.70	0.74
1:A:164:TYR:CE1	1:A:320:THR:HG21	2.24	0.73
1:B:91:VAL:O	1:B:95:ILE:HD13	1.89	0.73
1:B:177:ARG:HD3	3:B:2053:HOH:O	1.89	0.72
1:A:311:GLU:HG3	3:A:2054:HOH:O	1.89	0.72
1:A:212:HIS:ND1	1:A:229:ASP:HA	2.07	0.70
1:A:250:GLU:HG3	1:A:251:THR:HG23	1.74	0.69
1:A:91:VAL:O	1:A:95:ILE:HD13	1.92	0.69
1:B:140:ASP:HB2	1:B:152:ILE:HD13	1.74	0.68
1:B:250:GLU:HG3	1:B:251:THR:HG23	1.75	0.67
1:B:309:VAL:HG12	1:B:311:GLU:HG2	1.77	0.66
1:A:309:VAL:HG12	1:A:311:GLU:HG2	1.77	0.66
1:A:453:VAL:HG21	2:A:1551:MYY:O10	1.94	0.66
1:B:54:ILE:HD13	1:B:95:ILE:HD12	1.78	0.65
1:A:68:PHE:O	1:A:74:LEU:HB2	1.98	0.63
1:B:369:LEU:CD1	2:B:1551:MYY:H191	2.29	0.62
1:B:482:GLN:HB3	1:B:483:PRO:HD3	1.82	0.61
1:A:164:TYR:HE1	1:A:320:THR:HG21	1.66	0.61
1:B:544:LYS:O	1:B:548:GLU:HG3	2.01	0.61
1:A:482:GLN:HB3	1:A:483:PRO:HD3	1.83	0.61
1:A:264:VAL:HG11	1:A:269:MET:HE2	1.82	0.60
1:B:264:VAL:HG11	1:B:269:MET:CE	2.31	0.60
1:A:339:VAL:HG22	1:B:31:ARG:O	2.01	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:VAL:HG12	1:A:422:GLU:OE2	2.02	0.59
1:B:264:VAL:HG11	1:B:269:MET:HE2	1.85	0.59
1:A:136:ILE:N	1:A:136:ILE:HD12	2.18	0.59
1:A:544:LYS:O	1:A:548:GLU:HG3	2.03	0.59
1:B:256:VAL:CG2	1:B:285:ILE:HD13	2.33	0.59
1:B:329:THR:HB	3:B:2087:HOH:O	2.02	0.58
1:B:54:ILE:CD1	1:B:95:ILE:HD12	2.33	0.58
1:B:395:ALA:HB2	1:B:428:MET:HG2	1.83	0.58
1:B:136:ILE:N	1:B:136:ILE:HD12	2.19	0.58
1:B:289:ILE:HD12	1:B:289:ILE:N	2.18	0.58
1:A:264:VAL:HG11	1:A:269:MET:CE	2.33	0.58
1:A:412:ASN:HD22	1:A:412:ASN:C	2.08	0.57
1:B:348:VAL:HG12	1:B:422:GLU:OE2	2.04	0.57
1:B:495:LEU:HD12	1:B:550:GLU:HG3	1.87	0.57
1:B:161:ILE:HD13	1:B:317:ALA:HB3	1.86	0.56
1:B:412:ASN:C	1:B:412:ASN:HD22	2.07	0.56
1:B:406:GLN:HA	3:B:2094:HOH:O	2.06	0.56
1:A:161:ILE:HD13	1:A:317:ALA:CB	2.36	0.55
1:A:395:ALA:HB2	1:A:428:MET:HG3	1.88	0.55
1:A:13:VAL:HG21	1:A:81:ASP:HA	1.87	0.55
1:A:95:ILE:HD11	1:A:106:LEU:HD21	1.89	0.55
1:A:18:ASP:O	1:A:22:ILE:HG12	2.07	0.55
1:A:495:LEU:HD12	1:A:550:GLU:HG3	1.89	0.55
1:B:161:ILE:HD13	1:B:317:ALA:CB	2.37	0.55
1:A:228:ILE:N	1:A:228:ILE:CD1	2.70	0.55
1:A:289:ILE:N	1:A:289:ILE:HD12	2.22	0.54
1:B:95:ILE:HD11	1:B:106:LEU:HD21	1.90	0.54
1:A:161:ILE:HD13	1:A:317:ALA:HB3	1.88	0.54
1:B:228:ILE:N	1:B:228:ILE:CD1	2.70	0.54
1:B:424:LEU:HB3	1:B:428:MET:SD	2.47	0.54
1:A:425:THR:HG23	1:A:437:SER:OG	2.06	0.54
1:B:13:VAL:HG21	1:B:81:ASP:HA	1.90	0.54
1:A:54:ILE:CD1	1:A:95:ILE:HD12	2.38	0.53
1:B:136:ILE:HD12	1:B:136:ILE:H	1.73	0.53
1:B:18:ASP:O	1:B:22:ILE:HG12	2.09	0.53
1:B:168:ARG:HH22	1:B:320:THR:HG21	1.73	0.53
1:A:136:ILE:H	1:A:136:ILE:HD12	1.74	0.53
1:A:54:ILE:HD13	1:A:95:ILE:HD12	1.89	0.53
1:A:127:ARG:HH21	1:B:348:VAL:HG23	1.73	0.53
1:B:425:THR:HG23	1:B:437:SER:OG	2.08	0.52
1:B:369:LEU:HD13	2:B:1551:MYY:H191	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:VAL:HG12	1:A:422:GLU:CD	2.29	0.52
1:A:171:ASN:HB2	3:A:2053:HOH:O	2.11	0.51
1:A:210:PRO:HD2	3:A:2063:HOH:O	2.10	0.51
1:B:461:LEU:HD13	1:B:481:LEU:HD13	1.93	0.51
1:A:127:ARG:NH2	1:B:348:VAL:HG23	2.25	0.51
1:A:164:TYR:CD1	1:A:320:THR:HG21	2.46	0.51
1:B:256:VAL:HG21	1:B:285:ILE:HD13	1.93	0.51
1:B:453:VAL:HG23	2:B:1551:MYY:O3	2.11	0.50
1:A:461:LEU:HD13	1:A:481:LEU:HD13	1.94	0.50
1:B:348:VAL:HG12	1:B:422:GLU:CD	2.31	0.50
1:B:7:ASN:HB3	3:B:2005:HOH:O	2.11	0.50
1:A:72:GLY:H	1:A:167:GLU:HG3	1.76	0.50
1:A:481:LEU:HD22	1:A:485:LEU:HG	1.93	0.50
1:A:313:SER:HB2	3:A:2077:HOH:O	2.12	0.50
1:B:271:ILE:O	1:B:275:GLU:HG2	2.12	0.50
1:A:147:LYS:NZ	1:B:471:ASP:HB2	2.27	0.50
1:B:481:LEU:HD22	1:B:485:LEU:HG	1.92	0.50
1:A:228:ILE:HD13	1:A:228:ILE:N	2.27	0.49
1:A:398:GLU:HG2	1:A:427:VAL:HG21	1.92	0.49
1:A:348:VAL:HG23	1:B:127:ARG:NH2	2.27	0.49
1:A:42:VAL:HG21	1:A:98:VAL:CG1	2.42	0.49
1:A:46:LEU:HD11	1:A:98:VAL:HG12	1.95	0.49
1:A:499:PHE:CE1	1:A:544:LYS:HB2	2.48	0.49
1:A:348:VAL:HG23	1:B:127:ARG:HH21	1.78	0.49
1:B:395:ALA:HB1	1:B:424:LEU:CD2	2.37	0.49
1:A:316:LYS:O	1:A:320:THR:HG23	2.12	0.49
1:A:186:THR:OG1	1:A:308:ILE:HD12	2.13	0.48
1:A:42:VAL:CG2	1:A:98:VAL:HG11	2.43	0.48
1:B:274:ARG:HG2	1:B:274:ARG:HH11	1.78	0.48
1:B:361:ILE:HG21	2:B:1551:MYY:H9C1	1.94	0.48
1:B:499:PHE:CE1	1:B:544:LYS:HB2	2.49	0.48
1:A:279:SER:O	1:A:282:HIS:HB3	2.14	0.48
1:A:42:VAL:HG21	1:A:98:VAL:HG11	1.95	0.48
1:B:68:PHE:O	1:B:74:LEU:HB2	2.13	0.48
1:A:116:LEU:HB3	1:B:434:VAL:HG11	1.96	0.48
1:A:42:VAL:HG23	1:A:76:ALA:HB2	1.95	0.48
1:B:289:ILE:HG23	1:B:328:PRO:HG2	1.94	0.48
1:A:481:LEU:HD23	1:A:539:LEU:HD21	1.96	0.47
1:B:546:LEU:HD13	2:B:1551:MYY:H282	1.96	0.47
1:B:279:SER:O	1:B:282:HIS:HB3	2.14	0.47
1:B:256:VAL:HG21	1:B:285:ILE:CD1	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:ALA:HB1	1:A:206:PRO:CD	2.44	0.47
1:B:359:ALA:HB2	1:B:410:LEU:HD13	1.96	0.47
1:B:72:GLY:H	1:B:167:GLU:HG3	1.79	0.47
1:B:255:ALA:HB3	1:B:308:ILE:CG2	2.45	0.47
1:A:394:ALA:HB1	1:A:427:VAL:HG12	1.97	0.47
1:A:380:ASP:HB3	1:A:386:GLY:HA2	1.96	0.47
1:A:550:GLU:OE2	1:A:550:GLU:HA	2.14	0.47
1:B:287:TRP:CZ3	1:B:332:PRO:HD3	2.49	0.47
1:A:359:ALA:HB2	1:A:410:LEU:HD13	1.96	0.47
1:A:434:VAL:HG11	1:B:116:LEU:HB3	1.97	0.47
1:B:398:GLU:HG2	1:B:427:VAL:HG21	1.96	0.47
1:A:289:ILE:HG23	1:A:328:PRO:HG2	1.96	0.47
1:A:46:LEU:HA	1:A:46:LEU:HD23	1.74	0.47
1:A:471:ASP:HB2	1:B:147:LYS:NZ	2.29	0.47
1:B:152:ILE:HB	3:B:2051:HOH:O	2.15	0.47
1:A:395:ALA:HB1	1:A:424:LEU:CD2	2.38	0.47
1:A:341:SER:HA	3:A:2084:HOH:O	2.14	0.47
1:A:72:GLY:N	1:A:167:GLU:HG3	2.29	0.47
1:A:161:ILE:CD1	1:A:317:ALA:HB3	2.45	0.46
1:B:186:THR:OG1	1:B:308:ILE:HD12	2.15	0.46
1:A:323:GLU:HB2	3:A:2022:HOH:O	2.14	0.46
1:B:161:ILE:CD1	1:B:314:ILE:HD13	2.46	0.46
1:A:255:ALA:HB3	1:A:308:ILE:CG2	2.45	0.46
1:A:161:ILE:CD1	1:A:314:ILE:HD13	2.45	0.46
1:B:258:ILE:HD11	1:B:288:LEU:HD22	1.98	0.46
1:A:274:ARG:HH11	1:A:274:ARG:HG2	1.81	0.46
1:B:481:LEU:HD23	1:B:539:LEU:HD21	1.97	0.46
1:B:261:LEU:HD22	1:B:303:PHE:CA	2.46	0.46
1:B:546:LEU:CD1	2:B:1551:MYY:HZ2	2.46	0.46
1:A:271:ILE:O	1:A:275:GLU:HG2	2.15	0.46
1:B:309:VAL:CG1	1:B:311:GLU:HG2	2.46	0.46
1:B:161:ILE:CD1	1:B:317:ALA:HB3	2.44	0.46
1:B:72:GLY:N	1:B:167:GLU:HG3	2.31	0.46
1:B:380:ASP:HB3	1:B:386:GLY:HA2	1.98	0.45
1:B:366:THR:HG23	1:B:400:ALA:HB2	1.93	0.45
1:B:62:GLU:H	1:B:62:GLU:CD	2.20	0.45
1:B:394:ALA:HB1	1:B:427:VAL:HG12	1.98	0.45
1:B:412:ASN:C	1:B:412:ASN:ND2	2.69	0.45
1:B:550:GLU:OE2	1:B:550:GLU:HA	2.16	0.45
1:B:156:ILE:HA	1:B:159:HIS:ND1	2.30	0.45
1:A:147:LYS:HZ1	1:B:471:ASP:HB2	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:471:ASP:HB2	1:B:147:LYS:HZ1	1.82	0.45
1:B:241:VAL:HG13	1:B:281:LEU:HB2	1.98	0.45
1:B:40:ILE:HD11	1:B:90:ALA:O	2.17	0.45
1:B:228:ILE:N	1:B:228:ILE:HD13	2.32	0.45
1:B:42:VAL:HG23	1:B:76:ALA:HB2	1.99	0.45
1:B:218:GLY:HA3	1:B:222:GLU:OE2	2.17	0.44
1:B:43:ARG:HE	1:B:45:ASP:HB2	1.82	0.44
1:A:43:ARG:HE	1:A:45:ASP:HB2	1.82	0.44
1:A:67:GLY:HA3	1:A:326:ASN:HD22	1.82	0.44
1:A:62:GLU:CD	1:A:62:GLU:H	2.20	0.44
1:B:42:VAL:HG21	1:B:98:VAL:CG1	2.46	0.44
1:A:168:ARG:HH11	1:A:168:ARG:HG3	1.83	0.44
1:A:412:ASN:C	1:A:412:ASN:ND2	2.70	0.44
1:B:156:ILE:HD11	1:B:257:MET:SD	2.57	0.44
1:B:264:VAL:HG11	1:B:269:MET:HE3	1.99	0.44
1:A:353:SER:O	1:A:410:LEU:HB2	2.18	0.44
1:B:398:GLU:OE2	1:B:423:ARG:NH1	2.51	0.44
1:B:42:VAL:CG2	1:B:98:VAL:HG11	2.47	0.44
1:B:46:LEU:HD11	1:B:98:VAL:HG12	1.99	0.44
1:B:256:VAL:HG23	1:B:285:ILE:HD13	2.00	0.44
1:A:269:MET:HA	1:A:269:MET:HE2	2.00	0.44
1:A:309:VAL:CG1	1:A:311:GLU:HG2	2.46	0.44
1:A:258:ILE:HD11	1:A:288:LEU:HD22	1.98	0.43
1:A:391:THR:HG22	1:A:428:MET:HG2	2.00	0.43
1:A:261:LEU:HD22	1:A:303:PHE:CA	2.48	0.43
1:B:269:MET:HE2	1:B:269:MET:HA	1.99	0.43
1:B:64:ALA:HA	1:B:65:HIS:HA	1.69	0.43
1:A:12:LEU:HD13	1:B:271:ILE:HD11	2.00	0.43
1:A:241:VAL:HG13	1:A:281:LEU:HB2	2.00	0.43
1:B:274:ARG:HG2	1:B:274:ARG:NH1	2.34	0.43
1:A:220:HIS:HB2	1:A:222:GLU:CD	2.39	0.43
1:B:42:VAL:HG21	1:B:98:VAL:HG11	2.00	0.43
1:B:481:LEU:CG	1:B:539:LEU:HD11	2.35	0.43
1:B:46:LEU:HA	1:B:46:LEU:HD23	1.75	0.43
1:A:156:ILE:HD11	1:A:257:MET:SD	2.58	0.43
1:A:481:LEU:CG	1:A:539:LEU:HD11	2.34	0.42
1:A:35:ASP:OD1	1:A:36:PRO:HD2	2.20	0.42
1:B:300:MET:HE1	3:B:2063:HOH:O	2.19	0.42
1:B:153:ALA:HA	1:B:295:VAL:HG21	2.02	0.42
1:A:532:MET:SD	1:A:537:GLN:HB2	2.60	0.42
1:A:7:ASN:HB3	3:A:2007:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:513:SER:CB	1:B:531:ASN:HB3	2.50	0.42
1:A:261:LEU:HB2	1:A:302:GLY:O	2.19	0.42
1:A:513:SER:CB	1:A:531:ASN:HB3	2.50	0.42
1:B:155:THR:O	1:B:158:VAL:HB	2.20	0.42
1:B:347:ARG:HA	1:B:422:GLU:OE2	2.20	0.42
1:B:399:ILE:HD12	1:B:420:ILE:HG12	2.02	0.41
1:A:30:ALA:HB1	1:B:339:VAL:HG23	2.02	0.41
1:B:484:ALA:HB2	1:B:502:ALA:HB2	2.03	0.41
1:A:72:GLY:HA2	1:A:167:GLU:HG3	2.01	0.41
1:B:72:GLY:HA2	1:B:167:GLU:HG3	2.02	0.41
1:B:73:MET:HB3	1:B:74:LEU:H	1.66	0.41
1:A:274:ARG:HG2	1:A:274:ARG:NH1	2.36	0.41
1:B:131:ASN:N	1:B:131:ASN:HD22	2.19	0.41
1:B:168:ARG:HG3	1:B:168:ARG:HH11	1.86	0.41
1:B:515:ALA:O	1:B:516:ASN:HB2	2.20	0.41
1:B:61:HIS:CE1	1:B:219:ILE:HD12	2.56	0.41
1:B:374:THR:HG23	3:B:2092:HOH:O	2.20	0.41
1:A:484:ALA:HB2	1:A:502:ALA:HB2	2.03	0.41
1:A:364:LEU:HD23	1:A:546:LEU:HD23	2.03	0.41
1:A:40:ILE:HD11	1:A:90:ALA:O	2.21	0.41
1:A:134:MET:HE3	1:A:136:ILE:HG13	2.03	0.41
1:A:362:VAL:O	1:A:366:THR:OG1	2.27	0.41
1:B:220:HIS:HB2	1:B:222:GLU:CD	2.41	0.41
1:A:334:ARG:O	1:B:22:ILE:HD13	2.20	0.41
1:B:454:VAL:HG12	1:B:489:LEU:HD13	2.03	0.40
1:A:398:GLU:OE2	1:A:423:ARG:NH1	2.54	0.40
1:A:347:ARG:HA	1:A:422:GLU:OE2	2.21	0.40
1:A:515:ALA:O	1:A:516:ASN:HB2	2.21	0.40
1:A:155:THR:O	1:A:158:VAL:HB	2.21	0.40
1:A:476:THR:N	1:A:479:ASP:OD2	2.54	0.40
1:A:239:LEU:HD11	1:A:243:LYS:HE2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	538/552 (98%)	501 (93%)	33 (6%)	4 (1%)	22 39
1	B	538/552 (98%)	499 (93%)	36 (7%)	3 (1%)	25 43
All	All	1076/1104 (98%)	1000 (93%)	69 (6%)	7 (1%)	22 39

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	516	ASN
1	B	516	ASN
1	A	355	ASN
1	B	355	ASN
1	A	48	LYS
1	A	152	ILE
1	B	152	ILE

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	418/427 (98%)	400 (96%)	18 (4%)	29 53
1	B	418/427 (98%)	399 (96%)	19 (4%)	27 51
All	All	836/854 (98%)	799 (96%)	37 (4%)	28 52

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LEU
1	A	17	ILE
1	A	45	ASP
1	A	74	LEU
1	A	107	ILE
1	A	131	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	152	ILE
1	A	203	ASP
1	A	228	ILE
1	A	261	LEU
1	A	308	ILE
1	A	336	ILE
1	A	342	SER
1	A	357	LEU
1	A	412	ASN
1	A	471	ASP
1	A	481	LEU
1	A	539	LEU
1	B	12	LEU
1	B	17	ILE
1	B	21	ILE
1	B	45	ASP
1	B	74	LEU
1	B	107	ILE
1	B	131	ASN
1	B	152	ILE
1	B	203	ASP
1	B	228	ILE
1	B	261	LEU
1	B	285	ILE
1	B	308	ILE
1	B	336	ILE
1	B	357	LEU
1	B	412	ASN
1	B	471	ASP
1	B	481	LEU
1	B	539	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	A	131	ASN
1	A	326	ASN
1	A	412	ASN
1	A	445	GLN
1	A	531	ASN
1	B	131	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	159	HIS
1	B	212	HIS
1	B	412	ASN
1	B	458	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MYY	A	1551	-	41,41,41	0.66	0	45,46,46	1.03	4 (8%)
2	MYY	B	1551	-	41,41,41	0.63	0	45,46,46	1.17	5 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MYY	A	1551	-	-	8/43/43/43	-
2	MYY	B	1551	-	-	8/43/43/43	-

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	B	1551	MYY	O7-C7-C8	3.28	118.58	111.50
2	A	1551	MYY	O7-C7-C8	3.07	118.11	111.50
2	B	1551	MYY	C5-O7-C7	-2.81	110.88	117.79
2	A	1551	MYY	O6-P-O5	2.73	114.14	106.47
2	B	1551	MYY	O8-C23-C24	2.53	119.85	111.91
2	A	1551	MYY	C5-O7-C7	-2.31	112.09	117.79
2	B	1551	MYY	O6-P-O5	2.16	112.52	106.47
2	B	1551	MYY	O8-C6-C5	2.10	114.55	108.43
2	A	1551	MYY	O8-C23-C24	2.02	118.25	111.91

There are no chirality outliers.

All (16) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1551	MYY	O7-C5-C6-O8
2	B	1551	MYY	O7-C5-C6-O8
2	A	1551	MYY	C7-C8-C9-C10
2	A	1551	MYY	C5-C4-O6-P
2	B	1551	MYY	C25-C26-C27-C28
2	B	1551	MYY	C27-C28-C29-C30
2	A	1551	MYY	C23-C24-C25-C26
2	A	1551	MYY	C4-C5-C6-O8
2	A	1551	MYY	C24-C25-C26-C27
2	B	1551	MYY	C4-C5-C6-O8
2	A	1551	MYY	C13-C14-C15-C16
2	A	1551	MYY	C4-O6-P-O5
2	B	1551	MYY	C4-O6-P-O5
2	B	1551	MYY	C26-C27-C28-C29
2	B	1551	MYY	O8-C23-C24-C25
2	B	1551	MYY	C4-O6-P-O3


There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1551	MYY	1	0
2	B	1551	MYY	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	542/552 (98%)	0.31	30 (5%) 25 26	16, 52, 76, 120	0
1	B	542/552 (98%)	0.24	28 (5%) 27 29	16, 51, 77, 120	0
All	All	1084/1104 (98%)	0.27	58 (5%) 25 27	16, 51, 77, 120	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	517	ALA	13.5
1	A	517	ALA	9.6
1	A	516	ASN	7.2
1	A	527	SER	6.9
1	B	516	ASN	6.4
1	A	343	HIS	6.4
1	A	515	ALA	5.9
1	A	344	ALA	5.7
1	A	514	LYS	5.6
1	B	515	ALA	5.6
1	B	526	GLU	4.9
1	A	528	LEU	4.9
1	B	203	ASP	4.7
1	A	345	SER	4.6
1	B	204	ALA	4.3
1	A	382	LYS	4.2
1	B	383	VAL	4.0
1	B	351	GLN	3.9
1	B	382	LYS	3.8
1	A	526	GLU	3.7
1	B	381	ALA	3.7
1	B	343	HIS	3.6
1	A	529	LEU	3.6
1	B	345	SER	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	252	GLY	3.4
1	A	204	ALA	3.4
1	A	356	ALA	3.1
1	A	450	GLY	3.1
1	B	527	SER	3.1
1	A	384	GLY	3.0
1	A	352	PRO	2.9
1	A	101	GLU	2.8
1	A	203	ASP	2.8
1	A	493	LYS	2.8
1	B	356	ALA	2.7
1	A	340	VAL	2.6
1	B	528	LEU	2.6
1	A	307	ALA	2.6
1	A	146	ASN	2.5
1	A	349	GLU	2.4
1	B	529	LEU	2.4
1	B	493	LYS	2.4
1	B	490	ALA	2.4
1	A	351	GLN	2.3
1	A	347	ARG	2.3
1	B	347	ARG	2.3
1	A	374	THR	2.2
1	B	384	GLY	2.2
1	A	539	LEU	2.2
1	B	550	GLU	2.2
1	B	251	THR	2.1
1	B	346	ALA	2.1
1	B	449	GLN	2.1
1	B	201	GLU	2.1
1	A	342	SER	2.1
1	A	36	PRO	2.0
1	B	385	ASP	2.0
1	B	428	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)


There are no carbohydrates in this entry.


6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å²)	Q<0.9
2	MYY	A	1551	42/42	0.49	0.41	53,74,112,112	0
2	MYY	B	1551	42/42	0.61	0.38	52,73,105,107	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.