



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 24, 2023 – 07:09 PM EDT

PDB ID : 5UOC
Title : Structure of human endothelial nitric oxide synthase heme domain in complex with (S)-3-[(2-amino-4-methylquinolin-7-yl)methoxy]-5-(2-(methylamino)propyl)benzotrile
Authors : Chreifi, G.; Li, H.; Poulos, T.L.
Deposited on : 2017-01-31
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)


The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	 73% 17% • 8%
1	B	440	 74% 16% • 9%
1	C	440	 73% 16% • 9%
1	D	440	 74% 16% • 9%

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula: $C_9H_{15}N_5O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		
3	C	1	Total	C	N	O	0	0
			17	9	5	3		
3	D	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is 3-[(2-amino-4-methylquinolin-7-yl)methoxy]-5-[(2S)-2-(methylamino)propyl]benzonitrile (three-letter code: 8FD) (formula: $C_{22}H_{24}N_4O$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			
4	A	1	Total	27	22	4	1	0	0
4	B	1	Total	27	22	4	1	0	0
4	C	1	Total	27	22	4	1	0	0
4	D	1	Total	27	22	4	1	0	0

- Molecule 5 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C₈H₁₉NO₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Zn	0	0
			2	2		
6	C	2	Total	Zn	0	0
			2	2		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 6 3 3	0	0
7	C	1	Total C O 6 3 3	0	0

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Cl 1 1	0	0
8	B	1	Total Cl 1 1	0	0
8	C	1	Total Cl 1 1	0	0
8	D	1	Total Cl 1 1	0	0

- Molecule 9 is GADOLINIUM ATOM (three-letter code: GD) (formula: Gd).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total Gd 1 1	0	0
9	B	1	Total Gd 1 1	0	0
9	C	1	Total Gd 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	D	1	Total 1	Gd 1	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	10	Total 10	O 10	0	0
10	B	12	Total 12	O 12	0	0
10	C	8	Total 8	O 8	0	0
10	D	7	Total 7	O 7	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitric oxide synthase, endothelial




- Molecule 1: Nitric oxide synthase, endothelial





- Molecule 1: Nitric oxide synthase, endothelial





• Molecule 1: Nitric oxide synthase, endothelial



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.96Å 153.50Å 109.73Å 90.00° 90.62° 90.00°	Depositor
Resolution (Å)	39.05 – 2.20 39.05 – 2.20	Depositor EDS
% Data completeness (in resolution range)	92.2 (39.05-2.20) 90.4 (39.05-2.20)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	0.16	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 2.20Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.212 , 0.287 0.218 , 0.290	Depositor DCC
R_{free} test set	4629 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	41.6	Xtrriage
Anisotropy	1.486	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 53.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.196 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13445	wwPDB-VP
Average B, all atoms (Å ²)	79.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BTB, GD, H4B, 8FD, ZN, GOL, CL, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/3335	0.51	0/4543
1	B	0.39	0/3313	0.53	0/4514
1	C	0.36	0/3307	0.51	0/4507
1	D	0.40	0/3319	0.55	0/4523
All	All	0.38	0/13274	0.53	0/18087

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3237	0	3146	51	0
1	B	3215	0	3121	43	0
1	C	3209	0	3109	44	0
1	D	3221	0	3126	39	1
2	A	43	0	30	4	0
2	B	43	0	30	3	0
2	C	43	0	30	2	0
2	D	43	0	30	3	0
3	A	17	0	15	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	17	0	15	1	0
3	C	17	0	15	0	0
3	D	17	0	15	1	0
4	A	27	0	0	0	0
4	B	27	0	0	2	0
4	C	27	0	0	2	0
4	D	27	0	0	2	0
5	A	42	0	56	3	0
5	B	42	0	54	8	1
5	C	42	0	57	8	0
5	D	28	0	36	6	0
6	A	2	0	0	0	0
6	C	2	0	0	0	0
7	A	6	0	8	0	0
7	C	6	0	8	1	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
9	A	1	0	0	0	0
9	B	1	0	0	0	0
9	C	1	0	0	0	0
9	D	1	0	0	0	0
10	A	10	0	0	0	0
10	B	12	0	0	1	0
10	C	8	0	0	1	0
10	D	7	0	0	0	0
All	All	13445	0	12901	198	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (198) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:504:BTB:O4	10:B:601:HOH:O	1.77	1.00
5:B:504:BTB:O4	5:B:504:BTB:O3	1.81	0.89
1:C:235:CYS:HB2	1:C:238:ARG:HD3	1.59	0.83
1:C:365:ARG:NH2	1:C:369:ASP:OD2	2.12	0.83
1:A:365:ARG:NH2	1:A:369:ASP:OD2	2.12	0.81
1:A:144:GLN:HG2	1:A:145:ALA:H	1.45	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:257:GLN:NE2	10:C:601:HOH:O	2.18	0.75
2:A:501:HEM:HBB2	2:A:501:HEM:HHC	1.71	0.73
2:D:501:HEM:HBB2	2:D:501:HEM:HHC	1.69	0.73
1:C:200:ASP:OD1	1:C:200:ASP:N	2.22	0.70
1:C:175:LYS:HG2	1:C:193:LEU:HD23	1.75	0.68
1:B:100:LEU:HB3	1:B:103:LEU:HD22	1.74	0.67
2:D:501:HEM:HMC2	2:D:501:HEM:HBC2	1.77	0.67
1:A:255:ARG:NH1	1:A:259:GLY:O	2.28	0.65
1:A:183:ARG:HD3	1:A:447:TRP:CD2	2.33	0.64
2:B:501:HEM:HHC	2:B:501:HEM:HBB2	1.79	0.64
1:C:298:GLU:OE1	5:C:506:BTB:O8	2.15	0.63
5:D:504:BTB:H82	5:D:504:BTB:O6	1.99	0.63
1:A:242:ARG:NH1	1:A:476:GLN:OE1	2.31	0.63
1:A:294:GLN:HB2	1:A:300:PRO:HB3	1.80	0.61
1:A:455:SER:HB3	1:B:451:PRO:HB2	1.82	0.61
1:D:93:PRO:HG3	1:D:106:PRO:HB3	1.83	0.61
1:B:321:GLU:OE1	5:B:504:BTB:O6	2.19	0.60
1:A:127:ALA:O	1:A:131:ILE:HG12	2.01	0.60
1:D:81:TYR:O	1:D:435:GLN:NE2	2.33	0.59
1:C:93:PRO:HG3	1:C:106:PRO:HB3	1.84	0.59
1:C:128:ARG:O	1:C:132:ASN:ND2	2.36	0.58
1:A:144:GLN:HG2	1:A:145:ALA:N	2.17	0.58
1:B:334:PRO:HB3	1:B:357:TYR:CZ	2.40	0.57
1:C:139:LYS:O	1:C:140:ARG:NE	2.31	0.56
1:B:178:TRP:CE3	1:B:190:TRP:HA	2.40	0.56
1:C:238:ARG:HG3	1:C:239:GLY:N	2.19	0.56
2:C:501:HEM:HBB2	2:C:501:HEM:HHC	1.87	0.56
1:C:203:SER:OG	1:C:204:ALA:N	2.33	0.56
1:D:321:GLU:OE2	5:D:504:BTB:O3	2.23	0.56
1:A:125:SER:HA	1:A:128:ARG:HE	1.70	0.55
1:C:234:ARG:NH1	1:C:347:GLU:OE1	2.39	0.55
5:C:506:BTB:O4	5:C:506:BTB:O1	2.25	0.54
1:B:364:THR:O	1:B:368:CYS:HB2	2.07	0.54
1:B:298:GLU:OE2	5:B:505:BTB:N	2.41	0.54
1:A:382:CYS:HA	5:A:504:BTB:H41	1.91	0.53
1:C:262:ARG:NH1	1:C:283:ASN:O	2.42	0.53
1:D:93:PRO:O	1:D:98:ARG:NH1	2.42	0.52
1:D:207:MET:HG2	1:D:231:PHE:CE1	2.44	0.52
1:B:128:ARG:O	1:B:132:ASN:ND2	2.43	0.52
1:B:279:TRP:HB2	1:B:302:LEU:HD21	1.90	0.52
1:D:321:GLU:OE1	5:D:504:BTB:O6	2.26	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:501:HEM:HBC2	2:A:501:HEM:HMC1	1.91	0.52
1:A:234:ARG:HB2	1:A:240:ASP:HB3	1.91	0.52
1:B:275:ILE:HG12	1:B:279:TRP:HE3	1.75	0.52
1:C:364:THR:O	1:C:368:CYS:HB2	2.09	0.52
1:C:400:VAL:O	1:C:404:VAL:HG23	2.09	0.52
1:A:265:PRO:HA	1:A:268:VAL:HG23	1.92	0.52
5:C:504:BTB:O8	5:C:504:BTB:O4	2.26	0.52
1:A:156:GLU:O	1:A:160:THR:OG1	2.23	0.51
1:C:238:ARG:HG3	1:C:239:GLY:O	2.11	0.51
1:B:245:ASN:N	1:B:245:ASN:OD1	2.43	0.51
1:C:193:LEU:HD11	1:C:228:ILE:HG22	1.92	0.51
1:D:220:ASN:HB3	1:D:223:ASN:O	2.11	0.51
1:C:379:VAL:O	1:C:383:MET:HG3	2.12	0.50
1:D:365:ARG:O	1:D:369:ASP:HB2	2.12	0.50
1:A:256:GLN:NE2	1:A:260:SER:OG	2.41	0.50
1:C:432:GLU:HG2	1:C:436:LYS:NZ	2.26	0.50
1:A:279:TRP:CD1	1:A:290:PRO:HG3	2.47	0.50
1:A:242:ARG:HA	1:A:350:ALA:HB2	1.93	0.50
1:A:364:THR:O	1:A:368:CYS:HB2	2.12	0.50
1:D:207:MET:HB3	1:D:293:LEU:HD13	1.94	0.50
1:A:242:ARG:HD3	1:A:479:PRO:HG3	1.94	0.49
1:C:132:ASN:O	1:C:136:SER:OG	2.23	0.49
1:B:121:GLU:O	1:B:124:LEU:HB2	2.12	0.49
1:A:134:TYR:O	1:A:137:SER:OG	2.22	0.49
1:D:447:TRP:CZ2	3:D:502:H4B:H6	2.48	0.48
1:D:231:PHE:HB3	1:D:232:PRO:HD2	1.94	0.48
1:B:317:HIS:NE2	1:B:401:GLU:OE1	2.45	0.48
1:D:149:ARG:HD3	1:D:166:ARG:CZ	2.44	0.48
1:C:87:GLN:O	1:C:89:GLN:NE2	2.46	0.48
1:D:315:LEU:HB2	1:D:328:LEU:HB2	1.96	0.47
1:B:323:PHE:O	1:B:326:LEU:HB2	2.15	0.47
1:C:279:TRP:CG	1:C:290:PRO:HG3	2.50	0.47
5:C:504:BTB:H31	5:C:504:BTB:H52	1.46	0.47
1:D:178:TRP:CE3	1:D:190:TRP:HA	2.49	0.47
1:D:361:GLU:HB3	1:D:365:ARG:HH21	1.80	0.47
1:C:135:TYR:HA	1:C:138:ILE:HG12	1.95	0.47
5:C:506:BTB:H42	5:C:506:BTB:H52	1.69	0.47
1:B:326:LEU:HB3	1:B:328:LEU:HG	1.95	0.47
1:C:93:PRO:HG3	1:C:106:PRO:CB	2.45	0.47
1:D:235[B]:CYS:SG	1:D:238:ARG:HB3	2.54	0.47
3:B:502:H4B:H71	3:B:502:H4B:O10	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:384:ASP:OD1	5:C:504:BTB:O3	2.31	0.47
1:D:366:ASN:OD1	1:D:372:ARG:NH1	2.46	0.47
1:A:139:LYS:O	1:A:141:SER:N	2.37	0.46
1:B:336:VAL:HG21	4:B:503:8FD:C07	2.45	0.46
1:B:347:GLU:O	1:B:349:PRO:HD3	2.15	0.46
1:B:242:ARG:NH2	1:B:479:PRO:HD3	2.31	0.46
1:B:247:GLN:HB2	1:B:250:ARG:HG2	1.97	0.46
1:A:203:SER:HB3	1:A:206:GLU:HB2	1.98	0.46
1:B:90:GLN:HB2	1:B:468:PHE:CD2	2.51	0.46
1:A:367:LEU:HB3	1:A:375:ILE:HD13	1.97	0.46
1:A:185:VAL:HG23	1:A:448:ILE:HG23	1.98	0.46
2:B:501:HEM:HBA1	2:B:501:HEM:HMA2	1.97	0.46
5:D:505:BTB:H61	5:D:505:BTB:H72	1.48	0.46
1:A:412:LEU:HD12	1:A:412:LEU:HA	1.80	0.46
1:D:279:TRP:CD1	1:D:290:PRO:HG3	2.51	0.46
1:B:361:GLU:HB3	1:B:365:ARG:NH2	2.30	0.46
5:B:506:BTB:H52	5:B:506:BTB:H11	1.58	0.46
1:A:144:GLN:CG	1:A:145:ALA:N	2.79	0.45
2:B:501:HEM:HBA2	4:B:503:8FD:C09	2.47	0.45
1:C:379:VAL:HG21	1:C:402:ILE:HD11	1.97	0.45
1:C:160:THR:HG23	1:C:162:THR:H	1.82	0.45
1:A:244:TRP:CH2	1:A:300:PRO:HG3	2.51	0.45
1:B:249:VAL:O	1:B:250:ARG:HG2	2.17	0.45
5:D:505:BTB:H52	5:D:505:BTB:H11	1.83	0.45
1:A:298:GLU:OE1	5:A:506:BTB:O6	2.23	0.45
1:B:162:THR:OG1	1:B:163:TYR:N	2.50	0.45
1:A:359:SER:OG	1:A:419:ASP:HA	2.17	0.45
1:C:455:SER:HA	1:C:460:PHE:CG	2.52	0.45
1:D:90:GLN:HB3	1:D:468:PHE:HB3	1.98	0.45
1:D:199:ARG:O	1:D:232:PRO:HG3	2.16	0.45
1:D:364:THR:O	1:D:368:CYS:HB2	2.16	0.45
1:D:220:ASN:O	1:D:221:ARG:HG2	2.17	0.45
1:C:336:VAL:HG21	4:C:503:8FD:C07	2.47	0.45
1:B:242:ARG:NH2	1:B:477:PRO:O	2.41	0.44
1:A:122:GLN:H	1:A:122:GLN:HG2	1.43	0.44
1:A:240:ASP:HB3	1:A:349:PRO:HG2	1.99	0.44
1:A:396:ASP:OD2	1:B:453:SER:OG	2.25	0.44
1:B:188:ILE:HG23	1:B:189:GLN:HG2	1.99	0.44
1:B:292:LEU:HD23	1:B:292:LEU:HA	1.88	0.44
1:D:313:VAL:HA	1:D:314:PRO:HD2	1.86	0.44
1:D:356:TRP:O	4:D:503:8FD:N02	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:455:SER:HA	1:D:460:PHE:CG	2.53	0.44
1:A:94:CYS:HB3	1:B:94:CYS:HB3	2.00	0.44
1:B:298:GLU:CD	5:B:505:BTB:H41	2.38	0.44
1:D:173:GLY:HA3	1:D:343:ILE:HD13	1.99	0.44
1:A:254:TYR:O	1:A:261:VAL:HA	2.18	0.44
1:B:134:TYR:OH	1:B:168[A]:SER:HB3	2.17	0.44
2:D:501:HEM:HBA2	4:D:503:8FD:C12	2.47	0.44
1:B:269:GLU:O	1:B:272:GLU:HB2	2.18	0.44
1:A:128:ARG:O	1:A:132:ASN:ND2	2.50	0.44
1:D:428:MET:HG3	1:D:458:PRO:HB2	2.00	0.43
1:C:143:SER:O	1:C:145:ALA:N	2.51	0.43
1:C:147:GLU:O	1:C:151:GLN:HG2	2.18	0.43
1:C:247:GLN:HB2	1:C:250:ARG:HG2	2.00	0.43
1:D:68:PHE:CD2	1:D:83:THR:HA	2.53	0.43
1:A:178:TRP:CE3	1:A:190:TRP:HA	2.53	0.43
1:B:289:LEU:HD23	1:B:290:PRO:HD2	2.01	0.43
5:A:505:BTB:H52	5:A:505:BTB:H31	1.73	0.43
1:B:273:LEU:HA	1:B:276:GLN:HG2	2.01	0.42
1:C:450:PRO:HG3	1:C:457:THR:HG21	2.01	0.42
1:D:72:LYS:HD3	1:D:74:TRP:CE2	2.53	0.42
5:D:504:BTB:H71	5:D:504:BTB:H42	1.70	0.42
1:A:140:ARG:O	1:A:146:HIS:HB2	2.19	0.42
1:A:229:THR:O	1:A:352:PRO:HD2	2.19	0.42
1:A:244:TRP:CZ2	1:A:300:PRO:HG3	2.54	0.42
1:A:455:SER:HA	1:A:460:PHE:CG	2.54	0.42
1:C:99:CYS:HB3	1:D:466:ASN:HB3	2.01	0.42
1:B:383:MET:HB2	1:B:385:LEU:HG	2.01	0.42
5:C:505:BTB:H72	5:C:505:BTB:H62	1.63	0.42
1:D:271:THR:O	1:D:275:ILE:HG12	2.19	0.42
1:B:407:LEU:HD21	1:B:419:ASP:HB3	2.01	0.42
1:D:181:ALA:HA	1:D:182:PRO:HD3	1.89	0.42
5:C:505:BTB:O6	5:C:505:BTB:H31	2.20	0.42
1:C:265:PRO:O	1:C:268:VAL:HG23	2.20	0.42
1:C:178:TRP:HZ3	1:C:193:LEU:HB2	1.85	0.42
1:A:84:LEU:HD22	1:A:438:ARG:HB3	2.00	0.42
1:B:317:HIS:CG	1:B:318:PRO:HD2	2.55	0.42
1:D:247:GLN:HB2	1:D:250:ARG:HG2	2.01	0.42
1:A:419:ASP:OD2	1:B:390:THR:OG1	2.24	0.42
1:A:238:ARG:HA	1:A:238:ARG:HD3	1.86	0.41
1:A:305:LEU:HA	1:A:306:PRO:HD3	1.87	0.41
1:C:432:GLU:HG2	1:C:436:LYS:HZ1	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:248:LEU:HB2	1:D:335:ALA:HB3	2.02	0.41
1:A:124:LEU:O	1:A:128:ARG:HG3	2.19	0.41
1:B:319:THR:HB	5:B:504:BTB:O4	2.19	0.41
1:B:454:GLY:O	1:B:460:PHE:HB2	2.20	0.41
1:C:167:GLU:OE1	7:C:508:GOL:H31	2.20	0.41
1:B:194:GLN:HG2	1:B:217:TYR:CZ	2.56	0.41
1:C:270:ILE:HD11	1:C:292:LEU:HD12	2.03	0.41
1:D:305:LEU:HA	1:D:306:PRO:HD3	1.84	0.41
1:A:184:CYS:HB2	2:A:501:HEM:ND	2.35	0.41
1:A:306:PRO:HA	1:A:307:PRO:HD3	1.78	0.41
5:B:504:BTB:H31	5:B:504:BTB:H52	1.58	0.41
1:A:183:ARG:NH1	1:A:475:TYR:OH	2.53	0.41
1:C:124:LEU:O	1:C:128:ARG:HG3	2.20	0.41
1:D:280:THR:HA	1:D:281:PRO:HD3	1.92	0.41
1:A:131:ILE:O	1:A:134:TYR:HB3	2.21	0.41
2:A:501:HEM:HBC2	2:A:501:HEM:CMC	2.51	0.41
1:B:197:ASP:OD2	1:B:199:ARG:NH2	2.36	0.41
1:C:97:ARG:HE	1:C:97:ARG:HB3	1.68	0.41
1:C:97:ARG:HH22	1:D:67:LYS:NZ	2.18	0.41
1:D:127:ALA:O	1:D:131:ILE:HG12	2.21	0.41
1:A:167:GLU:O	1:A:171:VAL:HG23	2.21	0.41
1:B:396:ASP:OD1	1:B:396:ASP:N	2.44	0.41
1:D:379:VAL:HG21	1:D:402:ILE:HD11	2.02	0.41
1:A:376:LEU:HD12	1:A:376:LEU:HA	1.94	0.40
1:C:224:LEU:HD12	1:C:416:THR:HB	2.03	0.40
2:C:501:HEM:HBA1	4:C:503:8FD:C09	2.51	0.40
1:C:135:TYR:CD1	1:C:138:ILE:HD11	2.57	0.40
1:B:342:GLU:OE1	1:B:474:ARG:NH1	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:167:GLU:OE2	5:B:505:BTB:O6[1_554]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	402/440 (91%)	372 (92%)	26 (6%)	4 (1%)	15	14
1	B	400/440 (91%)	387 (97%)	11 (3%)	2 (0%)	29	31
1	C	399/440 (91%)	374 (94%)	23 (6%)	2 (0%)	29	31
1	D	401/440 (91%)	378 (94%)	21 (5%)	2 (0%)	29	31
All	All	1602/1760 (91%)	1511 (94%)	81 (5%)	10 (1%)	25	26

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	372	ARG
1	A	140	ARG
1	A	144	GLN
1	B	88	ALA
1	B	372	ARG
1	A	106	PRO
1	A	107	ARG
1	C	144	GLN
1	C	93	PRO
1	D	93	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	345/373 (92%)	329 (95%)	16 (5%)	27	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	343/373 (92%)	329 (96%)	14 (4%)	30	39
1	C	342/373 (92%)	324 (95%)	18 (5%)	22	27
1	D	344/373 (92%)	332 (96%)	12 (4%)	36	46
All	All	1374/1492 (92%)	1314 (96%)	60 (4%)	30	35

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	79	ILE
1	A	98	ARG
1	A	121	GLU
1	A	122	GLN
1	A	128	ARG
1	A	144	GLN
1	A	210	TYR
1	A	234	ARG
1	A	240	ASP
1	A	256	GLN
1	A	311	LEU
1	A	342	GLU
1	A	359	SER
1	A	389	THR
1	A	455	SER
1	A	480	TRP
1	B	67	LYS
1	B	90	GLN
1	B	103	LEU
1	B	168[A]	SER
1	B	168[B]	SER
1	B	226	SER
1	B	245	ASN
1	B	298	GLU
1	B	326	LEU
1	B	329	ARG
1	B	381	VAL
1	B	391	SER
1	B	396	ASP
1	B	470	SER
1	C	89	GLN
1	C	90	GLN
1	C	98	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	122	GLN
1	C	192	LYS
1	C	193	LEU
1	C	200	ASP
1	C	216	LYS
1	C	221	ARG
1	C	238	ARG
1	C	256	GLN
1	C	258	ASP
1	C	302	LEU
1	C	304	LEU
1	C	342	GLU
1	C	365	ARG
1	C	389	THR
1	C	441	CYS
1	D	80	THR
1	D	97	ARG
1	D	98	ARG
1	D	136	SER
1	D	226	SER
1	D	235[A]	CYS
1	D	235[B]	CYS
1	D	258	ASP
1	D	274	CYS
1	D	329	ARG
1	D	396	ASP
1	D	432	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	132	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 37 ligands modelled in this entry, 12 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	BTB	A	505	-	13,13,13	0.56	0	7,16,16	1.03	1 (14%)
2	HEM	A	501	1	41,50,50	1.95	7 (17%)	45,82,82	1.80	11 (24%)
2	HEM	C	501	1	41,50,50	1.96	6 (14%)	45,82,82	1.79	9 (20%)
5	BTB	A	504	9	13,13,13	0.46	0	7,16,16	1.13	1 (14%)
3	H4B	B	502	-	16,18,18	0.84	0	11,26,26	2.85	6 (54%)
5	BTB	C	504	9	13,13,13	0.35	0	7,16,16	0.47	0
7	GOL	A	508	-	5,5,5	0.33	0	5,5,5	0.32	0
5	BTB	C	505	-	13,13,13	0.66	0	7,16,16	1.05	0
2	HEM	B	501	1	41,50,50	1.91	6 (14%)	45,82,82	2.11	12 (26%)
5	BTB	D	504	9	13,13,13	0.59	0	7,16,16	1.47	1 (14%)
7	GOL	C	508	-	5,5,5	0.39	0	5,5,5	0.57	0
5	BTB	D	505	-	13,13,13	0.40	0	7,16,16	1.05	0
5	BTB	B	504	9	13,13,13	0.40	0	7,16,16	1.25	1 (14%)
3	H4B	A	502	-	16,18,18	0.99	0	11,26,26	2.75	6 (54%)
4	8FD	A	503	-	29,29,29	1.56	1 (3%)	38,40,40	1.06	3 (7%)
4	8FD	B	503	-	29,29,29	1.59	1 (3%)	38,40,40	1.08	3 (7%)
5	BTB	B	505	-	13,13,13	0.38	0	7,16,16	0.97	0
5	BTB	A	506	-	13,13,13	0.33	0	7,16,16	0.26	0
5	BTB	B	506	-	13,13,13	0.42	0	7,16,16	0.44	0
3	H4B	C	502	-	16,18,18	0.94	0	11,26,26	2.59	6 (54%)
4	8FD	C	503	-	29,29,29	1.57	1 (3%)	38,40,40	1.04	3 (7%)
2	HEM	D	501	1	41,50,50	1.89	8 (19%)	45,82,82	2.14	16 (35%)
4	8FD	D	503	-	29,29,29	1.56	1 (3%)	38,40,40	1.04	2 (5%)
5	BTB	C	506	-	13,13,13	0.37	0	7,16,16	0.38	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	H4B	D	502	-	16,18,18	0.96	0	11,26,26	2.61	4 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BTB	A	505	-	-	1/21/21/21	-
2	HEM	A	501	1	-	4/12/54/54	-
2	HEM	C	501	1	-	3/12/54/54	-
5	BTB	A	504	9	-	4/21/21/21	-
3	H4B	B	502	-	-	4/8/17/17	0/2/2/2
5	BTB	C	504	9	-	8/21/21/21	-
7	GOL	A	508	-	-	2/4/4/4	-
5	BTB	C	505	-	-	9/21/21/21	-
2	HEM	B	501	1	-	3/12/54/54	-
5	BTB	D	504	9	-	5/21/21/21	-
7	GOL	C	508	-	-	2/4/4/4	-
5	BTB	D	505	-	-	11/21/21/21	-
5	BTB	B	504	9	-	3/21/21/21	-
3	H4B	A	502	-	-	5/8/17/17	0/2/2/2
4	8FD	A	503	-	-	4/13/13/13	0/3/3/3
4	8FD	B	503	-	-	0/13/13/13	0/3/3/3
5	BTB	B	505	-	-	2/21/21/21	-
5	BTB	A	506	-	-	8/21/21/21	-
5	BTB	B	506	-	-	3/21/21/21	-
3	H4B	C	502	-	-	4/8/17/17	0/2/2/2
4	8FD	C	503	-	-	3/13/13/13	0/3/3/3
2	HEM	D	501	1	-	1/12/54/54	-
4	8FD	D	503	-	-	4/13/13/13	0/3/3/3
5	BTB	C	506	-	-	5/21/21/21	-
3	H4B	D	502	-	-	4/8/17/17	0/2/2/2

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	HEM	C3D-C2D	7.91	1.53	1.36
2	A	501	HEM	C3D-C2D	7.79	1.53	1.36
2	B	501	HEM	C3D-C2D	7.53	1.52	1.36
2	D	501	HEM	C3D-C2D	7.41	1.52	1.36
4	C	503	8FD	C23-C27	-7.03	1.28	1.44
4	B	503	8FD	C23-C27	-6.91	1.29	1.44
4	A	503	8FD	C23-C27	-6.90	1.29	1.44
4	D	503	8FD	C23-C27	-6.73	1.29	1.44
2	B	501	HEM	C3C-CAC	4.59	1.57	1.47
2	D	501	HEM	C3C-C2C	-3.96	1.34	1.40
2	C	501	HEM	C3C-CAC	3.82	1.55	1.47
2	D	501	HEM	C3C-CAC	3.75	1.55	1.47
2	A	501	HEM	C3C-CAC	3.72	1.55	1.47
2	A	501	HEM	C3C-C2C	-3.67	1.35	1.40
2	A	501	HEM	FE-ND	3.34	2.13	1.96
2	C	501	HEM	C3C-C2C	-3.24	1.35	1.40
2	C	501	HEM	CAB-C3B	3.23	1.56	1.47
2	B	501	HEM	C3C-C2C	-3.10	1.36	1.40
2	A	501	HEM	CAB-C3B	3.05	1.55	1.47
2	C	501	HEM	FE-NB	2.98	2.11	1.96
2	B	501	HEM	CAB-C3B	2.91	1.55	1.47
2	D	501	HEM	CAB-C3B	2.91	1.55	1.47
2	C	501	HEM	FE-ND	2.74	2.10	1.96
2	D	501	HEM	FE-NB	2.69	2.10	1.96
2	B	501	HEM	FE-NB	2.49	2.09	1.96
2	A	501	HEM	FE-NB	2.18	2.07	1.96
2	A	501	HEM	CAA-C2A	2.15	1.55	1.52
2	D	501	HEM	CMD-C2D	2.11	1.55	1.50
2	D	501	HEM	CMB-C2B	2.06	1.55	1.50
2	B	501	HEM	CMB-C2B	2.06	1.55	1.50
2	D	501	HEM	FE-ND	2.06	2.07	1.96

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	C4D-ND-C1D	6.71	112.00	105.07
2	D	501	HEM	C4D-ND-C1D	6.49	111.78	105.07
2	C	501	HEM	C4D-ND-C1D	6.11	111.39	105.07
3	A	502	H4B	C8A-C4A-C4	5.99	119.89	114.57
2	A	501	HEM	C4D-ND-C1D	5.93	111.20	105.07
3	D	502	H4B	C8A-C4A-C4	5.69	119.63	114.57
3	B	502	H4B	C8A-C4A-C4	5.12	119.12	114.57
3	C	502	H4B	C8A-C4A-C4	5.01	119.02	114.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	HEM	C4C-CHD-C1D	4.94	129.08	122.56
2	B	501	HEM	CBA-CAA-C2A	-4.26	105.35	112.62
2	B	501	HEM	C4B-CHC-C1C	3.86	127.65	122.56
5	D	504	BTB	O3-C3-C2	-3.72	101.24	111.44
2	B	501	HEM	C4C-CHD-C1D	3.60	127.31	122.56
2	D	501	HEM	CAD-CBD-CGD	-3.59	105.87	113.60
2	B	501	HEM	C1B-NB-C4B	3.56	108.75	105.07
3	B	502	H4B	N1-C2-N3	-3.54	119.87	125.42
3	B	502	H4B	C4-C4A-N5	3.53	122.08	119.12
2	D	501	HEM	CBA-CAA-C2A	-3.52	106.61	112.62
3	B	502	H4B	C2-N3-C4	3.51	121.51	115.93
3	C	502	H4B	N1-C2-N3	-3.41	120.06	125.42
2	A	501	HEM	C3B-C2B-C1B	3.37	108.98	106.49
2	D	501	HEM	CMA-C3A-C4A	-3.36	123.30	128.46
2	C	501	HEM	C4B-CHC-C1C	3.29	126.89	122.56
2	B	501	HEM	CAD-CBD-CGD	-3.27	106.58	113.60
2	A	501	HEM	C1B-NB-C4B	3.26	108.44	105.07
3	D	502	H4B	N1-C2-N3	-3.21	120.38	125.42
4	C	503	8FD	C25-C31-C32	-3.18	107.71	113.39
2	B	501	HEM	C3B-C2B-C1B	3.17	108.84	106.49
3	A	502	H4B	N1-C2-N3	-3.17	120.45	125.42
5	B	504	BTB	O3-C3-C2	-3.14	102.85	111.44
2	A	501	HEM	C4B-CHC-C1C	3.10	126.65	122.56
2	C	501	HEM	CHC-C4B-C3B	3.09	129.30	124.57
2	C	501	HEM	C1B-NB-C4B	3.06	108.24	105.07
3	D	502	H4B	C2-N3-C4	3.05	120.78	115.93
4	C	503	8FD	C04-C05-C10	3.03	119.65	118.01
3	C	502	H4B	C2-N3-C4	3.03	120.74	115.93
3	A	502	H4B	C2-N3-C4	2.96	120.63	115.93
4	D	503	8FD	C04-C05-C10	2.89	119.57	118.01
2	C	501	HEM	CAD-CBD-CGD	-2.89	107.39	113.60
3	B	502	H4B	C2-N1-C8A	2.88	120.99	114.54
2	C	501	HEM	C3B-C2B-C1B	2.86	108.61	106.49
3	C	502	H4B	C2-N1-C8A	2.86	120.94	114.54
3	C	502	H4B	C4-C4A-N5	2.85	121.51	119.12
3	D	502	H4B	C2-N1-C8A	2.82	120.86	114.54
3	A	502	H4B	C2-N1-C8A	2.80	120.81	114.54
2	D	501	HEM	C3B-C2B-C1B	2.75	108.52	106.49
2	D	501	HEM	CAD-C3D-C4D	2.70	129.38	124.66
3	B	502	H4B	C4A-N5-C6	-2.68	113.87	121.16
4	A	503	8FD	C25-C31-C32	-2.66	108.64	113.39
2	A	501	HEM	C4C-CHD-C1D	2.54	125.91	122.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	HEM	C4A-C3A-C2A	2.52	108.75	107.00
2	D	501	HEM	CHD-C1D-ND	2.51	127.16	124.43
5	A	504	BTB	O3-C3-C2	-2.48	104.65	111.44
2	D	501	HEM	C4A-C3A-C2A	2.48	108.72	107.00
4	C	503	8FD	C05-C10-N01	-2.47	120.19	122.81
3	A	502	H4B	C4-C4A-N5	2.45	121.18	119.12
2	A	501	HEM	CMD-C2D-C1D	2.45	128.77	125.04
2	B	501	HEM	CMA-C3A-C4A	-2.45	124.70	128.46
3	A	502	H4B	C4A-N5-C6	-2.43	114.55	121.16
2	D	501	HEM	CMC-C2C-C3C	2.41	129.20	124.68
2	C	501	HEM	CBA-CAA-C2A	-2.41	108.51	112.62
2	D	501	HEM	C3D-C4D-ND	-2.39	107.51	110.17
2	D	501	HEM	C4B-CHC-C1C	2.38	125.70	122.56
4	B	503	8FD	C05-C10-N01	-2.34	120.33	122.81
2	A	501	HEM	CAD-CBD-CGD	-2.28	108.69	113.60
2	D	501	HEM	C1B-NB-C4B	2.27	107.42	105.07
2	B	501	HEM	C2B-C1B-NB	-2.24	107.18	109.84
2	C	501	HEM	CHB-C1B-NB	2.23	127.14	124.38
2	A	501	HEM	CMC-C2C-C3C	2.23	128.85	124.68
2	D	501	HEM	O1A-CGA-CBA	-2.20	116.02	123.08
2	B	501	HEM	CMD-C2D-C1D	2.16	128.32	125.04
2	B	501	HEM	CMC-C2C-C3C	2.11	128.63	124.68
2	B	501	HEM	CHB-C1B-NB	2.11	126.99	124.38
4	B	503	8FD	C12-O13-C21	2.10	122.83	117.65
4	B	503	8FD	C04-C05-C10	2.10	119.14	118.01
2	A	501	HEM	CAD-C3D-C4D	2.07	128.28	124.66
4	A	503	8FD	N02-C02-N01	2.06	119.96	118.26
4	A	503	8FD	C05-C10-N01	-2.06	120.63	122.81
4	D	503	8FD	C05-C10-N01	-2.05	120.64	122.81
5	A	505	BTB	O4-C4-C2	-2.04	105.84	111.44
2	A	501	HEM	CMA-C3A-C4A	-2.04	125.33	128.46
2	C	501	HEM	CMD-C2D-C1D	2.03	128.13	125.04
3	C	502	H4B	N2-C2-N3	2.03	120.40	117.25
2	D	501	HEM	CAD-C3D-C2D	-2.01	124.14	127.88
2	D	501	HEM	CMD-C2D-C1D	2.01	128.09	125.04

There are no chirality outliers.

All (102) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	HEM	C1A-C2A-CAA-CBA
2	A	501	HEM	C3A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	501	HEM	C2A-CAA-CBA-CGA
3	A	502	H4B	N5-C6-C9-O9
3	A	502	H4B	C7-C6-C9-O9
3	A	502	H4B	C7-C6-C9-C10
3	B	502	H4B	N5-C6-C9-O9
3	B	502	H4B	N5-C6-C9-C10
3	B	502	H4B	C7-C6-C9-O9
3	B	502	H4B	C7-C6-C9-C10
3	C	502	H4B	N5-C6-C9-O9
3	C	502	H4B	C7-C6-C9-O9
3	C	502	H4B	C7-C6-C9-C10
3	D	502	H4B	N5-C6-C9-O9
3	D	502	H4B	N5-C6-C9-C10
3	D	502	H4B	C7-C6-C9-O9
3	D	502	H4B	C7-C6-C9-C10
4	A	503	8FD	C25-C31-C32-C33
4	C	503	8FD	C25-C31-C32-C33
4	D	503	8FD	C31-C32-N34-C35
5	A	504	BTB	C1-C2-C4-O4
5	A	504	BTB	C3-C2-C4-O4
5	A	504	BTB	N-C2-C4-O4
5	A	506	BTB	C1-C2-C3-O3
5	A	506	BTB	C4-C2-C3-O3
5	A	506	BTB	C1-C2-C4-O4
5	A	506	BTB	C3-C2-C4-O4
5	A	506	BTB	N-C2-C4-O4
5	B	504	BTB	O1-C1-C2-C3
5	B	504	BTB	O1-C1-C2-C4
5	B	504	BTB	O1-C1-C2-N
5	B	506	BTB	C1-C2-C4-O4
5	B	506	BTB	C3-C2-C4-O4
5	B	506	BTB	N-C2-C4-O4
5	C	504	BTB	O1-C1-C2-C3
5	C	504	BTB	O1-C1-C2-C4
5	C	504	BTB	O1-C1-C2-N
5	C	504	BTB	C3-C2-C4-O4
5	C	505	BTB	O1-C1-C2-C3
5	C	505	BTB	O1-C1-C2-C4
5	C	505	BTB	O1-C1-C2-N
5	C	505	BTB	C1-C2-C4-O4
5	C	505	BTB	C3-C2-C4-O4
5	C	505	BTB	N-C2-C4-O4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	C	505	BTB	C6-C5-N-C7
5	C	506	BTB	O1-C1-C2-C3
5	C	506	BTB	O1-C1-C2-C4
5	D	504	BTB	O1-C1-C2-C3
5	D	504	BTB	O1-C1-C2-C4
5	D	504	BTB	O1-C1-C2-N
5	D	505	BTB	O1-C1-C2-C3
5	D	505	BTB	O1-C1-C2-C4
5	D	505	BTB	O1-C1-C2-N
5	D	505	BTB	C1-C2-C3-O3
5	D	505	BTB	C4-C2-C3-O3
5	D	505	BTB	N-C2-C3-O3
5	D	505	BTB	C1-C2-C4-O4
5	D	505	BTB	C3-C2-C4-O4
5	D	505	BTB	C6-C5-N-C7
7	A	508	GOL	C1-C2-C3-O3
7	C	508	GOL	O1-C1-C2-C3
5	C	504	BTB	N-C5-C6-O6
5	D	504	BTB	N-C7-C8-O8
5	A	505	BTB	N-C5-C6-O6
5	C	506	BTB	N-C7-C8-O8
5	C	504	BTB	N-C7-C8-O8
7	A	508	GOL	O2-C2-C3-O3
5	A	504	BTB	N-C7-C8-O8
4	A	503	8FD	C22-C21-O13-C12
4	D	503	8FD	C33-C32-N34-C35
4	A	503	8FD	C26-C21-O13-C12
2	D	501	HEM	C4B-C3B-CAB-CBB
7	C	508	GOL	O1-C1-C2-O2
5	C	505	BTB	N-C5-C6-O6
3	A	502	H4B	N5-C6-C9-C10
3	C	502	H4B	N5-C6-C9-C10
4	D	503	8FD	C25-C31-C32-C33
5	D	504	BTB	N-C5-C6-O6
4	A	503	8FD	C25-C31-C32-N34
4	D	503	8FD	C25-C31-C32-N34
4	C	503	8FD	C22-C21-O13-C12
2	A	501	HEM	C4B-C3B-CAB-CBB
2	B	501	HEM	C4B-C3B-CAB-CBB
2	C	501	HEM	C4B-C3B-CAB-CBB
5	C	505	BTB	N-C7-C8-O8
4	C	503	8FD	C26-C21-O13-C12

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	B	505	BTB	C3-C2-C4-O4
5	C	504	BTB	C1-C2-C4-O4
2	C	501	HEM	C1A-C2A-CAA-CBA
2	C	501	HEM	C3A-C2A-CAA-CBA
5	A	506	BTB	O1-C1-C2-N
5	A	506	BTB	N-C2-C3-O3
5	C	504	BTB	N-C2-C4-O4
5	C	506	BTB	O1-C1-C2-N
5	D	505	BTB	N-C2-C4-O4
2	B	501	HEM	CAA-CBA-CGA-O1A
5	C	506	BTB	N-C5-C6-O6
5	D	505	BTB	N-C7-C8-O8
2	B	501	HEM	CAA-CBA-CGA-O2A
5	A	506	BTB	N-C5-C6-O6
5	B	505	BTB	C1-C2-C4-O4
3	A	502	H4B	C11-C10-C9-O9


There are no ring outliers.


21 monomers are involved in 44 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	505	BTB	1	0
2	A	501	HEM	4	0
2	C	501	HEM	2	0
5	A	504	BTB	1	0
3	B	502	H4B	1	0
5	C	504	BTB	3	0
5	C	505	BTB	2	0
2	B	501	HEM	3	0
5	D	504	BTB	4	0
7	C	508	GOL	1	0
5	D	505	BTB	2	0
5	B	504	BTB	5	0
4	B	503	8FD	2	0
5	B	505	BTB	2	1
5	A	506	BTB	1	0
5	B	506	BTB	1	0
4	C	503	8FD	2	0
2	D	501	HEM	3	0
4	D	503	8FD	2	0
5	C	506	BTB	3	0
3	D	502	H4B	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	404/440 (91%)	0.50	31 (7%) 13 12	42, 86, 146, 177	0
1	B	402/440 (91%)	0.18	9 (2%) 62 59	44, 69, 112, 140	0
1	C	401/440 (91%)	0.31	12 (2%) 50 48	45, 77, 127, 170	0
1	D	402/440 (91%)	0.18	7 (1%) 70 68	42, 67, 111, 155	0
All	All	1609/1760 (91%)	0.29	59 (3%) 41 39	42, 74, 129, 177	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	119	ALA	6.2
1	C	304	LEU	5.7
1	A	305	LEU	5.5
1	D	141[A]	SER	4.9
1	A	109	LEU	4.8
1	A	153	VAL	4.7
1	C	141	SER	4.5
1	A	293	LEU	4.4
1	A	163	TYR	4.2
1	A	108	LYS	4.2
1	A	273	LEU	4.0
1	C	238	ARG	3.9
1	A	244	TRP	3.8
1	C	346	LEU	3.4
1	A	107	ARG	3.3
1	A	346	LEU	3.3
1	C	305	LEU	3.3
1	A	292	LEU	3.2
1	C	90	GLN	3.1
1	A	161	GLY	3.1
1	B	333	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	304	LEU	3.0
1	A	171	VAL	3.0
1	B	89	GLN	2.9
1	A	129	ASP	2.9
1	A	303	PHE	2.9
1	A	259	GLY	2.8
1	D	68	PHE	2.8
1	B	141[A]	SER	2.7
1	C	300	PRO	2.7
1	D	157	VAL	2.7
1	D	371	HIS	2.7
1	A	157	VAL	2.7
1	D	67	LYS	2.6
1	B	135	TYR	2.6
1	A	243	ILE	2.6
1	B	153	VAL	2.6
1	B	150	LEU	2.5
1	C	81	TYR	2.5
1	A	291	LEU	2.5
1	A	105	PHE	2.5
1	A	289	LEU	2.5
1	C	468	PHE	2.4
1	A	348	PHE	2.4
1	A	276	GLN	2.3
1	B	165	LEU	2.3
1	D	302	LEU	2.3
1	A	123	LEU	2.2
1	C	293	LEU	2.2
1	C	412	LEU	2.2
1	A	192	LYS	2.2
1	A	90	GLN	2.1
1	B	326	LEU	2.1
1	A	468	PHE	2.1
1	A	301	GLU	2.1
1	D	97	ARG	2.1
1	C	480	TRP	2.1
1	B	196	PHE	2.1
1	A	230	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	BTB	B	506	14/14	0.79	0.14	87,106,109,110	0
3	H4B	B	502	17/17	0.82	0.21	51,77,126,134	0
7	GOL	A	508	6/6	0.84	0.29	53,66,78,79	0
5	BTB	B	505	14/14	0.85	0.30	33,85,99,99	0
5	BTB	A	506	14/14	0.86	0.10	85,104,109,113	0
3	H4B	A	502	17/17	0.86	0.22	59,82,98,99	0
3	H4B	D	502	17/17	0.86	0.22	36,61,120,128	0
4	8FD	C	503	27/27	0.86	0.18	50,98,115,116	0
4	8FD	A	503	27/27	0.87	0.20	63,101,131,135	0
5	BTB	C	506	14/14	0.88	0.18	87,102,110,112	0
3	H4B	C	502	17/17	0.89	0.27	70,89,113,113	0
8	CL	A	509	1/1	0.89	0.05	81,81,81,81	0
9	GD	A	510	1/1	0.89	0.15	175,175,175,175	0
4	8FD	D	503	27/27	0.91	0.19	43,77,119,120	0
4	8FD	B	503	27/27	0.91	0.18	47,89,112,117	0
5	BTB	A	505	14/14	0.93	0.15	74,92,103,108	0
8	CL	C	509	1/1	0.93	0.10	87,87,87,87	0
5	BTB	C	504	14/14	0.93	0.13	61,111,121,123	0
5	BTB	C	505	14/14	0.94	0.23	62,78,106,111	0
5	BTB	D	505	14/14	0.94	0.29	66,87,92,98	0
5	BTB	D	504	14/14	0.95	0.12	48,67,86,88	0
5	BTB	B	504	14/14	0.95	0.16	35,75,93,103	0
6	ZN	A	511	1/1	0.95	0.16	57,57,57,57	1
6	ZN	C	511	1/1	0.95	0.15	52,52,52,52	1
8	CL	D	507	1/1	0.96	0.08	56,56,56,56	0
5	BTB	A	504	14/14	0.96	0.17	33,95,103,107	0
2	HEM	C	501	43/43	0.97	0.16	46,74,100,118	0
7	GOL	C	508	6/6	0.97	0.27	46,50,54,59	0
8	CL	B	507	1/1	0.98	0.08	62,62,62,62	0
2	HEM	B	501	43/43	0.98	0.15	39,56,84,111	0
2	HEM	A	501	43/43	0.98	0.18	58,75,102,108	0
2	HEM	D	501	43/43	0.98	0.16	40,57,77,84	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
9	GD	B	508	1/1	0.98	0.23	69,69,69,69	0
9	GD	C	510	1/1	0.98	0.17	143,143,143,143	0
6	ZN	A	507	1/1	0.99	0.18	67,67,67,67	0
9	GD	D	506	1/1	0.99	0.24	65,65,65,65	0
6	ZN	C	507	1/1	1.00	0.16	61,61,61,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around 8FD A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 8FD D 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8FD B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 501:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.