



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 11, 2023 – 02:05 PM EST

PDB ID : 7UR2
Title : Crystal structure of the Sec14 domain of the RhoGEF Kalirin
Authors : Li, Y.; Doukov, T.I.; Hao, B.
Deposited on : 2022-04-21
Resolution : 1.89 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.31.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	195	 3% 74% 7% 18%
1	B	195	 2% 81% 8% 11%
1	C	195	 0% 78% 8% 12%
1	D	195	 0% 81% 0% 14%
1	E	195	 3% 75% 7% 17%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	195	<p>%</p> <p>81% 7% 12%</p>
1	G	195	<p>3%</p> <p>74% 8% 17%</p>
1	H	195	<p>2%</p> <p>75% 7% 16%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	201	-	-	-	X
2	SO4	E	202	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 12143 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform 7 of Kalirin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	160	1280	822	218	236	4	0	1	0
1	B	174	1401	898	240	259	4	0	1	0
1	C	171	1394	896	240	254	4	0	4	0
1	D	167	1351	868	231	248	4	0	2	0
1	E	162	1296	830	222	240	4	0	1	0
1	F	171	1379	887	236	252	4	0	1	0
1	G	162	1293	829	221	239	4	0	1	0
1	H	163	1302	837	222	239	4	0	1	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP A2CG49
A	-1	GLY	-	expression tag	UNP A2CG49
A	0	GLY	-	expression tag	UNP A2CG49
A	1	ARG	-	expression tag	UNP A2CG49
B	-2	GLY	-	expression tag	UNP A2CG49
B	-1	GLY	-	expression tag	UNP A2CG49
B	0	GLY	-	expression tag	UNP A2CG49
B	1	ARG	-	expression tag	UNP A2CG49
C	-2	GLY	-	expression tag	UNP A2CG49
C	-1	GLY	-	expression tag	UNP A2CG49
C	0	GLY	-	expression tag	UNP A2CG49
C	1	ARG	-	expression tag	UNP A2CG49
D	-2	GLY	-	expression tag	UNP A2CG49

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	GLY	-	expression tag	UNP A2CG49
D	0	GLY	-	expression tag	UNP A2CG49
D	1	ARG	-	expression tag	UNP A2CG49
E	-2	GLY	-	expression tag	UNP A2CG49
E	-1	GLY	-	expression tag	UNP A2CG49
E	0	GLY	-	expression tag	UNP A2CG49
E	1	ARG	-	expression tag	UNP A2CG49
F	-2	GLY	-	expression tag	UNP A2CG49
F	-1	GLY	-	expression tag	UNP A2CG49
F	0	GLY	-	expression tag	UNP A2CG49
F	1	ARG	-	expression tag	UNP A2CG49
G	-2	GLY	-	expression tag	UNP A2CG49
G	-1	GLY	-	expression tag	UNP A2CG49
G	0	GLY	-	expression tag	UNP A2CG49
G	1	ARG	-	expression tag	UNP A2CG49
H	-2	GLY	-	expression tag	UNP A2CG49
H	-1	GLY	-	expression tag	UNP A2CG49
H	0	GLY	-	expression tag	UNP A2CG49
H	1	ARG	-	expression tag	UNP A2CG49

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total 5	O 4	S 1	0	0
2	E	1	Total 5	O 4	S 1	0	0
2	E	1	Total 5	O 4	S 1	0	0
2	F	1	Total 5	O 4	S 1	0	0
2	G	1	Total 5	O 4	S 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	183	Total 183	O 183	0	0
3	B	203	Total 203	O 203	0	0
3	C	172	Total 172	O 172	0	0
3	D	141	Total 141	O 141	0	0
3	E	201	Total 201	O 201	0	0
3	F	172	Total 172	O 172	0	0
3	G	187	Total 187	O 187	0	0
3	H	153	Total 153	O 153	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isoform 7 of Kalirin




- Molecule 1: Isoform 7 of Kalirin




- Molecule 1: Isoform 7 of Kalirin



- Molecule 1: Isoform 7 of Kalirin




- Molecule 1: Isoform 7 of Kalirin









- Molecule 1: Isoform 7 of Kalirin



- Molecule 1: Isoform 7 of Kalirin



- Molecule 1: Isoform 7 of Kalirin



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	72.16Å 82.42Å 83.27Å 81.09° 71.79° 79.88°	Depositor
Resolution (Å)	61.01 – 1.89 78.65 – 1.89	Depositor EDS
% Data completeness (in resolution range)	95.9 (61.01-1.89) 95.9 (78.65-1.89)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.19 (at 1.88Å)	Xtrriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.195 , 0.218 0.192 , 0.218	Depositor DCC
R_{free} test set	6768 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å ²)	33.6	Xtrriage
Anisotropy	0.156	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 54.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12143	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/1307	0.60	0/1760
1	B	0.48	0/1434	0.57	0/1934
1	C	0.49	0/1435	0.60	0/1932
1	D	0.47	0/1385	0.59	0/1867
1	E	0.52	0/1324	0.60	0/1785
1	F	0.47	0/1411	0.57	0/1901
1	G	0.49	0/1321	0.63	0/1781
1	H	0.49	0/1330	0.64	0/1791
All	All	0.49	0/10947	0.60	0/14751

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1280	0	1305	8	0
1	B	1401	0	1414	8	0
1	C	1394	0	1420	9	0
1	D	1351	0	1371	4	0
1	E	1296	0	1318	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1379	0	1398	7	0
1	G	1293	0	1314	14	0
1	H	1302	0	1326	18	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	D	5	0	0	0	0
2	E	10	0	0	0	0
2	F	5	0	0	0	0
2	G	5	0	0	0	0
3	A	183	0	0	0	0
3	B	203	0	0	0	0
3	C	172	0	0	0	0
3	D	141	0	0	0	0
3	E	201	0	0	1	0
3	F	172	0	0	1	0
3	G	187	0	0	0	0
3	H	153	0	0	1	0
All	All	12143	0	10866	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:42:LYS:NZ	1:H:192:LEU:HB2	1.93	0.81
1:G:52:ARG:H	1:G:169:GLN:HE21	1.30	0.77
1:B:52:ARG:H	1:B:169:GLN:HE21	1.32	0.77
1:E:124:GLU:HG2	3:E:399:HOH:O	1.93	0.68
1:B:103:ARG:HG2	1:B:133:PRO:HA	1.77	0.67
1:G:42:LYS:HZ3	1:H:192:LEU:HB2	1.59	0.66
1:A:26:SER:OG	1:A:28:ARG:HG3	1.96	0.66
1:D:188:LEU:HD11	1:F:190:LEU:HB3	1.80	0.62
1:C:101:ASP:OD1	1:C:103:ARG:HD3	2.02	0.60
1:G:42:LYS:CE	1:H:192:LEU:HD22	2.33	0.59
1:G:42:LYS:HE2	1:H:192:LEU:HD22	1.85	0.58
1:H:53:ASP:HB3	1:H:55:ARG:H	1.69	0.58
1:G:42:LYS:HE3	1:H:192:LEU:CD2	2.35	0.57
1:G:42:LYS:CE	1:H:192:LEU:HB2	2.33	0.57
1:H:65:ARG:O	1:H:68:HIS:HB2	2.04	0.57
1:G:38:LEU:HD21	1:H:191:SER:O	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:77:ARG:O	1:G:81:THR:HG23	2.04	0.57
1:C:106:LYS:HD3	1:C:108:ASP:H	1.71	0.56
1:H:37:VAL:HG23	1:H:41:LEU:HD22	1.86	0.56
1:A:70:ARG:HH11	1:A:70:ARG:HG3	1.73	0.53
1:C:43:GLU:HB3	1:C:65[A]:ARG:HH22	1.73	0.53
1:A:28:ARG:HG2	1:A:122:PRO:HB3	1.92	0.52
1:A:111:LYS:HE2	1:A:115:LYS:HE3	1.91	0.52
1:B:111:LYS:HE2	1:B:115:LYS:HE3	1.91	0.52
1:E:52:ARG:NH1	1:E:91:VAL:HG21	2.25	0.51
1:F:119:GLU:HG3	3:F:351:HOH:O	2.09	0.51
1:B:136:PHE:HZ	1:F:92[A]:CYS:HG	1.59	0.51
1:C:43:GLU:HB3	1:C:65[A]:ARG:NH2	2.27	0.50
1:H:111:LYS:HE2	1:H:115:LYS:HE3	1.93	0.50
1:E:111:LYS:HE2	1:E:115:LYS:HE3	1.93	0.49
1:G:77:ARG:O	1:G:81:THR:CG2	2.59	0.49
1:D:111:LYS:HE2	1:D:115:LYS:HE3	1.94	0.49
1:C:111:LYS:HE2	1:C:115:LYS:HE2	1.94	0.49
1:C:132:LYS:HD3	1:C:155:MET:HG2	1.94	0.48
1:E:110:ILE:O	1:E:113:LEU:HB2	2.13	0.48
1:F:111:LYS:HE2	1:F:115:LYS:HE2	1.95	0.48
1:B:136:PHE:HZ	1:F:92[A]:CYS:SG	2.37	0.47
1:F:130:ILE:HD11	1:F:153:THR:HG23	1.96	0.47
1:G:132:LYS:HD3	1:G:155:MET:HG2	1.97	0.47
1:G:42:LYS:NZ	1:H:192:LEU:CB	2.72	0.46
1:E:102:MET:HE3	1:E:110:ILE:HG13	1.97	0.46
1:A:148:LYS:HE2	1:A:148:LYS:HB2	1.47	0.46
1:E:162:THR:HA	1:E:165:VAL:O	2.16	0.46
1:A:52:ARG:NH1	1:A:91:VAL:HG21	2.30	0.45
1:A:162:THR:HA	1:A:165:VAL:O	2.16	0.45
1:D:55:ARG:NH2	1:D:94:ARG:O	2.50	0.45
1:E:148:LYS:HB3	1:E:148:LYS:HE2	1.65	0.45
1:B:162:THR:HA	1:B:165:VAL:O	2.16	0.45
1:H:156:VAL:HG22	1:H:160:GLY:HA3	2.00	0.44
1:A:189:ARG:HA	1:A:192:LEU:HD13	2.00	0.43
1:G:42:LYS:HE3	1:H:192:LEU:HD23	2.01	0.43
1:C:107:TRP:HE1	1:C:143:ASN:ND2	2.17	0.43
1:C:181:ASN:ND2	1:C:184:GLU:H	2.17	0.43
1:E:102:MET:HG3	1:E:110:ILE:HG13	2.00	0.42
1:G:191:SER:O	1:G:192:LEU:HB2	2.19	0.42
1:H:23:ARG:HD2	3:H:223:HOH:O	2.18	0.42
1:D:100:ILE:HG21	1:D:110:ILE:HG23	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:131:ILE:HD11	1:H:161:LEU:HD13	2.02	0.42
1:C:131:ILE:HD11	1:C:161:LEU:HD13	2.01	0.42
1:H:53:ASP:HB2	1:H:57:GLY:H	1.85	0.42
1:E:95:GLY:HA2	1:E:124:GLU:HG3	2.01	0.42
1:E:102:MET:CE	1:E:107:TRP:HE3	2.33	0.41
1:B:138:GLN:HB2	1:B:140:GLN:HG2	2.03	0.41
1:H:192:LEU:N	1:H:192:LEU:CD1	2.84	0.41
1:F:162:THR:HA	1:F:165:VAL:O	2.21	0.40
1:B:45:VAL:HA	1:B:65:ARG:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	155/195 (80%)	153 (99%)	2 (1%)	0	100	100
1	B	173/195 (89%)	172 (99%)	1 (1%)	0	100	100
1	C	171/195 (88%)	170 (99%)	1 (1%)	0	100	100
1	D	165/195 (85%)	162 (98%)	3 (2%)	0	100	100
1	E	159/195 (82%)	158 (99%)	1 (1%)	0	100	100
1	F	168/195 (86%)	167 (99%)	1 (1%)	0	100	100
1	G	159/195 (82%)	156 (98%)	2 (1%)	1 (1%)	25	15
1	H	158/195 (81%)	155 (98%)	3 (2%)	0	100	100
All	All	1308/1560 (84%)	1293 (99%)	14 (1%)	1 (0%)	51	42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	148	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	143/167 (86%)	140 (98%)	3 (2%)	53	48
1	B	156/167 (93%)	151 (97%)	5 (3%)	39	30
1	C	156/167 (93%)	152 (97%)	4 (3%)	46	39
1	D	151/167 (90%)	148 (98%)	3 (2%)	55	51
1	E	145/167 (87%)	140 (97%)	5 (3%)	37	28
1	F	153/167 (92%)	149 (97%)	4 (3%)	46	39
1	G	144/167 (86%)	135 (94%)	9 (6%)	18	8
1	H	145/167 (87%)	143 (99%)	2 (1%)	67	65
All	All	1193/1336 (89%)	1158 (97%)	35 (3%)	41	35

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	ARG
1	A	146	SER
1	A	148	LYS
1	B	19	ASP
1	B	66	SER
1	B	138	GLN
1	B	173	GLU
1	B	188	LEU
1	C	28	ARG
1	C	110	ILE
1	C	143	ASN
1	C	181	ASN
1	D	55	ARG
1	D	148	LYS
1	D	177	SER
1	E	113	LEU
1	E	147	SER
1	E	148	LYS
1	E	150	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	158	VAL
1	F	68	HIS
1	F	158	VAL
1	F	161	LEU
1	F	188	LEU
1	G	43	GLU
1	G	81	THR
1	G	103	ARG
1	G	119	GLU
1	G	147	SER
1	G	148	LYS
1	G	156	VAL
1	G	161	LEU
1	G	188	LEU
1	H	23	ARG
1	H	41	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	169	GLN
1	C	143	ASN
1	C	181	ASN
1	G	169	GLN
1	H	68	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	201	-	4,4,4	0.17	0	6,6,6	0.10	0
2	SO4	E	202	-	4,4,4	0.13	0	6,6,6	0.05	0
2	SO4	G	201	-	4,4,4	0.19	0	6,6,6	0.10	0
2	SO4	E	201	-	4,4,4	0.37	0	6,6,6	0.36	0
2	SO4	D	201	-	4,4,4	0.13	0	6,6,6	0.10	0
2	SO4	B	201	-	4,4,4	0.20	0	6,6,6	0.24	0
2	SO4	F	201	-	4,4,4	0.17	0	6,6,6	0.12	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	160/195 (82%)	-0.06	6 (3%) 40 43	28, 41, 72, 83	0
1	B	174/195 (89%)	-0.03	4 (2%) 60 63	29, 42, 66, 83	0
1	C	171/195 (87%)	0.01	0 100 100	28, 43, 68, 120	0
1	D	167/195 (85%)	0.02	1 (0%) 89 90	32, 48, 76, 85	0
1	E	162/195 (83%)	0.03	5 (3%) 49 51	26, 37, 65, 102	0
1	F	171/195 (87%)	-0.16	1 (0%) 89 90	32, 45, 70, 83	0
1	G	162/195 (83%)	-0.07	5 (3%) 49 51	30, 45, 82, 102	0
1	H	163/195 (83%)	0.07	3 (1%) 68 71	31, 46, 74, 88	0
All	All	1330/1560 (85%)	-0.02	25 (1%) 66 69	26, 44, 72, 120	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	146	SER	4.7
1	G	66	SER	4.4
1	A	147	SER	4.2
1	G	147	SER	4.0
1	E	147	SER	3.9
1	G	146	SER	3.9
1	E	148	LYS	3.8
1	F	134	ASP	3.5
1	B	19	ASP	3.4
1	A	65	ARG	3.3
1	E	135	ASN	3.2
1	E	150	ILE	3.1
1	H	68	HIS	3.0
1	A	19	ASP	3.0
1	H	192	LEU	2.9
1	A	68	HIS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	107	TRP	2.6
1	B	150	ILE	2.6
1	B	66	SER	2.4
1	G	68	HIS	2.4
1	D	66	SER	2.3
1	E	20	ALA	2.2
1	G	67	ASN	2.1
1	H	159	GLU	2.1
1	B	68	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	201	5/5	0.47	0.41	208,209,209,211	0
2	SO4	E	202	5/5	0.47	0.68	257,259,260,261	0
2	SO4	D	201	5/5	0.83	0.41	138,140,140,142	0
2	SO4	G	201	5/5	0.85	0.18	114,116,120,120	0
2	SO4	F	201	5/5	0.94	0.15	100,100,103,103	0
2	SO4	B	201	5/5	0.97	0.12	89,89,91,92	0
2	SO4	E	201	5/5	0.99	0.08	41,44,46,48	0

6.5 Other polymers [i](#)

There are no such residues in this entry.