



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 3, 2023 – 03:15 am GMT

PDB ID : 2UX5
Title : X-ray high resolution structure of the photosynthetic reaction center from Rb. sphaeroides at pH 9 in the charge-separated state
Authors : Koepke, J.; Diehm, R.; Fritzsich, G.
Deposited on : 2007-03-26
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5912 (2.24-2.20)
Clashscore	141614	6646 (2.24-2.20)
Ramachandran outliers	138981	6543 (2.24-2.20)
Sidechain outliers	138945	6544 (2.24-2.20)
RSRZ outliers	127900	5797 (2.24-2.20)

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	CDL	M	1317	-	-	-	X
5	BCL	L	1282	X	-	-	-
5	BCL	L	1287	X	-	-	-
5	BCL	M	1304	X	-	-	-
5	BCL	M	1305	X	-	-	-
6	LDA	L	1283	-	-	-	X
6	LDA	M	1311	-	-	-	X

2 Entry composition [i](#)

There are 15 unique types of molecules in this entry. The entry contains 7706 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called REACTION CENTER PROTEIN H CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	241	Total 1846	C 1181	N 319	O 337	S 9	0	3	1

- Molecule 2 is a protein called REACTION CENTER PROTEIN L CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	281	Total 2232	C 1507	N 355	O 362	S 8	0	0	0

- Molecule 3 is a protein called REACTION CENTER PROTEIN M CHAIN.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	M	303	Total 2409	C 1607	N 395	O 397	S 10	0	0	1

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	H	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		
4	H	1	Total	C	O	0	0
			6	3	3		
4	L	1	Total	C	O	0	0
			6	3	3		
4	L	1	Total	C	O	0	0
			6	3	3		
4	M	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: $C_{55}H_{74}MgN_4O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
5	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
5	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
5	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		


- Molecule 6 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula:

C₁₄H₃₁NO).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
6	L	1	Total	C	N	O	0	0
			16	14	1	1		
6	L	1	Total	C	N	O	0	0
			16	14	1	1		
6	M	1	Total	C	N	O	0	0
			16	14	1	1		
6	M	1	Total	C	N	O	0	0
			16	14	1	1		
6	M	1	Total	C	N	O	0	0
			16	14	1	1		
6	M	1	Total	C	N	O	0	0
			16	14	1	1		
6	M	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 7 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: C₅₅H₇₆N₄O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
7	L	1	65	55	4	6	0	0
7	M	1	65	55	4	6	0	0

- Molecule 8 is UBIQUINONE-2 (three-letter code: UQ2) (formula: $C_{19}H_{26}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
8	L	1	46	38	8	0	1

- Molecule 9 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	L	1	Total	O	P	0	0
			5	4	1		

- Molecule 10 is HEPTANE-1,2,3-TRIOL (three-letter code: HTO) (formula: C₇H₁₆O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	L	1	Total	C	O	0	0
			10	7	3		

- Molecule 11 is FE (III) ION (three-letter code: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	M	1	Total	Fe	0	0
			1	1		

- Molecule 12 is UBIQUINONE-10 (three-letter code: U10) (formula: $C_{59}H_{90}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	M	1	Total	C	O	0	0
			48	44	4		

- Molecule 13 is SPHEROIDENE (three-letter code: SPO) (formula: $C_{41}H_{60}O$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	M	1	Total	C	O	0	0
			42	41	1		

- Molecule 14 is CARDIOLIPIN (three-letter code: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
14	M	1	Total	C	O	P	0	0
			81	62	17	2		

- Molecule 15 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	H	167	Total	O	0	0
			167	167		
15	L	115	Total	O	0	0
			115	115		
15	M	124	Total	O	0	0
			124	124		

SEQUENCE-PLOTS INFOmissingINFO

3 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	139.46Å 139.46Å 184.73Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.21 19.86 – 2.21	Depositor EDS
% Data completeness (in resolution range)	99.1 (50.00-2.21) 96.3 (19.86-2.21)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.37 (at 2.21Å)	Xtrriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.202 , 0.236 0.196 , 0.189	Depositor DCC
R_{free} test set	3118 reflections (3.01%)	wwPDB-VP
Wilson B-factor (Å ²)	37.2	Xtrriage
Anisotropy	0.245	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 53.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.027 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7706	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality i

4.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HTO, CDL, SPO, FE, LDA, BPH, BCL, UQ2, PO4, U10, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	H	0.88	0/1906	0.92	6/2591 (0.2%)
2	L	0.91	0/2320	0.78	1/3175 (0.0%)
3	M	0.88	3/2501 (0.1%)	0.80	2/3415 (0.1%)
All	All	0.89	3/6727 (0.0%)	0.83	9/9181 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	M	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	M	278	LEU	CG-CD2	7.91	1.81	1.51
3	M	213	ALA	CA-CB	6.24	1.65	1.52
3	M	227	SER	CA-CB	5.32	1.60	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	278	LEU	CA-CB-CG	-13.19	84.97	115.30
1	H	11	ASP	CB-CG-OD2	8.98	126.38	118.30
1	H	166	ASP	CB-CG-OD2	8.16	125.64	118.30
1	H	83	ARG	NE-CZ-NH2	-7.27	116.67	120.30
1	H	231	ASP	CB-CG-OD2	7.12	124.71	118.30
1	H	82	ASP	CB-CG-OD2	6.78	124.40	118.30
1	H	139	GLY	N-CA-C	-6.73	96.27	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	240	ASP	CB-CG-OD2	6.22	123.90	118.30
2	L	102	LEU	CB-CG-CD1	5.06	119.60	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	M	300	ASN	Peptide

4.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1846	0	1861	24	0
2	L	2232	0	2187	28	0
3	M	2409	0	2321	53	0
4	H	24	0	32	4	0
4	L	12	0	16	1	0
4	M	6	0	8	1	0
5	L	132	0	148	6	0
5	M	132	0	148	20	0
6	L	32	0	62	2	0
6	M	112	0	217	8	0
7	L	65	0	76	6	0
7	M	65	0	76	14	0
8	L	46	0	52	6	0
9	L	5	0	0	0	0
10	L	10	0	16	0	0
11	M	1	0	0	0	0
12	M	48	0	63	3	0
13	M	42	0	60	2	0
14	M	81	0	86	4	0
15	H	167	0	0	3	0
15	L	115	0	0	2	0
15	M	124	0	0	2	0
All	All	7706	0	7429	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:278:LEU:CD2	3:M:278:LEU:CG	1.81	1.56
3:M:278:LEU:CD2	3:M:279:THR:H	1.18	1.55
3:M:278:LEU:CD2	3:M:279:THR:N	1.74	1.38
3:M:278:LEU:CD2	3:M:278:LEU:HA	1.61	1.28
3:M:278:LEU:CD2	3:M:278:LEU:CA	2.11	1.27
3:M:278:LEU:HD22	3:M:278:LEU:C	1.56	1.26
3:M:278:LEU:HD22	3:M:279:THR:N	0.79	1.10
3:M:278:LEU:HA	3:M:278:LEU:HD23	1.20	1.08
7:L:1285:BPH:HHC	7:L:1285:BPH:HBB3	1.42	0.99
3:M:275:LEU:O	3:M:278:LEU:O	1.83	0.97
3:M:278:LEU:CD2	3:M:278:LEU:C	2.20	0.94
1:H:220[A]:LYS:HD2	1:H:229:GLU:OE2	1.71	0.90
3:M:197:PHE:CZ	5:M:1305:BCL:HBB2	2.10	0.86
3:M:197:PHE:HZ	5:M:1305:BCL:HBB2	1.39	0.85
3:M:278:LEU:HD22	3:M:279:THR:CA	2.08	0.83
4:H:1252:GOL:H31	15:H:2003:HOH:O	1.78	0.83
6:M:1306:LDA:H101	6:M:1308:LDA:H121	1.62	0.80
5:M:1305:BCL:HBB3	5:M:1305:BCL:HHC	1.67	0.77
1:H:248:ARG:HA	1:H:249:LYS:HB3	1.67	0.77
3:M:189:PHE:O	3:M:193:HIS:HD2	1.70	0.75
5:M:1305:BCL:HHC	5:M:1305:BCL:CBB	2.18	0.74
7:M:1314:BPH:HBB3	7:M:1314:BPH:HHC	1.68	0.74
6:M:1306:LDA:H101	6:M:1308:LDA:C12	2.19	0.73
7:L:1285:BPH:HHC	7:L:1285:BPH:CBB	2.19	0.72
2:L:181:PHE:CD2	7:M:1314:BPH:HBB1	2.24	0.71
3:M:16:ALA:HB1	3:M:32:VAL:HG11	1.71	0.71
2:L:199:ASN:HA	4:L:1290:GOL:H31	1.76	0.68
5:M:1304:BCL:CBB	5:M:1304:BCL:HHC	2.24	0.68
5:M:1304:BCL:HHC	5:M:1304:BCL:HBB2	1.77	0.67
2:L:170:ASN:HD22	2:L:170:ASN:C	1.99	0.66
7:M:1314:BPH:HHD	7:M:1314:BPH:HBC3	1.76	0.66
5:M:1304:BCL:HBB3	5:M:1305:BCL:H41	1.76	0.66
6:M:1308:LDA:H112	12:M:1315:U10:H202	1.79	0.65
1:H:35:ASN:OD1	3:M:260:ALA:HB1	1.97	0.65
7:M:1314:BPH:HHC	7:M:1314:BPH:CBB	2.28	0.63
1:H:175:MET:HE1	15:M:2097:HOH:O	1.97	0.63
2:L:72:GLU:HG2	15:L:2042:HOH:O	1.97	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:157:TRP:HB2	5:M:1305:BCL:H71	1.81	0.63
2:L:224:ILE:HG22	8:L:1286[B]:UQ2:H8	1.81	0.63
3:M:77:GLN:HE22	3:M:93:SER:H	1.44	0.62
4:H:1252:GOL:C3	15:H:2003:HOH:O	2.45	0.61
1:H:119:ASP:OD1	1:H:220[A]:LYS:NZ	2.34	0.60
3:M:197:PHE:HZ	5:M:1305:BCL:CBB	2.13	0.60
2:L:181:PHE:HB3	7:M:1314:BPH:HBB2	1.84	0.60
1:H:118[A]:ARG:HD3	15:M:2102:HOH:O	2.01	0.59
7:L:1285:BPH:HBB2	3:M:210:TYR:HB3	1.84	0.59
2:L:72:GLU:CG	15:L:2042:HOH:O	2.50	0.58
1:H:169:VAL:HG23	1:H:171:ILE:HD13	1.85	0.58
3:M:55:LEU:HD22	3:M:128:SER:HB2	1.86	0.58
5:L:1282:BCL:HBB3	5:L:1287:BCL:H52	1.85	0.58
3:M:194:GLY:O	3:M:195:ASN:HB3	2.04	0.57
2:L:208:THR:HB	2:L:209:PRO:HD2	1.86	0.57
1:H:11:ASP:OD1	3:M:302:GLY:HA2	2.06	0.56
3:M:62:SER:OG	3:M:124:VAL:HG22	2.05	0.56
1:H:248:ARG:HA	1:H:249:LYS:CB	2.36	0.56
6:L:1284:LDA:H121	8:L:1286[B]:UQ2:C16	2.36	0.55
1:H:62:LYS:HE3	4:H:1252:GOL:H11	1.88	0.55
6:M:1308:LDA:HM22	6:M:1309:LDA:H11	1.89	0.55
5:L:1287:BCL:CBB	5:L:1287:BCL:HMB1	2.37	0.54
3:M:229:PHE:HB2	3:M:244:ALA:HB2	1.90	0.54
5:M:1305:BCL:HAA2	5:M:1305:BCL:HBD	1.90	0.54
1:H:171:ILE:HB	1:H:172:PRO:HD3	1.88	0.53
6:L:1284:LDA:H121	8:L:1286[B]:UQ2:H162	1.90	0.52
2:L:162:TYR:OH	3:M:187:ASN:ND2	2.43	0.52
7:M:1314:BPH:HBB3	7:M:1314:BPH:CHC	2.38	0.52
2:L:199:ASN:O	14:M:1317:CDL:HB22	2.09	0.51
3:M:202:HIS:CE1	3:M:206:ILE:HD11	2.45	0.51
5:L:1287:BCL:HMB1	5:L:1287:BCL:HBB3	1.93	0.51
3:M:189:PHE:O	3:M:193:HIS:CD2	2.58	0.51
7:M:1314:BPH:HHD	7:M:1314:BPH:CBC	2.39	0.50
5:L:1282:BCL:HBB2	5:L:1282:BCL:HHC	1.94	0.50
3:M:278:LEU:CA	3:M:278:LEU:HD23	1.99	0.49
1:H:122:GLU:HB2	1:H:227:LEU:HD21	1.94	0.49
1:H:140:PHE:HA	3:M:13:ARG:O	2.13	0.49
8:L:1286[A]:UQ2:H152	6:M:1310:LDA:H91	1.95	0.49
3:M:194:GLY:O	3:M:195:ASN:CB	2.61	0.48
7:L:1285:BPH:HBB3	7:L:1285:BPH:CHC	2.29	0.48
7:M:1314:BPH:HBC3	7:M:1314:BPH:CHD	2.44	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:199:ASN:HD22	3:M:199:ASN:C	2.15	0.48
2:L:135:ARG:HB3	2:L:136:PRO:HD3	1.95	0.48
7:L:1285:BPH:CBB	7:L:1285:BPH:CHC	2.89	0.48
5:M:1304:BCL:H102	5:M:1304:BCL:H13	1.64	0.48
1:H:45:GLU:HG3	1:H:94:GLU:OE1	2.14	0.47
5:M:1304:BCL:HBB2	13:M:1316:SPO:H243	1.96	0.47
2:L:181:PHE:HB3	7:M:1314:BPH:CBB	2.44	0.47
3:M:197:PHE:CE1	5:M:1305:BCL:HBB2	2.50	0.47
1:H:130:LYS:HE3	1:H:170:ASP:OD2	2.14	0.47
15:H:2003:HOH:O	14:M:1317:CDL:HA32	2.14	0.47
6:M:1309:LDA:H91	12:M:1315:U10:H23	1.97	0.47
3:M:144:LYS:N	14:M:1317:CDL:OB3	2.39	0.47
3:M:278:LEU:CG	3:M:279:THR:N	2.75	0.46
3:M:278:LEU:O	3:M:279:THR:OG1	2.30	0.46
2:L:11:VAL:HB	2:L:12:PRO:HD2	1.96	0.46
2:L:210:ASP:N	2:L:210:ASP:OD1	2.48	0.46
3:M:278:LEU:CD2	3:M:278:LEU:HG	2.22	0.46
3:M:47:LEU:HD12	6:M:1310:LDA:H62	1.97	0.45
5:M:1305:BCL:CBB	5:M:1305:BCL:CHC	2.88	0.45
3:M:109:LEU:O	3:M:114:LEU:HB2	2.16	0.45
2:L:72:GLU:H	2:L:72:GLU:HG3	1.50	0.45
7:L:1285:BPH:HBB1	3:M:210:TYR:CD2	2.52	0.45
2:L:44:LEU:HD13	2:L:92:CYS:SG	2.57	0.45
1:H:156:CYS:SG	1:H:248:ARG:HB2	2.57	0.44
8:L:1286[B]:UQ2:H71	8:L:1286[B]:UQ2:H5M1	1.61	0.44
3:M:66:TRP:HD1	3:M:118:ALA:O	2.01	0.44
3:M:186:THR:HG23	5:M:1305:BCL:HMD2	2.00	0.44
2:L:38:THR:HG21	2:L:100:TRP:HE3	1.82	0.44
6:M:1306:LDA:H32	4:M:1318:GOL:H32	2.00	0.44
1:H:22:ILE:HG23	14:M:1317:CDL:H231	1.99	0.43
1:H:125:GLY:HA2	2:L:208:THR:HG21	2.00	0.43
1:H:112:ALA:HA	1:H:235:GLY:O	2.18	0.43
2:L:189:LEU:HB3	8:L:1286[A]:UQ2:H3M3	2.00	0.43
2:L:157:VAL:HG11	5:M:1305:BCL:HBB1	2.00	0.43
2:L:177:ILE:HG12	5:L:1287:BCL:HMB3	2.00	0.43
3:M:113:GLY:O	3:M:117:ILE:HG13	2.18	0.43
1:H:98:HIS:CD2	2:L:7:ARG:HH21	2.36	0.43
7:M:1314:BPH:H102	7:M:1314:BPH:H13	1.88	0.43
3:M:268:TRP:CD1	12:M:1315:U10:H111	2.54	0.42
3:M:132:ARG:O	3:M:136:ARG:HG2	2.20	0.42
1:H:75:VAL:HA	1:H:76:PRO:C	2.40	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:170:ASN:HD22	2:L:171:PRO:N	2.18	0.42
5:M:1305:BCL:H61	7:M:1314:BPH:C4B	2.49	0.42
2:L:117:ILE:N	2:L:118:PRO:HD2	2.35	0.42
1:H:29:TYR:HB2	4:H:1253:GOL:H12	2.01	0.41
2:L:189:LEU:HD23	7:M:1314:BPH:HMD2	2.02	0.41
2:L:153:HIS:CD2	5:L:1282:BCL:NC	2.88	0.41
3:M:270:ILE:O	3:M:274:VAL:HG13	2.20	0.41
1:H:171:ILE:HB	1:H:172:PRO:CD	2.51	0.41
1:H:171:ILE:N	1:H:172:PRO:HD2	2.36	0.41
3:M:30:SER:OG	3:M:31:GLY:O	2.35	0.41
5:M:1304:BCL:CBB	13:M:1316:SPO:H243	2.51	0.41
7:M:1314:BPH:CBB	7:M:1314:BPH:CHC	2.97	0.41
3:M:164:ARG:O	3:M:168:MET:HG2	2.21	0.41
3:M:278:LEU:CD2	3:M:278:LEU:CD1	2.86	0.41
3:M:278:LEU:HD21	3:M:282:ILE:HG13	2.03	0.41
5:M:1304:BCL:H71	5:M:1305:BCL:H202	2.03	0.41
5:M:1304:BCL:H112	5:M:1304:BCL:H112	2.02	0.41
3:M:243:THR:O	3:M:247:ARG:HG3	2.20	0.40
2:L:60:ASN:HA	2:L:61:PRO:HD3	1.94	0.40
3:M:77:GLN:NE2	3:M:93:SER:H	2.15	0.40
3:M:278:LEU:HD22	3:M:279:THR:H	0.59	0.40
2:L:185:LEU:HD13	7:M:1314:BPH:ND	2.37	0.40

There are no symmetry-related clashes.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	H	242/260 (93%)	235 (97%)	6 (2%)	1 (0%)	34 37
2	L	279/281 (99%)	272 (98%)	7 (2%)	0	100 100
3	M	301/307 (98%)	289 (96%)	9 (3%)	3 (1%)	15 13

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	822/848 (97%)	796 (97%)	22 (3%)	4 (0%)	29 30

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	249	LYS
3	M	195	ASN
3	M	279	THR
3	M	302	GLY

4.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	H	198/208 (95%)	193 (98%)	5 (2%)	47 58
2	L	220/220 (100%)	204 (93%)	16 (7%)	14 14
3	M	236/240 (98%)	225 (95%)	11 (5%)	26 31
All	All	654/668 (98%)	622 (95%)	32 (5%)	25 29

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	193	MET
1	H	220[A]	LYS
1	H	220[B]	LYS
1	H	231	ASP
1	H	247	LYS
2	L	16	LEU
2	L	21	LEU
2	L	44	LEU
2	L	72	GLU
2	L	80	LEU
2	L	82	LYS
2	L	102	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	L	126	LEU
2	L	129	LEU
2	L	170	ASN
2	L	207	ARG
2	L	210	ASP
2	L	216	PHE
2	L	246	LEU
2	L	247	CYS
2	L	272	TRP
3	M	29	ARG
3	M	39	LEU
3	M	52	LEU
3	M	55	LEU
3	M	60	LEU
3	M	148	TRP
3	M	182	HIS
3	M	191	LEU
3	M	199	ASN
3	M	216	PHE
3	M	278	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	98	HIS
2	L	159	ASN
2	L	170	ASN
2	L	264	GLN
3	M	77	GLN
3	M	187	ASN
3	M	193	HIS
3	M	199	ASN

4.3.3 RNA [i](#)

There are no RNA molecules in this entry.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 1 is monoatomic - leaving 29 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	HTO	L	1289	-	9,9,9	0.47	0	10,10,10	0.61	0
12	U10	M	1315	-	48,48,63	2.66	12 (25%)	58,61,79	1.82	13 (22%)
6	LDA	L	1283	-	12,15,15	2.00	1 (8%)	14,17,17	0.46	0
6	LDA	M	1309	-	12,15,15	2.02	1 (8%)	14,17,17	0.41	0
8	UQ2	L	1286[A]	-	23,23,23	2.71	8 (34%)	28,31,31	1.29	3 (10%)
4	GOL	H	1254	-	5,5,5	0.36	0	5,5,5	0.39	0
4	GOL	H	1255	-	5,5,5	0.38	0	5,5,5	0.36	0
4	GOL	L	1290	-	5,5,5	0.44	0	5,5,5	0.85	0
6	LDA	M	1312	-	12,15,15	2.00	1 (8%)	14,17,17	0.54	0
13	SPO	M	1316	-	40,41,41	3.95	12 (30%)	47,50,50	2.20	17 (36%)
8	UQ2	L	1286[B]	-	23,23,23	2.62	8 (34%)	28,31,31	1.80	7 (25%)
7	BPH	M	1314	-	51,70,70	2.66	8 (15%)	52,101,101	2.11	13 (25%)
4	GOL	H	1252	-	5,5,5	0.61	0	5,5,5	1.10	0
6	LDA	M	1311	-	12,15,15	2.03	1 (8%)	14,17,17	0.55	0
4	GOL	M	1318	-	5,5,5	0.35	0	5,5,5	0.36	0
5	BCL	L	1282	2	64,74,74	2.12	11 (17%)	78,115,115	2.03	18 (23%)
4	GOL	H	1253	-	5,5,5	0.52	0	5,5,5	0.56	0
6	LDA	M	1307	-	12,15,15	2.04	1 (8%)	14,17,17	0.49	0
5	BCL	M	1305	3	64,74,74	2.16	12 (18%)	78,115,115	2.17	18 (23%)
6	LDA	M	1308	-	12,15,15	1.93	1 (8%)	14,17,17	0.52	0
5	BCL	L	1287	2	64,74,74	2.22	9 (14%)	78,115,115	2.04	22 (28%)
6	LDA	M	1310	-	12,15,15	2.03	1 (8%)	14,17,17	0.57	0
7	BPH	L	1285	-	51,70,70	2.81	9 (17%)	52,101,101	2.24	13 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	L	1291	-	5,5,5	0.34	0	5,5,5	0.27	0
9	PO4	L	1288	-	4,4,4	0.73	0	6,6,6	0.49	0
6	LDA	L	1284	-	12,15,15	2.07	1 (8%)	14,17,17	0.68	0
14	CDL	M	1317	-	80,80,99	2.13	17 (21%)	86,92,111	3.42	17 (19%)
6	LDA	M	1306	-	12,15,15	2.13	1 (8%)	14,17,17	0.67	1 (7%)
5	BCL	M	1304	3	64,74,74	2.13	13 (20%)	78,115,115	1.98	17 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	HTO	L	1289	-	-	5/10/10/10	-
12	U10	M	1315	-	-	13/45/69/87	0/1/1/1
6	LDA	L	1283	-	-	5/13/13/13	-
6	LDA	M	1309	-	-	5/13/13/13	-
8	UQ2	L	1286[A]	-	-	6/15/39/39	0/1/1/1
4	GOL	H	1254	-	-	2/4/4/4	-
4	GOL	H	1255	-	-	1/4/4/4	-
4	GOL	L	1290	-	-	2/4/4/4	-
6	LDA	M	1312	-	-	8/13/13/13	-
13	SPO	M	1316	-	-	13/47/47/47	-
8	UQ2	L	1286[B]	-	-	5/15/39/39	0/1/1/1
7	BPH	M	1314	-	-	17/37/105/105	0/5/6/6
4	GOL	H	1252	-	-	0/4/4/4	-
6	LDA	M	1311	-	-	6/13/13/13	-
4	GOL	M	1318	-	-	1/4/4/4	-
5	BCL	L	1282	2	2/2/21/25	8/37/137/137	-
4	GOL	H	1253	-	-	2/4/4/4	-
6	LDA	M	1307	-	-	6/13/13/13	-
5	BCL	M	1305	3	2/2/21/25	6/37/137/137	-
6	LDA	M	1308	-	-	6/13/13/13	-
5	BCL	L	1287	2	2/2/21/25	9/37/137/137	-
6	LDA	M	1310	-	-	5/13/13/13	-
7	BPH	L	1285	-	-	6/37/105/105	0/5/6/6
4	GOL	L	1291	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	LDA	L	1284	-	-	9/13/13/13	-
14	CDL	M	1317	-	-	46/91/91/110	-
6	LDA	M	1306	-	-	4/13/13/13	-
5	BCL	M	1304	3	2/2/21/25	14/37/137/137	-

All (128) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	L	1285	BPH	OBD-CAD	12.74	1.40	1.22
13	M	1316	SPO	C27-C28	12.43	1.47	1.34
7	M	1314	BPH	OBD-CAD	12.13	1.39	1.22
5	M	1305	BCL	OBD-CAD	11.35	1.42	1.22
5	L	1287	BCL	OBD-CAD	10.70	1.40	1.22
5	L	1282	BCL	OBD-CAD	10.43	1.40	1.22
5	M	1304	BCL	OBD-CAD	10.41	1.40	1.22
13	M	1316	SPO	C9-C7	8.99	1.47	1.35
13	M	1316	SPO	C19-C17	8.99	1.47	1.35
13	M	1316	SPO	C14-C12	8.13	1.46	1.35
13	M	1316	SPO	C22-C23	7.75	1.46	1.35
7	L	1285	BPH	OBB-CAB	7.12	1.44	1.22
6	M	1306	LDA	O1-N1	-7.10	1.25	1.42
6	L	1284	LDA	O1-N1	-7.10	1.25	1.42
6	M	1307	LDA	O1-N1	-6.97	1.25	1.42
12	M	1315	U10	C33-C34	6.95	1.49	1.33
6	M	1310	LDA	O1-N1	-6.95	1.25	1.42
6	M	1311	LDA	O1-N1	-6.94	1.25	1.42
6	M	1309	LDA	O1-N1	-6.85	1.26	1.42
7	L	1285	BPH	O1D-CGD	6.85	1.38	1.21
8	L	1286[A]	UQ2	C8-C9	6.78	1.49	1.33
6	M	1312	LDA	O1-N1	-6.78	1.26	1.42
6	L	1283	LDA	O1-N1	-6.76	1.26	1.42
14	M	1317	CDL	C32-C31	-6.69	1.27	1.52
12	M	1315	U10	C13-C14	6.68	1.49	1.33
7	M	1314	BPH	O1D-CGD	6.67	1.37	1.21
6	M	1308	LDA	O1-N1	-6.61	1.26	1.42
13	M	1316	SPO	C32-C33	6.55	1.48	1.33
7	L	1285	BPH	O1A-CGA	6.44	1.41	1.22
7	M	1314	BPH	C2-C3	6.41	1.48	1.33
8	L	1286[B]	UQ2	C8-C9	6.04	1.47	1.33
7	L	1285	BPH	C2-C3	6.01	1.47	1.33
7	M	1314	BPH	O1A-CGA	5.98	1.40	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	M	1315	U10	C28-C29	5.96	1.47	1.33
5	M	1304	BCL	O1A-CGA	5.94	1.40	1.22
13	M	1316	SPO	C37-C38	5.91	1.49	1.32
5	L	1287	BCL	O1A-CGA	5.89	1.40	1.22
12	M	1315	U10	C8-C9	5.85	1.47	1.33
14	M	1317	CDL	C11-CA5	-5.85	1.33	1.50
5	L	1282	BCL	O1A-CGA	5.80	1.39	1.22
5	L	1287	BCL	C1B-NB	5.73	1.40	1.35
7	M	1314	BPH	OBB-CAB	5.70	1.40	1.22
12	M	1315	U10	C23-C24	5.67	1.46	1.33
8	L	1286[B]	UQ2	C13-C14	5.64	1.48	1.32
12	M	1315	U10	C18-C19	5.63	1.46	1.33
12	M	1315	U10	C38-C39	5.47	1.48	1.32
5	L	1287	BCL	C4B-NB	5.36	1.40	1.35
7	M	1314	BPH	C3D-C2D	5.33	1.49	1.39
14	M	1317	CDL	C33-C32	-5.26	1.22	1.51
5	L	1282	BCL	C1B-NB	5.26	1.39	1.35
5	M	1305	BCL	O1A-CGA	5.24	1.38	1.22
8	L	1286[B]	UQ2	O2-C2	-5.24	1.24	1.36
8	L	1286[A]	UQ2	C13-C14	5.20	1.47	1.32
8	L	1286[A]	UQ2	O2-C2	-5.17	1.24	1.36
14	M	1317	CDL	OB6-CB5	5.15	1.48	1.34
14	M	1317	CDL	OA6-CA5	4.93	1.48	1.34
13	M	1316	SPO	C6-C5	4.92	1.44	1.32
14	M	1317	CDL	OA8-CA7	4.89	1.47	1.33
5	M	1305	BCL	C1B-NB	4.88	1.39	1.35
13	M	1316	SPO	C10-C11	4.67	1.46	1.34
8	L	1286[A]	UQ2	O3-C3	-4.66	1.25	1.36
5	L	1282	BCL	C4B-NB	4.63	1.39	1.35
7	L	1285	BPH	C3D-C2D	4.63	1.47	1.39
14	M	1317	CDL	OB8-CB7	4.62	1.46	1.33
8	L	1286[B]	UQ2	O3-C3	-4.56	1.25	1.36
13	M	1316	SPO	C15-C16	4.56	1.46	1.34
14	M	1317	CDL	C34-C33	-4.52	1.26	1.51
5	M	1304	BCL	C1B-NB	4.39	1.39	1.35
14	M	1317	CDL	C17-C16	-4.26	1.27	1.51
14	M	1317	CDL	C16-C15	-4.12	1.28	1.51
14	M	1317	CDL	C13-C12	-4.11	1.28	1.51
5	M	1304	BCL	C4D-ND	-4.09	1.32	1.37
13	M	1316	SPO	C26-C25	4.06	1.45	1.34
5	L	1282	BCL	C4D-ND	-4.04	1.32	1.37
5	L	1287	BCL	O2D-CGD	-4.03	1.23	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	L	1287	BCL	C4D-ND	-4.02	1.32	1.37
14	M	1317	CDL	C20-C19	-3.96	1.29	1.51
5	M	1304	BCL	MG-ND	-3.96	1.97	2.05
5	L	1287	BCL	C2-C3	3.94	1.42	1.33
12	M	1315	U10	O3-C3	-3.90	1.27	1.36
5	M	1305	BCL	C3D-C4D	-3.83	1.35	1.44
14	M	1317	CDL	C19-C18	-3.78	1.30	1.51
5	M	1305	BCL	C4D-ND	-3.66	1.32	1.37
12	M	1315	U10	C6-C1	3.57	1.41	1.35
12	M	1315	U10	O4-C4	-3.49	1.28	1.36
13	M	1316	SPO	C21-C20	3.48	1.45	1.36
5	L	1282	BCL	C2-C3	3.42	1.41	1.33
5	M	1304	BCL	O2D-CGD	-3.41	1.24	1.33
8	L	1286[B]	UQ2	C3-C4	-3.38	1.39	1.48
5	M	1304	BCL	C3D-C4D	-3.37	1.36	1.44
7	L	1285	BPH	O2A-CGA	-3.35	1.23	1.33
8	L	1286[A]	UQ2	C6-C5	3.34	1.41	1.35
5	M	1305	BCL	C4B-NB	3.15	1.38	1.35
7	M	1314	BPH	O2D-CGD	-3.14	1.25	1.33
12	M	1315	U10	C4-C5	-3.12	1.39	1.48
8	L	1286[A]	UQ2	C3-C4	-3.08	1.40	1.48
5	M	1304	BCL	C2-C3	3.06	1.40	1.33
14	M	1317	CDL	C79-C78	-3.04	1.34	1.51
7	L	1285	BPH	O2D-CGD	-3.03	1.25	1.33
14	M	1317	CDL	C37-C36	-3.01	1.34	1.51
14	M	1317	CDL	C80-C79	-2.99	1.34	1.51
14	M	1317	CDL	C22-C21	-2.94	1.35	1.51
5	M	1305	BCL	C2-C3	2.76	1.39	1.33
5	L	1282	BCL	O2A-CGA	-2.76	1.25	1.33
5	L	1282	BCL	C3D-C4D	-2.71	1.38	1.44
8	L	1286[B]	UQ2	C6-C5	2.71	1.40	1.35
5	M	1305	BCL	O2D-CGD	-2.70	1.26	1.33
8	L	1286[B]	UQ2	C6-C1	-2.68	1.39	1.46
5	M	1304	BCL	C1D-C2D	-2.64	1.40	1.45
7	M	1314	BPH	O2A-CGA	-2.61	1.25	1.33
12	M	1315	U10	O3-C3M	-2.59	1.39	1.45
5	M	1304	BCL	C4B-NB	2.57	1.37	1.35
5	L	1282	BCL	C1D-C2D	-2.50	1.40	1.45
7	L	1285	BPH	C2C-C3C	-2.49	1.52	1.54
5	M	1304	BCL	O2A-CGA	-2.45	1.26	1.33
5	L	1282	BCL	MG-ND	-2.43	2.01	2.05
5	L	1287	BCL	C3D-C4D	-2.40	1.38	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	L	1286[B]	UQ2	C2-C1	-2.28	1.42	1.48
5	M	1305	BCL	O2D-CED	-2.26	1.40	1.45
8	L	1286[A]	UQ2	C2-C1	-2.22	1.42	1.48
5	M	1305	BCL	MG-NA	2.20	2.11	2.06
5	L	1282	BCL	O2D-CGD	-2.19	1.27	1.33
5	L	1287	BCL	CHD-C4C	2.17	1.45	1.39
5	M	1304	BCL	CHD-C4C	2.15	1.45	1.39
5	M	1305	BCL	O2A-CGA	-2.15	1.27	1.33
5	M	1305	BCL	C3C-C4C	2.06	1.54	1.51
8	L	1286[A]	UQ2	O2-CM2	-2.03	1.40	1.45
5	M	1304	BCL	C3C-C4C	-2.01	1.49	1.51

All (159) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	M	1317	CDL	C33-C32-C31	18.11	178.30	113.19
14	M	1317	CDL	C17-C16-C15	11.38	172.22	114.42
14	M	1317	CDL	C12-C11-CA5	10.77	152.78	113.62
14	M	1317	CDL	C20-C19-C18	10.10	165.72	114.42
7	M	1314	BPH	O2D-CGD-CBD	9.96	123.62	111.00
7	L	1285	BPH	O2D-CGD-CBD	9.50	123.04	111.00
14	M	1317	CDL	C35-C34-C33	8.41	157.13	114.42
5	L	1287	BCL	CMB-C2B-C1B	-8.37	115.59	128.46
14	M	1317	CDL	C34-C33-C32	7.77	153.85	114.42
5	M	1304	BCL	CMB-C2B-C1B	-7.61	116.76	128.46
5	M	1305	BCL	CMB-C2B-C1B	-7.55	116.86	128.46
14	M	1317	CDL	C13-C12-C11	7.44	139.94	113.19
5	M	1305	BCL	C1C-NC-C4C	-7.43	103.37	106.71
5	L	1282	BCL	CMB-C2B-C1B	-6.60	118.32	128.46
5	L	1282	BCL	O2D-CGD-CBD	6.12	122.15	111.27
13	M	1316	SPO	C15-C14-C12	-5.60	119.32	127.31
14	M	1317	CDL	OA6-CA5-C11	5.56	123.48	111.50
13	M	1316	SPO	C20-C19-C17	-5.55	119.39	127.31
5	M	1304	BCL	CMB-C2B-C3B	5.16	134.34	124.68
7	L	1285	BPH	OBD-CAD-CBD	-5.16	118.25	125.82
5	L	1287	BCL	CMB-C2B-C3B	5.12	134.25	124.68
12	M	1315	U10	C30-C29-C31	5.04	123.75	115.27
5	L	1282	BCL	C1D-ND-C4D	4.89	109.81	106.33
7	L	1285	BPH	O1D-CGD-CBD	-4.86	116.64	124.74
5	M	1304	BCL	C1D-ND-C4D	4.80	109.74	106.33
5	M	1305	BCL	C2D-C1D-ND	-4.77	106.59	110.10
5	L	1287	BCL	CMD-C2D-C1D	4.73	133.04	124.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	1305	BCL	CMB-C2B-C3B	4.72	133.50	124.68
5	M	1305	BCL	CMD-C2D-C1D	4.68	132.96	124.71
5	L	1282	BCL	C1C-NC-C4C	-4.55	104.66	106.71
7	M	1314	BPH	OBD-CAD-CBD	-4.46	119.28	125.82
5	M	1304	BCL	O2D-CGD-CBD	4.39	119.07	111.27
13	M	1316	SPO	C10-C9-C7	-4.37	121.08	127.31
13	M	1316	SPO	C21-C22-C23	-4.36	121.09	127.31
5	L	1282	BCL	C2D-C1D-ND	-4.34	106.90	110.10
7	M	1314	BPH	O2D-CGD-O1D	-4.33	115.38	123.84
5	M	1304	BCL	C2D-C1D-ND	-4.28	106.95	110.10
5	M	1305	BCL	O2D-CGD-CBD	4.25	118.83	111.27
12	M	1315	U10	C15-C14-C16	4.24	122.40	115.27
8	L	1286[B]	UQ2	CM5-C5-C6	-4.24	117.49	124.40
5	M	1305	BCL	C1D-ND-C4D	4.21	109.33	106.33
7	L	1285	BPH	CED-O2D-CGD	4.21	125.45	115.94
12	M	1315	U10	C25-C24-C26	4.12	122.19	115.27
5	L	1282	BCL	CMB-C2B-C3B	4.05	132.26	124.68
5	M	1305	BCL	CED-O2D-CGD	4.05	125.10	115.94
12	M	1315	U10	C10-C9-C11	3.99	121.98	115.27
5	L	1282	BCL	C4B-CHC-C1C	-3.96	122.27	130.12
5	L	1287	BCL	C1D-ND-C4D	3.85	109.07	106.33
5	M	1304	BCL	C1-O2A-CGA	3.73	126.23	116.44
5	L	1287	BCL	O2A-CGA-CBA	3.71	123.55	111.91
5	M	1305	BCL	O2A-CGA-CBA	3.71	123.54	111.91
5	L	1287	BCL	C1-O2A-CGA	3.63	125.97	116.44
14	M	1317	CDL	OB6-CB5-C51	3.62	119.31	111.50
13	M	1316	SPO	C29-C28-C30	3.55	121.24	115.27
5	L	1287	BCL	C2D-C1D-ND	-3.53	107.50	110.10
5	L	1287	BCL	C4B-CHC-C1C	-3.50	123.19	130.12
5	M	1304	BCL	C1B-CHB-C4A	-3.37	123.44	130.12
5	L	1287	BCL	O2D-CGD-O1D	-3.35	117.30	123.84
5	M	1304	BCL	CMA-C3A-C4A	-3.33	102.82	111.77
7	L	1285	BPH	C4A-C3A-C2A	-3.32	99.68	102.84
5	L	1282	BCL	C4-C3-C5	3.29	120.81	115.27
12	M	1315	U10	C17-C18-C19	-3.22	119.90	127.66
8	L	1286[B]	UQ2	C10-C9-C11	3.22	120.68	115.27
7	L	1285	BPH	O2A-CGA-O1A	-3.21	115.48	123.59
5	M	1304	BCL	O2A-CGA-CBA	3.18	121.87	111.91
5	M	1305	BCL	OBB-CAB-C3B	3.14	125.57	119.99
7	M	1314	BPH	CAC-C3C-C2C	-3.13	106.44	114.26
5	L	1282	BCL	CMD-C2D-C1D	3.10	130.18	124.71
5	L	1282	BCL	O2A-CGA-CBA	3.08	121.56	111.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	L	1286[B]	UQ2	CM3-O3-C3	3.06	127.32	116.47
5	L	1287	BCL	C1B-CHB-C4A	-3.02	124.13	130.12
13	M	1316	SPO	C24-C23-C25	3.02	122.83	118.08
7	M	1314	BPH	CMA-C3A-C4A	-3.00	107.81	114.38
14	M	1317	CDL	OB8-CB7-C71	2.98	121.27	111.91
7	M	1314	BPH	O2A-CGA-CBA	2.96	121.21	111.91
8	L	1286[B]	UQ2	O1-C1-C6	-2.92	116.42	121.55
14	M	1317	CDL	OA8-CA7-C31	2.90	121.01	111.91
5	L	1282	BCL	O2D-CGD-O1D	-2.90	118.17	123.84
5	M	1304	BCL	CAA-C2A-C3A	-2.89	104.86	112.78
12	M	1315	U10	C27-C28-C29	-2.89	120.70	127.66
5	L	1287	BCL	C2A-C3A-C4A	2.88	106.52	101.87
7	M	1314	BPH	CMD-C2D-C3D	-2.85	119.35	124.68
12	M	1315	U10	C30-C29-C28	-2.82	116.45	123.68
5	L	1287	BCL	CMD-C2D-C3D	-2.81	121.15	127.61
5	L	1287	BCL	C14-C13-C12	2.80	121.42	111.29
5	M	1305	BCL	O2D-CGD-O1D	-2.79	118.39	123.84
5	M	1304	BCL	C4A-NA-C1A	2.78	107.96	106.71
12	M	1315	U10	C11-C9-C8	-2.76	115.53	121.12
12	M	1315	U10	C22-C23-C24	-2.74	121.06	127.66
5	M	1305	BCL	CMD-C2D-C3D	-2.72	121.36	127.61
5	M	1304	BCL	O2D-CGD-O1D	-2.71	118.54	123.84
5	M	1304	BCL	CED-O2D-CGD	2.69	122.03	115.94
13	M	1316	SPO	C15-C16-C17	-2.69	118.87	126.42
5	M	1305	BCL	C3C-C4C-CHD	-2.68	117.67	123.39
5	M	1304	BCL	C4B-CHC-C1C	-2.67	124.83	130.12
7	L	1285	BPH	C4C-C3C-C2C	-2.67	100.30	102.84
13	M	1316	SPO	C8-C7-C6	2.67	122.28	118.08
5	M	1304	BCL	CMD-C2D-C1D	2.65	129.39	124.71
7	M	1314	BPH	CBA-CAA-C2A	-2.64	106.08	113.81
5	L	1287	BCL	O2D-CGD-CBD	2.64	115.96	111.27
5	L	1287	BCL	C11-C12-C13	2.64	124.44	115.92
5	L	1282	BCL	O2A-CGA-O1A	-2.63	116.94	123.59
7	L	1285	BPH	C4B-NB-C1B	-2.63	101.69	107.09
7	L	1285	BPH	C1-C2-C3	-2.63	121.50	126.04
8	L	1286[A]	UQ2	O2-C2-C3	-2.61	113.80	123.64
12	M	1315	U10	C41-C39-C40	2.58	120.30	114.60
14	M	1317	CDL	OA6-CA5-OA7	-2.57	117.49	123.70
13	M	1316	SPO	C20-C21-C22	-2.56	118.23	123.47
13	M	1316	SPO	C25-C23-C22	-2.55	115.03	118.94
7	L	1285	BPH	CMA-C3A-C4A	-2.54	108.81	114.38
7	L	1285	BPH	C11-C10-C8	-2.52	107.77	115.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	1305	BCL	C4A-NA-C1A	2.51	107.83	106.71
5	M	1305	BCL	C1-C2-C3	-2.50	121.71	126.04
5	L	1282	BCL	C2A-C3A-C4A	2.48	105.87	101.87
13	M	1316	SPO	C27-C26-C25	-2.47	115.52	123.22
7	M	1314	BPH	C4A-C3A-C2A	-2.47	100.49	102.84
13	M	1316	SPO	C13-C12-C11	2.45	121.93	118.08
12	M	1315	U10	C7-C8-C9	2.44	130.85	126.79
5	L	1282	BCL	C1B-CHB-C4A	-2.43	125.30	130.12
5	L	1282	BCL	CAC-C3C-C2C	-2.42	108.22	114.26
7	L	1285	BPH	O2A-CGA-CBA	2.41	119.46	111.91
5	L	1282	BCL	O1D-CGD-CBD	-2.40	119.57	124.48
8	L	1286[A]	UQ2	C10-C9-C11	2.39	119.30	115.27
13	M	1316	SPO	C34-C33-C35	2.38	119.28	115.27
5	L	1287	BCL	CHD-C4C-NC	2.38	127.72	125.08
5	M	1305	BCL	C7-C6-C5	-2.37	106.91	113.36
5	L	1287	BCL	C3C-C4C-CHD	-2.37	118.33	123.39
13	M	1316	SPO	C14-C15-C16	-2.36	115.86	123.22
12	M	1315	U10	C16-C14-C13	-2.34	116.38	121.12
7	M	1314	BPH	C4C-C3C-C2C	-2.34	100.61	102.84
5	L	1287	BCL	CAA-C2A-C1A	-2.31	104.41	111.97
5	M	1304	BCL	C3C-C4C-CHD	-2.29	118.51	123.39
13	M	1316	SPO	C3-C1-C4	-2.28	107.35	110.86
5	M	1304	BCL	O2A-C1-C2	2.28	114.62	108.64
7	M	1314	BPH	CED-O2D-CGD	2.25	121.03	115.94
14	M	1317	CDL	C32-C31-CA7	2.25	121.81	113.62
7	M	1314	BPH	O1D-CGD-CBD	-2.25	121.00	124.74
5	M	1305	BCL	CAC-C3C-C2C	-2.23	108.68	114.26
14	M	1317	CDL	C80-C79-C78	2.23	125.73	114.42
5	L	1287	BCL	CHB-C4A-NA	-2.20	121.47	124.51
5	L	1287	BCL	O2A-CGA-O1A	-2.20	118.03	123.59
5	L	1282	BCL	C5-C3-C2	-2.20	116.66	121.12
13	M	1316	SPO	C40-C38-C39	2.15	119.34	114.60
8	L	1286[B]	UQ2	O4-C4-C3	-2.12	116.43	120.93
14	M	1317	CDL	C81-C80-C79	2.12	125.19	114.42
14	M	1317	CDL	C22-C21-C20	2.12	125.18	114.42
14	M	1317	CDL	OB8-CB7-OB9	-2.09	118.32	123.59
13	M	1316	SPO	C31-C32-C33	-2.09	122.63	127.66
8	L	1286[A]	UQ2	C16-C14-C15	2.09	119.21	114.60
12	M	1315	U10	C12-C13-C14	-2.08	122.64	127.66
5	M	1305	BCL	C16-C15-C13	-2.07	109.23	115.92
8	L	1286[B]	UQ2	C16-C14-C15	2.05	119.12	114.60
6	M	1306	LDA	O1-N1-C1	2.04	114.29	109.27

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	L	1286[B]	UQ2	C6-C5-C4	2.04	120.80	119.18
7	M	1314	BPH	CMB-C2B-C3B	2.03	128.47	124.68
5	L	1287	BCL	C11-C10-C8	2.02	122.46	115.92
5	L	1287	BCL	C12-C11-C10	-2.01	104.00	113.24
7	L	1285	BPH	CMC-C2C-C1C	-2.01	109.98	114.38
5	L	1282	BCL	CHA-C1A-NA	-2.01	121.80	126.40

All (8) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	L	1282	BCL	C13
5	L	1282	BCL	C8
5	L	1287	BCL	C13
5	L	1287	BCL	C8
5	M	1304	BCL	C13
5	M	1304	BCL	C8
5	M	1305	BCL	C13
5	M	1305	BCL	C8

All (214) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	1253	GOL	O1-C1-C2-C3
4	L	1290	GOL	C1-C2-C3-O3
4	L	1291	GOL	C1-C2-C3-O3
4	L	1291	GOL	O2-C2-C3-O3
5	M	1304	BCL	C1-C2-C3-C4
5	M	1304	BCL	C1-C2-C3-C5
5	M	1304	BCL	C14-C13-C15-C16
6	M	1307	LDA	C2-C1-N1-CM1
6	M	1307	LDA	C2-C1-N1-CM2
7	M	1314	BPH	O2A-C1-C2-C3
8	L	1286[A]	UQ2	C12-C13-C14-C15
8	L	1286[B]	UQ2	C7-C8-C9-C10
8	L	1286[B]	UQ2	C7-C8-C9-C11
8	L	1286[B]	UQ2	C12-C13-C14-C16
10	L	1289	HTO	O3-C3-C4-C5
12	M	1315	U10	C27-C28-C29-C30
12	M	1315	U10	C27-C28-C29-C31
12	M	1315	U10	C29-C31-C32-C33
13	M	1316	SPO	C4-C1-O1-CM1
13	M	1316	SPO	C4-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	M	1316	SPO	C6-C7-C9-C10
13	M	1316	SPO	C8-C7-C9-C10
14	M	1317	CDL	CA2-OA2-PA1-OA3
14	M	1317	CDL	CA3-OA5-PA1-OA3
14	M	1317	CDL	CB3-OB5-PB2-OB2
14	M	1317	CDL	CB3-OB5-PB2-OB3
8	L	1286[A]	UQ2	C12-C13-C14-C16
13	M	1316	SPO	C36-C37-C38-C39
13	M	1316	SPO	C36-C37-C38-C40
12	M	1315	U10	C37-C38-C39-C41
14	M	1317	CDL	C20-C21-C22-C23
14	M	1317	CDL	C78-C79-C80-C81
8	L	1286[B]	UQ2	C12-C13-C14-C15
8	L	1286[A]	UQ2	C7-C8-C9-C10
14	M	1317	CDL	OB9-CB7-OB8-CB6
5	L	1282	BCL	C3-C5-C6-C7
14	M	1317	CDL	C71-CB7-OB8-CB6
6	M	1312	LDA	C6-C7-C8-C9
5	M	1304	BCL	C10-C11-C12-C13
8	L	1286[A]	UQ2	C12-C11-C9-C10
8	L	1286[A]	UQ2	C12-C11-C9-C8
12	M	1315	U10	C24-C26-C27-C28
14	M	1317	CDL	C33-C34-C35-C36
12	M	1315	U10	C37-C38-C39-C40
8	L	1286[A]	UQ2	C7-C8-C9-C11
14	M	1317	CDL	C31-CA7-OA8-CA6
5	L	1287	BCL	C15-C16-C17-C18
14	M	1317	CDL	C15-C16-C17-C18
14	M	1317	CDL	O1-C1-CB2-OB2
5	M	1305	BCL	C11-C10-C8-C9
5	M	1305	BCL	C15-C16-C17-C18
14	M	1317	CDL	CB7-C71-C72-C73
5	L	1287	BCL	C11-C10-C8-C7
5	L	1287	BCL	C11-C12-C13-C15
5	M	1304	BCL	C8-C10-C11-C12
13	M	1316	SPO	C9-C10-C11-C12
5	L	1282	BCL	C5-C6-C7-C8
7	M	1314	BPH	C13-C15-C16-C17
14	M	1317	CDL	OA9-CA7-OA8-CA6
5	L	1287	BCL	C13-C15-C16-C17
5	M	1304	BCL	C5-C6-C7-C8
10	L	1289	HTO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	M	1310	LDA	C4-C5-C6-C7
14	M	1317	CDL	C54-C55-C56-C57
14	M	1317	CDL	C71-C72-C73-C74
7	M	1314	BPH	C16-C17-C18-C20
6	M	1308	LDA	C6-C7-C8-C9
14	M	1317	CDL	C32-C33-C34-C35
6	L	1284	LDA	C11-C10-C9-C8
6	M	1309	LDA	C6-C7-C8-C9
14	M	1317	CDL	C12-C13-C14-C15
6	L	1284	LDA	C4-C5-C6-C7
4	H	1254	GOL	O1-C1-C2-C3
4	L	1291	GOL	O1-C1-C2-C3
5	M	1305	BCL	C13-C15-C16-C17
6	L	1283	LDA	C3-C4-C5-C6
6	M	1307	LDA	C6-C7-C8-C9
6	M	1310	LDA	C6-C7-C8-C9
14	M	1317	CDL	C16-C17-C18-C19
5	L	1282	BCL	C16-C17-C18-C19
5	L	1282	BCL	C16-C17-C18-C20
7	M	1314	BPH	C5-C6-C7-C8
6	M	1310	LDA	C7-C8-C9-C10
6	L	1284	LDA	C7-C8-C9-C10
14	M	1317	CDL	C18-C19-C20-C21
6	M	1312	LDA	C3-C4-C5-C6
7	M	1314	BPH	C16-C17-C18-C19
4	H	1253	GOL	O1-C1-C2-O2
4	L	1290	GOL	O2-C2-C3-O3
6	M	1306	LDA	C2-C3-C4-C5
6	L	1284	LDA	C3-C4-C5-C6
6	M	1309	LDA	C1-C2-C3-C4
6	M	1312	LDA	C5-C6-C7-C8
5	L	1282	BCL	C12-C13-C15-C16
7	M	1314	BPH	C11-C12-C13-C15
14	M	1317	CDL	OA7-CA5-OA6-CA4
6	M	1311	LDA	C1-C2-C3-C4
6	M	1312	LDA	C2-C3-C4-C5
14	M	1317	CDL	C53-C54-C55-C56
14	M	1317	CDL	C11-CA5-OA6-CA4
6	L	1283	LDA	C5-C6-C7-C8
14	M	1317	CDL	C19-C20-C21-C22
7	M	1314	BPH	C11-C12-C13-C14
7	M	1314	BPH	C10-C11-C12-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	L	1284	LDA	C5-C6-C7-C8
6	L	1284	LDA	C1-C2-C3-C4
6	L	1283	LDA	C1-C2-C3-C4
13	M	1316	SPO	C1-C4-C5-C6
14	M	1317	CDL	CA2-C1-CB2-OB2
6	M	1308	LDA	C2-C3-C4-C5
6	M	1311	LDA	C9-C10-C11-C12
4	L	1291	GOL	O1-C1-C2-O2
13	M	1316	SPO	C18-C17-C19-C20
7	L	1285	BPH	C4-C3-C5-C6
6	L	1283	LDA	C9-C10-C11-C12
13	M	1316	SPO	C2-C1-O1-CM1
13	M	1316	SPO	C3-C1-O1-CM1
13	M	1316	SPO	C16-C17-C19-C20
6	M	1309	LDA	C9-C10-C11-C12
6	M	1312	LDA	C7-C8-C9-C10
14	M	1317	CDL	C40-C41-C42-C43
5	M	1305	BCL	C11-C10-C8-C7
7	L	1285	BPH	C2-C3-C5-C6
5	L	1282	BCL	C14-C13-C15-C16
6	L	1283	LDA	C2-C3-C4-C5
6	L	1284	LDA	C2-C3-C4-C5
10	L	1289	HTO	C2-C3-C4-C5
6	L	1284	LDA	N1-C1-C2-C3
6	M	1311	LDA	N1-C1-C2-C3
6	M	1312	LDA	N1-C1-C2-C3
14	M	1317	CDL	C74-C75-C76-C77
7	M	1314	BPH	C8-C10-C11-C12
14	M	1317	CDL	OA5-CA3-CA4-CA6
12	M	1315	U10	C14-C16-C17-C18
12	M	1315	U10	C30-C29-C31-C32
6	L	1284	LDA	C9-C10-C11-C12
6	M	1307	LDA	C7-C8-C9-C10
7	L	1285	BPH	O2A-C1-C2-C3
14	M	1317	CDL	CA3-OA5-PA1-OA2
6	M	1311	LDA	C3-C4-C5-C6
6	M	1311	LDA	C11-C10-C9-C8
4	M	1318	GOL	O1-C1-C2-O2
7	L	1285	BPH	C8-C10-C11-C12
5	L	1287	BCL	C2-C1-O2A-CGA
5	L	1282	BCL	C6-C7-C8-C9
5	L	1287	BCL	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	M	1311	LDA	C6-C7-C8-C9
5	M	1304	BCL	C4C-C3C-CAC-CBC
5	M	1304	BCL	C12-C13-C15-C16
7	M	1314	BPH	C6-C7-C8-C10
14	M	1317	CDL	C72-C73-C74-C75
6	M	1307	LDA	C4-C5-C6-C7
5	L	1287	BCL	CAD-CBD-CGD-O2D
13	M	1316	SPO	C26-C27-C28-C29
14	M	1317	CDL	OA5-CA3-CA4-OA6
6	M	1308	LDA	C1-C2-C3-C4
14	M	1317	CDL	OB6-CB4-CB6-OB8
5	M	1304	BCL	C11-C12-C13-C14
7	M	1314	BPH	C2C-C3C-CAC-CBC
6	M	1308	LDA	C7-C8-C9-C10
12	M	1315	U10	C20-C19-C21-C22
12	M	1315	U10	C28-C29-C31-C32
14	M	1317	CDL	CA2-OA2-PA1-OA4
14	M	1317	CDL	CA3-OA5-PA1-OA4
6	M	1307	LDA	C2-C1-N1-O1
10	L	1289	HTO	C4-C5-C6-C7
5	M	1304	BCL	C6-C7-C8-C10
5	L	1287	BCL	C11-C10-C8-C9
7	L	1285	BPH	C11-C10-C8-C9
7	M	1314	BPH	C6-C7-C8-C9
4	H	1254	GOL	O1-C1-C2-O2
8	L	1286[B]	UQ2	C4-C3-O3-CM3
14	M	1317	CDL	C31-C32-C33-C34
6	M	1306	LDA	C4-C5-C6-C7
14	M	1317	CDL	C81-C82-C83-C84
14	M	1317	CDL	CA2-OA2-PA1-OA5
5	M	1304	BCL	C6-C7-C8-C9
6	M	1310	LDA	C1-C2-C3-C4
6	M	1308	LDA	C3-C4-C5-C6
10	L	1289	HTO	O1-C1-C2-C3
14	M	1317	CDL	C1-CB2-OB2-PB2
14	M	1317	CDL	C80-C81-C82-C83
6	M	1306	LDA	N1-C1-C2-C3
6	M	1312	LDA	C4-C5-C6-C7
12	M	1315	U10	C5-C4-O4-C4M
5	M	1305	BCL	CAA-CBA-CGA-O2A
12	M	1315	U10	C18-C19-C21-C22
14	M	1317	CDL	CB3-CB4-CB6-OB8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	H	1255	GOL	O2-C2-C3-O3
7	M	1314	BPH	C2-C3-C5-C6
5	L	1287	BCL	C2A-CAA-CBA-CGA
6	M	1306	LDA	C9-C10-C11-C12
6	M	1312	LDA	C1-C2-C3-C4
6	M	1308	LDA	C11-C10-C9-C8
5	L	1282	BCL	C1-C2-C3-C4
7	M	1314	BPH	C1-C2-C3-C4
6	M	1309	LDA	C4-C5-C6-C7
5	M	1304	BCL	C4-C3-C5-C6
5	M	1305	BCL	C10-C11-C12-C13
14	M	1317	CDL	C72-C71-CB7-OB8
5	M	1304	BCL	CAD-CBD-CGD-O2D
7	L	1285	BPH	CAD-CBD-CGD-O2D
7	M	1314	BPH	CAD-CBD-CGD-O2D
14	M	1317	CDL	CB3-CB4-OB6-CB5
6	M	1310	LDA	C2-C1-N1-CM2
7	M	1314	BPH	CHA-CBD-CGD-O1D
12	M	1315	U10	C31-C32-C33-C34
14	M	1317	CDL	C32-C31-CA7-OA8
6	M	1309	LDA	C11-C10-C9-C8
14	M	1317	CDL	C72-C71-CB7-OB9
7	M	1314	BPH	C4-C3-C5-C6
14	M	1317	CDL	CB2-C1-CA2-OA2
5	M	1304	BCL	C11-C12-C13-C15
14	M	1317	CDL	C32-C31-CA7-OA9

There are no ring outliers.

20 monomers are involved in 68 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	M	1315	U10	3	0
6	M	1309	LDA	2	0
8	L	1286[A]	UQ2	2	0
4	L	1290	GOL	1	0
13	M	1316	SPO	2	0
8	L	1286[B]	UQ2	4	0
7	M	1314	BPH	14	0
4	H	1252	GOL	3	0
4	M	1318	GOL	1	0
5	L	1282	BCL	3	0
4	H	1253	GOL	1	0



Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	M	1305	BCL	14	0
6	M	1308	LDA	4	0
5	L	1287	BCL	4	0
6	M	1310	LDA	2	0
7	L	1285	BPH	6	0
6	L	1284	LDA	2	0
14	M	1317	CDL	4	0
6	M	1306	LDA	3	0
5	M	1304	BCL	8	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	241/260 (92%)	-0.33	9 (3%) 41 39	29, 39, 51, 96	0
2	L	281/281 (100%)	-0.48	6 (2%) 63 61	27, 37, 61, 67	0
3	M	303/307 (98%)	-0.48	10 (3%) 46 44	24, 41, 63, 75	0
All	All	825/848 (97%)	-0.44	25 (3%) 50 48	24, 39, 61, 96	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	251	VAL	20.2
3	M	303	MET	8.9
3	M	1	ALA	8.8
1	H	250	SER	8.4
1	H	249	LYS	5.6
3	M	302	GLY	4.4
1	H	245	ALA	3.8
2	L	281	GLY	3.8
3	M	148	TRP	3.7
2	L	59	TRP	3.6
1	H	247	LYS	3.4
3	M	2	GLU	3.4
1	H	246	PRO	3.3
3	M	301	HIS	3.2
2	L	270	PRO	2.9
3	M	3	TYR	2.9
2	L	202	LYS	2.8
3	M	52	LEU	2.7
2	L	277	GLY	2.3
1	H	220[A]	LYS	2.3
2	L	72	GLU	2.2
3	M	109	LEU	2.1
1	H	51	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	18	TYR	2.1
3	M	27	ALA	2.0

5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	LDA	M	1312	16/16	0.13	0.30	78,90,101,101	0
6	LDA	L	1283	16/16	0.20	0.44	61,91,105,105	0
6	LDA	M	1311	16/16	0.25	0.44	95,104,112,113	0
4	GOL	H	1254	6/6	0.26	0.34	103,104,105,105	0
6	LDA	M	1309	16/16	0.32	0.35	98,102,109,110	0
6	LDA	M	1310	16/16	0.41	0.32	110,113,119,120	0
6	LDA	L	1284	16/16	0.47	0.33	109,110,114,114	0
14	CDL	M	1317	81/100	0.55	0.41	78,104,124,124	0
4	GOL	H	1253	6/6	0.61	0.26	74,77,77,80	0
6	LDA	M	1306	16/16	0.68	0.27	54,70,75,76	0
4	GOL	L	1291	6/6	0.69	0.23	94,95,96,96	0
10	HTO	L	1289	10/10	0.77	0.26	85,87,88,89	0
4	GOL	H	1255	6/6	0.79	0.31	101,101,102,102	0
6	LDA	M	1307	16/16	0.80	0.19	66,69,80,80	0
6	LDA	M	1308	16/16	0.80	0.18	61,67,75,75	0
4	GOL	H	1252	6/6	0.81	0.29	46,60,63,65	0
4	GOL	L	1290	6/6	0.83	0.18	49,57,57,61	0
13	SPO	M	1316	42/42	0.86	0.17	36,49,68,72	0
4	GOL	M	1318	6/6	0.89	0.08	83,84,84,85	0
8	UQ2	L	1286[B]	23/23	0.91	0.17	32,41,50,51	23
8	UQ2	L	1286[A]	23/23	0.91	0.17	36,41,50,52	23

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
12	U10	M	1315	48/63	0.92	0.13	26,45,73,75	0
7	BPH	M	1314	65/65	0.94	0.11	26,41,98,101	0
9	PO4	L	1288	5/5	0.94	0.20	89,89,90,90	0
5	BCL	M	1304	66/66	0.96	0.09	21,32,75,76	0
5	BCL	L	1287	66/66	0.97	0.12	19,30,50,57	0
5	BCL	L	1282	66/66	0.97	0.08	24,32,59,63	0
5	BCL	M	1305	66/66	0.97	0.10	22,29,59,67	0
7	BPH	L	1285	65/65	0.97	0.10	23,31,44,48	0
11	FE	M	1313	1/1	0.99	0.01	26,26,26,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around SPO M 1316:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UQ2 L 1286 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around UQ2 L 1286 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around U10 M 1315:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 1304:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around BCL L 1282:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BCL M 1305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





5.5 Other polymers [i](#)

There are no such residues in this entry.