

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 4, 2023 – 09:56 PM EDT

PDB ID : 6V2T

Title : X-ray structure of a sugar N-formyltransferase from Shewanella sp FDAAR-

GOS 354

Authors: Girardi, N.M.; Thoden, J.B.; Holden, H.M.

Deposited on : 2019-11-25

Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : FAILED

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : FAILED

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.35.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



# 2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 4441 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called dTDP-4-amino-4,6-dideoxyglucose formyltransferase.

$\mathbf{Mol}$	Chain	Residues		Atoms				ZeroOcc	AltConf	Trace
1	Λ	A 246	Total	С	Ν	О	S	0	2	0
1	Λ	240	1985	1270	341	366	8	0	3	
1	B	251	Total	С	N	О	S	0	9	0
1	В	201	2035	1305	348	374	8	0	2	U

There are 44 discrepancies between the modelled and reference sequences:


Chain Residue		Modelled	Actual	Comment	Reference	
A	-21	MET	-	initiating methionine	UNP A0A1Z4A6S6	
A	-20	GLY	-	expression tag	UNP A0A1Z4A6S6	
A	-19	9 SER		expression tag	UNP A0A1Z4A6S6	
A	-18	SER	-	expression tag	UNP A0A1Z4A6S6	
A	-17	HIS	-	expression tag	UNP A0A1Z4A6S6	
A	-16	HIS	-	expression tag	UNP A0A1Z4A6S6	
A	-15	HIS	-	expression tag	UNP A0A1Z4A6S6	
A	-14	HIS	-	expression tag	UNP A0A1Z4A6S6	
A	-13	HIS	-	expression tag	UNP A0A1Z4A6S6	
A	-12	HIS	-	expression tag	UNP A0A1Z4A6S6	
A	-11	SER	-	expression tag	UNP A0A1Z4A6S6	
A	-10	SER	-	expression tag	UNP A0A1Z4A6S6	
A	-9	GLU	-	expression tag	UNP A0A1Z4A6S6	
A	-8	ASN	_	expression tag	UNP A0A1Z4A6S6	
A	-7	LEU	-	expression tag	UNP A0A1Z4A6S6	
A	-6	TYR	-	expression tag	UNP A0A1Z4A6S6	
A	-5	PHE	-	expression tag	UNP A0A1Z4A6S6	
A	-4	GLN	-	expression tag	UNP A0A1Z4A6S6	
A	-3	GLY	-	expression tag	UNP A0A1Z4A6S6	
A	-2	GLY	-	expression tag	UNP A0A1Z4A6S6	
A	-1	GLY	-	expression tag	UNP A0A1Z4A6S6	
A	0	HIS	-	expression tag	UNP A0A1Z4A6S6	
В	-21	MET	-	initiating methionine	UNP A0A1Z4A6S6	
В	-20	GLY	-	expression tag	UNP A0A1Z4A6S6	
В	B -19 SER -		-	expression tag	UNP A0A1Z4A6S6	



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
В	-18	SER	=	expression tag	UNP A0A1Z4A6S6
В	-17	HIS	-	expression tag	UNP A0A1Z4A6S6
В	-16	HIS	-	expression tag	UNP A0A1Z4A6S6
В	-15	HIS	-	expression tag	UNP A0A1Z4A6S6
В	-14	HIS	-	expression tag	UNP A0A1Z4A6S6
В	-13	HIS	-	expression tag	UNP A0A1Z4A6S6
В	-12	HIS	-	expression tag	UNP A0A1Z4A6S6
В	-11	SER	-	expression tag	UNP A0A1Z4A6S6
В	-10	SER	-	expression tag	UNP A0A1Z4A6S6
В	-9	GLU	-	expression tag	UNP A0A1Z4A6S6
В	-8	ASN -		expression tag	UNP A0A1Z4A6S6
В	-7	LEU	-	expression tag	UNP A0A1Z4A6S6
В	-6	TYR	-	expression tag	UNP A0A1Z4A6S6
В	-5	PHE	-	expression tag	UNP A0A1Z4A6S6
В	-4	GLN	-	expression tag	UNP A0A1Z4A6S6
В	-3	GLY	-	expression tag	UNP A0A1Z4A6S6
В	-2	GLY	-	expression tag	UNP A0A1Z4A6S6
В	-1	GLY	-	expression tag	UNP A0A1Z4A6S6
В	0	HIS -		expression tag	UNP A0A1Z4A6S6

• Molecule 2 is dTDP-4-amino-4,6-dideoxyglucose (three-letter code: 0FX) (formula:  $C_{16}H_{27}N_3O_{14}P_2$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues		Atoms					AltConf
2	A	1	Total 35	C 16	N 3	O 14	P 2	0	0



Continued from previous page...

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
2	В	1	Total 35		N 3	O 14	P 2	0	0


 $\bullet$  Molecule 3 is FOLIC ACID (three-letter code: FOL) (formula:  $\mathrm{C_{19}H_{19}N_7O_6}).$ 



Mol	Chain	Residues	A	Aton	ns		ZeroOcc	AltConf
3	A	1	Total 23				0	0
3	В	1	Total 23	C 14	N 7	O 2	0	0


 $\bullet$  Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $\mathrm{C_2H_6O_2}).$ 





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	В	1	Total C O 4 2 2	0	0

• Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula:  $O_4P$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total O 5 4	P 1	0	0

• Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	В	1	Total Na 1 1	0	0

### • Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	159	Total O 159 159	0	0
7	В	132	Total O 132 132	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



# 3 Data and refinement statistics (i)

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants	78.97Å 202.47Å 74.44Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	27.10 - 1.90	Depositor
% Data completeness	94.6 (27.10-1.90)	Depositor
(in resolution range)	, ,	
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.03	Depositor
$< I/\sigma(I) > 1$	9.74 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
$R, R_{free}$	0.184 , $0.245$	Depositor
Wilson B-factor $(\mathring{A}^2)$	32.8	Xtriage
Anisotropy	0.094	Xtriage
L-test for twinning <sup>2</sup>	$ < L > = 0.48, < L^2> = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4441	wwPDB-VP
Average B, all atoms $(\mathring{A}^2)$	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.83% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $< L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 4 Model quality (i)

## 4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

### 4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

### 4.3 Torsion angles (i)

#### 4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

## 4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 4.6 Ligand geometry (i)

Of 8 ligands modelled in this entry, 1 is monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Mol Type Cha		Res	Link	Вс	ond leng	$_{ m ths}$	Bond angles		
MIOI	туре	Chain	rtes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	0FX	A	301	-	33,37,37	1.94	6 (18%)	52,57,57	2.08	11 (21%)
5	PO4	A	304	-	4,4,4	0.91	0	6,6,6	0.47	0
3	FOL	В	302	-	25,25,34	2.98	4 (16%)	32,35,47	4.67	14 (43%)
2	0FX	В	301	-	33,37,37	2.12	5 (15%)	52,57,57	2.18	13 (25%)
3	FOL	A	302	-	25,25,34	3.34	4 (16%)	32,35,47	4.76	14 (43%)
4	EDO	В	303	-	3,3,3	0.21	0	2,2,2	0.39	0
4	EDO	A	303	-	3,3,3	0.33	0	2,2,2	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0FX	A	301	-	-	1/21/53/53	0/3/3/3
3	FOL	В	302	-	-	1/9/9/22	0/3/3/3
2	0FX	В	301	-	-	4/21/53/53	0/3/3/3
3	FOL	A	302	-	-	0/9/9/22	0/3/3/3
4	EDO	В	303	-	-	0/1/1/1	-
4	EDO	A	303	-	-	0/1/1/1	_

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
3	A	302	FOL	C7-N8	10.45	1.48	1.31
3	A	302	FOL	C6-N5	8.68	1.48	1.32
3	В	302	FOL	C7-C6	8.53	1.54	1.39
3	A	302	FOL	C7-C6	8.38	1.54	1.39
3	В	302	FOL	C6-N5	8.01	1.47	1.32
3	В	302	FOL	C7-N8	7.64	1.44	1.31
2	В	301	0FX	O21-C21	7.15	1.36	1.23
2	В	301	0FX	O41-C41	7.06	1.37	1.23
2	A	301	0FX	O21-C21	6.78	1.35	1.23
2	A	301	0FX	O41-C41	4.73	1.32	1.23
2	A	301	0FX	C41-C51	-3.50	1.39	1.44
3	В	302	FOL	C9-C6	3.48	1.57	1.51
2	В	301	0FX	C61-C51	3.19	1.39	1.34



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}( ext{\AA})$
2	A	301	0FX	C61-C51	3.10	1.39	1.34
2	В	301	0FX	C41-C51	-2.62	1.40	1.44
2	В	301	0FX	C21-N11	-2.55	1.34	1.38
3	A	302	FOL	C9-C6	2.43	1.55	1.51
2	A	301	0FX	C21-N31	-2.43	1.33	1.38
2	A	301	0FX	C41-N31	-2.34	1.34	1.38

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$Ideal(^{o})$
3	A	302	FOL	C7-C6-N5	-21.24	106.98	120.85
3	В	302	FOL	C7-C6-N5	-20.61	107.39	120.85
3	A	302	FOL	C6-C7-N8	-11.87	111.50	123.13
3	В	302	FOL	C6-C7-N8	-10.04	113.30	123.13
2	A	301	0FX	C51-C41-N31	7.80	121.97	115.31
2	A	301	0FX	C41-N31-C21	-6.22	119.30	127.35
2	В	301	0FX	C41-N31-C21	-6.03	119.54	127.35
2	В	301	0FX	P-OPP-P2	-5.71	113.24	132.83
2	В	301	0FX	C51-C41-N31	5.31	119.84	115.31
3	В	302	FOL	C11-C-N	5.05	123.81	117.75
2	В	301	0FX	N31-C21-N11	5.01	121.54	114.89
2	В	301	0FX	OPP-P2-O1G	4.90	112.36	102.48
2	A	301	0FX	N31-C21-N11	4.89	121.38	114.89
3	В	302	FOL	N1-C2-N3	-4.55	121.15	127.22
3	A	302	FOL	N1-C2-N3	-4.48	121.24	127.22
3	В	302	FOL	C2-N1-C8A	4.28	120.25	115.36
2	A	301	0FX	O41-C41-C51	-4.13	120.11	124.90
3	В	302	FOL	C6-N5-C4A	4.05	123.23	118.45
2	В	301	0FX	C51-C61-N11	-4.05	119.18	123.34
3	A	302	FOL	C2-N1-C8A	4.01	119.94	115.36
3	В	302	FOL	C4-C4A-N5	3.78	122.92	118.60
2	A	301	0FX	C51-C61-N11	-3.55	119.69	123.34
3	A	302	FOL	N8-C8A-N1	3.51	119.83	115.82
3	В	302	FOL	C7-N8-C8A	3.43	120.14	116.69
3	A	302	FOL	C4A-C4-N3	-3.41	118.77	123.43
3	A	302	FOL	C2-N3-C4	3.40	121.33	115.93
3	В	302	FOL	C8A-C4A-N5	-3.20	118.70	122.33
3	A	302	FOL	C6-N5-C4A	3.10	122.11	118.45
2	A	301	0FX	C2-C1-N11	-3.02	106.81	113.77
3	В	302	FOL	O-C-C11	-2.95	116.10	119.63
2	В	301	0FX	O41-C41-C51	-2.89	121.55	124.90
3	В	302	FOL	C4A-C4-N3	-2.84	119.55	123.43



Continued from previous page...

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$Ideal(^{o})$
2	В	301	0FX	O21-C21-N11	-2.81	119.05	122.79
3	A	302	FOL	C9-C6-N5	-2.68	111.91	116.66
3	В	302	FOL	C2-N3-C4	2.60	120.05	115.93
2	A	301	0FX	O3G-C3G-C4G	2.53	114.75	110.22
3	В	302	FOL	C8A-C4A-C4	-2.50	118.30	119.95
2	A	301	0FX	O5G-C1G-C2G	-2.37	105.32	110.35
2	В	301	0FX	C5A-C51-C41	2.34	121.35	118.77
3	A	302	FOL	C7-N8-C8A	2.30	119.00	116.69
3	A	302	FOL	C12-C13-C14	2.25	122.90	120.30
2	В	301	0FX	O5G-C5G-C6G	2.25	111.55	106.70
2	В	301	0FX	C5A-C51-C61	-2.21	119.90	122.85
2	A	301	0FX	O21-C21-N11	-2.19	119.87	122.79
3	A	302	FOL	C11-C-N	2.14	120.32	117.75
2	В	301	0FX	O5-P-O2P	-2.12	100.77	109.07
2	В	301	0FX	C3G-C4G-C5G	2.11	115.07	110.67
3	В	302	FOL	C9-C6-N5	-2.10	112.94	116.66
2	A	301	0FX	O1G-C1G-C2G	2.08	112.19	108.38
2	A	301	0FX	O4-C1-N11	2.05	111.53	107.86
3	A	302	FOL	C4-C4A-N5	2.03	120.91	118.60
3	A	302	FOL	C8A-C4A-C4	-2.02	118.62	119.95

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	0FX	C1G-O1G-P2-OPP
2	В	301	0FX	P-OPP-P2-O1G
2	В	301	0FX	C5-O5-P-OPP
2	В	301	0FX	C5-O5-P-O2P
2	В	301	0FX	C1G-O1G-P2-OPP
3	В	302	FOL	C6-C9-N10-C14


There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring




in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
















# 4.7 Other polymers (i)

There are no such residues in this entry.

# 4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 5 Fit of model and data (i)

#### 5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

### 5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

### 5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

### 5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

## 5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

