

Full wwPDB X-ray Structure Validation Report (i)

Sep 6, 2023 – 01:12 AM EDT

PDB ID	:	3VDD
Title	:	Structure of HRV2 capsid complexed with antiviral compound BTA798
Authors	:	Morton, C.J.; Feil, S.C.; Parker, M.W.
Deposited on	:	2012-01-05
Resolution	:	3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
	(#Entries)	(#Entries, resolution range(A))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length		Quality of chain					
1	А	283	54%			36%	8% ••		
2	В	261	52	%		34%	9% •		
3	С	237	51	%		37%	12%		
4	D	69	28%	12%	13%	48%			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	BT8	А	301	-	-	Х	-



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 6380 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Protein VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	280	Total 2248	C 1414	N 391	0 432	S 11	0	0	0

• Molecule 2 is a protein called Protein VP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	В	251	Total 1975	C 1252	N 343	0 372	S 8	0	0	0

• Molecule 3 is a protein called Protein VP3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	С	237	Total 1834	C 1172	N 304	O 346	S 12	0	0	0

• Molecule 4 is a protein called Protein VP4.

Mol	Chain	Residues		Atom	ıs		ZeroOcc	AltConf	Trace
4	D	36	Total 283	C 182	N 44	O 57	0	0	0

• Molecule 5 is 3-ethoxy-6-{2-[1-(6-methylpyridazin-3-yl)piperidin-4-yl]ethoxy}-1,2-benzoxazo le (three-letter code: BT8) (formula: $C_{21}H_{26}N_4O_3$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
Б	Λ	1	Total	С	Ν	Ο	0	0
5	А	1	28	21	4	3	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	6	Total O 6 6	0	0
6	В	3	Total O 3 3	0	0
6	С	3	Total O 3 3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Protein VP1





• Molecule 4: Protein VP4

Chain D:	28%	12%	13%	48%	-
MET GLY GLN VAL SER ARG GLN ASN VAL	GLY THR HTS SER THR GLN ASN SER VAL	JER ASN GLY SER SER L24	F27 N28 N30 N30 K33	L43 E44 F45 F45 F45 F45 048 648 F49 F51 F53 F53 F53 F53 F55 V56 V56 V56 V56 V56 V56 V56 V56 CLY	ILE PRO THR LEU GLN



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants	310.49Å 345.68Å 378.39Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	24.94 - 3.20	Depositor
Resolution (A)	24.94 - 2.74	EDS
% Data completeness	99.9 (24.94-3.20)	Depositor
(in resolution range)	93.4 (24.94-2.74)	EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.36 (at 2.76 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.7_650	Depositor
P. P.	0.230 , 0.273	Depositor
n, n_{free}	0.287 , 0.292	DCC
R_{free} test set	49027 reflections (5.00%)	wwPDB-VP
Wilson B-factor $(Å^2)$	41.8	Xtriage
Anisotropy	0.316	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.28 , 44.8	EDS
L-test for twinning ²	$ < L >=0.40, < L^2>=0.23$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.81	EDS
Total number of atoms	6380	wwPDB-VP
Average B, all atoms $(Å^2)$	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.29% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BT8

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal Chain		Bo	nd lengths	Bond angles	
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	1.01	2/2305~(0.1%)	0.96	3/3140~(0.1%)
2	В	0.98	2/2030~(0.1%)	0.98	2/2770~(0.1%)
3	С	0.99	0/1884	0.97	2/2579~(0.1%)
4	D	1.31	0/290	1.00	0/392
All	All	1.01	4/6509~(0.1%)	0.97	$7/8881 \ (0.1\%)$

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
2	В	0	2
4	D	0	2
All	All	0	6

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	В	112	CYS	CB-SG	-7.84	1.69	1.82
1	А	128	CYS	CB-SG	-6.15	1.71	1.82
2	В	250	CYS	CB-SG	-5.69	1.72	1.81
1	А	266	GLU	CG-CD	5.17	1.59	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	100	ASN	CB-CA-C	-6.11	98.18	110.40
2	В	62	ARG	NE-CZ-NH1	-5.88	117.36	120.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	С	86	ARG	NE-CZ-NH2	-5.77	117.41	120.30
2	В	162	LEU	CB-CG-CD1	5.44	120.25	111.00
1	А	10	VAL	CB-CA-C	5.40	121.65	111.40
1	А	85	THR	CB-CA-C	-5.26	97.39	111.60
3	С	94	LEU	CA-CB-CG	5.15	127.15	115.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	157	ASP	Peptide
1	А	88	ASN	Peptide
2	В	182	GLY	Peptide
2	В	19	GLY	Peptide
4	D	47	GLN	Peptide
4	D	48	ASP	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2248	0	2163	130	0
2	В	1975	0	1917	95	0
3	С	1834	0	1817	124	0
4	D	283	0	258	19	0
5	А	28	0	26	9	0
6	А	6	0	0	1	0
6	В	3	0	0	0	0
6	С	3	0	0	0	0
All	All	6380	0	6181	339	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (339) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



3V]	DD
011	

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:177:ASP:OD1	2:B:179:THR:HG22	1.43	1.17
2:B:185:THR:HG23	2:B:189:HIS:CE1	1.86	1.09
1:A:257:ARG:HG3	3:C:236:ALA:HB3	1.40	1.02
3:C:107:THR:HG22	3:C:224:ARG:HG2	1.44	1.00
1:A:274:ILE:HD13	3:C:67:MET:HE1	1.44	1.00
1:A:256:THR:HG22	1:A:257:ARG:HB2	1.46	0.97
2:B:56:PRO:HB2	2:B:60:SER:HB3	1.44	0.97
2:B:175:ASN:HD22	2:B:179:THR:HG23	1.31	0.96
1:A:140:THR:HG22	1:A:172:GLN:HB3	1.48	0.96
1:A:211:ASN:HB2	5:A:301:BT8:H03	1.48	0.95
3:C:122:THR:HG23	3:C:124:ASN:H	1.28	0.95
2:B:17:THR:HG22	2:B:22:THR:OG1	1.65	0.95
4:D:48:ASP:HB3	4:D:49:PRO:C	1.89	0.93
3:C:89:VAL:HG11	3:C:109:TRP:CH2	2.05	0.90
1:A:85:THR:C	1:A:86:LEU:HD23	1.92	0.90
1:A:279:ILE:HD12	1:A:280:ILE:H	1.36	0.90
4:D:56:VAL:HG13	4:D:59:VAL:HG22	1.55	0.89
1:A:107:ILE:HD13	1:A:107:ILE:H	1.38	0.86
2:B:121:THR:HB	2:B:229:CYS:HB2	1.57	0.85
1:A:83:GLU:HG2	1:A:230:HIS:CE1	2.11	0.85
1:A:140:THR:HG22	1:A:172:GLN:CB	2.07	0.85
3:C:55:ILE:HD11	3:C:83:PHE:CE1	2.14	0.83
3:C:89:VAL:CG1	3:C:109:TRP:CZ2	2.62	0.82
3:C:89:VAL:HG11	3:C:109:TRP:CZ2	2.14	0.81
3:C:109:TRP:CZ3	3:C:218:PHE:CE1	2.70	0.80
1:A:127:PRO:HB3	1:A:233:THR:HG23	1.62	0.79
3:C:107:THR:HG23	3:C:222:MET:O	1.83	0.79
3:C:122:THR:HG23	3:C:124:ASN:N	1.97	0.79
2:B:124:VAL:HA	2:B:225:ILE:HG22	1.64	0.78
2:B:17:THR:HG23	2:B:22:THR:HG23	1.66	0.78
2:B:96:MET:HG2	2:B:215:MET:HB3	1.66	0.78
1:A:254:GLU:OE2	3:C:232:SER:HB3	1.82	0.78
3:C:84:SER:O	3:C:85:ILE:HD13	1.84	0.77
1:A:107:ILE:HD13	1:A:107:ILE:N	1.98	0.76
2:B:185:THR:HG23	2:B:189:HIS:HE1	1.51	0.76
2:B:185:THR:CG2	2:B:189:HIS:CE1	2.68	0.76
4:D:56:VAL:HG11	4:D:59:VAL:HG13	1.69	0.75
1:A:138:HIS:O	1:A:222:THR:HG21	1.87	0.75
1:A:144:MET:CE	1:A:166:ASN:HD22	1.99	0.74
1:A:86:LEU:HD23	1:A:86:LEU:N	2.01	0.74
1:A:281:THR:O	3:C:81:LYS:HE2	1.90	0.72
3:C:109:TRP:HZ3	3:C:218:PHE:CE1	2.05	0.72



	A i a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:C:109:TRP:CZ3	3:C:218:PHE:HE1	2.08	0.71
2:B:181:LEU:HD22	2:B:226:ILE:HD11	1.73	0.70
1:A:74:SER:O	3:C:15:THR:HG23	1.91	0.70
2:B:237:ILE:HD12	2:B:237:ILE:N	2.07	0.69
3:C:94:LEU:H	3:C:94:LEU:HD23	1.57	0.69
2:B:216:ARG:HH12	2:B:260:ARG:CZ	2.05	0.69
3:C:148:MET:O	3:C:148:MET:HG2	1.92	0.69
1:A:95:THR:HB	1:A:218:SER:HB3	1.73	0.68
3:C:113:LEU:HB2	3:C:167:VAL:HG22	1.76	0.68
3:C:89:VAL:HG13	3:C:109:TRP:CZ2	2.29	0.68
3:C:122:THR:HG22	3:C:125:THR:H	1.57	0.68
1:A:45:VAL:HG21	3:C:164:SER:HB2	1.74	0.68
1:A:249:PRO:HD3	2:B:186:ILE:HD11	1.76	0.67
3:C:90:ALA:HB3	3:C:178:THR:O	1.94	0.67
2:B:154:ARG:HH22	2:B:167:GLN:HG3	1.59	0.67
1:A:61:THR:HG22	1:A:63:ASP:H	1.60	0.66
2:B:167:GLN:HG3	2:B:168:PRO:HD2	1.77	0.66
2:B:17:THR:CG2	2:B:22:THR:OG1	2.43	0.66
1:A:61:THR:CG2	1:A:63:ASP:H	2.09	0.66
3:C:122:THR:HG22	3:C:125:THR:OG1	1.96	0.65
4:D:27:PHE:O	4:D:27:PHE:CD2	2.50	0.65
1:A:95:THR:CB	1:A:218:SER:HB3	2.25	0.65
1:A:50:VAL:HG21	3:C:166:VAL:HG12	1.79	0.65
1:A:25:PRO:HD3	1:A:52:GLU:CD	2.17	0.65
1:A:211:ASN:HB2	5:A:301:BT8:C03	2.24	0.65
3:C:167:VAL:HG23	3:C:167:VAL:O	1.97	0.65
3:C:109:TRP:HA	3:C:109:TRP:CE3	2.31	0.64
4:D:57:LYS:HG3	4:D:58:ASP:N	2.12	0.64
1:A:144:MET:HE2	1:A:166:ASN:HD22	1.61	0.64
3:C:109:TRP:CH2	3:C:218:PHE:HE1	2.15	0.64
1:A:100:ASN:HB3	1:A:102:GLN:H	1.62	0.64
2:B:124:VAL:HG13	2:B:225:ILE:CG2	2.28	0.64
2:B:171:GLU:HG3	2:B:173:TRP:NE1	2.14	0.63
1:A:107:ILE:H	1:A:107:ILE:CD1	2.08	0.63
2:B:95:ASN:HB3	2:B:253:PHE:CE2	2.34	0.63
4:D:27:PHE:O	4:D:27:PHE:HD2	1.82	0.63
1:A:279:ILE:HD12	1:A:280:ILE:N	2.13	0.62
4:D:27:PHE:CD2	4:D:27:PHE:C	2.72	0.62
1:A:55:TYR:HE2	1:A:57:GLN:HG3	1.65	0.62
2:B:77:GLY:O	2:B:156:VAL:HG12	2.00	0.62
1:A:46:GLN:HE22	3:C:215:CYS:HB3	1.64	0.62



	,	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:253:LEU:HD23	1:A:263:PHE:HB2	1.82	0.62
2:B:185:THR:CG2	2:B:189:HIS:HE1	2.09	0.62
2:B:96:MET:HG2	2:B:215:MET:CB	2.30	0.61
2:B:115:SER:HB3	2:B:118:HIS:ND1	2.16	0.61
3:C:122:THR:HG22	3:C:125:THR:N	2.15	0.61
1:A:159:TYR:O	1:A:162:GLN:HG3	2.01	0.61
2:B:181:LEU:CD2	2:B:226:ILE:HD11	2.30	0.60
3:C:109:TRP:HA	3:C:109:TRP:HE3	1.66	0.60
1:A:274:ILE:HD13	3:C:67:MET:CE	2.28	0.60
4:D:57:LYS:HG3	4:D:58:ASP:H	1.66	0.60
1:A:62:ARG:HG2	1:A:65:MET:HE3	1.82	0.60
2:B:186:ILE:N	2:B:186:ILE:HD12	2.15	0.60
2:B:207:VAL:HG11	2:B:221:TRP:CZ2	2.37	0.60
3:C:32:LYS:H	3:C:32:LYS:HD2	1.66	0.60
3:C:81:LYS:HG3	3:C:191:TRP:CH2	2.36	0.60
2:B:82:LEU:HD21	2:B:246:ILE:HD11	1.82	0.60
2:B:207:VAL:CG1	2:B:221:TRP:CZ2	2.86	0.59
1:A:144:MET:HE3	1:A:166:ASN:HD22	1.66	0.59
2:B:115:SER:HB3	2:B:118:HIS:CE1	2.37	0.59
2:B:121:THR:CB	2:B:229:CYS:HB2	2.33	0.59
2:B:213:ASP:OD2	2:B:218:HIS:HD2	1.85	0.59
1:A:88:ASN:C	1:A:90:ASN:H	2.07	0.58
3:C:94:LEU:H	3:C:94:LEU:CD2	2.16	0.58
1:A:192:TYR:O	5:A:301:BT8:H01B	2.02	0.58
1:A:207:THR:CG2	5:A:301:BT8:H01A	2.33	0.58
2:B:126:LEU:HG	2:B:221:TRP:CE3	2.40	0.57
2:B:197:ASN:HD22	2:B:197:ASN:H	1.52	0.57
1:A:180:PHE:CZ	5:A:301:BT8:H27	2.37	0.57
3:C:42:ASN:OD1	3:C:44:VAL:HG12	2.04	0.57
2:B:17:THR:CG2	2:B:22:THR:HG23	2.34	0.57
4:D:57:LYS:HD2	4:D:58:ASP:OD2	2.04	0.57
1:A:95:THR:HB	1:A:218:SER:CB	2.35	0.57
3:C:198:ILE:HG22	3:C:199:PRO:O	2.05	0.57
3:C:51:SER:OG	3:C:98:LEU:HG	2.05	0.57
2:B:82:LEU:HD21	2:B:246:ILE:CD1	2.35	0.57
1:A:210:THR:OG1	1:A:211:ASN:N	2.38	0.56
2:B:61:ASN:HD21	2:B:251:ALA:H	1.52	0.56
2:B:216:ARG:HH11	2:B:216:ARG:HG2	1.71	0.56
3:C:195:ARG:HG3	3:C:196:LEU:N	2.20	0.56
2:B:127:ILE:HG13	2:B:130:HIS:HB2	1.87	0.56
1:A:161:TRP:CZ2	1:A:219:ARG:HB3	2.41	0.56



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:237:ILE:HD12	2:B:237:ILE:H	1.70	0.56
1:A:67:LEU:HD21	1:A:244:ALA:HB3	1.88	0.56
3:C:32:LYS:H	3:C:32:LYS:CD	2.19	0.55
2:B:177:ASP:OD1	2:B:179:THR:CG2	2.36	0.55
4:D:48:ASP:HB3	4:D:49:PRO:CA	2.37	0.55
1:A:15:LEU:HD21	4:D:46:THR:OG1	2.06	0.55
3:C:138:ILE:HG23	3:C:139:ALA:N	2.21	0.55
1:A:23:SER:HB3	1:A:53:THR:H	1.72	0.54
2:B:197:ASN:HD22	2:B:197:ASN:N	2.04	0.54
3:C:57:ASN:N	3:C:57:ASN:OD1	2.40	0.54
1:A:155:SER:HB2	1:A:157:ASP:HB2	1.90	0.54
3:C:9:GLY:O	3:C:12:GLN:HB3	2.07	0.54
2:B:62:ARG:O	2:B:248:PRO:HD2	2.07	0.54
3:C:14:LEU:HD22	3:C:16:THR:H	1.72	0.54
1:A:82:LEU:HD11	1:A:93:ASN:HA	1.89	0.54
3:C:99:ILE:HD11	3:C:218:PHE:CE1	2.42	0.54
1:A:100:ASN:CB	1:A:102:GLN:H	2.21	0.54
3:C:52:LEU:HD12	3:C:210:CYS:O	2.08	0.54
3:C:85:ILE:HD12	3:C:93:PRO:CD	2.38	0.54
1:A:207:THR:HG21	5:A:301:BT8:C01	2.38	0.53
3:C:171:SER:HB2	3:C:176:ARG:NH1	2.23	0.53
3:C:66:ASN:ND2	3:C:207:ARG:HH12	2.07	0.53
1:A:50:VAL:CG2	3:C:166:VAL:HG12	2.37	0.53
3:C:180:PRO:CD	3:C:181:GLY:H	2.22	0.53
3:C:180:PRO:CG	3:C:181:GLY:H	2.21	0.53
1:A:46:GLN:NE2	3:C:216:LYS:HG2	2.22	0.52
1:A:20:ILE:HB	1:A:56:VAL:CG1	2.39	0.52
1:A:125:LEU:HD22	1:A:235:ILE:HD13	1.90	0.52
3:C:113:LEU:HB2	3:C:167:VAL:CG2	2.39	0.52
2:B:38:TRP:CD1	2:B:39:PRO:HD2	2.44	0.52
3:C:85:ILE:HB	3:C:188:ILE:HG22	1.91	0.52
1:A:256:THR:CG2	1:A:257:ARG:HB2	2.31	0.52
1:A:43:SER:OG	1:A:45:VAL:HG23	2.10	0.52
1:A:144:MET:HE2	1:A:166:ASN:ND2	2.24	0.51
1:A:145:TYR:CE2	1:A:147:PRO:HG3	2.44	0.51
3:C:115:PHE:CE1	3:C:212:VAL:CG1	2.93	0.51
1:A:155:SER:C	1:A:157:ASP:H	2.13	0.51
2:B:60:SER:O	2:B:248:PRO:HG2	2.10	0.51
3:C:64:SER:O	3:C:67:MET:HG2	2.10	0.51
1:A:107:ILE:N	1:A:107:ILE:CD1	2.70	0.51
1:A:143:TYR:OH	1:A:233:THR:HG21	2.10	0.51



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:B:197:ASN:H	2:B:197:ASN:ND2	2.10	0.50
3:C:85:ILE:HB	3:C:188:ILE:CG2	2.41	0.50
1:A:140:THR:H	1:A:222:THR:HG23	1.75	0.50
1:A:155:SER:C	1:A:157:ASP:N	2.61	0.50
3:C:66:ASN:HD22	3:C:207:ARG:HH12	1.60	0.50
1:A:20:ILE:HB	1:A:56:VAL:HG13	1.92	0.50
1:A:161:TRP:CH2	1:A:219:ARG:HB3	2.45	0.50
3:C:53:VAL:HG23	3:C:53:VAL:O	2.10	0.50
1:A:65:MET:HE2	3:C:219:CYS:HA	1.93	0.50
1:A:135:ASP:CG	1:A:136:ILE:H	2.15	0.50
1:A:140:THR:HG22	1:A:172:GLN:HB2	1.91	0.50
2:B:84:ASP:OD1	2:B:87:LYS:HD3	2.12	0.50
2:B:65:THR:HA	2:B:245:SER:HA	1.94	0.50
2:B:171:GLU:HG3	2:B:173:TRP:HE1	1.76	0.49
1:A:143:TYR:CZ	1:A:233:THR:HG21	2.48	0.49
1:A:38:GLU:HA	2:B:191:PHE:HB2	1.95	0.49
1:A:43:SER:HB3	3:C:114:ARG:HD2	1.93	0.49
2:B:65:THR:HB	2:B:245:SER:OG	2.13	0.49
1:A:12:ASN:O	1:A:61:THR:HG21	2.13	0.49
3:C:180:PRO:HG2	3:C:181:GLY:H	1.77	0.49
3:C:55:ILE:HD11	3:C:83:PHE:CD1	2.46	0.49
1:A:62:ARG:HG2	1:A:65:MET:CE	2.43	0.48
1:A:85:THR:O	1:A:86:LEU:HD23	2.13	0.48
3:C:77:ASN:O	3:C:78:ALA:HB2	2.12	0.48
1:A:65:MET:HE2	3:C:220:LEU:H	1.77	0.48
1:A:111:PHE:HB3	1:A:193:MET:CE	2.43	0.48
1:A:221:VAL:HG23	1:A:221:VAL:O	2.13	0.48
3:C:62:ILE:HG23	3:C:63:ASN:N	2.29	0.48
3:C:110:THR:HA	3:C:169:TRP:CZ3	2.48	0.48
3:C:162:THR:CG2	3:C:163:ILE:N	2.76	0.48
1:A:58:THR:HG23	1:A:60:GLN:CD	2.34	0.48
1:A:92:GLU:O	1:A:156:ARG:HB2	2.14	0.48
2:B:175:ASN:HD22	2:B:179:THR:CG2	2.15	0.48
3:C:168:PRO:HB2	3:C:170:ILE:HG22	1.95	0.48
1:A:257:ARG:HG3	3:C:236:ALA:CB	2.27	0.48
1:A:211:ASN:CB	5:A:301:BT8:H03	2.33	0.48
2:B:95:ASN:HB3	2:B:253:PHE:CD2	2.48	0.48
3:C:111:GLY:HA3	3:C:218:PHE:HA	1.96	0.47
3:C:127:VAL:HG12	3:C:196:LEU:HG	1.95	0.47
3:C:111:GLY:O	3:C:169:TRP:HB2	2.14	0.47
3:C:109:TRP:CE3	3:C:109:TRP:CA	2.98	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
4:D:54:ASP:OD1	4:D:56:VAL:HB	2.14	0.47
1:A:84:VAL:CG1	1:A:229:VAL:O	2.62	0.47
2:B:123:ILE:HD11	2:B:228:ILE:HD12	1.97	0.47
2:B:162:LEU:H	2:B:162:LEU:HG	1.39	0.47
2:B:95:ASN:OD1	2:B:99:HIS:HE1	1.98	0.47
4:D:43:LEU:HD13	4:D:43:LEU:HA	1.59	0.47
1:A:111:PHE:HB3	1:A:193:MET:HE1	1.98	0.47
3:C:112:SER:H	3:C:217:ASP:HB3	1.80	0.47
1:A:17:VAL:HA	1:A:18:PRO:HD3	1.76	0.46
2:B:175:ASN:O	2:B:176:PHE:HB2	2.15	0.46
2:B:175:ASN:ND2	2:B:179:THR:HG23	2.14	0.46
2:B:185:THR:HG21	3:C:50:ASP:O	2.16	0.46
3:C:14:LEU:C	3:C:14:LEU:CD2	2.83	0.46
3:C:109:TRP:HZ3	3:C:218:PHE:CZ	2.33	0.46
4:D:56:VAL:HG22	4:D:58:ASP:O	2.15	0.46
3:C:85:ILE:HD12	3:C:93:PRO:HD2	1.96	0.46
2:B:174:LEU:HD12	2:B:174:LEU:HA	1.63	0.46
3:C:43:LEU:HD12	3:C:43:LEU:HA	1.71	0.46
3:C:162:THR:HG22	3:C:163:ILE:N	2.29	0.46
1:A:95:THR:OG1	1:A:218:SER:HB3	2.15	0.46
2:B:127:ILE:HD12	2:B:128:PRO:N	2.31	0.46
3:C:85:ILE:HG22	3:C:86:ARG:O	2.16	0.46
1:A:182:LEU:HD12	1:A:182:LEU:HA	1.62	0.46
2:B:197:ASN:N	2:B:197:ASN:ND2	2.63	0.46
3:C:2:LEU:HD12	3:C:3:PRO:HD2	1.98	0.46
3:C:55:ILE:HG21	3:C:70:VAL:HG23	1.98	0.46
3:C:198:ILE:CG2	3:C:199:PRO:O	2.63	0.46
1:A:54:ARG:HD2	1:A:55:TYR:O	2.16	0.46
1:A:220:ILE:HG23	1:A:220:ILE:O	2.15	0.46
1:A:253:LEU:HD23	1:A:263:PHE:CB	2.46	0.46
1:A:279:ILE:CD1	1:A:280:ILE:H	2.19	0.46
2:B:172:TYR:HA	2:B:176:PHE:CE2	2.51	0.45
3:C:81:LYS:HG3	3:C:191:TRP:CZ3	2.51	0.45
3:C:143:THR:HG23	3:C:146:ASP:HB2	1.97	0.45
2:B:184:ILE:HG12	2:B:184:ILE:O	2.17	0.45
1:A:138:HIS:NE2	1:A:140:THR:HG23	2.31	0.45
2:B:29:ALA:O	2:B:30:ASN:C	2.54	0.45
4:D:57:LYS:CG	4:D:58:ASP:N	2.80	0.45
3:C:62:ILE:HG23	3:C:63:ASN:H	1.82	0.45
1:A:207:THR:CG2	5:A:301:BT8:C01	2.94	0.45
3:C:198:ILE:HD12	3:C:202:THR:OG1	2.17	0.45



	, and pagein	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:16:VAL:HG12	1:A:17:VAL:N	2.31	0.45	
2:B:23:ILE:CG2	2:B:24:THR:N	2.80	0.45	
3:C:198:ILE:HD13	3:C:198:ILE:HA	1.61	0.44	
4:D:45:PHE:HB3	4:D:47:GLN:NE2	2.32	0.44	
1:A:65:MET:O	3:C:43:LEU:HB2	2.16	0.44	
2:B:111:GLN:HG3	2:B:243:THR:HB	1.99	0.44	
1:A:274:ILE:CD1	3:C:67:MET:HE1	2.30	0.44	
1:A:252:ALA:HB1	2:B:180:LEU:HD22	1.99	0.44	
3:C:107:THR:HG22	3:C:224:ARG:CG	2.29	0.44	
3:C:130:LEU:HD23	3:C:130:LEU:C	2.38	0.44	
1:A:48:GLU:OE2	3:C:216:LYS:HE2	2.17	0.44	
1:A:36:ALA:HB1	1:A:38:GLU:OE1	2.17	0.44	
1:A:256:THR:HG22	1:A:257:ARG:N	2.32	0.44	
3:C:127:VAL:HG12	3:C:196:LEU:HA	2.00	0.44	
2:B:38:TRP:CG	2:B:39:PRO:HD2	2.53	0.44	
1:A:207:THR:HG21	5:A:301:BT8:H01A	2.00	0.44	
1:A:248:ARG:NH2	6:A:402:HOH:O	2.51	0.44	
1:A:262:ASN:ND2	2:B:134:SER:CB	2.81	0.44	
1:A:55:TYR:CE2	1:A:57:GLN:HG3	2.50	0.43	
2:B:17:THR:HG22	2:B:22:THR:CB	2.46	0.43	
1:A:25:PRO:HD3	1:A:52:GLU:OE2	2.17	0.43	
2:B:110:VAL:HG22	2:B:244:ILE:HG13	2.00	0.43	
3:C:132:ALA:O	3:C:188:ILE:HA	2.18	0.43	
3:C:167:VAL:O	3:C:167:VAL:CG2	2.65	0.43	
2:B:180:LEU:HD13	2:B:180:LEU:HA	1.77	0.43	
2:B:198:ASN:C	2:B:198:ASN:OD1	2.56	0.43	
1:A:144:MET:HB2	1:A:168:SER:OG	2.19	0.43	
3:C:109:TRP:CH2	3:C:218:PHE:CE1	3.00	0.43	
1:A:258:ALA:O	1:A:259:HIS:HB2	2.17	0.43	
1:A:256:THR:HG22	1:A:257:ARG:CB	2.32	0.43	
3:C:7:THR:HG22	3:C:8:PRO:O	2.18	0.43	
3:C:180:PRO:HD2	3:C:181:GLY:H	1.84	0.43	
3:C:115:PHE:CE1	3:C:212:VAL:HG13	2.53	0.43	
2:B:12:ARG:O	2:B:28:VAL:HG12	2.18	0.43	
2:B:161:ARG:HD2	2:B:167:GLN:NE2	2.34	0.43	
1:A:39:THR:CG2	2:B:29:ALA:HB1	2.49	0.42	
1:A:17:VAL:HG23	1:A:60:GLN:O	2.19	0.42	
2:B:216:ARG:HG2	2:B:216:ARG:NH1	2.33	0.42	
1:A:76:CYS:HB2	1:A:236:TYR:CE1	2.54	0.42	
1:A:150:ALA:HB1	1:A:151:PRO:HD2	2.02	0.42	
1:A:199:ASP:HB3	1:A:209:ASN:OD1	2.19	0.42	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:166:LEU:HD12	2:B:166:LEU:HA	1.51	0.42
3:C:89:VAL:CG1	3:C:109:TRP:CH2	2.86	0.42
3:C:180:PRO:CD	3:C:181:GLY:N	2.82	0.42
1:A:71:LEU:HD12	1:A:71:LEU:HA	1.85	0.42
1:A:84:VAL:HG11	1:A:229:VAL:HG23	2.01	0.42
1:A:101:LEU:HA	1:A:101:LEU:HD23	1.82	0.42
1:A:159:TYR:N	1:A:159:TYR:CD2	2.86	0.42
1:A:270:ILE:O	1:A:270:ILE:HG12	2.19	0.42
2:B:148:HIS:N	2:B:149:PRO:CD	2.82	0.42
3:C:131:LEU:HD12	3:C:131:LEU:HA	1.77	0.42
4:D:45:PHE:HD1	4:D:47:GLN:H	1.68	0.42
2:B:144:TYR:O	2:B:148:HIS:HD2	2.03	0.42
3:C:89:VAL:HG21	3:C:109:TRP:CZ3	2.55	0.42
3:C:108:HIS:HB2	3:C:221:ARG:HG3	2.02	0.42
3:C:191:TRP:CD1	3:C:191:TRP:N	2.87	0.42
1:A:198:TYR:CZ	2:B:144:TYR:HA	2.55	0.42
3:C:36:ILE:HA	3:C:37:PRO:HD3	1.87	0.42
2:B:224:VAL:O	2:B:224:VAL:CG2	2.66	0.42
3:C:72:LEU:CD2	3:C:82:ILE:HD13	2.49	0.42
2:B:16:ILE:HD12	2:B:16:ILE:HG21	1.83	0.42
2:B:175:ASN:C	2:B:177:ASP:H	2.24	0.42
3:C:122:THR:CG2	3:C:125:THR:H	2.27	0.42
3:C:199:PRO:HD2	3:C:202:THR:HG21	2.01	0.41
1:A:15:LEU:HD22	1:A:62:ARG:HB2	2.00	0.41
1:A:207:THR:HB	1:A:259:HIS:ND1	2.35	0.41
2:B:23:ILE:HD12	2:B:63:PHE:CZ	2.55	0.41
3:C:25:LEU:HD12	3:C:25:LEU:HA	1.54	0.41
1:A:84:VAL:HG13	1:A:229:VAL:O	2.20	0.41
3:C:87:THR:O	3:C:87:THR:HG23	2.21	0.41
1:A:249:PRO:HG2	2:B:179:THR:HG21	2.02	0.41
2:B:123:ILE:O	2:B:225:ILE:HA	2.21	0.41
3:C:87:THR:HB	3:C:186:GLY:O	2.21	0.41
1:A:48:GLU:H	1:A:48:GLU:HG2	1.52	0.41
3:C:180:PRO:CG	3:C:181:GLY:N	2.83	0.41
4:D:56:VAL:CG2	4:D:59:VAL:HA	2.50	0.41
2:B:87:LYS:HG2	2:B:97:PHE:HZ	1.86	0.41
3:C:53:VAL:HA	3:C:54:PRO:HD3	1.81	0.41
1:A:252:ALA:CB	2:B:180:LEU:HD22	2.51	0.41
1:A:262:ASN:ND2	2:B:134:SER:HB3	2.36	0.41
2:B:210:VAL:HG22	2:B:211:PRO:HD2	2.02	0.41
3:C:209:LEU:HA	3:C:209:LEU:HD12	1.87	0.41



3VDD

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:126:LEU:HA	2:B:126:LEU:HD12	1.77	0.40
3:C:127:VAL:HG23	3:C:128:LYS:N	2.37	0.40
1:A:127:PRO:CB	1:A:233:THR:HG23	2.42	0.40
2:B:226:ILE:HA	2:B:227:PRO:HD3	1.93	0.40
3:C:7:THR:HG22	3:C:8:PRO:N	2.35	0.40
3:C:143:THR:HG23	3:C:146:ASP:CB	2.52	0.40
4:D:29:ILE:HG22	4:D:30:ASN:N	2.36	0.40
1:A:127:PRO:HA	1:A:233:THR:HA	2.03	0.40
1:A:161:TRP:CE2	1:A:219:ARG:HD3	2.57	0.40
3:C:74:SER:O	3:C:195:ARG:NH1	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	278/283~(98%)	263~(95%)	13~(5%)	2(1%)	22 61
2	В	249/261~(95%)	235~(94%)	13~(5%)	1 (0%)	34 69
3	С	235/237~(99%)	219~(93%)	16 (7%)	0	100 100
4	D	34/69~(49%)	28~(82%)	5(15%)	1 (3%)	4 28
All	All	796/850~(94%)	745 (94%)	47 (6%)	4 (0%)	29 67

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	88	ASN
1	А	89	TYR
2	В	30	ASN
4	D	51	LYS



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Pe	erce	entile	es
1	А	249/252~(99%)	209~(84%)	40 (16%)		2	11	
2	В	218/226~(96%)	172 (79%)	46 (21%)		1	6	
3	С	210/210~(100%)	169~(80%)	41 (20%)		1	7	
4	D	30/60~(50%)	21 (70%)	9 (30%)		0	1	
All	All	707/748~(94%)	571 (81%)	136 (19%)		1	8	

All (136) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	5	ASN
1	А	8	ASP
1	А	11	LEU
1	А	15	LEU
1	А	17	VAL
1	А	22	SER
1	А	34	LEU
1	А	44	SER
1	А	45	VAL
1	А	48	GLU
1	А	51	ILE
1	А	54	ARG
1	А	59	SER
1	А	71	LEU
1	А	73	ARG
1	А	74	SER
1	А	80	SER
1	А	84	VAL
1	A	85	THR
1	А	86	LEU
1	A	106	GLN
1	A	107	ILE
1	А	128	CYS
1	A	129	ILE



Mol	Chain	Res	Type
1	А	136	ILE
1	А	157	ASP
1	А	159	TYR
1	А	182	LEU
1	А	185	LEU
1	А	215	SER
1	А	219	ARG
1	А	220	ILE
1	А	222	THR
1	А	226	ILE
1	А	233	THR
1	А	253	LEU
1	А	261	THR
1	А	270	ILE
1	А	279	ILE
1	А	282	THR
2	В	11	ASP
2	В	16	ILE
2	В	17	THR
2	В	27	ASP
2	В	32	ILE
2	В	44	SER
2	В	52	LYS
2	В	58	THR
2	В	60	SER
2	В	65	THR
2	В	66	LEU
2	В	67	ARG
2	В	73	SER
2	В	76	LYS
2	В	94	GLU
2	В	99	HIS
2	В	103	ARG
2	В	111	GLN
2	В	127	ILE
2	В	134	SER
2	В	136	LEU
2	В	152	THR
2	В	154	ARG
2	В	156	VAL
2	В	160	THR
2	В	162	LEU



Mol	Chain	Res	Type
2	В	165	ASP
2	В	166	LEU
2	В	174	LEU
2	В	180	LEU
2	В	186	ILE
2	В	195	ARG
2	В	197	ASN
2	В	198	ASN
2	В	201	THR
2	В	203	ILE
2	В	207	VAL
2	В	210	VAL
2	В	217	SER
2	В	225	ILE
2	В	226	ILE
2	В	246	ILE
2	В	252	GLU
2	В	257	ARG
2	В	260	ARG
2	В	261	GLN
3	С	12	GLN
3	С	14	LEU
3	С	21	SER
3	С	25	LEU
3	С	32	LYS
3	С	36	ILE
3	С	43	LEU
3	С	51	SER
3	С	52	LEU
3	С	55	ILE
3	С	57	ASN
3	C	60	THR
3	C	73	GLN
3	C	81	LYS
3	С	85	ILE
3	С	87	THR
3	С	94	LEU
3	С	96	THR
3	C	107	THR
3	С	116	SER
3	C	122	THR
3	С	127	VAL



763		<u> </u>	
Mol	Chain	Res	Type
3	С	131	LEU
3	С	134	THR
3	С	138	ILE
3	С	142	THR
3	С	143	THR
3	С	144	ARG
3	С	148	MET
3	С	159	LEU
3	С	170	ILE
3	С	183	SER
3	С	189	THR
3	С	195	ARG
3	С	198	ILE
3	С	202	THR
3	С	205	THR
3	С	209	LEU
3	С	212	VAL
3	С	220	LEU
3	С	230	LEU
4	D	27	PHE
4	D	33	LYS
4	D	43	LEU
4	D	46	THR
4	D	51	LYS
4	D	53	THR
4	D	54	ASP
4	D	57	LYS
4	D	58	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	46	GLN
1	А	142	GLN
1	А	166	ASN
1	А	230	HIS
2	В	61	ASN
2	В	95	ASN
2	В	99	HIS
2	В	139	ASN
2	В	148	HIS
2	В	175	ASN



Continued from previous page...

Mol	Chain	Res	Type
2	В	189	HIS
2	В	197	ASN
2	В	218	HIS
3	С	66	ASN
4	D	30	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Dog	Tink	B	ond leng	gths	B	ond ang	gles
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
5	BT8	А	301	-	28,31,31	2.56	13 (46%)	34,42,42	4.13	11 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BT8	А	301	-	-	8/11/23/23	0/4/4/4

All ((13)	bond	length	outliers	are	listed	below:
\	/			0 00 0 0 0 0 0 0 0 0			

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
5	А	301	BT8	C05-N08	5.53	1.48	1.37
5	А	301	BT8	C20-C21	-4.30	1.34	1.43
5	А	301	BT8	N07-N06	4.03	1.44	1.34
5	А	301	BT8	C22-C17	3.91	1.44	1.37
5	А	301	BT8	C02-N07	3.82	1.37	1.33
5	А	301	BT8	O26-C25	3.68	1.38	1.35
5	А	301	BT8	C25-C20	-3.68	1.41	1.45
5	А	301	BT8	C05-N06	3.13	1.39	1.32
5	А	301	BT8	C12-C11	-2.99	1.44	1.52
5	А	301	BT8	C22-C21	2.92	1.43	1.37
5	A	301	BT8	O16-C17	2.62	1.43	1.37
5	А	301	BT8	C19-C18	2.61	1.42	1.36
5	А	301	BT8	C18-C17	-2.39	1.33	1.38

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
5	А	301	BT8	C01-C02-N07	20.40	125.87	116.24
5	А	301	BT8	C13-N08-C05	5.73	133.69	120.39
5	А	301	BT8	C01-C02-C03	-4.59	112.23	121.63
5	А	301	BT8	C13-C12-C11	-4.29	101.12	111.99
5	А	301	BT8	C09-N08-C05	-3.73	111.72	120.39
5	А	301	BT8	C04-C05-N08	-3.71	115.04	121.70
5	А	301	BT8	C12-C13-N08	-3.01	104.89	111.10
5	А	301	BT8	C04-C05-N06	-2.80	119.68	123.86
5	А	301	BT8	C03-C04-C05	2.80	121.38	117.53
5	А	301	BT8	O26-C27-C28	2.59	117.08	108.21
5	A	301	BT8	C09-C10-C11	2.52	118.37	111.99

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	А	301	BT8	C04-C05-N08-C13
5	А	301	BT8	C04-C05-N08-C09
5	А	301	BT8	N06-C05-N08-C13
5	А	301	BT8	N06-C05-N08-C09



Mol	Chain	Res	Type	Atoms
5	А	301	BT8	C22-C17-O16-C15
5	А	301	BT8	C18-C17-O16-C15
5	А	301	BT8	C12-C11-C14-C15
5	А	301	BT8	C10-C11-C14-C15

There are no ring outliers.

1 monomer is involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	А	301	BT8	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

