

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 5, 2023 – 02:41 AM EDT

PDB ID	:	6VEP
Title	:	Human insulin in complex with the human insulin microreceptor in turn in
		complex with Fv 83-7
Authors	:	Lawrence, M.C.; Menting, J.G.T.
Deposited on	:	2020-01-02
Resolution	:	2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	FAILED
:	1.8.5 (274361), CSD as541be (2020)
:	1.13
:	FAILED
:	20191225.v01 (using entries in the PDB archive December 25th 2019)
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.35.1
	::

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\hbox{-}RAY\,DIFFRACTION$ 

The reported resolution of this entry is 2.90 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



# 2 Entry composition (i)

There are 14 unique types of molecules in this entry. The entry contains 19318 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	1 Δ	91	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
1	Л	21	163	99	25	35	4	0	0	0
1	C	-01	Total	С	Ν	Ο	S	0	0	0
I G	21	163	99	25	35	4	0	0	0	
1	1 M 5	M 21	Total	С	Ν	Ο	S	0	0	0
1			163	99	25	35	4			
1	1 S	21	Total	С	Ν	Ο	S	0	0	0
1			163	99	25	35	4			U

• Molecule 1 is a protein called Insulin chain A.

• Molecule 2 is a protein called Insulin B chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	В	27	Total	С	Ν	Ο	S	0	0	0
	D	21	212	137	36	37	2	0	0	0
0	ц	25	Total	С	Ν	Ο	S	0	0	0
	п	20	200	129	34	35	2	0	0	0
0	N	26	Total	С	Ν	Ο	S	0	0	0
			207	134	35	36	2			
0	о т	96	Total	С	Ν	Ο	S	0	0	0
		20	207	134	35	36	2	0	U	0

• Molecule 3 is a protein called Fv 83-7 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	2 C	101	Total	С	Ν	0	S	0	0	0
J	U	121	925	582	156	182	5	0	0	0
2	т	117	Total	С	Ν	0	S	0	0	0
J	0 1	117	898	565	152	176	5		0	
2	0	199	Total	С	Ν	0	S	0	0	0
່ <u>ບ</u>	3 0	122	932	587	157	183	5			0
2	3 U	117	Total	С	Ν	0	S	0	0	0
່ <u>ວ</u>			898	565	152	176	5			U





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	л	116	Total	С	Ν	0	S	0	0	0
4	D	110	897	567	148	178	4	0	0	0
4	т	112	Total	С	Ν	0	S	0	0	0
4	4 J	113	881	559	145	173	4			
4	D	114	Total	С	Ν	0	S	0	0	0
4	4 r		887	562	146	175	4			0
4 V	114	Total	С	Ν	0	S	0	0	0	
		881	558	145	174	4			U	

• Molecule 4 is a protein called Fv 83-7 light chain.

• Molecule 5 is a protein called Insulin receptor subunit alpha.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
Б	5 F	202	Total	С	Ν	Ο	S	0	0	0
0		295	2332	1467	403	428	34	0	0	0
5	K	204	Total	С	Ν	0	S	0	0	0
0	5 K	294	2339	1471	404	430	34		0	0
5	0	302	Total	С	Ν	0	S	0	0	0
0	) Q		2400	1506	422	438	34			
5	5 W	296	Total	С	Ν	0	S	0	0	0
5			2356	1481	408	433	34			0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	144	HIS	TYR	conflict	UNP P06213
Е	311	SER	-	expression tag	UNP P06213
Е	312	SER	-	expression tag	UNP P06213
E	313	SER	-	expression tag	UNP P06213
Е	314	LEU	-	expression tag	UNP P06213
Е	315	VAL	-	expression tag	UNP P06213
Е	316	PRO	-	expression tag	UNP P06213
E	317	ARG	-	expression tag	UNP P06213
K	144	HIS	TYR	conflict	UNP P06213
K	311	SER	-	expression tag	UNP P06213
K	312	SER	-	expression tag	UNP P06213
K	313	SER	-	expression tag	UNP P06213
K	314	LEU	-	expression tag	UNP P06213
K	315	VAL	-	expression tag	UNP P06213
K	316	PRO	-	expression tag	UNP P06213
K	317	ARG	-	expression tag	UNP P06213
Q	144	HIS	TYR	conflict	UNP P06213
Q	311	SER	-	expression tag	UNP P06213



|--|

Chain	Residue	Modelled	Actual	Comment	Reference
Q	312	SER	-	expression tag	UNP P06213
Q	313	SER	-	expression tag	UNP P06213
Q	314	LEU	-	expression tag	UNP P06213
Q	315	VAL	-	expression tag	UNP P06213
Q	316	PRO	-	expression tag	UNP P06213
Q	317	ARG	-	expression tag	UNP P06213
W	144	HIS	TYR	conflict	UNP P06213
W	311	SER	-	expression tag	UNP P06213
W	312	SER	-	expression tag	UNP P06213
W	313	SER	-	expression tag	UNP P06213
W	314	LEU	-	expression tag	UNP P06213
W	315	VAL	-	expression tag	UNP P06213
W	316	PRO	-	expression tag	UNP P06213
W	317	ARG	-	expression tag	UNP P06213

Continued from previous page...

• Molecule 6 is a protein called Insulin receptor subunit beta.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
6	F	16	Total C N O	0	0	0
0	T,	10	137  90  22  25	0	0	0
6	т	16	Total C N O	0	0	0
	10	137  90  22  25	0	0	0	
6	В	16	Total C N O	0	0	0
0	0 n	10	137  90  22  25			
6	c V	16	Total C N O	0	0	0
0 X	Λ		137  90  22  25			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	718	PRO	LYS	conflict	UNP P06213
F	719	SER	THR	conflict	UNP P06213
L	718	PRO	LYS	conflict	UNP P06213
L	719	SER	THR	conflict	UNP P06213
R	718	PRO	LYS	conflict	UNP P06213
R	719	SER	THR	conflict	UNP P06213
Х	718	PRO	LYS	conflict	UNP P06213
X	719	SER	THR	conflict	UNP P06213

• Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[al pha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
7	Y	3	Total C N O   38 22 2 14	0	0	0
7	С	3	Total C N O   38 22 2 14	0	0	0

• Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopy ranose.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace	
8	Z	4	Total C N C	0	0	0	
0	2		49 28 2 1	0	0	0	
Q	0	Λ	Total C N C	0	0	0	
0	a	4	49  28  2  1	0	0	0	
0	f	4	Total C N C	0	0	0	
0	1	4	49  28  2  1	0	0	0	
0	<i>a</i>	4	Total C N C	0	0	0	
0	g	4	49  28  2  1	0	0	0	
0	;	4	Total C N C	0	0	0	
0	J	4	49 28 2 1	0	0	U	

• Molecule 9 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
9	b	2	Total C 28 10	C N 6 2	O 10	0	0	0
9	h	2	Total C 28 10	C N 6 2	O 10	0	0	0

• Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyran ose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-ac etamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	d	5	Total 60	C 34	N 2	O 24	0	0	0

• Molecule 11 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxybeta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
11	е	3	Total 39	C 22	N 2	O 15	0	0	0

• Molecule 12 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyran ose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-ac etamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
12	i	5	Total 60	С 34	N 2	O 24	0	0	0

• Molecule 13 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf	
13	Е	1	Total	С	N	0	0	0	
			14	8	T	5			
13	E	1	Total	$\mathbf{C}$	Ν	Ο	0	0	
10		1	14	8	1	5	0	0	
12	K	1	Total	С	Ν	Ο	0	0	
10	Γ	1	14	8	1	5	0	0	
12	K	1	Total	С	Ν	Ο	0	0	
10	П	1	14	8	1	5	0	U	
19	0	1	Total	С	Ν	Ο	0	0	
10	Q	1	14	8	1	5	0	0	
19	0	1	Total	С	Ν	0	0	0	
1.0	Q		14	8	1	5		U	



Continued	from	previous	page
• • • • • • • • • • • • •	$j \cdot \cdot \cdot \cdot \cdot$	$\Gamma$ · · · · · · · · · · · · · · · · · · ·	$F = J = \cdots$

Mol	Chain	Residues	A	tor	ns		ZeroOcc	AltConf	
13	Q	1	Total	С	Ν	0	0	0	
10	ę	-	14	8	1	5	Ŭ	Ŭ	
12	W	1	Total	С	Ν	Ο	0	0	
10	vv	T	14	8	1	5	0	0	

• Molecule 14 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	С	4	Total O 4 4	0	0
14	Е	3	Total O 3 3	0	0
14	Ι	1	Total O 1 1	0	0
14	J	1	Total O 1 1	0	0
14	K	1	Total O 1 1	0	0
14	О	2	Total O 2 2	0	0
14	Р	1	Total O 1 1	0	0
14	Q	1	Total O 1 1	0	0
14	R	1	Total O 1 1	0	0
14	V	2	Total O 2 2	0	0
14	W	1	Total O 1 1	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



# 3 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	100.03Å $130.12$ Å $148.18$ Å	Dopositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.27^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	48.89 - 2.90	Depositor
% Data completeness	08 1 (48 80-2 00)	Depositor
(in resolution range)	30.1 (40.05-2.50)	Depositor
R <sub>merge</sub>	0.26	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.06 (at 2.91 Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
$R, R_{free}$	0.193 , $0.225$	Depositor
Wilson B-factor ( $Å^2$ )	68.1	Xtriage
Anisotropy	0.622	Xtriage
L-test for $twinning^2$	$<  L  > = 0.43, < L^2 > = 0.26$	Xtriage
Estimated twinning fraction	0.127 for h,-k,-l	Xtriage
Total number of atoms	19318	wwPDB-VP
Average B, all atoms $(Å^2)$	101.0	wwPDB-VP

EDS failed to run properly - this section is therefore incomplete.

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.95% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 4 Model quality (i)

# 4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

### 4.3 Torsion angles (i)

#### 4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

### 4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 4.5 Carbohydrates (i)

43 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	<b>T</b> a	Chain	Dag	T : 1-	Bo	ond leng	engths Bond ar		ond ang	les
NIOI	Type	Chain	Res	LINK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
7	NAG	Y	1	5,7	14,14,15	0.38	0	$17,\!19,\!21$	1.26	2 (11%)
7	NAG	Y	2	7	14,14,15	0.42	0	17,19,21	0.97	1 (5%)
7	FUC	Y	3	7	10,10,11	0.50	0	14,14,16	0.83	1 (7%)
8	NAG	Z	1	5,8	14,14,15	0.34	0	17,19,21	1.01	1 (5%)
8	NAG	Z	2	8	14,14,15	0.34	0	17,19,21	0.70	1 (5%)
8	BMA	Z	3	8	11,11,12	0.45	0	15,15,17	0.69	0
8	FUC	Ζ	4	8	10,10,11	0.51	0	14,14,16	0.80	0
8	NAG	a	1	5,8	14,14,15	0.33	0	17,19,21	0.64	0
8	NAG	a	2	8	14,14,15	0.27	0	17,19,21	1.04	2 (11%)
8	BMA	a	3	8	11,11,12	0.37	0	$15,\!15,\!17$	0.73	0
8	FUC	a	4	8	10,10,11	0.48	0	14,14,16	0.83	0
9	NAG	b	1	5,9	14,14,15	0.52	0	$17,\!19,\!21$	1.52	3 (17%)
9	NAG	b	2	9	14,14,15	0.32	0	17,19,21	0.90	1 (5%)
7	NAG	с	1	5,7	14,14,15	0.34	0	17,19,21	0.50	0
7	NAG	с	2	7	14,14,15	0.36	0	17,19,21	0.55	0
7	FUC	с	3	7	10,10,11	0.54	0	14,14,16	0.87	1 (7%)
10	NAG	d	1	5,10	14,14,15	0.41	0	17,19,21	0.70	0
10	NAG	d	2	10	14,14,15	0.30	0	17,19,21	0.90	1 (5%)
10	BMA	d	3	10	11,11,12	0.46	0	$15,\!15,\!17$	0.72	0
10	MAN	d	4	10	11,11,12	0.56	0	$15,\!15,\!17$	1.31	2 (13%)
10	FUC	d	5	10	10,10,11	0.45	0	14,14,16	0.91	1 (7%)
11	NAG	е	1	5,11	14,14,15	0.43	0	17,19,21	1.63	3 (17%)
11	NAG	е	2	11	14,14,15	0.41	0	17,19,21	1.39	4 (23%)
11	BMA	е	3	11	11,11,12	0.44	0	15,15,17	0.71	0
8	NAG	f	1	5,8	14,14,15	0.33	0	17,19,21	0.93	1 (5%)
8	NAG	f	2	8	14,14,15	0.32	0	17,19,21	1.02	2 (11%)
8	BMA	f	3	8	11,11,12	0.52	0	15,15,17	0.95	1 (6%)
8	FUC	f	4	8	10,10,11	0.40	0	14,14,16	0.73	0
8	NAG	g	1	5,8	14,14,15	0.32	0	17,19,21	0.65	0
8	NAG	g	2	8	14,14,15	0.36	0	17,19,21	0.64	1 (5%)
8	BMA	g	3	8	11,11,12	0.44	0	15,15,17	0.65	0
8	FUC	g	4	8	10,10,11	0.52	0	14,14,16	0.76	0
9	NAG	h	1	5,9	14,14,15	0.49	0	17,19,21	1.13	1 (5%)
9	NAG	h	2	9	14,14,15	0.37	0	17,19,21	1.06	3 (17%)
12	NAG	i	1	5,12	14,14,15	0.33	0	17,19,21	0.58	0
12	NAG	i	2	12	14,14,15	0.30	0	17,19,21	1.06	2 (11%)
12	BMA	i	3	12	11,11,12	0.44	0	$15,\!15,\!17$	0.73	0
12	MAN	i	4	12	11,11,12	0.51	0	15, 15, 17	0.77	1 (6%)



Mol Type		Chain	Dec	Tiple	Bo	ond leng	$\mathbf{ths}$	Bond angles			
NIOI	туре	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2	
12	FUC	i	5	12	10,10,11	0.39	0	14,14,16	0.83	1 (7%)	
8	NAG	j	1	5,8	14,14,15	0.41	0	17,19,21	0.70	0	
8	NAG	j	2	8	14,14,15	0.33	0	$17,\!19,\!21$	1.07	1 (5%)	
8	BMA	j	3	8	11,11,12	0.38	0	$15,\!15,\!17$	0.74	0	
8	FUC	j	4	8	10,10,11	0.53	0	$14,\!14,\!16$	1.25	1 (7%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	Y	1	5,7	-	2/6/23/26	0/1/1/1
7	NAG	Y	2	7	-	1/6/23/26	0/1/1/1
7	FUC	Y	3	7	-	-	0/1/1/1
8	NAG	Ζ	1	5,8	-	0/6/23/26	0/1/1/1
8	NAG	Ζ	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Ζ	3	8	-	0/2/19/22	0/1/1/1
8	FUC	Ζ	4	8	-	-	0/1/1/1
8	NAG	a	1	5,8	-	0/6/23/26	0/1/1/1
8	NAG	a	2	8	-	1/6/23/26	0/1/1/1
8	BMA	a	3	8	-	0/2/19/22	0/1/1/1
8	FUC	a	4	8	-	-	0/1/1/1
9	NAG	b	1	5,9	-	0/6/23/26	0/1/1/1
9	NAG	b	2	9	-	0/6/23/26	0/1/1/1
7	NAG	с	1	5,7	-	0/6/23/26	0/1/1/1
7	NAG	с	2	7	-	0/6/23/26	0/1/1/1
7	FUC	с	3	7	-	-	0/1/1/1
10	NAG	d	1	5,10	-	0/6/23/26	0/1/1/1
10	NAG	d	2	10	-	0/6/23/26	0/1/1/1
10	BMA	d	3	10	-	0/2/19/22	0/1/1/1
10	MAN	d	4	10	-	0/2/19/22	0/1/1/1
10	FUC	d	5	10	-	-	0/1/1/1
11	NAG	е	1	5,11	-	1/6/23/26	0/1/1/1
11	NAG	е	2	11	-	1/6/23/26	0/1/1/1
11	BMA	е	3	11	-	0/2/19/22	0/1/1/1
8	NAG	f	1	$5,\!8$	-	0/6/23/26	0/1/1/1
8	NAG	f	2	8	-	$0/6/\overline{23/26}$	0/1/1/1
8	BMA	f	3	8	-	0/2/19/22	0/1/1/1
8	FUC	f	4	8	-	-	0/1/1/1
8	NAG	g	1	5,8	-	2/6/23/26	0/1/1/1



6VE	Р
-----	---

001000	nucu jio	ne precese	lo page				
Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	g	2	8	-	0/6/23/26	0/1/1/1
8	BMA	g	3	8	-	0/2/19/22	0/1/1/1
8	FUC	g	4	8	-	-	0/1/1/1
9	NAG	h	1	5,9	-	2/6/23/26	0/1/1/1
9	NAG	h	2	9	-	1/6/23/26	0/1/1/1
12	NAG	i	1	5,12	-	0/6/23/26	0/1/1/1
12	NAG	i	2	12	-	0/6/23/26	0/1/1/1
12	BMA	i	3	12	-	0/2/19/22	0/1/1/1
12	MAN	i	4	12	-	0/2/19/22	0/1/1/1
12	FUC	i	5	12	-	-	0/1/1/1
8	NAG	j	1	5,8	-	2/6/23/26	0/1/1/1
8	NAG	j	2	8	-	0/6/23/26	0/1/1/1
8	BMA	j	3	8	-	1/2/19/22	0/1/1/1
8	FUC	j	4	8	-	-	0/1/1/1

Continued from previous page...

There are no bond length outliers.

All (	(39)	bond	angle	outliers	are	listed	below:
-------	------	------	-------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
11	е	1	NAG	C1-C2-N2	4.44	118.07	110.49
9	b	1	NAG	O5-C1-C2	-3.95	105.05	111.29
11	е	1	NAG	C2-N2-C7	3.88	128.43	122.90
10	d	4	MAN	C1-O5-C5	3.83	117.38	112.19
8	j	4	FUC	C1-C2-C3	3.53	114.00	109.67
7	Y	1	NAG	O5-C1-C2	-3.50	105.76	111.29
11	е	2	NAG	C2-N2-C7	3.38	127.72	122.90
9	h	1	NAG	C1-C2-N2	-3.35	104.77	110.49
8	Ζ	1	NAG	C1-O5-C5	3.31	116.67	112.19
7	Y	2	NAG	C2-N2-C7	3.29	127.58	122.90
8	j	2	NAG	C1-O5-C5	3.23	116.56	112.19
9	b	1	NAG	C1-O5-C5	3.01	116.27	112.19
11	е	2	NAG	C1-C2-N2	2.97	115.56	110.49
8	f	2	NAG	O5-C1-C2	-2.91	106.70	111.29
10	d	4	MAN	C1-C2-C3	2.82	113.14	109.67
9	b	1	NAG	C1-C2-N2	2.80	115.27	110.49
12	i	2	NAG	O5-C1-C2	-2.56	107.24	111.29
8	f	3	BMA	C1-O5-C5	2.55	115.65	112.19
12	i	2	NAG	C1-C2-N2	2.54	114.82	110.49
10	d	5	FUC	C1-C2-C3	2.52	112.77	109.67
8	f	1	NAG	C1-C2-N2	-2.51	106.20	110.49
8	f	2	NAG	C1-C2-N2	2.44	114.65	110.49



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
11	е	1	NAG	C1-O5-C5	2.43	115.48	112.19
7	Y	1	NAG	C1-C2-N2	2.43	114.63	110.49
10	d	2	NAG	O5-C1-C2	-2.40	107.49	111.29
11	е	2	NAG	C1-O5-C5	2.31	115.32	112.19
9	h	2	NAG	C2-N2-C7	2.27	126.13	122.90
8	a	2	NAG	O5-C1-C2	-2.24	107.75	111.29
8	a	2	NAG	C1-C2-N2	2.20	114.25	110.49
9	b	2	NAG	C1-C2-N2	-2.20	106.74	110.49
8	Ζ	2	NAG	C1-O5-C5	2.19	115.17	112.19
12	i	5	FUC	C1-C2-C3	2.14	112.29	109.67
11	е	2	NAG	O5-C1-C2	-2.13	107.93	111.29
12	i	4	MAN	C1-C2-C3	2.12	112.28	109.67
9	h	2	NAG	O5-C1-C2	-2.12	107.94	111.29
7	с	3	FUC	C1-C2-C3	2.11	112.26	109.67
8	g	2	NAG	C1-O5-C5	2.04	114.96	112.19
7	Y	3	FUC	C1-O5-C5	2.02	117.35	112.78
9	h	2	NAG	C1-C2-N2	2.01	113.93	110.49

Continued from previous page...

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
7	Y	2	NAG	C3-C2-N2-C7
9	h	1	NAG	C1-C2-N2-C7
11	е	1	NAG	C1-C2-N2-C7
7	Y	1	NAG	O5-C5-C6-O6
8	j	1	NAG	O5-C5-C6-O6
8	j	1	NAG	C4-C5-C6-O6
7	Y	1	NAG	C4-C5-C6-O6
9	h	2	NAG	C1-C2-N2-C7
11	е	2	NAG	C1-C2-N2-C7
8	j	3	BMA	O5-C5-C6-O6
8	a	2	NAG	O5-C5-C6-O6
8	g	1	NAG	C4-C5-C6-O6
8	g	1	NAG	O5-C5-C6-O6
9	h	1	NAG	C3-C2-N2-C7

All (14) torsion outliers are listed below:

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





































## 4.6 Ligand geometry (i)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	in Res Link		Bo	ond leng	ths	Bond angles		
IVIOI	Type	Unain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
13	NAG	Q	405	5	14,14,15	0.40	0	17,19,21	1.09	2 (11%)
13	NAG	K	407	5	14,14,15	0.30	0	$17,\!19,\!21$	0.97	1 (5%)
13	NAG	Е	409	5	14,14,15	0.36	0	17,19,21	0.74	1 (5%)
13	NAG	Q	401	5	14,14,15	0.42	0	17,19,21	1.58	3 (17%)
13	NAG	W	416	5	14,14,15	0.46	0	17,19,21	1.49	2 (11%)
13	NAG	Q	406	5	14,14,15	0.34	0	17,19,21	0.76	1 (5%)



Mal Tu	Turne	Chain	Res	Res	Res	Res	Bog	Bog	Bos	Tinle	Bo	ond leng	$_{\rm ths}$	В	les
MOI	туре	Chain			Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2					
13	NAG	K	406	5	14,14,15	0.39	0	17,19,21	1.12	2 (11%)					
13	NAG	Е	408	5	14,14,15	0.34	0	17,19,21	0.99	2 (11%)					

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	NAG	Q	405	5	-	0/6/23/26	0/1/1/1
13	NAG	Κ	407	5	-	2/6/23/26	0/1/1/1
13	NAG	Е	409	5	-	2/6/23/26	0/1/1/1
13	NAG	Q	401	5	-	0/6/23/26	0/1/1/1
13	NAG	W	416	5	-	2/6/23/26	0/1/1/1
13	NAG	Q	406	5	-	3/6/23/26	0/1/1/1
13	NAG	Κ	406	5	-	0/6/23/26	0/1/1/1
13	NAG	Е	408	5	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All	(14)	bond	angle	outliers	are	listed	below:
-----	------	------	-------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms	${f Z} = {f Observed}(^{o})$		$Ideal(^{o})$	
13	W	416	NAG	O5-C1-C2	-4.97	103.44	111.29	
13	Q	401	NAG	O5-C1-C2	-4.58	104.05	111.29	
13	Q	401	NAG	C1-C2-N2	3.59	116.61	110.49	
13	Q	405	NAG	O5-C1-C2	-3.47	105.81	111.29	
13	Κ	407	NAG	C1-O5-C5	3.32	116.69	112.19	
13	Κ	406	NAG	C1-O5-C5	3.10	116.39	112.19	
13	W	416	NAG	C1-O5-C5	2.87	116.08	112.19	
13	Κ	406	NAG	O5-C1-C2	-2.55	107.25	111.29	
13	Ε	408	NAG	C1-O5-C5	2.44	115.50	112.19	
13	Q	405	NAG	C1-O5-C5	2.36	115.39	112.19	
13	Q	406	NAG	C1-O5-C5	2.32	115.33	112.19	
13	Е	409	NAG	C1-O5-C5	2.28	115.28	112.19	
13	Е	408	NAG	C1-C2-N2	2.27	114.36	110.49	
13	Q	401	NAG	C1-O5-C5	2.06	114.99	112.19	

There are no chirality outliers.

All (11) torsion outliers are listed below:



6VEP	6V	'EP
------	----	-----

Mol	Chain	Res	Type	Atoms
13	W	416	NAG	C8-C7-N2-C2
13	W	416	NAG	O7-C7-N2-C2
13	Κ	407	NAG	O5-C5-C6-O6
13	Q	406	NAG	O5-C5-C6-O6
13	Κ	407	NAG	C4-C5-C6-O6
13	Е	409	NAG	O5-C5-C6-O6
13	Е	408	NAG	C8-C7-N2-C2
13	Q	406	NAG	C1-C2-N2-C7
13	Е	409	NAG	C1-C2-N2-C7
13	Е	408	NAG	O7-C7-N2-C2
13	Q	406	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

### 4.7 Other polymers (i)

There are no such residues in this entry.

### 4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 5 Fit of model and data (i)

# 5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

## 5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

## 5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

## 5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

### 5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

