



Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 03:37 am BST

PDB ID : 2VKD
Title : CRYSTAL STRUCTURE OF THE CATALYTIC DOMAIN OF LETHAL TOXIN FROM CLOSTRIDIUM SORDELLII IN COMPLEX WITH UDP-GLC AND MANGANESE ION
Authors : Ziegler, M.O.P.; Jank, T.; Aktories, K.; Schulz, G.E.
Deposited on : 2007-12-18
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5743 (2.54-2.50)
Clashscore	141614	6463 (2.54-2.50)
Ramachandran outliers	138981	6335 (2.54-2.50)
Sidechain outliers	138945	6337 (2.54-2.50)
RSRZ outliers	127900	5630 (2.54-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	546	 4% (poor fit), 89% (0-3 outliers), 10% (4-5 outliers), .. (not modelled)
1	B	546	 5% (poor fit), 87% (0-3 outliers), 10% (4-5 outliers), .. (not modelled)
1	C	546	 6% (poor fit), 88% (0-3 outliers), 10% (4-5 outliers), .. (not modelled)

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 13572 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOTOXIN L.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	542	4447	2838	721	872	16	0	0	0
1	B	538	4422	2824	716	867	15	0	0	0
1	C	541	4442	2835	720	871	16	0	0	0


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	ALA	VAL	engineered mutation	UNP Q46342
A	289	MET	ILE	engineered mutation	UNP Q46342
B	13	ALA	VAL	engineered mutation	UNP Q46342
B	289	MET	ILE	engineered mutation	UNP Q46342
C	13	ALA	VAL	engineered mutation	UNP Q46342
C	289	MET	ILE	engineered mutation	UNP Q46342

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total 1	Mn 1	0	0
2	A	3	Total 3	Mn 3	0	0
2	C	1	Total 1	Mn 1	0	0

- Molecule 3 is URIDINE-5'-DIPHOSPHATE-GLUCOSE (three-letter code: UPG) (formula: C₁₅H₂₄N₂O₁₇P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total 36	C 15	N 2	O 17	P 2	0	0
3	B	1	Total 36	C 15	N 2	O 17	P 2	0	0
3	C	1	Total 36	C 15	N 2	O 17	P 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	47	Total 47	O 47	0	0
4	B	57	Total 57	O 57	0	0
4	C	44	Total 44	O 44	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CYTOTOXIN L




• Molecule 1: CYTOTOXIN L



• Molecule 1: CYTOTOXIN L





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.29Å 190.32Å 204.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	90.17 – 2.53 90.05 – 2.53	Depositor EDS
% Data completeness (in resolution range)	99.7 (90.17-2.53) 99.7 (90.05-2.53)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.46 (at 2.51Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.244 , 0.288 0.239 , 0.280	Depositor DCC
R_{free} test set	3780 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	33.2	Xtrriage
Anisotropy	0.705	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 41.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.22$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	13572	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 35.55 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.7375e-04.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UPG, MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/4530	0.54	0/6114
1	B	0.44	0/4505	0.55	0/6081
1	C	0.43	0/4525	0.54	0/6107
All	All	0.43	0/13560	0.54	0/18302

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4447	0	4406	34	0
1	B	4422	0	4380	37	0
1	C	4442	0	4401	37	0
2	A	3	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	36	0	22	0	0
3	B	36	0	22	0	0
3	C	36	0	22	1	0
4	A	47	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	57	0	0	1	0
4	C	44	0	0	1	0
All	All	13572	0	13253	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:ASP:HB2	1:A:164:PRO:HA	1.39	1.03
1:B:262:ARG:HH11	1:B:262:ARG:HG3	1.18	1.02
1:A:106:GLN:HE21	1:A:231:LYS:HD2	1.35	0.91
1:B:262:ARG:NH1	1:B:262:ARG:HG3	1.85	0.89
1:A:4:VAL:HG22	1:A:8:GLN:HB2	1.62	0.81
1:C:366:ILE:HG21	1:C:388:ILE:HD13	1.65	0.78
1:C:163:ASP:HB3	1:C:164:PRO:HA	1.67	0.74
1:C:4:VAL:HG22	1:C:8:GLN:HB3	1.68	0.73
1:A:98:LEU:HD21	1:A:285:LEU:HD12	1.70	0.72
1:A:1:MET:HB2	1:C:422:THR:HG21	1.71	0.71
1:B:262:ARG:HH11	1:B:262:ARG:CG	2.02	0.69
1:C:513:GLU:O	1:C:516:ILE:HG12	1.95	0.67
1:C:42:VAL:HG21	1:C:90:SER:CB	2.27	0.65
1:B:204:ASN:HA	1:B:207:LYS:HE2	1.77	0.65
1:C:160:ASN:HD22	1:C:164:PRO:HD3	1.60	0.65
1:A:4:VAL:HG22	1:A:8:GLN:CB	2.25	0.65
1:A:163:ASP:HB2	1:A:164:PRO:CA	2.22	0.64
1:C:4:VAL:HG22	1:C:8:GLN:CB	2.28	0.64
1:C:371:LEU:O	1:C:395:CYS:HB2	2.00	0.62
1:A:304:PRO:HG2	1:A:307:ILE:HD12	1.81	0.61
1:A:373:VAL:HG23	1:A:395:CYS:HB3	1.83	0.60
1:B:253:ARG:NH2	4:B:2027:HOH:O	2.34	0.60
1:C:524:GLN:HA	1:C:527:ALA:HB3	1.85	0.59
1:C:363:LEU:HD22	1:C:366:ILE:HD11	1.85	0.58
1:A:304:PRO:HD2	1:A:312:TRP:CZ3	2.39	0.57
1:C:165:GLU:HA	1:C:165:GLU:OE1	2.04	0.57
1:B:371:LEU:O	1:B:395:CYS:HB2	2.05	0.56
1:C:42:VAL:HG21	1:C:90:SER:HB2	1.87	0.56
1:A:93:PRO:HA	1:A:366:ILE:O	2.06	0.55
1:B:385:GLN:NE2	1:B:510:GLN:HE21	2.03	0.55
3:C:1544:UPG:H3'	3:C:1544:UPG:H5C2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:98:LEU:HD23	1:B:283:VAL:HB	1.87	0.55
1:A:155:GLU:HB3	1:A:158:ARG:HH21	1.71	0.54
1:B:29:ASN:O	1:B:33:GLU:HG2	2.08	0.54
1:C:399:VAL:HG13	1:C:473:VAL:HG12	1.90	0.54
1:A:185:HIS:HD2	1:A:209:TYR:OH	1.91	0.54
1:A:413:ASN:HD22	1:A:434:LYS:HB3	1.72	0.53
1:B:163:ASP:HB2	1:B:164:PRO:HA	1.91	0.53
1:C:42:VAL:HG21	1:C:90:SER:HB3	1.90	0.53
1:A:366:ILE:HG21	1:A:388:ILE:HD13	1.93	0.50
1:A:399:VAL:HG13	1:A:473:VAL:HG12	1.94	0.49
1:B:380:ASN:ND2	1:B:495:GLU:OE2	2.45	0.49
1:A:91:LEU:HB3	1:A:367:LYS:HB3	1.94	0.49
1:A:262:ARG:HD2	1:A:453:TYR:CE2	2.46	0.49
1:B:373:VAL:HG23	1:B:395:CYS:HB3	1.95	0.49
1:B:273:ARG:O	1:B:277:LEU:HB2	2.13	0.48
1:C:255:TYR:CE2	1:C:259:LEU:HD22	2.47	0.48
1:C:420:GLU:HG3	1:C:430:ILE:HD13	1.94	0.48
1:B:94:VAL:HG23	1:B:366:ILE:HG13	1.95	0.48
1:B:385:GLN:HE21	1:B:510:GLN:HE21	1.62	0.47
1:B:72:LEU:O	1:B:76:LYS:HG3	2.15	0.47
1:A:374:LYS:HB2	1:A:388:ILE:HB	1.96	0.47
1:B:376:ALA:HB2	1:B:386:ALA:HB3	1.96	0.47
1:B:353:LYS:HD2	1:B:358:GLU:HB3	1.97	0.47
1:B:4:VAL:CG2	1:B:8:GLN:HB3	2.45	0.47
1:B:330:TYR:HA	1:B:513:GLU:OE1	2.14	0.47
1:A:248:ASP:HB3	1:A:251:LEU:HB2	1.97	0.46
1:A:69:ASN:O	1:A:73:LYS:HG2	2.14	0.46
1:C:279:GLU:HB3	4:C:2024:HOH:O	2.16	0.46
1:B:373:VAL:HG22	1:B:389:SER:HB2	1.98	0.46
1:C:197:ASN:HB3	1:C:200:PHE:HD2	1.80	0.46
1:C:524:GLN:HG2	1:C:524:GLN:H	1.56	0.46
1:A:163:ASP:CB	1:A:164:PRO:HA	2.26	0.46
1:C:104:GLY:HA2	1:C:135:ALA:O	2.16	0.45
1:A:106:GLN:HG3	1:A:228:SER:HA	1.99	0.45
1:B:246:PHE:HA	1:B:279:GLU:HG3	1.98	0.45
1:C:197:ASN:HD22	1:C:199:GLU:H	1.64	0.45
1:C:435:LEU:HD22	1:C:447:MET:SD	2.57	0.45
1:C:399:VAL:HG13	1:C:473:VAL:CG1	2.46	0.45
1:B:247:ALA:HB1	1:B:252:VAL:HG21	1.99	0.44
1:A:94:VAL:HG13	1:A:368:VAL:CG1	2.47	0.44
1:B:247:ALA:HB1	1:B:252:VAL:CG2	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:376:ALA:HB2	1:A:386:ALA:HB3	1.98	0.44
1:C:382:VAL:HG21	1:C:475:THR:HG23	1.99	0.44
1:B:265:LEU:O	1:B:269:SER:HB2	2.18	0.44
1:B:94:VAL:HA	1:B:390:LEU:HD23	2.00	0.43
1:C:524:GLN:HA	1:C:527:ALA:CB	2.48	0.43
1:A:395:CYS:O	1:A:399:VAL:HG23	2.18	0.43
1:A:59:TYR:CD2	1:A:59:TYR:C	2.91	0.43
1:A:402:GLN:HB2	1:A:473:VAL:HG13	2.01	0.43
1:B:42:VAL:HG21	1:B:90:SER:HB2	2.00	0.43
1:B:197:ASN:HB3	1:B:200:PHE:CD2	2.54	0.43
1:B:246:PHE:CD1	1:B:279:GLU:HB3	2.54	0.43
1:A:364:ASP:HB3	1:A:365:ASP:H	1.67	0.42
1:A:106:GLN:HE21	1:A:231:LYS:CD	2.17	0.42
1:A:327:ILE:HA	1:A:328:PRO:HD3	1.88	0.42
1:A:34:TYR:OH	1:A:82:GLU:OE2	2.29	0.42
1:C:232:ILE:HG13	1:C:237:GLY:HA3	2.01	0.42
1:C:444:MET:O	1:C:448:ILE:HG12	2.19	0.42
1:B:82:GLU:O	1:B:82:GLU:HG3	2.20	0.42
1:B:366:ILE:HD12	1:B:388:ILE:HD13	2.00	0.42
1:C:164:PRO:HB2	1:C:165:GLU:H	1.61	0.41
1:C:174:LYS:O	1:C:178:ILE:HG12	2.19	0.41
1:B:315:ILE:HD13	1:B:338:LEU:HD11	2.02	0.41
1:B:283:VAL:CG2	1:B:366:ILE:HD11	2.50	0.41
1:C:57:ASP:HA	1:C:60:LEU:HD12	2.02	0.41
1:C:279:GLU:O	1:C:391:LYS:HE2	2.21	0.41
1:A:377:PHE:CE1	1:A:502:GLU:HB3	2.56	0.41
1:C:293:ILE:HD11	1:C:317:LEU:HD23	2.02	0.41
1:B:460:PRO:HB3	1:B:527:ALA:HB2	2.03	0.41
1:B:94:VAL:CG2	1:B:366:ILE:HG13	2.51	0.40
1:A:106:GLN:NE2	1:A:231:LYS:HD2	2.18	0.40
1:B:74:LYS:HA	1:B:74:LYS:HD2	1.72	0.40
1:C:189:TYR:O	1:C:193:GLN:HG2	2.21	0.40
1:C:50:LYS:HA	1:C:484:PHE:CD1	2.56	0.40
1:B:364:ASP:HB3	1:B:365:ASP:H	1.71	0.40
1:C:515:GLU:C	1:C:517:THR:H	2.25	0.40
1:C:98:LEU:HD12	1:C:283:VAL:HB	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	540/546 (99%)	513 (95%)	26 (5%)	1 (0%)	47	67
1	B	536/546 (98%)	507 (95%)	28 (5%)	1 (0%)	47	67
1	C	539/546 (99%)	505 (94%)	32 (6%)	2 (0%)	34	53
All	All	1615/1638 (99%)	1525 (94%)	86 (5%)	4 (0%)	47	67

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	164	PRO
1	B	164	PRO
1	C	164	PRO
1	C	516	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	502/505 (99%)	493 (98%)	9 (2%)	59	80
1	B	500/505 (99%)	486 (97%)	14 (3%)	43	68
1	C	502/505 (99%)	488 (97%)	14 (3%)	43	68
All	All	1504/1515 (99%)	1467 (98%)	37 (2%)	47	72

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	42	VAL
1	A	94	VAL
1	A	98	LEU
1	A	123	SER
1	A	244	GLU
1	A	345	SER
1	A	468	LEU
1	A	489	THR
1	A	532	GLU
1	B	6	LYS
1	B	42	VAL
1	B	86	LEU
1	B	94	VAL
1	B	200	PHE
1	B	242	ASN
1	B	257	GLN
1	B	262	ARG
1	B	300	SER
1	B	306	SER
1	B	310	THR
1	B	354	SER
1	B	368	VAL
1	B	507	LYS
1	C	4	VAL
1	C	91	LEU
1	C	92	THR
1	C	94	VAL
1	C	134	ASN
1	C	154	LEU
1	C	197	ASN
1	C	248	ASP
1	C	345	SER
1	C	353	LYS
1	C	432	SER
1	C	442	ASP
1	C	517	THR
1	C	524	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	106	GLN
1	A	113	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	160	ASN
1	A	185	HIS
1	A	238	ASN
1	A	343	GLN
1	A	413	ASN
1	A	415	ASN
1	B	53	ASN
1	B	88	ASN
1	B	89	ASN
1	B	106	GLN
1	B	139	ASN
1	B	257	GLN
1	B	309	ASN
1	B	343	GLN
1	B	385	GLN
1	B	415	ASN
1	B	492	HIS
1	B	523	ASN
1	C	10	GLN
1	C	69	ASN
1	C	134	ASN
1	C	151	ASN
1	C	160	ASN
1	C	197	ASN
1	C	238	ASN
1	C	256	ASN
1	C	302	ASN
1	C	385	GLN
1	C	415	ASN
1	C	467	ASN
1	C	510	GLN
1	C	524	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 5 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	UPG	C	1544	2	31,38,38	0.74	1 (3%)	41,58,58	1.44	6 (14%)
3	UPG	A	1544	2	31,38,38	0.75	1 (3%)	41,58,58	1.43	6 (14%)
3	UPG	B	1544	2	31,38,38	0.80	2 (6%)	41,58,58	1.21	4 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UPG	C	1544	2	-	5/21/59/59	0/3/3/3
3	UPG	A	1544	2	-	6/21/59/59	0/3/3/3
3	UPG	B	1544	2	-	5/21/59/59	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1544	UPG	O4C-C1C	2.56	1.44	1.41
3	B	1544	UPG	O4C-C1C	2.49	1.44	1.41
3	C	1544	UPG	O4C-C1C	2.37	1.44	1.41
3	B	1544	UPG	C2-N3	-2.14	1.33	1.38

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1544	UPG	O5'-C5'-C4'	3.57	116.18	109.69
3	B	1544	UPG	O5'-C5'-C4'	3.52	116.09	109.69
3	A	1544	UPG	C3'-C4'-C5'	3.50	116.49	110.24
3	C	1544	UPG	O5'-C1'-O3B	-3.45	106.85	111.36
3	A	1544	UPG	O5'-C5'-C4'	3.31	115.70	109.69
3	B	1544	UPG	C3'-C4'-C5'	3.25	116.03	110.24
3	A	1544	UPG	C6'-C5'-C4'	-3.19	105.52	113.00
3	C	1544	UPG	C3'-C4'-C5'	3.08	115.74	110.24
3	C	1544	UPG	C6'-C5'-C4'	-3.07	105.81	113.00
3	C	1544	UPG	PB-O3A-PA	-2.83	123.11	132.83
3	A	1544	UPG	PB-O3A-PA	-2.75	123.39	132.83
3	C	1544	UPG	C1'-O5'-C5'	2.43	118.46	113.69
3	B	1544	UPG	O5'-C1'-C2'	-2.34	105.39	110.35
3	A	1544	UPG	C1'-O5'-C5'	2.27	118.14	113.69
3	A	1544	UPG	C3C-C2C-C1C	2.22	104.32	100.98
3	B	1544	UPG	PB-O3A-PA	-2.20	125.29	132.83

There are no chirality outliers.

All (16) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	1544	UPG	O5'-C1'-O3B-PB
3	A	1544	UPG	O5'-C1'-O3B-PB
3	B	1544	UPG	O5'-C1'-O3B-PB
3	A	1544	UPG	C4'-C5'-C6'-O6'
3	A	1544	UPG	O5'-C5'-C6'-O6'
3	C	1544	UPG	O5'-C5'-C6'-O6'
3	B	1544	UPG	O5'-C5'-C6'-O6'
3	C	1544	UPG	C4'-C5'-C6'-O6'
3	B	1544	UPG	C4'-C5'-C6'-O6'
3	C	1544	UPG	PA-O3A-PB-O1B
3	A	1544	UPG	PB-O3A-PA-O1A
3	A	1544	UPG	PA-O3A-PB-O1B
3	B	1544	UPG	PB-O3A-PA-O1A
3	A	1544	UPG	O4C-C4C-C5C-O5C
3	C	1544	UPG	PB-O3A-PA-O2A
3	B	1544	UPG	PA-O3A-PB-O2B



There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	1544	UPG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	542/546 (99%)	0.30	21 (3%) 39 43	12, 29, 59, 87	0
1	B	538/546 (98%)	0.29	26 (4%) 30 33	9, 28, 72, 99	0
1	C	541/546 (99%)	0.40	31 (5%) 23 25	12, 30, 71, 89	0
All	All	1621/1638 (98%)	0.33	78 (4%) 30 33	9, 29, 65, 99	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	9.1
1	C	247	ALA	8.0
1	C	166	PHE	6.4
1	B	538	TYR	5.8
1	B	539	PHE	5.7
1	C	157	PHE	5.5
1	B	158	ARG	5.1
1	C	161	LEU	5.1
1	A	540	GLU	5.0
1	C	243	LEU	4.9
1	B	540	GLU	4.6
1	A	539	PHE	4.5
1	C	540	GLU	4.3
1	C	538	TYR	4.2
1	A	342	VAL	4.2
1	B	246	PHE	4.0
1	C	541	GLY	4.0
1	C	539	PHE	3.9
1	B	173	ARG	3.8
1	B	159	GLU	3.7
1	C	246	PHE	3.7
1	B	161	LEU	3.5
1	A	531	PHE	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	538	TYR	3.4
1	C	168	TYR	3.4
1	A	158	ARG	3.2
1	C	1	MET	3.2
1	A	542	ALA	3.1
1	B	166	PHE	3.0
1	A	335	PHE	3.0
1	C	536	LYS	3.0
1	B	157	PHE	2.9
1	A	323	TYR	2.9
1	C	159	GLU	2.8
1	B	153	THR	2.8
1	B	156	SER	2.8
1	B	422	THR	2.8
1	B	245	LYS	2.7
1	B	534	TYR	2.7
1	C	532	GLU	2.7
1	C	158	ARG	2.7
1	B	160	ASN	2.6
1	C	534	TYR	2.6
1	A	161	LEU	2.6
1	A	530	GLN	2.6
1	C	81	MET	2.6
1	C	160	ASN	2.5
1	B	155	GLU	2.5
1	B	165	GLU	2.5
1	C	167	ASP	2.5
1	B	535	LYS	2.5
1	A	166	PHE	2.5
1	B	522	PHE	2.5
1	A	246	PHE	2.4
1	A	338	LEU	2.4
1	C	338	LEU	2.4
1	C	527	ALA	2.3
1	A	344	ARG	2.3
1	B	151	ASN	2.3
1	C	164	PRO	2.2
1	C	169	ASN	2.2
1	A	2	ASN	2.2
1	A	322	LYS	2.2
1	B	351	SER	2.2
1	C	155	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	526	ARG	2.2
1	B	340	GLU	2.1
1	C	146	VAL	2.1
1	A	4	VAL	2.1
1	B	357	SER	2.1
1	C	531	PHE	2.1
1	C	153	THR	2.1
1	C	178	ILE	2.1
1	A	536	LYS	2.1
1	C	519	LEU	2.0
1	A	247	ALA	2.0
1	B	247	ALA	2.0
1	C	245	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MN	A	1551	1/1	0.89	0.12	56,56,56,56	0
3	UPG	C	1544	36/36	0.96	0.15	26,31,35,38	0
3	UPG	A	1544	36/36	0.96	0.15	30,33,37,38	0
3	UPG	B	1544	36/36	0.96	0.16	31,38,42,43	0
2	MN	A	1552	1/1	0.97	0.09	63,63,63,63	0
2	MN	B	1541	1/1	0.97	0.15	35,35,35,35	0
2	MN	A	1543	1/1	0.98	0.11	35,35,35,35	0
2	MN	C	1542	1/1	0.99	0.15	31,31,31,31	0




The following is a graphical depiction of the model fit to experimental electron density of all


instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around UPG A 1544:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.