



# Full wwPDB X-ray Structure Validation Report i

Jan 17, 2023 – 04:55 PM EST

PDB ID : 1VL6  
Title : Crystal structure of NAD-dependent malic enzyme (TM0542) from Thermo-toga maritima at 2.61 Å resolution  
Authors : Joint Center for Structural Genomics (JCSG)  
Deposited on : 2004-07-13  
Resolution : 2.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.31.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3797 (2.64-2.60)
Clashscore	141614	4168 (2.64-2.60)
Ramachandran outliers	138981	4093 (2.64-2.60)
Sidechain outliers	138945	4093 (2.64-2.60)
RSRZ outliers	127900	3731 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 11180 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called malate oxidoreductase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	377	Total	C	N	O	S	Se	0	2	0
			2879	1846	481	541	5	6			
1	B	355	Total	C	N	O	S	Se	0	1	0
			2600	1664	434	492	5	5			
1	C	377	Total	C	N	O	S	Se	0	0	0
			2813	1796	468	538	5	6			
1	D	377	Total	C	N	O	S	Se	0	1	0
			2844	1824	470	539	5	6			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MSE	-	expression tag	UNP Q9WZ12
A	-10	GLY	-	expression tag	UNP Q9WZ12
A	-9	SER	-	expression tag	UNP Q9WZ12
A	-8	ASP	-	expression tag	UNP Q9WZ12
A	-7	LYS	-	expression tag	UNP Q9WZ12
A	-6	ILE	-	expression tag	UNP Q9WZ12
A	-5	HIS	-	expression tag	UNP Q9WZ12
A	-4	HIS	-	expression tag	UNP Q9WZ12
A	-3	HIS	-	expression tag	UNP Q9WZ12
A	-2	HIS	-	expression tag	UNP Q9WZ12
A	-1	HIS	-	expression tag	UNP Q9WZ12
A	0	HIS	-	expression tag	UNP Q9WZ12
A	1	VAL	MET	SEE REMARK 999	UNP Q9WZ12
A	6	VAL	ILE	SEE REMARK 999	UNP Q9WZ12
A	84	MSE	MET	modified residue	UNP Q9WZ12
A	147	MSE	MET	modified residue	UNP Q9WZ12
A	272	MSE	MET	modified residue	UNP Q9WZ12
A	322	MSE	MET	modified residue	UNP Q9WZ12
A	336	MSE	MET	modified residue	UNP Q9WZ12
A	362	MSE	MET	modified residue	UNP Q9WZ12
B	-11	MSE	-	expression tag	UNP Q9WZ12

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-10	GLY	-	expression tag	UNP Q9WZ12
B	-9	SER	-	expression tag	UNP Q9WZ12
B	-8	ASP	-	expression tag	UNP Q9WZ12
B	-7	LYS	-	expression tag	UNP Q9WZ12
B	-6	ILE	-	expression tag	UNP Q9WZ12
B	-5	HIS	-	expression tag	UNP Q9WZ12
B	-4	HIS	-	expression tag	UNP Q9WZ12
B	-3	HIS	-	expression tag	UNP Q9WZ12
B	-2	HIS	-	expression tag	UNP Q9WZ12
B	-1	HIS	-	expression tag	UNP Q9WZ12
B	0	HIS	-	expression tag	UNP Q9WZ12
B	1	VAL	MET	SEE REMARK 999	UNP Q9WZ12
B	6	VAL	ILE	SEE REMARK 999	UNP Q9WZ12
B	84	MSE	MET	modified residue	UNP Q9WZ12
B	147	MSE	MET	modified residue	UNP Q9WZ12
B	272	MSE	MET	modified residue	UNP Q9WZ12
B	322	MSE	MET	modified residue	UNP Q9WZ12
B	336	MSE	MET	modified residue	UNP Q9WZ12
B	362	MSE	MET	modified residue	UNP Q9WZ12
C	-11	MSE	-	expression tag	UNP Q9WZ12
C	-10	GLY	-	expression tag	UNP Q9WZ12
C	-9	SER	-	expression tag	UNP Q9WZ12
C	-8	ASP	-	expression tag	UNP Q9WZ12
C	-7	LYS	-	expression tag	UNP Q9WZ12
C	-6	ILE	-	expression tag	UNP Q9WZ12
C	-5	HIS	-	expression tag	UNP Q9WZ12
C	-4	HIS	-	expression tag	UNP Q9WZ12
C	-3	HIS	-	expression tag	UNP Q9WZ12
C	-2	HIS	-	expression tag	UNP Q9WZ12
C	-1	HIS	-	expression tag	UNP Q9WZ12
C	0	HIS	-	expression tag	UNP Q9WZ12
C	1	VAL	MET	SEE REMARK 999	UNP Q9WZ12
C	6	VAL	ILE	SEE REMARK 999	UNP Q9WZ12
C	84	MSE	MET	modified residue	UNP Q9WZ12
C	147	MSE	MET	modified residue	UNP Q9WZ12
C	272	MSE	MET	modified residue	UNP Q9WZ12
C	322	MSE	MET	modified residue	UNP Q9WZ12
C	336	MSE	MET	modified residue	UNP Q9WZ12
C	362	MSE	MET	modified residue	UNP Q9WZ12
D	-11	MSE	-	expression tag	UNP Q9WZ12
D	-10	GLY	-	expression tag	UNP Q9WZ12
D	-9	SER	-	expression tag	UNP Q9WZ12

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-8	ASP	-	expression tag	UNP Q9WZ12
D	-7	LYS	-	expression tag	UNP Q9WZ12
D	-6	ILE	-	expression tag	UNP Q9WZ12
D	-5	HIS	-	expression tag	UNP Q9WZ12
D	-4	HIS	-	expression tag	UNP Q9WZ12
D	-3	HIS	-	expression tag	UNP Q9WZ12
D	-2	HIS	-	expression tag	UNP Q9WZ12
D	-1	HIS	-	expression tag	UNP Q9WZ12
D	0	HIS	-	expression tag	UNP Q9WZ12
D	1	VAL	MET	SEE REMARK 999	UNP Q9WZ12
D	6	VAL	ILE	SEE REMARK 999	UNP Q9WZ12
D	84	MSE	MET	modified residue	UNP Q9WZ12
D	147	MSE	MET	modified residue	UNP Q9WZ12
D	272	MSE	MET	modified residue	UNP Q9WZ12
D	322	MSE	MET	modified residue	UNP Q9WZ12
D	336	MSE	MET	modified residue	UNP Q9WZ12
D	362	MSE	MET	modified residue	UNP Q9WZ12


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	29	Total O 29 29	0	0
2	B	1	Total O 1 1	0	0
2	C	2	Total O 2 2	0	0
2	D	12	Total O 12 12	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: malate oxidoreductase




- Molecule 1: malate oxidoreductase



- Molecule 1: malate oxidoreductase





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	143.96Å 143.96Å 163.43Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.12 – 2.61 47.12 – 2.61	Depositor EDS
% Data completeness (in resolution range)	98.5 (47.12-2.61) 98.5 (47.12-2.61)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.45 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0003	Depositor
$R$ , $R_{free}$	0.192 , 0.239 0.201 , 0.234	Depositor DCC
$R_{free}$ test set	2919 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	60.8	Xtriage
Anisotropy	0.185	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 67.7	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.53$ , $< L^2 > = 0.37$	Xtriage
Estimated twinning fraction	0.022 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	11180	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.29% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.87	0/2926	0.93	12/3964 (0.3%)
1	B	0.77	1/2640 (0.0%)	0.89	4/3577 (0.1%)
1	C	0.70	1/2860 (0.0%)	0.86	7/3883 (0.2%)
1	D	0.80	0/2890	0.88	6/3917 (0.2%)
All	All	0.79	2/11316 (0.0%)	0.89	29/15341 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2
1	D	0	1
All	All	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	253	ASP	CG-OD2	5.88	1.38	1.25
1	C	51	TYR	CD2-CE2	5.50	1.47	1.39

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	155	ASP	CB-CG-OD2	7.85	125.37	118.30
1	A	155	ASP	CB-CG-OD1	-7.66	111.41	118.30
1	C	211	ASP	CB-CG-OD2	7.02	124.62	118.30
1	C	224	CYS	CA-CB-SG	-6.94	101.51	114.00
1	A	307	ASP	CB-CG-OD2	6.58	124.22	118.30
1	A	96	ASP	CB-CG-OD2	6.49	124.14	118.30
1	A	244	ASP	CB-CG-OD2	6.45	124.10	118.30
1	D	155	ASP	CB-CG-OD1	6.38	124.04	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	130	ASP	CB-CG-OD2	6.32	123.99	118.30
1	A	258	VAL	CB-CA-C	6.31	123.40	111.40
1	C	38	ASP	CB-CG-OD2	6.19	123.87	118.30
1	D	98	ASP	CB-CG-OD2	6.13	123.81	118.30
1	B	284	PRO	N-CD-CG	-6.02	94.17	103.20
1	D	220	ASP	CB-CG-OD2	5.99	123.69	118.30
1	C	18	LEU	CA-CB-CG	5.90	128.88	115.30
1	D	96	ASP	CB-CG-OD2	5.86	123.57	118.30
1	A	138	ARG	NE-CZ-NH1	5.66	123.13	120.30
1	A	253	ASP	CB-CG-OD2	5.64	123.38	118.30
1	D	253	ASP	CB-CG-OD2	5.61	123.35	118.30
1	A	130	ASP	CB-CG-OD2	5.54	123.29	118.30
1	C	96	ASP	CB-CG-OD2	5.51	123.26	118.30
1	A	224	CYS	CA-CB-SG	-5.38	104.32	114.00
1	C	24	ASP	CB-CG-OD2	5.37	123.13	118.30
1	B	244	ASP	CB-CG-OD2	5.24	123.02	118.30
1	B	130	ASP	CB-CG-OD2	5.24	123.02	118.30
1	C	307	ASP	CB-CG-OD2	5.20	122.98	118.30
1	B	201	ASP	CB-CG-OD2	5.18	122.96	118.30
1	A	329	ARG	NE-CZ-NH2	-5.11	117.74	120.30
1	A	364	VAL	CB-CA-C	-5.03	101.85	111.40

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	258	VAL	Peptide
1	B	283	ASN	Peptide
1	D	220	ASP	Peptide

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2879	0	2907	40	0
1	B	2600	0	2550	58	0
1	C	2813	0	2779	34	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2844	0	2850	29	0
2	A	29	0	0	0	0
2	B	1	0	0	0	0
2	C	2	0	0	0	0
2	D	12	0	0	0	0
All	All	11180	0	11086	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:362:MSE:SE	1:B:362:MSE:CE	2.14	1.46
1:A:100[A]:PHE:CE2	1:B:100[A]:PHE:CD1	2.50	0.99
1:A:100[A]:PHE:CE2	1:B:100[A]:PHE:CE1	2.51	0.98
1:A:100[A]:PHE:CD2	1:B:100[A]:PHE:CD1	2.58	0.92
1:C:272:MSE:HE1	1:C:278:ILE:HD11	1.52	0.91
1:A:100[A]:PHE:CD2	1:B:100[A]:PHE:CE1	2.61	0.88
1:A:100[A]:PHE:HE2	1:B:100[A]:PHE:CE1	1.92	0.87
1:C:232:ILE:O	1:C:236:THR:HB	1.76	0.86
1:A:361:ASP:O	1:A:364:VAL:HG23	1.77	0.85
1:D:232:ILE:O	1:D:236:THR:HB	1.84	0.78
1:A:328:LYS:HE3	1:A:375:SER:O	1.84	0.76
1:D:188:ILE:CD1	1:D:209:ALA:HB1	2.17	0.74
1:D:269:ILE:HA	1:D:272:MSE:HE2	1.70	0.74
1:D:272:MSE:HE1	1:D:278:ILE:HD11	1.71	0.71
1:A:100[A]:PHE:CE2	1:B:100[A]:PHE:HD1	2.08	0.70
1:C:269:ILE:HA	1:C:272:MSE:HE2	1.73	0.69
1:C:266:PRO:HA	1:C:269:ILE:HD12	1.75	0.68
1:D:174:THR:HG22	1:D:176:LYS:H	1.58	0.68
1:A:100[A]:PHE:HD2	1:B:100[A]:PHE:CE1	2.12	0.68
1:A:174:THR:HG22	1:A:176:LYS:H	1.58	0.67
1:B:249:LEU:O	1:B:252:ALA:HB2	1.96	0.66
1:B:183:VAL:HG13	1:B:254:PHE:HB2	1.78	0.65
1:A:100[A]:PHE:CE2	1:B:100[A]:PHE:HE1	2.11	0.64
1:A:100[A]:PHE:HE2	1:B:100[A]:PHE:HE1	1.42	0.63
1:C:171:LEU:O	1:C:174:THR:HG22	1.98	0.63
1:D:220:ASP:N	1:D:220:ASP:OD1	2.32	0.63
1:D:7:HIS:NE2	1:D:13:LYS:HE2	2.15	0.62
1:C:191:ALA:HB3	1:C:258:VAL:HG11	1.81	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:7:HIS:NE2	1:B:13:LYS:HE2	2.15	0.61
1:C:2:ASP:HB2	1:C:5:GLU:OE1	1.99	0.61
1:B:280:ALA:HB1	1:B:286:PRO:CD	2.31	0.60
1:B:280:ALA:HB1	1:B:286:PRO:HD2	1.84	0.59
1:A:2:ASP:HB3	1:A:5:GLU:H	1.68	0.59
1:D:188:ILE:HD11	1:D:209:ALA:HB1	1.84	0.59
1:B:233:ALA:HA	1:B:236:THR:HG22	1.84	0.59
1:B:293:ALA:O	1:B:301:VAL:HG11	2.01	0.59
1:B:157:GLN:O	1:B:161:VAL:HG23	2.01	0.58
1:D:188:ILE:O	1:D:188:ILE:HG22	2.03	0.58
1:C:14:ILE:HD11	1:C:101:PRO:CD	2.34	0.57
1:B:158:GLY:O	1:B:162:VAL:HG23	2.05	0.57
1:D:7:HIS:NE2	1:D:13:LYS:CE	2.69	0.56
1:D:55:SER:O	1:D:59:THR:HG23	2.06	0.56
1:A:363:LYS:HG3	1:D:366:LEU:HD13	1.88	0.56
1:C:313:ASN:OD1	1:C:313:ASN:C	2.44	0.55
1:C:158:GLY:O	1:C:162:VAL:HG23	2.05	0.55
1:A:147:MSE:O	1:A:331:LYS:NZ	2.39	0.54
1:B:366:LEU:HD21	1:C:362:MSE:HB2	1.90	0.54
1:A:109:GLU:OE2	1:A:138:ARG:HD2	2.07	0.53
1:C:168:LEU:HD21	1:C:202:LEU:HD13	1.91	0.53
1:B:174:THR:HG23	1:B:176:LYS:NZ	2.24	0.52
1:B:292:LEU:C	1:B:294:ARG:N	2.61	0.52
1:D:109:GLU:HG2	1:D:138:ARG:NH1	2.25	0.52
1:A:10:LEU:HD22	1:B:19:PRO:HB3	1.92	0.51
1:D:217:ASN:ND2	1:D:241:LEU:O	2.43	0.51
1:B:339:SER:HB3	1:B:371:ALA:HB1	1.93	0.51
1:B:215:ILE:O	1:B:223:THR:HG21	2.10	0.51
1:D:328:LYS:HE2	1:D:375:SER:O	2.10	0.51
1:A:260:ARG:O	1:A:287:GLU:HG3	2.11	0.51
1:D:328:LYS:NZ	1:D:373:LYS:O	2.43	0.51
1:B:308:HIS:HB3	1:B:309:PRO:HD2	1.92	0.50
1:C:14:ILE:HD11	1:C:101:PRO:HD3	1.93	0.50
1:B:239:GLU:O	1:B:241:LEU:N	2.45	0.50
1:B:107:SER:HA	1:B:112:ILE:HD11	1.93	0.50
1:A:87:LYS:NZ	1:A:154:ASP:OD1	2.39	0.49
1:B:2:ASP:OD1	1:B:4:LEU:HB2	2.12	0.49
1:A:328:LYS:CE	1:A:375:SER:O	2.57	0.49
1:B:55:SER:O	1:B:59:THR:HG23	2.13	0.49
1:C:313:ASN:OD1	1:C:315:LEU:HB3	2.13	0.49
1:A:100[A]:PHE:HD2	1:B:100[A]:PHE:CD1	2.25	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:269:ILE:HG23	1:D:272:MSE:CE	2.42	0.48
1:A:339:SER:HB3	1:A:371:ALA:HB1	1.95	0.48
1:C:7:HIS:NE2	1:C:13:LYS:HE3	2.28	0.48
1:A:57:TRP:CE3	1:A:58:ASN:HB2	2.49	0.48
1:B:318:PHE:CG	1:B:319:PRO:HD3	2.49	0.48
1:C:7:HIS:NE2	1:C:13:LYS:CE	2.77	0.48
1:C:339:SER:HB3	1:C:371:ALA:HB1	1.94	0.48
1:B:173:LEU:HD22	1:B:352:PRO:HD3	1.96	0.48
1:B:186:ASN:HD22	1:B:259:SER:HB3	1.79	0.47
1:C:126:ILE:HB	1:C:151:VAL:HB	1.96	0.47
1:A:356:ILE:HB	1:A:357:PRO:HD2	1.96	0.47
1:D:220:ASP:O	1:D:222:GLU:N	2.48	0.47
1:B:294:ARG:O	1:B:296:ALA:N	2.45	0.47
1:B:57:TRP:CE3	1:B:58:ASN:HB2	2.51	0.46
1:B:83:VAL:HB	1:B:84:MSE:HE2	1.97	0.46
1:A:317:ALA:O	1:A:321:ILE:HG13	2.16	0.46
1:A:55:SER:O	1:A:59:THR:HG23	2.16	0.46
1:A:354:ARG:HH11	1:A:354:ARG:HG3	1.80	0.46
1:A:61:ALA:HB1	1:A:102:ILE:HD12	1.97	0.45
1:A:100[A]:PHE:HE2	1:B:100[A]:PHE:CD1	2.09	0.45
1:C:2:ASP:HB3	1:C:5:GLU:H	1.82	0.45
1:C:272:MSE:CE	1:C:278:ILE:HD11	2.35	0.45
1:C:272:MSE:HE3	1:C:276:PRO:HB2	1.98	0.45
1:B:252:ALA:O	1:B:253:ASP:C	2.54	0.45
1:A:51:TYR:CZ	1:A:329:ARG:HD3	2.52	0.45
1:B:193:TYR:OH	1:B:197:LYS:NZ	2.45	0.45
1:C:220:ASP:OD2	1:C:242:SER:OG	2.35	0.45
1:B:168:LEU:HD21	1:B:202:LEU:HD13	1.99	0.44
1:D:120:GLU:N	1:D:121:PRO:CD	2.80	0.44
1:C:87:LYS:NZ	1:C:154:ASP:OD1	2.50	0.44
1:A:87:LYS:HE3	1:A:129:GLU:OE1	2.17	0.44
1:B:2:ASP:HB3	1:B:5:GLU:HB2	1.99	0.44
1:B:100[B]:PHE:CD1	1:B:101:PRO:HD2	2.53	0.44
1:C:313:ASN:OD1	1:C:313:ASN:O	2.36	0.43
1:C:55:SER:O	1:C:59:THR:HG23	2.18	0.43
1:B:220:ASP:O	1:B:223:THR:OG1	2.31	0.43
1:B:277:VAL:HG13	1:B:300:ILE:HB	2.00	0.43
1:C:90:LEU:HD21	1:D:28:LEU:HD22	2.01	0.43
1:B:280:ALA:HB1	1:B:286:PRO:HG2	2.01	0.43
1:B:100[B]:PHE:HA	1:B:101:PRO:HD3	1.93	0.43
1:C:357:PRO:HB2	1:C:364:VAL:HG21	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:79:GLY:O	1:D:82:PRO:HD2	2.19	0.43
1:D:14:ILE:HG13	1:D:85:GLU:HG2	1.99	0.43
1:A:354:ARG:HG3	1:A:354:ARG:NH1	2.34	0.43
1:D:174:THR:HG23	1:D:176:LYS:HG3	2.01	0.43
1:D:140:LEU:O	1:D:144:SER:OG	2.35	0.42
1:B:174:THR:CG2	1:B:176:LYS:NZ	2.82	0.42
1:C:337:LEU:O	1:C:341:VAL:HG23	2.19	0.42
1:B:129:GLU:OE1	1:B:154:ASP:OD2	2.37	0.42
1:C:272:MSE:HE3	1:C:276:PRO:CB	2.50	0.42
1:B:303:THR:HG21	1:B:308:HIS:HB2	2.02	0.42
1:A:275:LYS:N	1:A:276:PRO:CD	2.83	0.42
1:B:265:LYS:HB3	1:B:266:PRO:HD2	2.02	0.42
1:B:297:GLY:O	1:B:298:ALA:HB3	2.20	0.42
1:B:322:MSE:HE3	1:B:326:VAL:HG23	2.01	0.42
1:A:369:TYR:OH	1:A:373:LYS:HD2	2.20	0.41
1:C:171:LEU:HA	1:C:174:THR:HG22	2.02	0.41
1:D:159:THR:O	1:D:163:VAL:HG23	2.21	0.41
1:A:192:GLY:O	1:A:196:VAL:HG23	2.21	0.41
1:A:313:ASN:HD21	1:A:315:LEU:HB3	1.85	0.41
1:B:125:GLY:HA3	1:B:322:MSE:HE1	2.03	0.41
1:C:79:GLY:O	1:C:82:PRO:HD2	2.21	0.41
1:B:7:HIS:NE2	1:B:13:LYS:CE	2.83	0.41
1:B:254:PHE:CD2	1:B:277:VAL:HB	2.55	0.41
1:C:20:VAL:HG12	1:C:21:GLU:N	2.36	0.41
1:A:57:TRP:CD2	1:A:58:ASN:HB2	2.56	0.41
1:B:57:TRP:CD2	1:B:58:ASN:HB2	2.56	0.41
1:A:174:THR:CG2	1:A:176:LYS:HD2	2.51	0.41
1:D:51:TYR:CZ	1:D:329:ARG:HD3	2.55	0.41
1:D:109:GLU:HG3	1:D:135:LYS:HB2	2.02	0.41
1:D:269:ILE:CA	1:D:272:MSE:HE2	2.47	0.41
1:B:174:THR:CG2	1:B:176:LYS:CE	2.99	0.40
1:A:159:THR:O	1:A:163:VAL:HG23	2.21	0.40
1:C:120:GLU:N	1:C:121:PRO:CD	2.84	0.40
1:A:69:VAL:O	1:A:70:LEU:C	2.58	0.40
1:D:173:LEU:HA	1:D:173:LEU:HD23	1.83	0.40
1:C:57:TRP:CD2	1:C:58:ASN:HB2	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	377/388 (97%)	361 (96%)	16 (4%)	0	100 100
1	B	346/388 (89%)	311 (90%)	23 (7%)	12 (4%)	3 4
1	C	375/388 (97%)	357 (95%)	18 (5%)	0	100 100
1	D	376/388 (97%)	356 (95%)	18 (5%)	2 (0%)	29 50
All	All	1474/1552 (95%)	1385 (94%)	75 (5%)	14 (1%)	15 33

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	267	GLU
1	B	284	PRO
1	B	238	PRO
1	B	240	ARG
1	B	295	GLU
1	B	239	GLU
1	B	244	ASP
1	B	293	ALA
1	B	266	PRO
1	B	253	ASP
1	B	298	ALA
1	D	222	GLU
1	B	237	ASN
1	D	221	PRO

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	304/316 (96%)	288 (95%)	16 (5%)	22 43
1	B	265/316 (84%)	248 (94%)	17 (6%)	17 34
1	C	294/316 (93%)	278 (95%)	16 (5%)	22 42
1	D	297/316 (94%)	283 (95%)	14 (5%)	26 49
All	All	1160/1264 (92%)	1097 (95%)	63 (5%)	22 42

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASP
1	A	15	ARG
1	A	18	LEU
1	A	22	LYS
1	A	25	ARG
1	A	138	ARG
1	A	144	SER
1	A	174	THR
1	A	220	ASP
1	A	225	LEU
1	A	227	GLU
1	A	258	VAL
1	A	283	ASN
1	A	307	ASP
1	A	364	VAL
1	A	375	SER
1	B	6	VAL
1	B	14	ILE
1	B	87	LYS
1	B	151	VAL
1	B	154	ASP
1	B	155	ASP
1	B	162	VAL
1	B	174	THR
1	B	247	THR
1	B	253	ASP
1	B	258	VAL
1	B	265	LYS
1	B	283	ASN
1	B	285	VAL
1	B	360	PHE
1	B	366	LEU
1	B	375	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	6	VAL
1	C	114	SER
1	C	151	VAL
1	C	154	ASP
1	C	162	VAL
1	C	220	ASP
1	C	236	THR
1	C	240	ARG
1	C	241	LEU
1	C	242	SER
1	C	247	THR
1	C	283	ASN
1	C	305	ARG
1	C	313	ASN
1	C	330	SER
1	C	335	ASN
1	D	14	ILE
1	D	15	ARG
1	D	20	VAL
1	D	87	LYS
1	D	144	SER
1	D	154	ASP
1	D	155	ASP
1	D	174	THR
1	D	220	ASP
1	D	234	ARG
1	D	236	THR
1	D	260	ARG
1	D	264	LEU
1	D	269	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	308	HIS
1	A	313	ASN
1	A	335	ASN
1	B	186	ASN
1	C	194	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	371/388 (95%)	-0.05	3 (0%) 86 84	56, 64, 75, 86	0
1	B	350/388 (90%)	0.64	50 (14%) 2 1	41, 63, 73, 82	0
1	C	371/388 (95%)	0.57	37 (9%) 7 4	54, 63, 72, 90	0
1	D	371/388 (95%)	0.05	13 (3%) 44 37	55, 64, 75, 95	0
All	All	1463/1552 (94%)	0.30	103 (7%) 16 12	41, 64, 75, 95	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	243	GLY	9.8
1	C	0	HIS	7.3
1	B	300	ILE	6.9
1	B	244	ASP	5.8
1	C	269	ILE	5.8
1	C	376	ALA	5.7
1	B	216	LEU	5.1
1	B	306	SER	5.1
1	B	225	LEU	4.5
1	B	295	GLU	4.1
1	D	224	CYS	4.0
1	C	293	ALA	3.9
1	D	16	THR	3.9
1	B	299	PHE	3.8
1	B	297	GLY	3.8
1	B	278	ILE	3.7
1	C	352	PRO	3.7
1	B	298	ALA	3.6
1	B	294	ARG	3.6
1	C	353	GLU	3.5
1	B	286	PRO	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	300	ILE	3.5
1	B	277	VAL	3.5
1	D	223	THR	3.4
1	C	93	ALA	3.4
1	B	175	GLU	3.4
1	D	1	VAL	3.4
1	D	17	ALA	3.4
1	C	99	ALA	3.3
1	A	21	GLU	3.3
1	C	96	ASP	3.3
1	B	292	LEU	3.3
1	B	342	GLU	3.2
1	B	184	VAL	3.2
1	B	287	GLU	3.2
1	C	245	LEU	3.1
1	B	355	ILE	3.1
1	B	260	ARG	3.1
1	C	100	PHE	3.1
1	B	254	PHE	3.1
1	C	53	TYR	3.0
1	B	209	ALA	3.0
1	B	215	ILE	3.0
1	D	15	ARG	3.0
1	B	1	VAL	3.0
1	B	293	ALA	3.0
1	D	18	LEU	3.0
1	C	356	ILE	2.9
1	B	208	VAL	2.9
1	C	296	ALA	2.9
1	B	0	HIS	2.9
1	B	92	LYS	2.9
1	C	252	ALA	2.9
1	B	90	LEU	2.8
1	C	295	GLU	2.8
1	B	221	PRO	2.8
1	D	5	GLU	2.7
1	C	16	THR	2.7
1	D	2	ASP	2.7
1	C	301	VAL	2.7
1	C	92	LYS	2.6
1	B	301	VAL	2.6
1	B	309	PRO	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	274	ARG	2.6
1	B	203	GLY	2.6
1	B	202	LEU	2.6
1	B	16	THR	2.5
1	D	247	THR	2.5
1	B	285	VAL	2.4
1	C	298	ALA	2.4
1	A	241	LEU	2.4
1	B	354	ARG	2.4
1	C	90	LEU	2.4
1	B	186	ASN	2.4
1	B	259	SER	2.4
1	B	330	SER	2.3
1	C	320	GLY	2.3
1	B	185	VAL	2.3
1	D	219	ASN	2.3
1	C	243	GLY	2.3
1	C	310	ASN	2.3
1	C	294	ARG	2.3
1	C	62	VAL	2.3
1	D	240	ARG	2.3
1	C	288	ILE	2.3
1	B	214	GLY	2.2
1	C	17	ALA	2.2
1	C	59	THR	2.2
1	B	97	ILE	2.2
1	C	276	PRO	2.2
1	C	97	ILE	2.1
1	B	356	ILE	2.1
1	C	249	LEU	2.1
1	B	360	PHE	2.1
1	C	91	PHE	2.1
1	B	249	LEU	2.1
1	B	95	ALA	2.1
1	C	266	PRO	2.1
1	A	16	THR	2.1
1	C	202	LEU	2.0
1	B	224	CYS	2.0
1	B	173	LEU	2.0
1	D	225	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.