

Full wwPDB X-ray Structure Validation Report (i)

Dec 10, 2023 - 01:00 am GMT

:	2VQ6
:	Torpedo californica acetylcholinesterase complexed with 2-PAM
:	Harel, M.; Silman, I.; Sussman, J.L.
:	2008-03-11
:	2.71 Å(reported)
	: : : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	3359(2.74-2.70)
Clashscore	141614	3686 (2.74-2.70)
Ramachandran outliers	138981	3622(2.74-2.70)
Sidechain outliers	138945	3623(2.74-2.70)
RSRZ outliers	127900	3276 (2.74-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of	chain	
1	А	543	54%	32%	10% ••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	FP1	А	1536	-	-	Х	-



Contre	naca jioi		is puye.	••			
Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	А	1538	Х	-	-	-
4	NAG	А	1539	-	-	-	Х



2VQ6

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 4377 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called ACETYLCHOLINESTERASE.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	529	Total 4241	C 2723	N 722	0 774	S 22	0	5	0

• Molecule 2 is N-hydroxy-1-(1-methylpyridin-2(1H)-ylidene)methanamine (three-letter code: FP1) (formula: $C_7H_{10}N_2O$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	А	1	Total 10	С 7	N 2	0 1	0	0

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O_4S).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	А	1	Total 5	0 4	S 1	0	0

• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	А	1	Total C 14 8	N 1	O 5	0	0
4	А	1	Total C 14 8	N 1	O 5	0	0



• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	93	Total O 93 93	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: ACETYLCHOLINESTERASE



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants	113.95Å 113.95Å 138.05Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
$\mathbf{P}_{\text{acclution}}(\hat{\mathbf{A}})$	15.66 - 2.71	Depositor
Resolution (A)	$15.66 \ - \ 2.71$	EDS
% Data completeness	$100.0\ (15.66-2.71)$	Depositor
(in resolution range)	93.1 (15.66-2.71)	EDS
R _{merge}	0.15	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.36 (at 2.73 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
D D	0.171 , 0.234	Depositor
Π, Π_{free}	0.173 , 0.234	DCC
R_{free} test set	1340 reflections $(5.07%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	29.2	Xtriage
Anisotropy	0.666	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.31 , 44.2	EDS
L-test for twinning ²	$< L > = 0.50, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.006 for -h,-k,l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4377	wwPDB-VP
Average B, all atoms $(Å^2)$	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.85% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, FP1, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
IVI01	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	1.43	27/4373~(0.6%)	1.31	31/5934~(0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	5

Chain \mathbf{Z} Ideal(Å) Mol Res Type Atoms Observed(A)А 287 ILE C-N -9.22 1.121.341 1 А 283PRO C-N 7.911.521.341 А 476PHE CE1-CZ 7.571.511.371 А 478LYS CD-CE 7.53 1.701.511 А 228SER CB-OG -7.021.33 1.42CYS 1 А 231CB-SG -6.781.701.82TRP 1 А 114C-N -6.591.181.341 А 245ALA CA-CB -6.331.391.521 А 219PHE CE1-CZ 6.211.491.37530LYS CD-CE 1 А 6.151.661.511 284PHE C-N А -6.141.201.341 А 254CYS CB-SG -6.041.721.82VAL 1 А 113CB-CG2 -5.861.401.521 А 279TRP CZ3-CH2 5.821.491.4049 GLU CD-OE1 1.25 1 А 5.711.312431 А ARG CG-CD 5.631.661.511 А 88 ARG CB-CG -5.591.37 1.521 А 288PHE CE1-CZ 1.471.37 5.30

All (27) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
1	А	162	GLN	CG-CD	5.24	1.63	1.51
1	А	196	ILE	CA-CB	-5.21	1.42	1.54
1	А	121	TYR	CD2-CE2	-5.12	1.31	1.39
1	А	92	GLU	CB-CG	-5.11	1.42	1.52
1	А	402	CYS	CB-SG	-5.10	1.73	1.81
1	А	82	GLU	CD-OE2	5.10	1.31	1.25
1	А	82	GLU	CD-OE1	5.09	1.31	1.25
1	А	295	VAL	CB-CG2	-5.08	1.42	1.52
1	А	287	ILE	C-O	5.00	1.32	1.23

Continued from previous page...

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	244	ARG	NE-CZ-NH2	11.65	126.12	120.30
1	А	244	ARG	NE-CZ-NH1	-10.66	114.97	120.30
1	А	149	ARG	NE-CZ-NH2	-9.43	115.59	120.30
1	А	44	ARG	NE-CZ-NH2	-8.82	115.89	120.30
1	А	190	ASP	CB-CG-OD2	8.10	125.58	118.30
1	А	220	ARG	NE-CZ-NH1	8.02	124.31	120.30
1	А	221	ARG	NE-CZ-NH2	-7.89	116.36	120.30
1	А	88	ARG	NE-CZ-NH1	-7.88	116.36	120.30
1	А	221	ARG	NE-CZ-NH1	7.45	124.02	120.30
1	А	31	LEU	CB-CG-CD1	6.95	122.81	111.00
1	А	286	SER	O-C-N	-6.75	111.90	122.70
1	А	284	PHE	C-N-CA	-6.36	105.79	121.70
1	А	129	VAL	CB-CA-C	-6.10	99.81	111.40
1	А	443	GLU	OE1-CD-OE2	-5.94	116.18	123.30
1	А	250	ARG	NE-CZ-NH1	-5.87	117.36	120.30
1	А	128	ASP	CB-CG-OD2	5.81	123.53	118.30
1	А	88	ARG	CG-CD-NE	-5.77	99.69	111.80
1	А	146	LEU	CB-CG-CD1	-5.74	101.24	111.00
1	А	431	VAL	CB-CA-C	-5.70	100.57	111.40
1	А	286	SER	CA-C-N	5.68	129.69	117.20
1	А	389	ASP	CB-CG-OD1	-5.61	113.25	118.30
1	А	426	ARG	NE-CZ-NH2	-5.53	117.53	120.30
1	А	283	PRO	C-N-CA	5.41	135.21	121.70
1	А	217	ASP	CB-CG-OD2	5.37	123.14	118.30
1	А	468	ARG	NE-CZ-NH1	-5.14	117.73	120.30
1	A	452	LEU	CB-CG-CD1	-5.11	102.32	111.00
1	A	105	ARG	NE-CZ-NH1	-5.10	117.75	120.30
1	А	16	MET	CG-SD-CE	5.07	108.32	100.20
1	А	494	LEU	CB-CG-CD1	-5.05	102.42	111.00



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	52	LYS	N-CA-C	-5.02	97.44	111.00
1	А	228	SER	N-CA-CB	-5.00	102.99	110.50

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	284	PHE	Mainchain
1	А	287	ILE	Mainchain
1	А	292	PHE	Peptide
1	А	42	ASN	Peptide
1	А	490	SER	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4241	0	4099	148	0
2	А	10	0	10	13	0
3	А	5	0	0	1	0
4	А	28	0	26	2	0
5	А	93	0	0	1	0
All	All	4377	0	4135	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349[A]:ARG:HG2	1:A:349[A]:ARG:HH11	1.11	1.11
1:A:432:TRP:HB3	1:A:436:MET:CE	1.95	0.96
2:A:1536:FP1:H2	2:A:1536:FP1:C7	1.80	0.95
1:A:251:ASN:HD22	1:A:251:ASN:H	1.15	0.94
1:A:432:TRP:HB3	1:A:436:MET:HE1	1.51	0.90



n	٢7	\cap	AC
4	v	6	ĮΟ.

	h h h	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:204:ALA:O	1:A:208:MET:HG3	1.75	0.85
1:A:349[A]:ARG:HG2	1:A:349[A]:ARG:NH1	1.92	0.84
1:A:433:PRO:HD2	1:A:436:MET:CE	2.06	0.84
1:A:349[A]:ARG:HH11	1:A:349[A]:ARG:CG	1.92	0.80
1:A:479:THR:HG22	1:A:481:ASN:H	1.47	0.78
1:A:193:THR:HG22	1:A:193:THR:O	1.81	0.78
1:A:149:ARG:NH1	1:A:168:VAL:HG13	2.01	0.76
1:A:408:VAL:O	1:A:412:THR:HG23	1.85	0.76
1:A:433:PRO:HD2	1:A:436:MET:HE2	1.66	0.76
1:A:230:ASN:H	1:A:230:ASN:HD22	1.34	0.75
1:A:508:GLU:HB2	1:A:509:PRO:HD3	1.68	0.75
1:A:87:ASN:HD22	1:A:87:ASN:H	1.31	0.75
1:A:508:GLU:HB2	1:A:509:PRO:CD	2.17	0.74
1:A:132:GLY:HA3	1:A:143:LEU:HD12	1.69	0.74
1:A:518:VAL:HG13	1:A:519:GLN:H	1.53	0.74
1:A:330:PHE:CD1	2:A:1536:FP1:HA	2.24	0.73
2:A:1536:FP1:C7	2:A:1536:FP1:N2	2.52	0.72
2:A:1536:FP1:H2	2:A:1536:FP1:H7C2	1.53	0.71
2:A:1536:FP1:H2	2:A:1536:FP1:H7C3	1.56	0.71
1:A:432:TRP:HB3	1:A:436:MET:HE3	1.72	0.71
1:A:330:PHE:CE1	2:A:1536:FP1:HA	2.26	0.70
1:A:15:VAL:HG23	1:A:58:TRP:HB3	1.73	0.69
1:A:419:TYR:CZ	1:A:494:LEU:HD23	2.28	0.69
1:A:388:ARG:NH2	1:A:389:ASP:OD2	2.27	0.68
1:A:42:ASN:HB2	1:A:267:ARG:HH21	1.59	0.67
1:A:59:ASN:HB3	4:A:1539:NAG:H83	1.76	0.67
1:A:251:ASN:H	1:A:251:ASN:ND2	1.90	0.66
1:A:475:THR:O	1:A:479:THR:HB	1.98	0.64
1:A:479:THR:HG22	1:A:481:ASN:N	2.14	0.63
1:A:20:VAL:HG22	1:A:27:ILE:HG22	1.81	0.62
1:A:251:ASN:HD22	1:A:251:ASN:N	1.92	0.62
1:A:453:VAL:HG22	1:A:456:LEU:HG	1.82	0.61
1:A:193:THR:O	1:A:193:THR:CG2	2.47	0.61
1:A:44:ARG:HD3	1:A:45:PHE:CZ	2.36	0.60
1:A:111:VAL:HB	1:A:194:VAL:HG12	1.82	0.60
1:A:440:HIS:O	2:A:1536:FP1:H3	2.02	0.60
1:A:260:GLU:O	1:A:264[A]:HIS:CD2	2.55	0.60
1:A:190:ASP:OD2	1:A:192:LYS:HB2	2.03	0.59
1:A:345:SER:O	1:A:388:ARG:HG3	2.02	0.58
1:A:63:TYR:CD2	1:A:126:THR:HG22	2.39	0.58
1:A:483:ASN:HD21	1:A:492:TRP:H	1.50	0.58



n	٢7	\cap	AC
4	v	6	ĮΟ.

		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:110:THR:OG1	1:A:478:LYS:HE2	2.03	0.58
1:A:78:PHE:O	1:A:82:GLU:HG2	2.04	0.58
1:A:324:ASN:HD22	1:A:423:PHE:HB3	1.69	0.57
1:A:225:GLN:HB3	1:A:421:TYR:OH	2.04	0.57
1:A:499:GLU:O	1:A:500:GLN:HB2	2.03	0.57
1:A:200:SER:HB3	1:A:440:HIS:CE1	2.40	0.56
1:A:258:SER:HB2	1:A:260:GLU:HB2	1.87	0.56
1:A:260:GLU:O	1:A:264[A]:HIS:HD2	1.88	0.56
1:A:223:ILE:HA	1:A:320:LEU:O	2.05	0.56
1:A:317:THR:OG1	1:A:318:GLN:N	2.39	0.55
1:A:518:VAL:O	1:A:522:VAL:HG12	2.05	0.55
1:A:432:TRP:CE3	1:A:436:MET:HE1	2.42	0.55
1:A:221:ARG:NH1	1:A:318:GLN:OE1	2.37	0.55
1:A:74:GLN:NE2	5:A:2017:HOH:O	2.39	0.55
1:A:158:LEU:HD12	1:A:263:ILE:HD11	1.89	0.55
1:A:209:HIS:HD2	1:A:215:SER:OG	1.90	0.55
1:A:87:ASN:HD22	1:A:87:ASN:N	1.97	0.54
1:A:19:ARG:HD3	1:A:19:ARG:C	2.27	0.54
1:A:345:SER:O	1:A:347:ILE:HD12	2.07	0.54
1:A:469:ILE:O	1:A:472:TYR:HB2	2.08	0.54
2:A:1536:FP1:H7C2	3:A:1537:SO4:O4	2.07	0.54
1:A:379:MET:O	1:A:380:ASP:HB2	2.07	0.54
1:A:87:ASN:H	1:A:87:ASN:ND2	2.05	0.53
1:A:105:ARG:HG2	1:A:106:PRO:O	2.09	0.53
1:A:456:LEU:O	1:A:457:ASN:HB2	2.08	0.53
1:A:330:PHE:CZ	2:A:1536:FP1:HB	2.44	0.52
1:A:502:PHE:CZ	1:A:513:HIS:HB2	2.45	0.52
1:A:6:LEU:CD1	1:A:28:SER:HB3	2.39	0.52
1:A:98:ASN:O	1:A:144:VAL:HA	2.08	0.52
1:A:432:TRP:CB	1:A:436:MET:HE1	2.32	0.52
1:A:362:HIS:H	1:A:362:HIS:CD2	2.27	0.52
1:A:131:ASN:ND2	1:A:133:LYS:HD3	2.26	0.51
1:A:156:LEU:HD11	1:A:245:ALA:HB1	1.93	0.51
1:A:247:GLU:O	1:A:251:ASN:ND2	2.44	0.50
1:A:324:ASN:ND2	1:A:423:PHE:HB3	2.27	0.50
1:A:170:LEU:HD21	1:A:208:MET:HE1	1.93	0.50
1:A:251:ASN:ND2	1:A:251:ASN:N	2.52	0.49
1:A:85:ASN:O	1:A:86:PRO:C	2.47	0.49
1:A:528:LEU:HB3	1:A:529:PRO:HD3	1.94	0.49
1:A:46:ARG:HD2	1:A:163:GLU:OE1	2.13	0.49
1:A:287:ILE:HG13	1:A:287:ILE:O	2.13	0.48



0	τ7		16
4	v	6	ĮΟ.

	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:459:THR:HG22	1:A:461:GLU:H	1.78	0.48
1:A:508:GLU:CB	1:A:509:PRO:CD	2.87	0.48
1:A:349[A]:ARG:NH1	1:A:349[A]:ARG:CG	2.60	0.48
1:A:230:ASN:HD22	1:A:230:ASN:N	2.06	0.48
1:A:93:ASP:OD1	1:A:93:ASP:C	2.53	0.47
1:A:451:PRO:HA	1:A:458:TYR:CD2	2.50	0.47
1:A:35:PHE:CD2	1:A:97:LEU:HD23	2.49	0.47
1:A:248:LEU:HD21	1:A:274:LEU:HD12	1.95	0.47
1:A:235:SER:HA	1:A:294:PRO:O	2.15	0.47
1:A:333:LEU:HD22	1:A:333:LEU:O	2.15	0.47
1:A:46:ARG:CZ	1:A:46:ARG:HB3	2.44	0.46
1:A:430:LEU:HD23	1:A:430:LEU:HA	1.73	0.46
1:A:491:LYS:O	1:A:493:PRO:HD3	2.15	0.46
1:A:452:LEU:CD2	1:A:463:GLU:HG2	2.45	0.46
1:A:110:THR:HG23	1:A:193:THR:HG22	1.96	0.46
1:A:380:ASP:C	1:A:382:ASN:H	2.19	0.46
1:A:27:ILE:HG23	1:A:28:SER:N	2.31	0.46
1:A:38:PRO:HA	1:A:39:PRO:HD3	1.78	0.46
1:A:506:ASN:OD1	1:A:506:ASN:C	2.54	0.46
1:A:505:LEU:HD12	1:A:505:LEU:HA	1.63	0.45
1:A:349[A]:ARG:HG3	1:A:381:ASP:O	2.17	0.45
2:A:1536:FP1:N2	2:A:1536:FP1:H7C2	2.26	0.45
1:A:388:ARG:HD3	1:A:435:TRP:CE3	2.51	0.45
1:A:110:THR:OG1	1:A:478:LYS:CE	2.64	0.45
1:A:170:LEU:HA	1:A:170:LEU:HD12	1.66	0.45
1:A:410:LYS:HD2	1:A:413[A]:LYS:HZ2	1.82	0.45
1:A:330:PHE:CZ	2:A:1536:FP1:C1	2.99	0.44
1:A:42:ASN:HB2	1:A:267:ARG:HD3	1.99	0.44
1:A:433:PRO:CD	1:A:436:MET:CE	2.87	0.44
1:A:499:GLU:O	1:A:500:GLN:CB	2.65	0.44
1:A:330:PHE:CE1	2:A:1536:FP1:C2	2.99	0.44
1:A:37:GLU:OE2	1:A:51:LYS:HD2	2.17	0.44
1:A:374:GLN:HG3	1:A:520:MET:HE1	2.00	0.44
1:A:374:GLN:HG3	1:A:520:MET:CE	2.48	0.43
1:A:146:LEU:C	1:A:146:LEU:HD12	2.39	0.43
1:A:197:PHE:HB2	1:A:223:ILE:HB	2.00	0.43
1:A:223:ILE:HD13	1:A:223:ILE:HG21	1.74	0.43
1:A:322:GLY:HA3	1:A:421:TYR:CZ	2.53	0.43
1:A:25:SER:HB3	1:A:26:HIS:H	1.54	0.43
1:A:410:LYS:HD2	1:A:410:LYS:HA	1.81	0.43
1:A:288:PHE:C	1:A:289:ARG:HG2	2.38	0.43



Atom-1	Atom-2	Interatomic distance $(Å)$	Clash overlap (Å)
1.A.16.MET.HE3	1·A·16·MET·HB3	1 91	0.43
1:A:433:PRO:HD2	1:A:436:MET:HE3	1.96	0.43
1:A:135:LEU:HD12	1:A:135:LEU:HA	1.87	0.43
1:A:208:MET:HE1	1:A:294:PRO:CG	2.49	0.43
1:A:252:LEU:O	1:A:253:ASN:HB2	2.19	0.42
1:A:481:ASN:OD1	1:A:483:ASN:HB2	2.19	0.42
1:A:30:PHE:HB3	1:A:33:ILE:HD11	2.00	0.42
1:A:59:ASN:CB	4:A:1539:NAG:H83	2.48	0.42
1:A:336:ALA:HA	1:A:337:PRO:HD2	1.74	0.42
1:A:184:ILE:HD12	1:A:184:ILE:HA	1.77	0.42
1:A:478:LYS:HB2	1:A:478:LYS:HE3	1.15	0.42
1:A:345:SER:O	1:A:347:ILE:CD1	2.67	0.42
1:A:17:GLY:HA2	1:A:60:ALA:HB3	2.02	0.41
1:A:197:PHE:CB	1:A:223:ILE:HB	2.50	0.41
1:A:185:GLN:HA	1:A:189:GLY:O	2.21	0.41
1:A:419:TYR:CZ	1:A:494:LEU:CD2	2.99	0.41
1:A:304:SER:O	1:A:305:LEU:C	2.58	0.41
1:A:44:ARG:HB3	1:A:267:ARG:HG2	2.02	0.41
2:A:1536:FP1:N2	2:A:1536:FP1:H7C3	2.27	0.41
1:A:298:GLY:HA2	1:A:301:PHE:O	2.20	0.41
1:A:395:VAL:O	1:A:399:ASN:HB2	2.20	0.41
1:A:468:ARG:HH11	1:A:468:ARG:HD3	1.73	0.41
1:A:518:VAL:CG1	1:A:519:GLN:H	2.30	0.40
1:A:95:LEU:HA	1:A:95:LEU:HD23	1.70	0.40
1:A:200:SER:HB3	1:A:440:HIS:HE1	1.83	0.40
1:A:191:PRO:C	1:A:193:THR:H	2.25	0.40
1:A:225:GLN:HB3	1:A:225:GLN:HE21	1.56	0.40

0

There are no symmetry-related clashes.

5.3Torsion angles (i)

Protein backbone (i) 5.3.1

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed Outliers		Percentiles	
1	А	528/543~(97%)	473 (90%)	45 (8%)	10 (2%)	8 18	

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	25	SER
1	А	380	ASP
1	А	519	GLN
1	А	74	GLN
1	А	457	ASN
1	А	500	GLN
1	А	11	LYS
1	А	472	TYR
1	А	159	HIS
1	А	470	MET

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	А	465/474 (98%)	387~(83%)	78 (17%)	2 4		

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	6	LEU
1	А	7	LEU
1	А	14	LYS
1	А	15	VAL
1	А	16	MET
1	А	19	ARG
1	А	23	LEU
1	А	25	SER
1	А	27	ILE
1	А	28	SER
1	А	31	LEU



Mol	Chain	Res	Type
1	А	43	MET
1	А	46	ARG
1	A	47	ARG
1	A	51	LYS
1	A	62	THR
1	А	87	ASN
1	A	89	GLU
1	А	98	ASN
1	А	99	ILE
1	А	108	SER
1	А	125	SER
1	А	128	ASP
1	А	129	VAL
1	А	140	GLU
1	А	144	VAL
1	А	161	SER
1	А	170	LEU
1	А	175	MET
1	А	177	LEU
1	А	192	LYS
1	А	225	GLN
1	А	230	ASN
1	А	238	VAL
1	А	242	ARG
1	А	243	ARG
1	А	246	VAL
1	А	251	ASN
1	А	262	LEU
1	А	269	LYS
1	А	275	ILE
1	А	278	GLU
1	А	288	PHE
1	А	293	VAL
1	А	295	VAL
1	А	305	LEU
1	A	318	GLN
1	А	321	LEU
1	А	325	LYS
1	А	333	LEU
1	А	340	SER
1	А	349[A]	ARG
1	А	349[B]	ARG



Mol	Chain	Res	Type
1	А	354	SER
1	А	357	LYS
1	А	382	ASN
1	А	410	LYS
1	А	412	THR
1	А	413[A]	LYS
1	А	413[B]	LYS
1	А	414	PHE
1	А	430	LEU
1	А	453	VAL
1	А	454	LYS
1	А	455	GLU
1	А	456	LEU
1	А	468	ARG
1	А	473	TRP
1	А	478	LYS
1	А	479	THR
1	А	484	GLU
1	А	491	LYS
1	А	510	MET
1	A	514	GLN
1	A	515	ARG
1	А	519	GLN
1	A	522	VAL
1	А	528	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	65	ASN
1	А	66	ASN
1	А	74	GLN
1	А	87	ASN
1	А	209	HIS
1	А	225	GLN
1	А	230	ASN
1	А	251	ASN
1	А	324	ASN
1	А	362	HIS
1	А	457	ASN
1	А	483	ASN
1	А	526	GLN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain Bog I		Tink	Bond lengths			Bond angles			
INIOI	туре	Unam	nes	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
2	FP1	А	1536	-	9,10,10	5.72	5 (55%)	8,12,12	<mark>-3.37</mark>	3 (37%)	
4	NAG	А	1539	1	14,14,15	1.12	2 (14%)	17,19,21	2.88	12 (70%)	
4	NAG	А	1538	1	14,14,15	1.42	1 (7%)	17,19,21	3.48	10 (58%)	
3	SO4	А	1537	-	4,4,4	0.44	0	6,6,6	1.20	1 (16%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FP1	А	1536	-	-	0/0/3/3	0/1/1/1
4	NAG	А	1539	1	-	4/6/23/26	0/1/1/1
4	NAG	А	1538	1	1/1/5/7	2/6/23/26	0/1/1/1

All (8) bond length outliers are listed below:



0	τ7	\cap	C
2	V	Q	U

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	А	1536	FP1	C6-N2	13.07	1.47	1.30
2	А	1536	FP1	C6-C5	8.28	1.54	1.40
2	А	1536	FP1	C5-N1	6.12	1.43	1.37
4	А	1538	NAG	C4-C5	3.28	1.59	1.53
4	А	1539	NAG	C1-C2	2.70	1.56	1.52
2	А	1536	FP1	C1-N1	2.52	1.42	1.36
2	А	1536	FP1	C1-C2	2.42	1.40	1.35
4	А	1539	NAG	C4-C5	2.08	1.57	1.53

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	1536	FP1	C5-C6-N2	-8.05	109.89	126.76
4	А	1538	NAG	C1-O5-C5	7.97	122.99	112.19
4	А	1538	NAG	C3-C4-C5	-6.21	99.16	110.24
4	А	1539	NAG	C2-N2-C7	5.18	130.28	122.90
4	А	1538	NAG	O4-C4-C5	5.10	121.96	109.30
4	А	1538	NAG	C6-C5-C4	4.92	124.52	113.00
4	А	1539	NAG	C3-C4-C5	4.07	117.49	110.24
2	А	1536	FP1	C4-C5-N1	4.01	119.92	116.68
4	А	1539	NAG	C4-C3-C2	3.87	116.69	111.02
4	А	1539	NAG	C8-C7-N2	3.48	122.00	116.10
4	А	1539	NAG	O3-C3-C4	-3.45	102.36	110.35
4	А	1538	NAG	C2-N2-C7	3.32	127.64	122.90
4	А	1538	NAG	O3-C3-C2	3.21	116.11	109.47
4	А	1539	NAG	O4-C4-C5	3.16	117.13	109.30
4	А	1539	NAG	C1-O5-C5	3.14	116.44	112.19
4	А	1539	NAG	O4-C4-C3	-2.93	103.57	110.35
4	А	1538	NAG	O3-C3-C4	2.57	116.30	110.35
4	А	1539	NAG	O5-C5-C4	2.56	117.06	110.83
4	А	1539	NAG	O5-C5-C6	2.55	111.21	107.20
4	А	1539	NAG	O7-C7-C8	-2.46	117.48	122.06
4	А	1538	NAG	O5-C1-C2	2.42	115.12	111.29
4	А	1538	NAG	O <u>5-C5-C6</u>	2.29	110.79	107.20
4	А	1539	NAG	C1-C2-N2	2.27	114.36	110.49
3	А	1537	SO4	03-S-01	2.22	120.89	109.31
4	A	1538	NAG	$C\overline{8-C7-N2}$	-2.18	112.41	116.10
2	А	1536	FP1	C7-N1-C1	-2.12	116.56	120.49

All (1) chirality outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atom
4	А	1538	NAG	C1



Mol	Chain	Res	Type	Atoms
4	А	1539	NAG	O5-C5-C6-O6
4	А	1538	NAG	C8-C7-N2-C2
4	А	1539	NAG	C8-C7-N2-C2
4	А	1539	NAG	O7-C7-N2-C2
4	А	1538	NAG	O7-C7-N2-C2
4	А	1539	NAG	C4-C5-C6-O6

All (6) torsion outliers are listed below:

There are no ring outliers.

3 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	1536	FP1	13	0
4	А	1539	NAG	2	0
3	А	1537	SO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	А	3

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	284:PHE	С	285:ASP	Ν	1.19
1	А	114:TRP	С	115:ILE	Ν	1.18
1	А	287:ILE	С	288:PHE	Ν	1.12



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	529/543~(97%)	-0.98	1 (0%) 95 96	7, 23, 48, 74	1 (0%)

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	486[A]	HIS	4.6

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
4	NAG	А	1539	14/15	0.79	0.45	94,100,101,101	0
2	FP1	А	1536	10/10	0.87	0.27	20,20,20,20	10
4	NAG	А	1538	14/15	0.88	0.29	57,61,64,65	0
3	SO4	А	1537	5/5	0.99	0.10	28,29,31,35	0



6.5 Other polymers (i)

There are no such residues in this entry.

