



# wwPDB EM Validation Summary Report ⓘ

Nov 29, 2022 – 02:46 AM JST

PDB ID : 7VQ0  
EMDB ID : EMD-32078  
Title : Cryo-EM structure of the SARS-CoV-2 spike protein (2-up RBD) bound to neutralizing nanobodies P86  
Authors : Maeda, R.; Fujita, J.; Konishi, Y.; Kazuma, Y.; Yamazaki, H.; Anzai, I.; Yamaguchi, K.; Kasai, K.; Nagata, K.; Yamaoka, Y.; Miyakawa, K.; Ryo, A.; Shirakawa, K.; Makino, F.; Matsuura, Y.; Inoue, T.; Imura, A.; Namba, K.; Takaori-Kondo, A.  
Deposited on : 2021-10-18  
Resolution : 3.03 Å(reported)  
Based on initial model : 7KRR

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1247	
1	B	1247	
1	C	1247	
2	D	122	
2	E	122	
2	F	122	
3	G	2	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	H	2	50% 50%
3	I	2	50% 100%
3	J	2	100%
3	K	2	50% 50%
3	L	2	50% 50%
3	M	2	100%
3	Q	2	100%
3	R	2	100%
3	S	2	100%
3	T	2	50% 50%
3	U	2	50% 50%
3	Y	2	50% 50%
3	Z	2	100%
3	a	2	100%
3	b	2	100%
3	c	2	100%
4	N	3	33% 67%
4	V	3	100%
4	d	3	67% 33%
5	O	3	100%
5	P	3	67% 33%
5	W	3	33% 67%
5	X	3	33% 33% 33%
5	e	3	67% 33%
5	f	3	67% 33%

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 29517 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1093	8554	5465	1424	1626	39	0	0
1	B	1091	8524	5444	1417	1624	39	0	0
1	C	1092	8540	5452	1422	1628	38	0	0

There are 135 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	614	GLY	ASP	engineered mutation	UNP P0DTC2
A	682	GLY	ARG	engineered mutation	UNP P0DTC2
A	683	SER	ARG	engineered mutation	UNP P0DTC2
A	685	SER	ARG	engineered mutation	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1209	GLY	-	expression tag	UNP P0DTC2
A	1210	SER	-	expression tag	UNP P0DTC2
A	1211	GLY	-	expression tag	UNP P0DTC2
A	1212	TYR	-	expression tag	UNP P0DTC2
A	1213	ILE	-	expression tag	UNP P0DTC2
A	1214	PRO	-	expression tag	UNP P0DTC2
A	1215	GLU	-	expression tag	UNP P0DTC2
A	1216	ALA	-	expression tag	UNP P0DTC2
A	1217	PRO	-	expression tag	UNP P0DTC2
A	1218	ARG	-	expression tag	UNP P0DTC2
A	1219	ASP	-	expression tag	UNP P0DTC2
A	1220	GLY	-	expression tag	UNP P0DTC2
A	1221	GLN	-	expression tag	UNP P0DTC2
A	1222	ALA	-	expression tag	UNP P0DTC2
A	1223	TYR	-	expression tag	UNP P0DTC2
A	1224	VAL	-	expression tag	UNP P0DTC2
A	1225	ARG	-	expression tag	UNP P0DTC2
A	1226	LYS	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	1227	ASP	-	expression tag	UNP P0DTC2
A	1228	GLY	-	expression tag	UNP P0DTC2
A	1229	GLU	-	expression tag	UNP P0DTC2
A	1230	TRP	-	expression tag	UNP P0DTC2
A	1231	VAL	-	expression tag	UNP P0DTC2
A	1232	LEU	-	expression tag	UNP P0DTC2
A	1233	LEU	-	expression tag	UNP P0DTC2
A	1234	SER	-	expression tag	UNP P0DTC2
A	1235	THR	-	expression tag	UNP P0DTC2
A	1236	PHE	-	expression tag	UNP P0DTC2
A	1237	LEU	-	expression tag	UNP P0DTC2
A	1238	GLY	-	expression tag	UNP P0DTC2
A	1239	SER	-	expression tag	UNP P0DTC2
A	1240	HIS	-	expression tag	UNP P0DTC2
A	1241	HIS	-	expression tag	UNP P0DTC2
A	1242	HIS	-	expression tag	UNP P0DTC2
A	1243	HIS	-	expression tag	UNP P0DTC2
A	1244	HIS	-	expression tag	UNP P0DTC2
A	1245	HIS	-	expression tag	UNP P0DTC2
A	1246	HIS	-	expression tag	UNP P0DTC2
A	1247	HIS	-	expression tag	UNP P0DTC2
B	614	GLY	ASP	engineered mutation	UNP P0DTC2
B	682	GLY	ARG	engineered mutation	UNP P0DTC2
B	683	SER	ARG	engineered mutation	UNP P0DTC2
B	685	SER	ARG	engineered mutation	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	1209	GLY	-	expression tag	UNP P0DTC2
B	1210	SER	-	expression tag	UNP P0DTC2
B	1211	GLY	-	expression tag	UNP P0DTC2
B	1212	TYR	-	expression tag	UNP P0DTC2
B	1213	ILE	-	expression tag	UNP P0DTC2
B	1214	PRO	-	expression tag	UNP P0DTC2
B	1215	GLU	-	expression tag	UNP P0DTC2
B	1216	ALA	-	expression tag	UNP P0DTC2
B	1217	PRO	-	expression tag	UNP P0DTC2
B	1218	ARG	-	expression tag	UNP P0DTC2
B	1219	ASP	-	expression tag	UNP P0DTC2
B	1220	GLY	-	expression tag	UNP P0DTC2
B	1221	GLN	-	expression tag	UNP P0DTC2
B	1222	ALA	-	expression tag	UNP P0DTC2
B	1223	TYR	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	1224	VAL	-	expression tag	UNP P0DTC2
B	1225	ARG	-	expression tag	UNP P0DTC2
B	1226	LYS	-	expression tag	UNP P0DTC2
B	1227	ASP	-	expression tag	UNP P0DTC2
B	1228	GLY	-	expression tag	UNP P0DTC2
B	1229	GLU	-	expression tag	UNP P0DTC2
B	1230	TRP	-	expression tag	UNP P0DTC2
B	1231	VAL	-	expression tag	UNP P0DTC2
B	1232	LEU	-	expression tag	UNP P0DTC2
B	1233	LEU	-	expression tag	UNP P0DTC2
B	1234	SER	-	expression tag	UNP P0DTC2
B	1235	THR	-	expression tag	UNP P0DTC2
B	1236	PHE	-	expression tag	UNP P0DTC2
B	1237	LEU	-	expression tag	UNP P0DTC2
B	1238	GLY	-	expression tag	UNP P0DTC2
B	1239	SER	-	expression tag	UNP P0DTC2
B	1240	HIS	-	expression tag	UNP P0DTC2
B	1241	HIS	-	expression tag	UNP P0DTC2
B	1242	HIS	-	expression tag	UNP P0DTC2
B	1243	HIS	-	expression tag	UNP P0DTC2
B	1244	HIS	-	expression tag	UNP P0DTC2
B	1245	HIS	-	expression tag	UNP P0DTC2
B	1246	HIS	-	expression tag	UNP P0DTC2
B	1247	HIS	-	expression tag	UNP P0DTC2
C	614	GLY	ASP	engineered mutation	UNP P0DTC2
C	682	GLY	ARG	engineered mutation	UNP P0DTC2
C	683	SER	ARG	engineered mutation	UNP P0DTC2
C	685	SER	ARG	engineered mutation	UNP P0DTC2
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	1209	GLY	-	expression tag	UNP P0DTC2
C	1210	SER	-	expression tag	UNP P0DTC2
C	1211	GLY	-	expression tag	UNP P0DTC2
C	1212	TYR	-	expression tag	UNP P0DTC2
C	1213	ILE	-	expression tag	UNP P0DTC2
C	1214	PRO	-	expression tag	UNP P0DTC2
C	1215	GLU	-	expression tag	UNP P0DTC2
C	1216	ALA	-	expression tag	UNP P0DTC2
C	1217	PRO	-	expression tag	UNP P0DTC2
C	1218	ARG	-	expression tag	UNP P0DTC2
C	1219	ASP	-	expression tag	UNP P0DTC2
C	1220	GLY	-	expression tag	UNP P0DTC2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	1221	GLN	-	expression tag	UNP P0DTC2
C	1222	ALA	-	expression tag	UNP P0DTC2
C	1223	TYR	-	expression tag	UNP P0DTC2
C	1224	VAL	-	expression tag	UNP P0DTC2
C	1225	ARG	-	expression tag	UNP P0DTC2
C	1226	LYS	-	expression tag	UNP P0DTC2
C	1227	ASP	-	expression tag	UNP P0DTC2
C	1228	GLY	-	expression tag	UNP P0DTC2
C	1229	GLU	-	expression tag	UNP P0DTC2
C	1230	TRP	-	expression tag	UNP P0DTC2
C	1231	VAL	-	expression tag	UNP P0DTC2
C	1232	LEU	-	expression tag	UNP P0DTC2
C	1233	LEU	-	expression tag	UNP P0DTC2
C	1234	SER	-	expression tag	UNP P0DTC2
C	1235	THR	-	expression tag	UNP P0DTC2
C	1236	PHE	-	expression tag	UNP P0DTC2
C	1237	LEU	-	expression tag	UNP P0DTC2
C	1238	GLY	-	expression tag	UNP P0DTC2
C	1239	SER	-	expression tag	UNP P0DTC2
C	1240	HIS	-	expression tag	UNP P0DTC2
C	1241	HIS	-	expression tag	UNP P0DTC2
C	1242	HIS	-	expression tag	UNP P0DTC2
C	1243	HIS	-	expression tag	UNP P0DTC2
C	1244	HIS	-	expression tag	UNP P0DTC2
C	1245	HIS	-	expression tag	UNP P0DTC2
C	1246	HIS	-	expression tag	UNP P0DTC2
C	1247	HIS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called Neutralizing nanobody P86.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	116	Total	C	N	O	S	0	0
			885	547	164	170	4		
2	E	116	Total	C	N	O	S	0	0
			885	547	164	170	4		
2	F	116	Total	C	N	O	S	0	0
			885	547	164	170	4		


- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	G	2	28	16	2	10	0	0
3	H	2	28	16	2	10	0	0
3	I	2	28	16	2	10	0	0
3	J	2	28	16	2	10	0	0
3	K	2	28	16	2	10	0	0
3	L	2	28	16	2	10	0	0
3	M	2	28	16	2	10	0	0
3	Q	2	28	16	2	10	0	0
3	R	2	28	16	2	10	0	0
3	S	2	28	16	2	10	0	0
3	T	2	28	16	2	10	0	0
3	U	2	28	16	2	10	0	0
3	Y	2	28	16	2	10	0	0
3	Z	2	28	16	2	10	0	0
3	a	2	28	16	2	10	0	0
3	b	2	28	16	2	10	0	0
3	c	2	28	16	2	10	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.






Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	N	3	38	22	2	14	0	0
4	V	3	38	22	2	14	0	0
4	d	3	38	22	2	14	0	0

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	O	3	39	22	2	15	0	0
5	P	3	39	22	2	15	0	0
5	W	3	39	22	2	15	0	0
5	X	3	39	22	2	15	0	0
5	e	3	39	22	2	15	0	0
5	f	3	39	22	2	15	0	0

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
6	A	1	140	80	10	50	0
6	A	1	140	80	10	50	0
6	A	1	140	80	10	50	0
6	A	1	140	80	10	50	0
6	A	1	140	80	10	50	0
6	A	1	140	80	10	50	0
6	A	1	140	80	10	50	0
6	A	1	140	80	10	50	0
6	A	1	140	80	10	50	0
6	A	1	140	80	10	50	0
6	B	1	126	72	9	45	0
6	B	1	126	72	9	45	0
6	B	1	126	72	9	45	0
6	B	1	126	72	9	45	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
6	B	1	Total 126	C 72	N 9	O 45	0
6	B	1	Total 126	C 72	N 9	O 45	0
6	B	1	Total 126	C 72	N 9	O 45	0
6	B	1	Total 126	C 72	N 9	O 45	0
6	B	1	Total 126	C 72	N 9	O 45	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0
6	C	1	Total 154	C 88	N 11	O 55	0

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Spike glycoprotein













• Molecule 2: Neutralizing nanobody P86



• Molecule 2: Neutralizing nanobody P86



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 50%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 50%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%


MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%

MAG1  
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  33% 67%

MAG1  
MAG2  
FUC3

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%

MAG1  
MAG2  
FUC3

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  67% 33%

MAG1  
MAG2  
FUC3

- Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%

MAG1  
MAG2  
MAN3

- Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  67% 33%



- Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:



- Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:



- Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:



- Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	38004	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL CRYO ARM 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	60000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.585	Depositor
Minimum map value	-1.547	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.067	Depositor
Recommended contour level	0.187	Depositor
Map size (Å)	313.2, 313.2, 313.2	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.87, 0.87, 0.87	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/8753	0.48	0/11909
1	B	0.26	0/8720	0.48	0/11863
1	C	0.26	0/8739	0.47	0/11888
2	D	0.24	0/901	0.52	0/1216
2	E	0.25	0/901	0.51	0/1216
2	F	0.24	0/901	0.51	0/1216
All	All	0.26	0/28915	0.48	0/39308

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8554	0	8336	181	0
1	B	8524	0	8302	153	0
1	C	8540	0	8317	154	0
2	D	885	0	859	31	0
2	E	885	0	859	19	0
2	F	885	0	859	24	0
3	G	28	0	25	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	28	0	25	1	0
3	I	28	0	25	0	0
3	J	28	0	25	0	0
3	K	28	0	25	1	0
3	L	28	0	25	1	0
3	M	28	0	25	0	0
3	Q	28	0	25	0	0
3	R	28	0	25	0	0
3	S	28	0	22	0	0
3	T	28	0	25	1	0
3	U	28	0	25	1	0
3	Y	28	0	25	1	0
3	Z	28	0	25	0	0
3	a	28	0	22	0	0
3	b	28	0	25	0	0
3	c	28	0	25	0	0
4	N	38	0	34	0	0
4	V	38	0	34	0	0
4	d	38	0	34	0	0
5	O	39	0	34	2	0
5	P	39	0	34	0	0
5	W	39	0	34	1	0
5	X	39	0	34	1	0
5	e	39	0	34	0	0
5	f	39	0	34	0	0
6	A	140	0	130	1	0
6	B	126	0	117	0	0
6	C	154	0	143	0	0
All	All	29517	0	28647	524	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 524 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:118:LEU:HB2	1:A:129:LYS:HB3	1.53	0.90
1:A:483:VAL:HG22	2:D:58:TYR:HB2	1.66	0.76
1:A:121:ASN:HB2	1:A:176:LEU:HD21	1.68	0.76
1:B:34:ARG:HH21	1:B:217:PRO:HG2	1.52	0.75
1:A:483:VAL:HG12	1:A:484:GLU:H	1.53	0.74

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1079/1247 (86%)	1020 (94%)	57 (5%)	2 (0%)	47	80
1	B	1075/1247 (86%)	1029 (96%)	45 (4%)	1 (0%)	51	84
1	C	1080/1247 (87%)	1041 (96%)	39 (4%)	0	100	100
2	D	114/122 (93%)	100 (88%)	14 (12%)	0	100	100
2	E	114/122 (93%)	109 (96%)	5 (4%)	0	100	100
2	F	114/122 (93%)	109 (96%)	5 (4%)	0	100	100
All	All	3576/4107 (87%)	3408 (95%)	165 (5%)	3 (0%)	54	84

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	844	ILE
1	A	483	VAL
1	A	213	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	955/1084 (88%)	953 (100%)	2 (0%)	93	98
1	B	950/1084 (88%)	949 (100%)	1 (0%)	93	98

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	953/1084 (88%)	953 (100%)	0	100	100
2	D	94/100 (94%)	94 (100%)	0	100	100
2	E	94/100 (94%)	94 (100%)	0	100	100
2	F	94/100 (94%)	94 (100%)	0	100	100
All	All	3140/3552 (88%)	3137 (100%)	3 (0%)	93	98

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	450	ASN
1	A	658	ASN
1	B	675	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	409	GLN
1	B	644	GLN
1	B	853	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

61 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	NAG	G	1	3	14,14,15	0.22	0	17,19,21	0.43	0
3	NAG	G	2	3	14,14,15	0.24	0	17,19,21	0.40	0
3	NAG	H	1	1,3	14,14,15	0.31	0	17,19,21	0.40	0
3	NAG	H	2	3	14,14,15	0.24	0	17,19,21	0.38	0
3	NAG	I	1	3	14,14,15	0.22	0	17,19,21	0.41	0
3	NAG	I	2	3	14,14,15	0.23	0	17,19,21	0.45	0
3	NAG	J	1	1,3	14,14,15	0.48	0	17,19,21	0.52	0
3	NAG	J	2	3	14,14,15	0.21	0	17,19,21	0.41	0
3	NAG	K	1	1,3	14,14,15	0.34	0	17,19,21	0.58	0
3	NAG	K	2	3	14,14,15	0.51	0	17,19,21	1.28	1 (5%)
3	NAG	L	1	1,3	14,14,15	0.19	0	17,19,21	0.45	0
3	NAG	L	2	3	14,14,15	0.23	0	17,19,21	0.39	0
3	NAG	M	1	1,3	14,14,15	0.24	0	17,19,21	0.47	0
3	NAG	M	2	3	14,14,15	0.22	0	17,19,21	0.41	0
4	NAG	N	1	1,4	14,14,15	0.23	0	17,19,21	0.61	1 (5%)
4	NAG	N	2	4	14,14,15	0.24	0	17,19,21	0.43	0
4	FUC	N	3	4	10,10,11	0.99	0	14,14,16	1.04	1 (7%)
5	NAG	O	1	1,5	14,14,15	0.25	0	17,19,21	0.44	0
5	NAG	O	2	5	14,14,15	0.21	0	17,19,21	0.39	0
5	MAN	O	3	5	11,11,12	0.84	0	15,15,17	1.25	2 (13%)
5	NAG	P	1	1,5	14,14,15	0.32	0	17,19,21	0.57	0
5	NAG	P	2	5	14,14,15	0.21	0	17,19,21	0.40	0
5	MAN	P	3	5	11,11,12	0.81	0	15,15,17	1.15	2 (13%)
3	NAG	Q	1	1,3	14,14,15	0.24	0	17,19,21	0.38	0
3	NAG	Q	2	3	14,14,15	0.42	0	17,19,21	0.34	0
3	NAG	R	1	1,3	14,14,15	0.20	0	17,19,21	0.43	0
3	NAG	R	2	3	14,14,15	0.23	0	17,19,21	0.44	0
3	NAG	S	1	1,3	14,14,15	0.27	0	17,19,21	0.54	0
3	NAG	S	2	3	14,14,15	0.24	0	17,19,21	0.40	0
3	NAG	T	1	1,3	14,14,15	0.22	0	17,19,21	0.49	0
3	NAG	T	2	3	14,14,15	0.20	0	17,19,21	0.40	0
3	NAG	U	1	1,3	14,14,15	0.21	0	17,19,21	0.46	0
3	NAG	U	2	3	14,14,15	0.21	0	17,19,21	0.44	0
4	NAG	V	1	1,4	14,14,15	0.30	0	17,19,21	0.55	0
4	NAG	V	2	4	14,14,15	0.25	0	17,19,21	0.40	0
4	FUC	V	3	4	10,10,11	0.81	0	14,14,16	0.95	0
5	NAG	W	1	1,5	14,14,15	0.22	0	17,19,21	0.42	0
5	NAG	W	2	5	14,14,15	0.18	0	17,19,21	0.40	0
5	MAN	W	3	5	11,11,12	0.81	0	15,15,17	1.15	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	X	1	1,5	14,14,15	0.28	0	17,19,21	0.60	0
5	NAG	X	2	5	14,14,15	0.21	0	17,19,21	0.37	0
5	MAN	X	3	5	11,11,12	0.70	0	15,15,17	0.99	2 (13%)
3	NAG	Y	1	3	14,14,15	0.21	0	17,19,21	0.45	0
3	NAG	Y	2	3	14,14,15	0.26	0	17,19,21	0.43	0
3	NAG	Z	1	1,3	14,14,15	0.25	0	17,19,21	0.41	0
3	NAG	Z	2	3	14,14,15	0.22	0	17,19,21	0.44	0
3	NAG	a	1	1,3	14,14,15	0.32	0	17,19,21	0.47	0
3	NAG	a	2	3	14,14,15	0.23	0	17,19,21	0.42	0
3	NAG	b	1	1,3	14,14,15	0.26	0	17,19,21	0.44	0
3	NAG	b	2	3	14,14,15	0.21	0	17,19,21	0.39	0
3	NAG	c	1	1,3	14,14,15	0.24	0	17,19,21	0.44	0
3	NAG	c	2	3	14,14,15	0.22	0	17,19,21	0.44	0
4	NAG	d	1	1,4	14,14,15	0.27	0	17,19,21	0.64	1 (5%)
4	NAG	d	2	4	14,14,15	0.21	0	17,19,21	0.41	0
4	FUC	d	3	4	10,10,11	0.80	0	14,14,16	1.02	0
5	NAG	e	1	1,5	14,14,15	0.27	0	17,19,21	0.54	0
5	NAG	e	2	5	14,14,15	0.19	0	17,19,21	0.48	0
5	MAN	e	3	5	11,11,12	0.83	0	15,15,17	1.03	2 (13%)
5	NAG	f	1	1,5	14,14,15	0.21	0	17,19,21	0.40	0
5	NAG	f	2	5	14,14,15	0.20	0	17,19,21	0.39	0
5	MAN	f	3	5	11,11,12	0.71	0	15,15,17	1.12	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	G	1	3	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
3	NAG	H	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	H	2	3	-	2/6/23/26	0/1/1/1
3	NAG	I	1	3	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1
3	NAG	K	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	5/6/23/26	0/1/1/1
3	NAG	L	1	1,3	-	2/6/23/26	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	L	2	3	-	0/6/23/26	0/1/1/1
3	NAG	M	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	M	2	3	-	2/6/23/26	0/1/1/1
4	NAG	N	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	N	2	4	-	1/6/23/26	0/1/1/1
4	FUC	N	3	4	-	-	0/1/1/1
5	NAG	O	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	O	2	5	-	0/6/23/26	0/1/1/1
5	MAN	O	3	5	-	0/2/19/22	1/1/1/1
5	NAG	P	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	P	2	5	-	2/6/23/26	0/1/1/1
5	MAN	P	3	5	-	2/2/19/22	1/1/1/1
3	NAG	Q	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	2/6/23/26	0/1/1/1
3	NAG	R	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	R	2	3	-	2/6/23/26	0/1/1/1
3	NAG	S	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	S	2	3	-	2/6/23/26	0/1/1/1
3	NAG	T	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	T	2	3	-	1/6/23/26	0/1/1/1
3	NAG	U	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	U	2	3	-	0/6/23/26	0/1/1/1
4	NAG	V	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	V	2	4	-	2/6/23/26	0/1/1/1
4	FUC	V	3	4	-	-	0/1/1/1
5	NAG	W	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	W	2	5	-	1/6/23/26	0/1/1/1
5	MAN	W	3	5	-	0/2/19/22	1/1/1/1
5	NAG	X	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	X	2	5	-	2/6/23/26	0/1/1/1
5	MAN	X	3	5	-	0/2/19/22	1/1/1/1
3	NAG	Y	1	3	-	0/6/23/26	0/1/1/1
3	NAG	Y	2	3	-	2/6/23/26	0/1/1/1
3	NAG	Z	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Z	2	3	-	0/6/23/26	0/1/1/1
3	NAG	a	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	a	2	3	-	2/6/23/26	0/1/1/1

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	b	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	b	2	3	-	2/6/23/26	0/1/1/1
3	NAG	c	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	c	2	3	-	2/6/23/26	0/1/1/1
4	NAG	d	1	1,4	-	2/6/23/26	0/1/1/1
4	NAG	d	2	4	-	0/6/23/26	0/1/1/1
4	FUC	d	3	4	-	-	0/1/1/1
5	NAG	e	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	e	2	5	-	2/6/23/26	0/1/1/1
5	MAN	e	3	5	-	1/2/19/22	1/1/1/1
5	NAG	f	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	f	2	5	-	2/6/23/26	0/1/1/1
5	MAN	f	3	5	-	0/2/19/22	1/1/1/1

There are no bond length outliers.

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	K	2	NAG	C2-N2-C7	4.29	129.02	122.90
5	O	3	MAN	C1-O5-C5	3.57	117.02	112.19
5	W	3	MAN	C1-O5-C5	3.29	116.65	112.19
5	P	3	MAN	C1-O5-C5	3.25	116.59	112.19
5	f	3	MAN	C1-O5-C5	3.19	116.52	112.19

There are no chirality outliers.

5 of 77 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	a	2	NAG	O5-C5-C6-O6
3	a	1	NAG	O5-C5-C6-O6
4	V	1	NAG	O5-C5-C6-O6
3	K	2	NAG	C4-C5-C6-O6
5	P	2	NAG	O5-C5-C6-O6

5 of 6 ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	X	3	MAN	C1-C2-C3-C4-C5-O5
5	e	3	MAN	C1-C2-C3-C4-C5-O5

Continued on next page...


*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
5	O	3	MAN	C1-C2-C3-C4-C5-O5
5	f	3	MAN	C1-C2-C3-C4-C5-O5
5	W	3	MAN	C1-C2-C3-C4-C5-O5


11 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	1	NAG	1	0
3	Y	1	NAG	1	0
5	O	1	NAG	2	0
3	L	1	NAG	1	0
5	X	3	MAN	1	0
3	U	1	NAG	1	0
5	O	2	NAG	1	0
5	X	2	NAG	1	0
3	T	1	NAG	1	0
3	K	2	NAG	1	0
5	W	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











































































## 5.6 Ligand geometry

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAG	B	1405	-	14,14,15	0.22	0	17,19,21	0.41	0
6	NAG	B	1408	1	14,14,15	0.30	0	17,19,21	0.48	0
6	NAG	A	1406	1	14,14,15	0.21	0	17,19,21	0.41	0
6	NAG	C	1407	-	14,14,15	0.22	0	17,19,21	0.43	0
6	NAG	A	1402	-	14,14,15	0.21	0	17,19,21	0.40	0
6	NAG	C	1401	-	14,14,15	0.22	0	17,19,21	0.43	0
6	NAG	B	1401	-	14,14,15	0.21	0	17,19,21	0.40	0
6	NAG	A	1407	1	14,14,15	0.23	0	17,19,21	0.43	0
6	NAG	A	1410	-	14,14,15	0.23	0	17,19,21	0.41	0
6	NAG	B	1406	1	14,14,15	0.22	0	17,19,21	0.43	0
6	NAG	A	1404	1	14,14,15	0.23	0	17,19,21	0.41	0
6	NAG	A	1403	-	14,14,15	0.21	0	17,19,21	0.43	0
6	NAG	C	1406	-	14,14,15	0.20	0	17,19,21	0.42	0
6	NAG	C	1409	1	14,14,15	0.21	0	17,19,21	0.41	0
6	NAG	C	1404	-	14,14,15	0.20	0	17,19,21	0.41	0
6	NAG	C	1411	1	14,14,15	0.23	0	17,19,21	0.39	0
6	NAG	B	1404	-	14,14,15	0.23	0	17,19,21	0.40	0
6	NAG	B	1403	-	14,14,15	0.22	0	17,19,21	0.39	0
6	NAG	C	1410	1	14,14,15	0.17	0	17,19,21	0.40	0
6	NAG	B	1409	1	14,14,15	0.22	0	17,19,21	0.41	0
6	NAG	C	1402	-	14,14,15	0.20	0	17,19,21	0.41	0
6	NAG	A	1401	1	14,14,15	0.28	0	17,19,21	0.51	0
6	NAG	A	1409	1	14,14,15	0.25	0	17,19,21	0.39	0
6	NAG	B	1407	1	14,14,15	0.24	0	17,19,21	0.44	0
6	NAG	B	1402	1	14,14,15	0.30	0	17,19,21	0.43	0
6	NAG	C	1403	-	14,14,15	0.21	0	17,19,21	0.42	0
6	NAG	A	1408	1	14,14,15	0.22	0	17,19,21	0.39	0
6	NAG	C	1408	1	14,14,15	0.19	0	17,19,21	0.37	0
6	NAG	C	1405	-	14,14,15	0.19	0	17,19,21	0.43	0
6	NAG	A	1405	1	14,14,15	0.22	0	17,19,21	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	B	1405	-	-	0/6/23/26	0/1/1/1
6	NAG	B	1408	1	-	0/6/23/26	0/1/1/1
6	NAG	A	1406	1	-	2/6/23/26	0/1/1/1
6	NAG	C	1407	-	-	0/6/23/26	0/1/1/1
6	NAG	A	1402	-	-	2/6/23/26	0/1/1/1
6	NAG	C	1401	-	-	2/6/23/26	0/1/1/1
6	NAG	B	1401	-	-	0/6/23/26	0/1/1/1
6	NAG	A	1407	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1410	-	-	2/6/23/26	0/1/1/1
6	NAG	B	1406	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1404	1	-	2/6/23/26	0/1/1/1
6	NAG	A	1403	-	-	2/6/23/26	0/1/1/1
6	NAG	C	1406	-	-	2/6/23/26	0/1/1/1
6	NAG	C	1409	1	-	2/6/23/26	0/1/1/1
6	NAG	C	1404	-	-	2/6/23/26	0/1/1/1
6	NAG	C	1411	1	-	0/6/23/26	0/1/1/1
6	NAG	B	1404	-	-	0/6/23/26	0/1/1/1
6	NAG	B	1403	-	-	0/6/23/26	0/1/1/1
6	NAG	C	1410	1	-	0/6/23/26	0/1/1/1
6	NAG	B	1409	1	-	2/6/23/26	0/1/1/1
6	NAG	C	1402	-	-	0/6/23/26	0/1/1/1
6	NAG	A	1401	1	-	1/6/23/26	0/1/1/1
6	NAG	A	1409	1	-	2/6/23/26	0/1/1/1
6	NAG	B	1407	1	-	2/6/23/26	0/1/1/1
6	NAG	B	1402	1	-	4/6/23/26	0/1/1/1
6	NAG	C	1403	-	-	1/6/23/26	0/1/1/1
6	NAG	A	1408	1	-	2/6/23/26	0/1/1/1
6	NAG	C	1408	1	-	1/6/23/26	0/1/1/1
6	NAG	C	1405	-	-	2/6/23/26	0/1/1/1
6	NAG	A	1405	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 41 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	1404	NAG	C4-C5-C6-O6
6	A	1410	NAG	C4-C5-C6-O6
6	B	1409	NAG	O5-C5-C6-O6
6	A	1404	NAG	O5-C5-C6-O6
6	B	1406	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1401	NAG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-32078. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


### 6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 175




Y Index: 188




Z Index: 135


### 6.3.2 Raw map



X Index: 175



Y Index: 188




Z Index: 183

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.187. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.5.1 emd\_32078\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 301 nm<sup>3</sup>; this corresponds to an approximate mass of 272 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.330 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.330  $\text{\AA}^{-1}$



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.03	-	-
Author-provided FSC curve	3.03	3.46	3.07
Unmasked-calculated*	3.84	7.79	3.94

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.84 differs from the reported value 3.03 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-32078 and PDB model 7VQ0. Per-residue inclusion information can be found in section 3 on page 12.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.187 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.187).



































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.187) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7690	 0.4150
A	 0.8677	 0.4620
B	 0.8118	 0.4320
C	 0.7481	 0.4130
D	 0.7387	 0.2890
E	 0.1988	 0.1970
F	 0.1861	 0.1710
G	 0.3929	 0.3040
H	 0.6786	 0.3300
I	 0.3929	 0.2680
J	 0.7143	 0.3610
K	 0.7143	 0.3130
L	 0.9643	 0.5100
M	 0.9286	 0.4210
N	 0.7368	 0.4130
O	 0.8718	 0.4340
P	 0.7436	 0.3360
Q	 0.3214	 0.2890
R	 0.8214	 0.3650
S	 0.7500	 0.3600
T	 0.8929	 0.4380
U	 0.8571	 0.4300
V	 0.7895	 0.4770
W	 0.9231	 0.4620
X	 0.7949	 0.3880
Y	 0.3929	 0.2960
Z	 0.8214	 0.3750
a	 0.7500	 0.3380
b	 0.9286	 0.5010
c	 0.8929	 0.4510
d	 0.7632	 0.3830
e	 0.8462	 0.3830
f	 0.8462	 0.3980

