



# Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 03:05 pm BST

PDB ID : 3VRD  
Title : Crystal structure of flavocytochrome c from *Thermochromatium tepidum*  
Authors : Hirano, Y.; Kimura, Y.; Suzuki, H.; Miki, K.; Wang, Z.-Y.  
Deposited on : 2012-04-09  
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	174	
2	B	401	




- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is NITRATE ION (three-letter code: NO3) (formula:  $NO_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	N	O	0	0
			4	1	3		
5	B	1	Total	N	O	0	0
			4	1	3		

- Molecule 6 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	186	Total	O	0	0
			186	186		
7	B	367	Total	O	0	0
			367	367		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Flavocytochrome c heme subunit



- Molecule 2: Flavocytochrome c flavin subunit



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	140.62Å 140.62Å 57.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 1.50 35.15 – 1.50	Depositor EDS
% Data completeness (in resolution range)	93.3 (50.00-1.50) 93.4 (35.15-1.50)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.67 (at 1.50Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.160 , 0.195 0.160 , 0.195	Depositor DCC
$R_{free}$ test set	4208 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	8.5	Xtrriage
Anisotropy	0.022	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 44.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	0.037 for -k,-h,-l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5107	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	13.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NO3, FAD, CSS, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.35	4/1402 (0.3%)	1.80	15/1881 (0.8%)
2	B	1.45	14/3073 (0.5%)	1.29	18/4184 (0.4%)
All	All	1.42	18/4475 (0.4%)	1.47	33/6065 (0.5%)

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	5	GLU	CD-OE1	7.17	1.33	1.25
2	B	43	TYR	CG-CD2	7.05	1.48	1.39
2	B	379	TRP	CD2-CE2	6.68	1.49	1.41
2	B	329	GLY	N-CA	6.42	1.55	1.46
2	B	166	TYR	CE1-CZ	6.27	1.46	1.38
2	B	363	GLU	CD-OE2	-6.09	1.19	1.25
2	B	383	ARG	CZ-NH2	6.08	1.41	1.33
2	B	167	GLU	CD-OE1	5.52	1.31	1.25
2	B	97	TYR	CE2-CZ	5.49	1.45	1.38
1	A	130	ARG	CZ-NH2	-5.43	1.25	1.33
2	B	264	SER	CB-OG	-5.33	1.35	1.42
2	B	43	TYR	CD1-CE1	5.15	1.47	1.39
2	B	97	TYR	CG-CD1	5.15	1.45	1.39
1	A	5	GLU	CG-CD	5.09	1.59	1.51
2	B	363	GLU	CG-CD	5.08	1.59	1.51
2	B	273	TRP	CE2-CZ2	5.08	1.48	1.39
1	A	42	GLU	CD-OE2	5.02	1.31	1.25
2	B	51	GLY	N-CA	5.01	1.53	1.46

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	140	ARG	NE-CZ-NH1	34.69	137.64	120.30

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	140	ARG	NE-CZ-NH2	-30.22	105.19	120.30
1	A	130	ARG	NE-CZ-NH2	-15.50	112.55	120.30
1	A	140	ARG	CD-NE-CZ	14.66	144.13	123.60
1	A	130	ARG	NE-CZ-NH1	11.92	126.26	120.30
1	A	141	ARG	NE-CZ-NH2	-11.44	114.58	120.30
2	B	66	ARG	NE-CZ-NH2	-9.60	115.50	120.30
1	A	137	ARG	NE-CZ-NH2	-8.86	115.87	120.30
1	A	140	ARG	CB-CG-CD	8.80	134.48	111.60
2	B	138	ARG	NE-CZ-NH2	-8.32	116.14	120.30
1	A	154	LEU	CB-CG-CD1	-8.13	97.18	111.00
2	B	53	ARG	NE-CZ-NH2	-8.09	116.25	120.30
2	B	338	TYR	CB-CG-CD1	-7.59	116.45	121.00
1	A	135	ASP	CB-CG-OD2	-7.50	111.55	118.30
2	B	63	ASP	CB-CG-OD1	7.05	124.65	118.30
1	A	7	LEU	CB-CG-CD1	-6.55	99.86	111.00
2	B	124	LEU	CB-CG-CD2	6.12	121.41	111.00
1	A	163	LEU	CB-CG-CD1	-5.94	100.91	111.00
2	B	375	ASP	CB-CG-OD1	5.89	123.60	118.30
1	A	59	LYS	CD-CE-NZ	-5.87	98.20	111.70
2	B	23	LEU	CB-CG-CD2	5.85	120.94	111.00
2	B	142	GLU	OE1-CD-OE2	-5.81	116.33	123.30
2	B	54	GLU	OE1-CD-OE2	-5.72	116.44	123.30
2	B	54	GLU	CG-CD-OE1	5.71	129.73	118.30
2	B	63	ASP	CB-CG-OD2	-5.68	113.18	118.30
2	B	398	ASP	CB-CG-OD1	-5.62	113.24	118.30
2	B	99	ARG	NE-CZ-NH2	-5.43	117.59	120.30
2	B	383	ARG	NE-CZ-NH1	5.29	122.95	120.30
2	B	66	ARG	NH1-CZ-NH2	5.25	125.17	119.40
2	B	363	GLU	OE1-CD-OE2	5.21	129.56	123.30
1	A	154	LEU	CB-CG-CD2	-5.08	102.36	111.00
2	B	116	TYR	CB-CG-CD2	-5.07	117.96	121.00
1	A	104	CYS	CA-CB-SG	-5.01	104.99	114.00

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1370	0	1341	49	0
2	B	3015	0	2959	27	0
3	A	90	0	40	15	0
4	A	12	0	16	0	0
4	B	6	0	8	0	0
5	A	4	0	0	0	0
5	B	4	0	0	0	0
6	B	53	0	30	3	0
7	A	186	0	0	10	0
7	B	367	0	0	5	0
All	All	5107	0	4394	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:42:CYS:SG	6:B:501:FAD:C8M	2.03	1.45
1:A:11:CYS:SG	3:A:201:HEC:CAB	2.06	1.44
1:A:14:CYS:SG	3:A:201:HEC:CAC	2.09	1.39
1:A:148:ALA:HB1	1:A:152:LYS:NZ	1.34	1.38
1:A:11:CYS:SG	3:A:201:HEC:CBB	2.30	1.20
2:B:184:LYS:HE2	7:B:967:HOH:O	1.42	1.19
1:A:14:CYS:SG	3:A:201:HEC:CBC	2.48	1.02
1:A:148:ALA:HB1	1:A:152:LYS:HZ2	1.23	1.01
1:A:148:ALA:HB1	1:A:152:LYS:HZ3	1.24	1.01
1:A:11:CYS:SG	3:A:201:HEC:HBB3	2.07	0.94
3:A:202[A]:HEC:O1D	7:A:455:HOH:O	1.86	0.92
1:A:140:ARG:HD3	7:A:330:HOH:O	1.70	0.91
1:A:14:CYS:SG	3:A:201:HEC:HAC	2.13	0.87
1:A:11:CYS:SG	3:A:201:HEC:HAB	2.16	0.86
1:A:140:ARG:CD	7:A:330:HOH:O	2.22	0.85
2:B:99:ARG:HH11	2:B:290:HIS:HE1	1.23	0.85
1:A:148:ALA:CB	1:A:152:LYS:NZ	2.31	0.83
1:A:97:HIS:HE1	1:A:102:GLU:OE1	1.65	0.79
1:A:14:CYS:SG	3:A:201:HEC:HBC3	2.28	0.73
2:B:99:ARG:HH11	2:B:290:HIS:CE1	2.08	0.71
1:A:14:CYS:SG	3:A:201:HEC:C3C	2.81	0.68
1:A:154:LEU:HD11	1:A:166:LEU:HD11	1.77	0.67
1:A:11:CYS:SG	3:A:201:HEC:C3B	2.85	0.64
2:B:42:CYS:SG	6:B:501:FAD:C8	2.84	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:140:ARG:HD2	7:A:330:HOH:O	1.95	0.62
2:B:42:CYS:SG	6:B:501:FAD:HM81	2.32	0.62
2:B:151:ILE:HD13	2:B:186:ILE:HB	1.80	0.62
2:B:297:ASN:ND2	7:B:694:HOH:O	2.27	0.60
1:A:148:ALA:CB	1:A:152:LYS:HZ3	2.06	0.59
2:B:66:ARG:NH2	7:B:828:HOH:O	2.12	0.59
1:A:148:ALA:HB1	1:A:152:LYS:HZ1	1.55	0.57
3:A:202[A]:HEC:CGD	7:A:455:HOH:O	2.48	0.57
1:A:67:GLN:NE2	7:A:425:HOH:O	2.39	0.56
1:A:75:GLN:HG2	7:A:459:HOH:O	2.06	0.55
1:A:97:HIS:CE1	1:A:102:GLU:OE1	2.55	0.54
1:A:71:GLU:HB3	7:A:419:HOH:O	2.08	0.54
2:B:81:ASP:OD2	2:B:84:LYS:HG3	2.07	0.54
1:A:148:ALA:CB	1:A:152:LYS:HZ2	2.05	0.54
2:B:102:VAL:HG12	2:B:104:PRO:HD3	1.90	0.54
1:A:154:LEU:CD1	1:A:166:LEU:HD11	2.38	0.53
2:B:280:THR:O	2:B:290:HIS:HD2	1.92	0.53
1:A:154:LEU:C	1:A:154:LEU:HD23	2.30	0.52
2:B:20:TYR:CZ	2:B:313:LYS:HE2	2.43	0.52
2:B:273:TRP:HB2	2:B:297:ASN:ND2	2.25	0.51
1:A:97:HIS:HD2	1:A:170:TYR:OH	1.94	0.51
1:A:9:ASN:HB3	2:B:313:LYS:HD3	1.95	0.48
1:A:85:PHE:CE1	1:A:87:LYS:HD2	2.49	0.47
2:B:60:VAL:HG11	2:B:400:PHE:CG	2.48	0.47
1:A:2:PRO:HB2	1:A:7:LEU:HG	1.97	0.46
1:A:146:LYS:HD3	1:A:146:LYS:HA	1.73	0.46
2:B:34:GLU:O	2:B:74:HIS:HA	2.16	0.45
3:A:201:HEC:HMC1	3:A:201:HEC:HBC3	1.98	0.44
1:A:11:CYS:CB	3:A:201:HEC:CAB	2.92	0.44
1:A:74[A]:LYS:NZ	7:A:395:HOH:O	2.52	0.43
2:B:66:ARG:NE	7:B:828:HOH:O	2.47	0.43
2:B:37:GLU:HA	2:B:74:HIS:CE1	2.53	0.43
1:A:97:HIS:CD2	1:A:101:CYS:HB2	2.53	0.42
2:B:179:HIS:C	2:B:180:LYS:HG2	2.40	0.42
2:B:108:LEU:HB3	2:B:254:PRO:HG2	2.02	0.42
2:B:127:ALA:HA	2:B:133:GLN:HB3	2.03	0.41
2:B:234:ALA:O	2:B:246:LYS:NZ	2.54	0.41
2:B:99:ARG:HD3	2:B:290:HIS:HE1	1.86	0.41
2:B:324:LYS:HG3	7:B:774:HOH:O	2.20	0.41
1:A:149:SER:O	1:A:153:GLU:HG3	2.20	0.41
1:A:78:TYR:HE2	7:A:429:HOH:O	2.04	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:218:GLU:OE1	2:B:220:HIS:HE1	2.03	0.40
1:A:14:CYS:CB	3:A:201:HEC:C3C	2.99	0.40
2:B:99:ARG:HD3	2:B:290:HIS:CE1	2.57	0.40
1:A:130:ARG:HG2	1:A:167:PHE:CE2	2.56	0.40
1:A:153:GLU:HA	1:A:156:LYS:HE2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	173/174 (99%)	171 (99%)	1 (1%)	1 (1%)	25	7
2	B	396/401 (99%)	388 (98%)	8 (2%)	0	100	100
All	All	569/575 (99%)	559 (98%)	9 (2%)	1 (0%)	47	23

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	53	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	142/141 (101%)	142 (100%)	0	100	100
2	B	310/310 (100%)	302 (97%)	8 (3%)	46	16
All	All	452/451 (100%)	444 (98%)	8 (2%)	59	30

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	43	TYR
2	B	128	TRP
2	B	158	PRO
2	B	180	LYS
2	B	257	ARG
2	B	306	TYR
2	B	333	TYR
2	B	345	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	97	HIS
1	A	174	GLN
2	B	220	HIS
2	B	290	HIS
2	B	335	ASN
2	B	397	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	CSS	B	337	2	4,6,7	0.68	0	1,6,8	2.41	1 (100%)
2	CSS	B	161	2	4,6,7	0.83	0	1,6,8	1.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSS	B	337	2	-	0/1/5/7	-
2	CSS	B	161	2	-	0/1/5/7	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	B	337	CSS	CA-CB-SG	-2.41	104.23	114.55

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	HEC	A	202[A]	-	26,50,50	1.59	6 (23%)	18,82,82	3.24	8 (44%)
4	GOL	A	203	-	5,5,5	1.46	0	5,5,5	0.86	0
4	GOL	A	204	-	5,5,5	0.67	0	5,5,5	0.78	0
6	FAD	B	501	-	51,58,58	1.91	10 (19%)	60,89,89	2.51	18 (30%)
3	HEC	A	201	1	26,50,50	1.16	3 (11%)	18,82,82	2.38	8 (44%)
5	NO3	B	503	-	1,3,3	0.80	0	0,3,3	0.00	-
5	NO3	A	205	-	1,3,3	1.59	0	0,3,3	0.00	-
3	HEC	A	202[B]	-	26,50,50	1.59	6 (23%)	18,82,82	3.27	7 (38%)
4	GOL	B	502	-	5,5,5	0.96	0	5,5,5	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEC	A	202[A]	-	-	0/6/54/54	-
4	GOL	A	203	-	-	0/4/4/4	-
4	GOL	A	204	-	-	0/4/4/4	-
6	FAD	B	501	-	-	4/30/50/50	0/6/6/6
3	HEC	A	201	1	-	0/6/54/54	-
3	HEC	A	202[B]	-	-	0/6/54/54	-
4	GOL	B	502	-	-	0/4/4/4	-

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	501	FAD	C1'-N10	6.19	1.54	1.48
6	B	501	FAD	C9A-N10	5.26	1.45	1.38
6	B	501	FAD	C4X-C10	4.92	1.43	1.38
3	A	202[A]	HEC	C4A-C3A	4.44	1.52	1.42
3	A	202[B]	HEC	C4A-C3A	4.44	1.52	1.42
6	B	501	FAD	C6-C5X	-4.26	1.35	1.41
6	B	501	FAD	C4-N3	3.56	1.39	1.33
6	B	501	FAD	C7M-C7	3.14	1.57	1.51
3	A	202[A]	HEC	C3C-C4C	3.09	1.48	1.43
3	A	202[B]	HEC	C3C-C4C	3.09	1.48	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	202[A]	HEC	C4D-CHA	2.73	1.48	1.41
3	A	202[B]	HEC	C4D-CHA	2.73	1.48	1.41
3	A	201	HEC	C2A-C3A	2.55	1.45	1.37
6	B	501	FAD	C2A-N3A	2.49	1.36	1.32
3	A	201	HEC	C3C-C2C	-2.48	1.38	1.40
6	B	501	FAD	C8A-N7A	2.40	1.39	1.34
3	A	202[A]	HEC	C3D-C2D	2.16	1.44	1.37
3	A	202[B]	HEC	C3D-C2D	2.16	1.44	1.37
6	B	501	FAD	C4X-N5	-2.10	1.30	1.33
3	A	201	HEC	C4D-ND	2.06	1.40	1.36
3	A	202[A]	HEC	C1D-CHD	2.05	1.46	1.41
3	A	202[B]	HEC	C1D-CHD	2.05	1.46	1.41
3	A	202[A]	HEC	C3B-C2B	2.04	1.42	1.40
3	A	202[B]	HEC	C3B-C2B	2.04	1.42	1.40
6	B	501	FAD	C5'-C4'	2.03	1.54	1.51

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	202[A]	HEC	C1D-C2D-C3D	-9.30	100.53	107.00
3	A	202[B]	HEC	C1D-C2D-C3D	-9.30	100.53	107.00
6	B	501	FAD	C4-C4X-C10	-8.66	114.22	119.95
6	B	501	FAD	C4-N3-C2	6.79	120.87	115.14
3	A	202[A]	HEC	CMC-C2C-C3C	5.60	132.41	125.82
3	A	202[B]	HEC	CMC-C2C-C3C	5.60	132.41	125.82
6	B	501	FAD	C2A-N1A-C6A	5.20	127.65	118.75
6	B	501	FAD	N3A-C2A-N1A	-5.02	120.83	128.68
3	A	201	HEC	CMB-C2B-C3B	5.01	131.71	125.82
3	A	202[B]	HEC	CBD-CAD-C3D	-4.80	103.64	112.49
6	B	501	FAD	O4B-C1B-C2B	-4.42	100.47	106.93
6	B	501	FAD	C4X-N5-C5X	4.38	121.15	116.77
6	B	501	FAD	C1'-N10-C10	4.30	122.26	118.41
6	B	501	FAD	C9A-N10-C10	-4.21	116.40	121.91
3	A	202[A]	HEC	CMB-C2B-C1B	4.14	134.83	128.46
3	A	202[B]	HEC	CMB-C2B-C1B	4.14	134.83	128.46
6	B	501	FAD	C5X-C9A-N10	3.90	120.54	117.72
3	A	201	HEC	CBA-CAA-C2A	-3.90	105.30	112.48
3	A	202[A]	HEC	CAD-CBD-CGD	-3.72	106.43	112.67
3	A	201	HEC	CBD-CAD-C3D	-3.65	105.75	112.49
3	A	202[A]	HEC	CMC-C2C-C1C	-3.65	122.86	128.46
3	A	202[B]	HEC	CMC-C2C-C1C	-3.65	122.86	128.46
3	A	201	HEC	CMC-C2C-C3C	3.51	129.95	125.82

*Continued on next page...*



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	501	FAD	C4-C4X-N5	3.51	122.61	118.60
6	B	501	FAD	C4X-C4-N3	-3.22	119.02	123.43
6	B	501	FAD	C1'-N10-C9A	3.14	120.77	118.29
3	A	201	HEC	CMC-C2C-C1C	-2.86	124.06	128.46
3	A	202[A]	HEC	CBD-CAD-C3D	-2.69	107.53	112.49
6	B	501	FAD	C7M-C7-C8	-2.67	115.27	120.74
6	B	501	FAD	C6-C5X-C9A	2.63	122.50	119.05
3	A	202[A]	HEC	CMD-C2D-C1D	2.61	132.48	128.46
3	A	202[B]	HEC	CMD-C2D-C1D	2.61	132.48	128.46
3	A	201	HEC	C1D-C2D-C3D	2.57	108.78	107.00
3	A	201	HEC	CMD-C2D-C1D	-2.54	124.55	128.46
6	B	501	FAD	C10-C4X-N5	2.43	122.94	121.26
6	B	501	FAD	C5A-C6A-N1A	-2.33	115.06	120.35
3	A	202[A]	HEC	C4B-C3B-C2B	2.31	108.85	106.35
3	A	202[B]	HEC	C4B-C3B-C2B	2.31	108.85	106.35
3	A	201	HEC	CAD-CBD-CGD	2.24	116.43	112.67
6	B	501	FAD	N6A-C6A-N1A	2.24	123.22	118.57
6	B	501	FAD	O5B-C5B-C4B	-2.21	101.38	108.99

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	501	FAD	O2'-C2'-C3'-O3'
6	B	501	FAD	O2'-C2'-C3'-C4'
6	B	501	FAD	O4B-C4B-C5B-O5B
6	B	501	FAD	C1'-C2'-C3'-O3'


There are no ring outliers.


3 monomers are involved in 18 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	202[A]	HEC	2	0
6	B	501	FAD	3	0
3	A	201	HEC	13	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be

highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	174/174 (100%)	-0.50	0 <a href="#">100</a>   <a href="#">100</a>	6, 12, 27, 38	0
2	B	398/401 (99%)	-0.59	2 (0%) <a href="#">91</a>   <a href="#">93</a>	5, 10, 20, 34	0
All	All	572/575 (99%)	-0.56	2 (0%) <a href="#">94</a>   <a href="#">95</a>	5, 10, 24, 38	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	78	LEU	2.3
2	B	91	GLY	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CSS	B	337	7/8	0.99	0.05	5,6,9,11	0
2	CSS	B	161	7/8	0.99	0.05	6,6,8,10	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.


### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	NO3	B	503	4/4	0.96	0.15	22,25,29,32	0
5	NO3	A	205	4/4	0.97	0.08	18,24,24,30	0
6	FAD	B	501	53/53	0.98	0.07	4,5,8,9	0
3	HEC	A	202[A]	43/43	0.98	0.07	8,10,16,23	4
4	GOL	A	203	6/6	0.98	0.05	7,7,9,9	0
3	HEC	A	202[B]	43/43	0.98	0.07	8,10,14,23	4
4	GOL	B	502	6/6	0.98	0.06	8,10,10,10	0
4	GOL	A	204	6/6	0.99	0.08	9,11,12,14	0
3	HEC	A	201	43/43	0.99	0.06	5,6,8,11	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



**Electron density around HEC A 202 (A):**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC A 202 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.