



Full wwPDB X-ray Structure Validation Report i

Dec 10, 2023 – 11:58 pm GMT

PDB ID : 2VV6
Title : BJFIXLH IN FERRIC FORM
Authors : Ayers, R.A.; Moffat, K.
Deposited on : 2008-06-04
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for $>=3$, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain		
1	A	119	81%	8%	11%
1	B	119	81%	8%	• 10%
1	C	119	76%	13%	12%
1	D	119	76%	13%	• 9%

2 Entry composition [\(i\)](#)


There are 5 unique types of molecules in this entry. The entry contains 4283 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SENSOR PROTEIN FIXL.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	106	Total	C 880	N 555	O 157	S 162	6	0
1	B	107	Total	C 880	N 556	O 155	S 164	5	0
1	C	105	Total	C 887	N 559	O 163	S 160	5	0
1	D	108	Total	C 881	N 554	O 156	S 165	6	0

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C 43	Fe 34	N 1	O 4	4
2	B	1	Total	C 43	Fe 34	N 1	O 4	4

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

2	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		

3	C	3	Total	Cl	0	0
			3	3		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	3	Total	Na	0	0
			3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	130	Total	O	0	0
			130	130		
5	B	160	Total	O	0	0
			160	160		
5	C	133	Total	O	0	0
			133	133		
5	D	153	Total	O	0	0
			153	153		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: SENSOR PROTEIN FIXL




- Molecule 1: SENSOR PROTEIN FIXL



- Molecule 1: SENSOR PROTEIN FIXL



- Molecule 1: SENSOR PROTEIN FIXL



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	48.80Å 50.00Å 59.00Å 73.68° 70.36° 72.33°	Depositor
Resolution (Å)	44.72 – 1.50 44.72 – 1.50	Depositor EDS
% Data completeness (in resolution range)	94.6 (44.72-1.50) 94.6 (44.72-1.50)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	3.31 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R , R_{free}	0.182 , 0.211 0.181 , 0.212	Depositor DCC
R_{free} test set	3709 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	16.0	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 50.4	EDS
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4283	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NA, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.46	0/911	0.66	0/1229
1	B	0.49	0/918	0.62	0/1240
1	C	0.46	0/926	0.63	0/1248
1	D	0.49	0/912	0.66	0/1233
All	All	0.47	0/3667	0.64	0/4950

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	880	0	875	34	0
1	B	880	0	870	26	0
1	C	887	0	896	31	0
1	D	881	0	869	22	0
2	A	43	0	30	7	0
2	B	43	0	30	3	0
2	C	43	0	30	1	0
2	D	43	0	30	0	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	3	0	0	0	0
4	C	3	0	0	0	0
5	A	130	0	0	0	0
5	B	160	0	0	1	0
5	C	133	0	0	6	0
5	D	153	0	0	0	0
All	All	4283	0	3630	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:250:THR:HB	5:C:2129:HOH:O	1.45	1.14
1:A:156[B]:MET:CE	1:A:167:LEU:HD22	1.80	1.10
1:A:156[B]:MET:HE1	1:A:167:LEU:HD22	1.41	1.00
1:A:167:LEU:HD13	1:B:156:MET:HE2	1.44	0.97
1:C:156:MET:HE1	1:D:158:VAL:HG21	1.47	0.95
1:C:174[B]:ARG:HH11	1:C:174[B]:ARG:HG2	1.37	0.89
1:B:187:ASN:HD22	1:B:189:ASN:H	1.15	0.88
1:D:187:ASN:HD22	1:D:189:ASN:H	1.19	0.88
1:A:156[B]:MET:HE2	1:A:167:LEU:HD22	1.55	0.87
1:C:156:MET:CE	1:D:158:VAL:HG21	2.06	0.85
1:A:156[B]:MET:HE2	1:A:167:LEU:CD2	2.10	0.82
1:A:167:LEU:CD1	1:B:156:MET:HE2	2.10	0.82
1:D:235:HIS:HB3	1:D:254:ARG:HG3	1.61	0.81
1:C:156:MET:HE3	1:D:167:LEU:HD13	1.63	0.81
1:A:156[B]:MET:CE	1:A:167:LEU:CD2	2.60	0.79
1:A:156[B]:MET:CE	1:B:156:MET:HE1	2.16	0.76
1:C:156:MET:CE	1:D:167:LEU:HD13	2.17	0.75
1:A:156[B]:MET:HG3	1:A:169:SER:HB3	1.76	0.68
1:D:235:HIS:HB3	1:D:254:ARG:CG	2.25	0.67
1:A:215[A]:ILE:CD1	2:A:1258:HEM:HBA1	2.24	0.67
1:A:156[B]:MET:HE1	1:B:156:MET:HE1	1.75	0.67
1:C:241[A]:MET:SD	1:D:252:PHE:HE1	2.19	0.65
1:A:156[B]:MET:HE1	1:A:158:VAL:HG23	1.79	0.64
1:C:241[A]:MET:SD	1:D:252:PHE:CE1	2.91	0.64
1:A:215[A]:ILE:CD1	2:A:1258:HEM:CBA	2.76	0.64
1:C:156:MET:HE1	1:C:252:PHE:HE1	1.64	0.62
1:C:174[B]:ARG:HH11	1:C:174[B]:ARG:CG	2.10	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241[B]:MET:SD	1:B:252[B]:PHE:CE2	2.93	0.61
1:A:215[A]:ILE:HD11	2:A:1258:HEM:HBA2	1.84	0.58
1:C:156:MET:HE1	1:C:252:PHE:CE1	2.38	0.58
1:C:170[B]:THR:HG21	5:C:2017:HOH:O	2.03	0.58
1:C:226:ARG:NE	5:C:2097:HOH:O	2.34	0.57
1:A:156[B]:MET:SD	1:B:156:MET:HE1	2.45	0.56
1:B:152:ILE:HD11	1:B:252[B]:PHE:CE2	2.41	0.56
1:D:180:GLU:HG2	1:D:184:ILE:CD1	2.36	0.56
1:B:214:HIS:CG	2:B:1259:HEM:O1A	2.59	0.56
1:C:239:GLY:HA3	1:D:241[A]:MET:HB3	1.89	0.55
1:B:214:HIS:HD2	5:B:2100:HOH:O	1.90	0.54
1:D:168:PHE:HB3	1:D:180:GLU:HG3	1.89	0.54
1:A:167:LEU:HD22	1:B:156:MET:HE1	1.90	0.53
1:A:156[B]:MET:CE	1:A:158:VAL:HG23	2.39	0.53
1:C:156:MET:CE	1:C:252:PHE:HE1	2.21	0.52
1:B:213:PRO:HB3	1:B:216:ILE:HB	1.92	0.52
1:A:241[B]:MET:SD	1:B:252[B]:PHE:HE2	2.32	0.52
1:A:215[A]:ILE:HD13	2:A:1258:HEM:HBA1	1.91	0.52
1:B:203:TYR:CG	2:B:1259:HEM:HBA2	2.45	0.51
1:A:167:LEU:HD22	1:B:156:MET:CE	2.40	0.51
1:A:215[A]:ILE:CD1	2:A:1258:HEM:HBA2	2.41	0.49
1:B:187:ASN:ND2	1:B:189:ASN:H	1.97	0.49
1:C:241[B]:MET:HG3	5:C:2130:HOH:O	2.11	0.49
1:A:241[B]:MET:CE	1:B:252[B]:PHE:CD2	2.96	0.48
1:C:175:LEU:HD11	1:C:255:ASP:HB2	1.96	0.48
1:C:156:MET:CE	1:C:252:PHE:CE1	2.96	0.48
1:A:215[A]:ILE:HD12	1:A:215[A]:ILE:N	2.29	0.48
1:A:156[A]:MET:HE3	1:B:156:MET:HE1	1.95	0.47
1:A:200:HIS:HA	1:A:203:TYR:CD1	2.50	0.47
2:A:1258:HEM:HHC	2:A:1258:HEM:HBB2	1.97	0.47
1:C:239:GLY:HA3	1:D:241[A]:MET:CB	2.45	0.46
1:C:241[B]:MET:HB3	1:D:239:GLY:HA3	1.98	0.46
1:D:187:ASN:ND2	1:D:189:ASN:H	2.00	0.46
1:C:200:HIS:HA	1:C:203:TYR:CD1	2.52	0.45
1:D:152:ILE:HG13	1:D:153:PRO:HD2	1.99	0.45
1:C:214:HIS:HE1	5:C:2064:HOH:O	1.99	0.45
1:A:156[A]:MET:CE	1:B:156:MET:CE	2.95	0.45
1:B:203:TYR:CD2	2:B:1259:HEM:HBA2	2.52	0.44
1:A:215[A]:ILE:HD13	2:A:1258:HEM:CBA	2.46	0.44
2:C:1259:HEM:HBB2	2:C:1259:HEM:HHC	2.00	0.44
1:A:156[B]:MET:HE1	1:B:156:MET:CE	2.47	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:PRO:HG2	1:B:252[B]:PHE:HB3	2.00	0.43
1:D:153:PRO:HG2	1:D:252:PHE:HB3	2.00	0.43
1:D:200:HIS:HA	1:D:203:TYR:CD1	2.53	0.43
1:A:156[A]:MET:CE	1:B:156:MET:HE1	2.49	0.42
1:A:241[B]:MET:HE1	1:B:252[B]:PHE:CD2	2.54	0.42
1:C:174[B]:ARG:HG2	1:C:174[B]:ARG:NH1	2.16	0.42
1:D:180:GLU:HG2	1:D:184:ILE:HG13	2.01	0.42
1:C:175:LEU:CD1	1:C:255:ASP:HB2	2.50	0.42
1:A:156[A]:MET:HE1	1:B:156:MET:HE3	2.03	0.41
1:A:248:TYR:CE2	1:B:152:ILE:HD13	2.55	0.41
1:C:156:MET:HB2	1:C:156:MET:HE2	1.91	0.41
1:C:237[A]:SER:OG	1:C:252:PHE:HB2	2.21	0.41
1:C:241[A]:MET:HB3	1:D:239:GLY:HA3	2.03	0.41
1:A:215[A]:ILE:HD11	1:A:220:ARG:CZ	2.52	0.40
1:C:175:LEU:HD12	5:C:2097:HOH:O	2.21	0.40
1:C:156:MET:SD	1:D:156[A]:MET:CE	3.09	0.40
1:C:174[B]:ARG:CG	1:C:174[B]:ARG:NH1	2.78	0.40
1:C:239:GLY:HA3	1:D:241[B]:MET:HB3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	111/119 (93%)	111 (100%)	0	0	100 100
1	B	113/119 (95%)	113 (100%)	0	0	100 100
1	C	113/119 (95%)	112 (99%)	1 (1%)	0	100 100
1	D	112/119 (94%)	111 (99%)	1 (1%)	0	100 100
All	All	449/476 (94%)	447 (100%)	2 (0%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	97/102 (95%)	97 (100%)	0	100 100
1	B	98/102 (96%)	96 (98%)	2 (2%)	55 25
1	C	98/102 (96%)	97 (99%)	1 (1%)	76 57
1	D	97/102 (95%)	96 (99%)	1 (1%)	76 57
All	All	390/408 (96%)	386 (99%)	4 (1%)	73 57

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	187	ASN
1	B	206	ARG
1	C	227	ARG
1	D	187	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	166	GLN
1	A	214	HIS
1	B	187	ASN
1	B	214	HIS
1	C	166	GLN
1	C	186	GLN
1	C	214	HIS
1	D	186	GLN
1	D	187	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 11 ligands modelled in this entry, 7 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	1258	1	41,50,50	1.79	6 (14%)	45,82,82	1.77	13 (28%)
2	HEM	B	1259	1	41,50,50	1.80	6 (14%)	45,82,82	1.59	8 (17%)
2	HEM	D	1259	1	41,50,50	1.89	8 (19%)	45,82,82	1.68	11 (24%)
2	HEM	C	1259	1	41,50,50	1.79	5 (12%)	45,82,82	1.71	10 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	1258	1	-	3/12/54/54	-
2	HEM	B	1259	1	-	0/12/54/54	-
2	HEM	D	1259	1	-	2/12/54/54	-
2	HEM	C	1259	1	-	1/12/54/54	-

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1259	HEM	C3D-C2D	7.08	1.51	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1259	HEM	C3D-C2D	6.81	1.51	1.36
2	A	1258	HEM	C3D-C2D	6.65	1.50	1.36
2	B	1259	HEM	C3D-C2D	6.46	1.50	1.36
2	D	1259	HEM	C3C-C2C	-4.59	1.34	1.40
2	B	1259	HEM	C3C-C2C	-4.09	1.34	1.40
2	A	1258	HEM	C3C-C2C	-4.08	1.34	1.40
2	C	1259	HEM	C3C-CAC	3.80	1.55	1.47
2	D	1259	HEM	C3C-CAC	3.48	1.54	1.47
2	C	1259	HEM	C3C-C2C	-3.39	1.35	1.40
2	A	1258	HEM	C3C-CAC	3.18	1.54	1.47
2	B	1259	HEM	C3C-CAC	3.06	1.54	1.47
2	B	1259	HEM	CAB-C3B	3.03	1.55	1.47
2	C	1259	HEM	CAB-C3B	2.94	1.55	1.47
2	D	1259	HEM	FE-ND	2.91	2.11	1.96
2	A	1258	HEM	CAB-C3B	2.86	1.55	1.47
2	C	1259	HEM	CAA-C2A	2.60	1.55	1.52
2	D	1259	HEM	CAB-C3B	2.46	1.54	1.47
2	A	1258	HEM	FE-NB	2.43	2.08	1.96
2	B	1259	HEM	CAA-C2A	2.35	1.55	1.52
2	A	1258	HEM	CAA-C2A	2.35	1.55	1.52
2	B	1259	HEM	FE-NB	2.23	2.07	1.96
2	D	1259	HEM	FE-NB	2.17	2.07	1.96
2	D	1259	HEM	CMB-C2B	2.07	1.55	1.50
2	D	1259	HEM	CAA-C2A	2.03	1.55	1.52

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1259	HEM	C4D-ND-C1D	5.15	110.39	105.07
2	B	1259	HEM	C4D-ND-C1D	4.84	110.07	105.07
2	D	1259	HEM	C4D-ND-C1D	4.54	109.76	105.07
2	A	1258	HEM	C4D-ND-C1D	4.16	109.37	105.07
2	B	1259	HEM	C1B-NB-C4B	3.63	108.82	105.07
2	A	1258	HEM	C3B-C2B-C1B	3.58	109.14	106.49
2	C	1259	HEM	C4C-CHD-C1D	3.51	127.19	122.56
2	A	1258	HEM	C4B-CHC-C1C	3.38	127.02	122.56
2	D	1259	HEM	C4C-CHD-C1D	3.31	126.92	122.56
2	D	1259	HEM	C3B-C2B-C1B	3.15	108.83	106.49
2	D	1259	HEM	CMA-C3A-C4A	-3.09	123.71	128.46
2	D	1259	HEM	C4A-C3A-C2A	2.97	109.06	107.00
2	C	1259	HEM	CMA-C3A-C4A	-2.96	123.92	128.46
2	C	1259	HEM	C3B-C2B-C1B	2.83	108.58	106.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1258	HEM	CMA-C3A-C4A	-2.81	124.14	128.46
2	C	1259	HEM	C4B-CHC-C1C	2.72	126.15	122.56
2	C	1259	HEM	CHA-C4D-ND	2.69	127.71	124.38
2	A	1258	HEM	CHD-C1D-ND	2.66	127.32	124.43
2	B	1259	HEM	C4C-CHD-C1D	2.59	125.98	122.56
2	B	1259	HEM	C3B-C2B-C1B	2.59	108.40	106.49
2	A	1258	HEM	CHC-C4B-C3B	2.57	128.51	124.57
2	C	1259	HEM	C2C-C3C-C4C	2.53	108.66	106.90
2	A	1258	HEM	CAA-CBA-CGA	-2.50	106.76	113.76
2	B	1259	HEM	CHD-C1D-ND	2.49	127.13	124.43
2	C	1259	HEM	CMC-C2C-C3C	2.48	129.31	124.68
2	B	1259	HEM	C4B-CHC-C1C	2.46	125.81	122.56
2	D	1259	HEM	CAD-CBD-CGD	2.45	118.87	113.60
2	A	1258	HEM	CHC-C4B-NB	-2.44	121.78	124.43
2	A	1258	HEM	CHB-C1B-NB	2.38	127.32	124.38
2	D	1259	HEM	CAD-C3D-C4D	2.37	128.79	124.66
2	D	1259	HEM	CMD-C2D-C1D	2.33	128.59	125.04
2	D	1259	HEM	C1B-NB-C4B	2.31	107.46	105.07
2	D	1259	HEM	CAA-CBA-CGA	-2.31	107.28	113.76
2	A	1258	HEM	CAD-C3D-C4D	2.22	128.53	124.66
2	D	1259	HEM	CMC-C2C-C3C	2.21	128.81	124.68
2	B	1259	HEM	CMD-C2D-C1D	2.18	128.37	125.04
2	C	1259	HEM	C4A-C3A-C2A	2.14	108.48	107.00
2	A	1258	HEM	CMD-C2D-C1D	2.13	128.29	125.04
2	A	1258	HEM	CMC-C2C-C3C	2.12	128.65	124.68
2	A	1258	HEM	O1A-CGA-CBA	-2.11	116.30	123.08
2	B	1259	HEM	C2B-C1B-NB	-2.08	107.38	109.84
2	C	1259	HEM	CAD-C3D-C4D	2.02	128.19	124.66

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1258	HEM	C3D-CAD-CBD-CGD
2	C	1259	HEM	C3D-CAD-CBD-CGD
2	D	1259	HEM	CAA-CBA-CGA-O1A
2	A	1258	HEM	CAA-CBA-CGA-O1A
2	D	1259	HEM	CAA-CBA-CGA-O2A
2	A	1258	HEM	CAA-CBA-CGA-O2A


There are no ring outliers.


3 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1258	HEM	7	0
2	B	1259	HEM	3	0
2	C	1259	HEM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates [\(i\)](#)


Unable to reproduce the depositors R factor - this section is therefore empty.


6.4 Ligands [\(i\)](#)


Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers [\(i\)](#)

Unable to reproduce the depositors R factor - this section is therefore empty.