



## wwPDB EM Validation Summary Report ⓘ

Nov 13, 2022 – 10:15 PM EST

PDB ID : 6VWM  
EMDB ID : EMD-21421  
Title : 70S ribosome bound to HIV frameshifting stem-loop (FSS) and P-site tRNA (non-rotated conformation, Structure I)  
Authors : Loerch, S.; Bao, C.; Ling, C.; Korostelev, A.A.; Grigorieff, N.; Ermolenko, D.M.  
Deposited on : 2020-02-20  
Resolution : 3.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Ramachandran outliers | 154571                   | 4023                     |
| Sidechain outliers    | 154315                   | 3826                     |
| RNA backbone          | 4643                     | 859                      |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1   | 3     | 120    |                  |
| 2   | 5     | 76     |                  |
| 3   | A     | 273    |                  |
| 4   | B     | 209    |                  |
| 5   | C     | 201    |                  |
| 6   | D     | 179    |                  |
| 7   | E     | 177    |                  |
| 8   | G     | 149    |                  |





















Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 9   | H     | 142    | 99%              |
| 10  | I     | 123    | 100%             |
| 11  | J     | 144    | 98%              |
| 12  | K     | 136    | 100%             |
| 13  | L     | 127    | 94% 6%           |
| 14  | M     | 117    | 12% 95%          |
| 15  | N     | 115    | 97%              |
| 16  | O     | 118    | 98%              |
| 17  | P     | 103    | 5% 100%          |
| 18  | Q     | 110    | 100%             |
| 19  | R     | 100    | 90% 10%          |
| 20  | S     | 104    | 91% 8%           |
| 21  | T     | 94     | 6% 97%           |
| 22  | U     | 85     | 86% 12%          |
| 23  | V     | 78     | 99%              |
| 24  | W     | 63     | 95% 5%           |
| 25  | X     | 59     | 98%              |
| 26  | Y     | 57     | 96%              |
| 27  | Z     | 55     | 44% 87% 13%      |
| 28  | AA    | 46     | 100%             |
| 29  | AB    | 65     | 95%              |
| 30  | AC    | 38     | 97%              |
| 31  | 2     | 2903   | 7% 78% 19%       |
| 32  | a     | 241    | 62% 90% 9%       |
| 33  | b     | 233    | 30% 84% 15%      |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain   |
|-----|-------|--------|--|
| 34  | c     | 206    |    |
| 35  | d     | 167    |    |
| 36  | e     | 135    |    |
| 37  | f     | 179    |    |
| 38  | g     | 130    |    |
| 39  | h     | 130    |    |
| 40  | i     | 103    |    |
| 41  | j     | 129    |    |
| 42  | k     | 124    |    |
| 43  | l     | 118    |    |
| 44  | m     | 101    |   |
| 45  | n     | 89     |  |
| 46  | o     | 82     |  |
| 47  | p     | 84     |  |
| 48  | q     | 75     |  |
| 49  | r     | 92     |  |
| 50  | s     | 87     |  |
| 51  | t     | 71     |  |
| 52  | 1     | 1540   |  |
| 53  | 4     | 93     |  |

## 2 Entry composition [i](#)

There are 54 unique types of molecules in this entry. The entry contains 140044 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5S ribosomal RNA.

| Mol | Chain | Residues | Atoms |      |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
|     |       |          | Total | C    | N   | O   | P   |         |       |
| 1   | 3     | 120      | 2568  | 1145 | 471 | 833 | 119 | 0       | 0     |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference    |
|-------|---------|----------|--------|----------|--------------|
| 3     | 120     | A        | U      | conflict | GB 984297099 |

- Molecule 2 is a RNA chain called tRNAPhe.

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
|     |       |          | Total | C   | N   | O   | P  |         |       |
| 2   | 5     | 76       | 1622  | 724 | 292 | 531 | 75 | 0       | 0     |

There are 2 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference    |
|-------|---------|----------|--------|----------|--------------|
| 5     | 47      | G        | U      | conflict | GB 984297099 |
| 5     | 48      | U        | C      | conflict | GB 984297099 |

- Molecule 3 is a protein called 50S ribosomal protein L2.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
|     |       |          | Total | C    | N   | O   | S |         |       |
| 3   | A     | 271      | 2082  | 1288 | 423 | 364 | 7 | 0       | 0     |

- Molecule 4 is a protein called 50S ribosomal protein L3.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 4   | B     | 209      | 1565  | 979 | 288 | 294 | 4 | 0       | 0     |

- Molecule 5 is a protein called 50S ribosomal protein L4.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 5   | C     | 201      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1552  | 974 | 283 | 290 | 5 |         |       |

- Molecule 6 is a protein called 50S ribosomal protein L5.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 6   | D     | 177      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1410  | 899 | 249 | 256 | 6 |         |       |

- Molecule 7 is a protein called 50S ribosomal protein L6.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 7   | E     | 173      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1298  | 817 | 238 | 241 | 2 |         |       |

- Molecule 8 is a protein called 50S ribosomal protein L9.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 8   | G     | 48       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 368   | 238 | 63 | 66 | 1 |         |       |

- Molecule 9 is a protein called 50S ribosomal protein L13.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 9   | H     | 142      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1129  | 714 | 212 | 199 | 4 |         |       |

- Molecule 10 is a protein called 50S ribosomal protein L14.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 10  | I     | 123      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 947   | 593 | 181 | 167 | 6 |         |       |

- Molecule 11 is a protein called 50S ribosomal protein L15.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 11  | J     | 143      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1043  | 649 | 206 | 186 | 2 |         |       |

- Molecule 12 is a protein called 50S ribosomal protein L16.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 12  | K     | 136      | 1074  | 686 | 205 | 177 | 6 | 0       | 0     |

- Molecule 13 is a protein called 50S ribosomal protein L17.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 13  | L     | 119      | 951   | 588 | 195 | 163 | 5 | 0       | 0     |

- Molecule 14 is a protein called 50S ribosomal protein L18.

| Mol | Chain | Residues | Atoms |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
|     |       |          | Total | C   | N   | O   |         |       |
| 14  | M     | 114      | 875   | 542 | 175 | 158 | 0       | 0     |

- Molecule 15 is a protein called 50S ribosomal protein L19.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 15  | N     | 114      | 917   | 574 | 179 | 163 | 1 | 0       | 0     |

- Molecule 16 is a protein called 50S ribosomal protein L20.

| Mol | Chain | Residues | Atoms |     |     |     | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
|     |       |          | Total | C   | N   | O   |         |       |
| 16  | O     | 117      | 947   | 604 | 192 | 151 | 0       | 0     |

- Molecule 17 is a protein called 50S ribosomal protein L21.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 17  | P     | 103      | 816   | 516 | 153 | 145 | 2 | 0       | 0     |

- Molecule 18 is a protein called 50S ribosomal protein L22.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 18  | Q     | 110      | 857   | 532 | 166 | 156 | 3 | 0       | 0     |

- Molecule 19 is a protein called 50S ribosomal protein L23.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 19  | R     | 90       | 714   | 449 | 136 | 128 | 1 | 0       | 0     |

- Molecule 20 is a protein called 50S ribosomal protein L24.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 20  | S     | 96       | 735   | 464 | 138 | 133 |   | 0       | 0     |

- Molecule 21 is a protein called 50S ribosomal protein L25.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 21  | T     | 93       | 745   | 474 | 136 | 133 | 2 | 0       | 0     |

- Molecule 22 is a protein called 50S ribosomal protein L27.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 22  | U     | 75       | 575   | 356 | 116 | 102 | 1 | 0       | 0     |

- Molecule 23 is a protein called 50S ribosomal protein L28.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 23  | V     | 77       | 625   | 388 | 129 | 106 | 2 | 0       | 0     |

- Molecule 24 is a protein called 50S ribosomal protein L29.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
|     |       |          | Total | C   | N  | O  | S |         |       |
| 24  | W     | 60       | 491   | 303 | 96 | 91 | 1 | 0       | 0     |

- Molecule 25 is a protein called 50S ribosomal protein L30.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
|     |       |          | Total | C   | N  | O  | S |         |       |
| 25  | X     | 58       | 449   | 281 | 87 | 79 | 2 | 0       | 0     |

- Molecule 26 is a protein called 50S ribosomal protein L32.



| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
|     |       |          | Total | C   | N  | O  | S |         |       |
| 26  | Y     | 55       | 434   | 263 | 92 | 78 | 1 | 0       | 0     |

- Molecule 27 is a protein called 50S ribosomal protein L33.

| Mol | Chain | Residues | Atoms |     |    |    | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
|     |       |          | Total | C   | N  | O  |         |       |
| 27  | Z     | 48       | 396   | 255 | 72 | 69 | 0       | 0     |

- Molecule 28 is a protein called 50S ribosomal protein L34.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
|     |       |          | Total | C   | N  | O  | S |         |       |
| 28  | AA    | 46       | 377   | 228 | 90 | 57 | 2 | 0       | 0     |

- Molecule 29 is a protein called 50S ribosomal protein L35.

| Mol | Chain | Residues | Atoms |     |     |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
|     |       |          | Total | C   | N   | O  | S |         |       |
| 29  | AB    | 64       | 504   | 323 | 105 | 74 | 2 | 0       | 0     |

- Molecule 30 is a protein called 50S ribosomal protein L36.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
|     |       |          | Total | C   | N  | O  | S |         |       |
| 30  | AC    | 38       | 302   | 185 | 65 | 48 | 4 | 0       | 0     |

- Molecule 31 is a RNA chain called 23S ribosomal RNA.

| Mol | Chain | Residues | Atoms |       |       |       |      | AltConf | Trace |
|-----|-------|----------|-------|-------|-------|-------|------|---------|-------|
|     |       |          | Total | C     | N     | O     | P    |         |       |
| 31  | 2     | 2833     | 60819 | 27131 | 11192 | 19664 | 2832 | 0       | 0     |

There are 19 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment   | Reference    |
|-------|---------|----------|--------|-----------|--------------|
| 2     | 208     | C        | -      | insertion | GB 984297099 |
| 2     | 284     | U        | C      | conflict  | GB 984297099 |
| 2     | 285     | G        | A      | conflict  | GB 984297099 |
| 2     | 356     | G        | A      | conflict  | GB 984297099 |
| 2     | 542     | C        | U      | conflict  | GB 984297099 |
| 2     | 747     | C        | U      | conflict  | GB 984297099 |

*Continued on next page...*

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment  | Reference    |
|-------|---------|----------|--------|----------|--------------|
| 2     | 1174    | U        | G      | conflict | GB 984297099 |
| 2     | 1211    | C        | U      | conflict | GB 984297099 |
| 2     | 1513    | U        | C      | conflict | GB 984297099 |
| 2     | 1723    | G        | A      | conflict | GB 984297099 |
| 2     | 1730    | C        | U      | conflict | GB 984297099 |
| 2     | 1865    | U        | C      | conflict | GB 984297099 |
| 2     | 2163    | A        | G      | conflict | GB 984297099 |
| 2     | 2712    | C        | U      | conflict | GB 984297099 |
| 2     | 2794    | C        | U      | conflict | GB 984297099 |
| 2     | 2796    | U        | C      | conflict | GB 984297099 |
| 2     | 2797    | U        | C      | conflict | GB 984297099 |
| 2     | 2799    | A        | G      | conflict | GB 984297099 |
| 2     | 2802    | G        | A      | conflict | GB 984297099 |

- Molecule 32 is a protein called 30S ribosomal protein S2.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
|     |       |          | Total | C    | N   | O   | S |         |       |
| 32  | a     | 220      | 1672  | 1062 | 293 | 310 | 7 | 0       | 0     |

- Molecule 33 is a protein called 30S ribosomal protein S3.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 33  | b     | 197      | 1502  | 957 | 276 | 266 | 3 | 0       | 0     |

- Molecule 34 is a protein called 30S ribosomal protein S4.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 34  | c     | 160      | 1280  | 801 | 241 | 235 | 3 | 0       | 0     |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| c     | 47      | ILE      | LEU    | conflict | UNP P0A7V8 |

- Molecule 35 is a protein called 30S ribosomal protein S5.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 35  | d     | 157      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1146  | 714 | 215 | 211 | 6 |         |       |

- Molecule 36 is a protein called 30S ribosomal protein S6.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 36  | e     | 101      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 824   | 520 | 149 | 149 | 6 |         |       |

- Molecule 37 is a protein called 30S ribosomal protein S7.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 37  | f     | 97       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 742   | 467 | 133 | 139 | 3 |         |       |

- Molecule 38 is a protein called 30S ribosomal protein S8.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 38  | g     | 129      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 979   | 616 | 173 | 184 | 6 |         |       |

- Molecule 39 is a protein called 30S ribosomal protein S9.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 39  | h     | 121      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 950   | 591 | 189 | 168 | 2 |         |       |

- Molecule 40 is a protein called 30S ribosomal protein S10.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 40  | i     | 89       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 726   | 455 | 141 | 129 | 1 |         |       |

- Molecule 41 is a protein called 30S ribosomal protein S11.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 41  | j     | 117      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 877   | 540 | 174 | 160 | 3 |         |       |

- Molecule 42 is a protein called 30S ribosomal protein S12.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 42  | k     | 111      | 867   | 535 | 180 | 148 | 4 | 0       | 0     |

- Molecule 43 is a protein called 30S ribosomal protein S13.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 43  | l     | 111      | 859   | 531 | 172 | 153 | 3 | 0       | 0     |

- Molecule 44 is a protein called 30S ribosomal protein S14.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 44  | m     | 100      | 805   | 499 | 164 | 139 | 3 | 0       | 0     |

- Molecule 45 is a protein called 30S ribosomal protein S15.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 45  | n     | 87       | 702   | 433 | 140 | 128 | 1 | 0       | 0     |

- Molecule 46 is a protein called 30S ribosomal protein S16.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 46  | o     | 82       | 649   | 406 | 128 | 114 | 1 | 0       | 0     |

- Molecule 47 is a protein called 30S ribosomal protein S17.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 47  | p     | 78       | 632   | 400 | 118 | 111 | 3 | 0       | 0     |

- Molecule 48 is a protein called 30S ribosomal protein S18.

| Mol | Chain | Residues | Atoms |     |    |    | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
|     |       |          | Total | C   | N  | O  |         |       |
| 48  | q     | 54       | 443   | 281 | 81 | 81 | 0       | 0     |

- Molecule 49 is a protein called 30S ribosomal protein S19.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 49  | r     | 79       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 637   | 408 | 120 | 107 | 2 |         |       |

- Molecule 50 is a protein called 30S ribosomal protein S20.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 50  | s     | 84       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 655   | 406 | 136 | 110 | 3 |         |       |

- Molecule 51 is a protein called 30S ribosomal protein S21.

| Mol | Chain | Residues | Atoms |     |     |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 51  | t     | 68       | Total | C   | N   | O  | S | 0       | 0     |
|     |       |          | 566   | 351 | 120 | 94 | 1 |         |       |

- Molecule 52 is a RNA chain called 16S ribosomal RNA.

| Mol | Chain | Residues | Atoms |       |      |       |      | AltConf | Trace |
|-----|-------|----------|-------|-------|------|-------|------|---------|-------|
| 52  | 1     | 1508     | Total | C     | N    | O     | P    | 0       | 0     |
|     |       |          | 32365 | 14434 | 5945 | 10478 | 1508 |         |       |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference     |
|-------|---------|----------|--------|----------|---------------|
| 1     | 1517    | A        | G      | conflict | GB 1726036237 |

- Molecule 53 is a RNA chain called HIV frameshift stimulating sequence mRNA.

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 53  | 4     | 43       | Total | C   | N   | O   | P  | 0       | 0     |
|     |       |          | 926   | 413 | 174 | 296 | 43 |         |       |

- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms |    | AltConf |
|-----|-------|----------|-------|----|---------|
| 54  | A     | 1        | Total | Mg | 0       |
|     |       |          | 1     | 1  |         |
| 54  | Y     | 1        | Total | Mg | 0       |
|     |       |          | 1     | 1  |         |
| 54  | 2     | 45       | Total | Mg | 0       |
|     |       |          | 45    | 45 |         |

*Continued on next page...*


*Continued from previous page...*

| Mol | Chain | Residues | Atoms |    | AltConf |
|-----|-------|----------|-------|----|---------|
|     |       |          | Total | Mg |         |
| 54  | 1     | 6        | 6     | 6  | 0       |


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5S ribosomal RNA




- Molecule 2: tRNAPhe




- Molecule 3: 50S ribosomal protein L2




- Molecule 4: 50S ribosomal protein L3




- Molecule 5: 50S ribosomal protein L4




• Molecule 6: 50S ribosomal protein L5




• Molecule 7: 50S ribosomal protein L6



• Molecule 8: 50S ribosomal protein L9



• Molecule 9: 50S ribosomal protein L13




• Molecule 10: 50S ribosomal protein L14




There are no outlier residues recorded for this chain.

• Molecule 11: 50S ribosomal protein L15







- Molecule 12: 50S ribosomal protein L16




- Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19



- Molecule 16: 50S ribosomal protein L20




- Molecule 17: 50S ribosomal protein L21





- Molecule 18: 50S ribosomal protein L22







- Molecule 19: 50S ribosomal protein L23





- Molecule 20: 50S ribosomal protein L24




- Molecule 21: 50S ribosomal protein L25




- Molecule 22: 50S ribosomal protein L27



- Molecule 23: 50S ribosomal protein L28




- Molecule 24: 50S ribosomal protein L29




- Molecule 25: 50S ribosomal protein L30

Chain X:  98%





- Molecule 26: 50S ribosomal protein L32

Chain Y:  96%



- Molecule 27: 50S ribosomal protein L33

Chain Z:  44% 87% 13%




- Molecule 28: 50S ribosomal protein L34

Chain AA:  100%

There are no outlier residues recorded for this chain.


- Molecule 29: 50S ribosomal protein L35

Chain AB:  95%





- Molecule 30: 50S ribosomal protein L36


Chain AC:  97%




- Molecule 31: 23S ribosomal RNA



Chain 2:  7% 78% 19%










• Molecule 32: 30S ribosomal protein S2




• Molecule 33: 30S ribosomal protein S3





• Molecule 34: 30S ribosomal protein S4




• Molecule 35: 30S ribosomal protein S5



• Molecule 36: 30S ribosomal protein S6




• Molecule 37: 30S ribosomal protein S7





• Molecule 38: 30S ribosomal protein S8









- Molecule 39: 30S ribosomal protein S9





- Molecule 40: 30S ribosomal protein S10





- Molecule 41: 30S ribosomal protein S11




- Molecule 42: 30S ribosomal protein S12





- Molecule 43: 30S ribosomal protein S13







• Molecule 44: 30S ribosomal protein S14





• Molecule 45: 30S ribosomal protein S15




• Molecule 46: 30S ribosomal protein S16




• Molecule 47: 30S ribosomal protein S17




• Molecule 48: 30S ribosomal protein S18




• Molecule 49: 30S ribosomal protein S19










• Molecule 50: 30S ribosomal protein S20




• Molecule 51: 30S ribosomal protein S21





• Molecule 52: 16S ribosomal RNA





• Molecule 53: HIV frameshift stimulating sequence mRNA



## 4 Experimental information

| Property                             | Value                                   | Source    |
|--------------------------------------|---|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, C1                               | Depositor |
| Number of particles used             | 640261                                  | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | FEI TITAN KRIOS                         | Depositor |
| Voltage (kV)                         | 300                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 75                                      | Depositor |
| Minimum defocus (nm)                 | 500                                     | Depositor |
| Maximum defocus (nm)                 | 2500                                    | Depositor |
| Magnification                        | Not provided                            |           |
| Image detector                       | GATAN K2 SUMMIT (4k x 4k)               | Depositor |
| Maximum map value                    | 28.305                                  | Depositor |
| Minimum map value                    | -9.165                                  | Depositor |
| Average map value                    | 0.187                                   | Depositor |
| Map value standard deviation         | 1.136                                   | Depositor |
| Recommended contour level            | 6.0                                     | Depositor |
| Map size (Å)                         | 654.48, 654.48, 654.48                  | wwPDB     |
| Map dimensions                       | 648, 648, 648                           | wwPDB     |
| Map angles (°)                       | 90.0, 90.0, 90.0                        | wwPDB     |
| Pixel spacing (Å)                    | 1.01, 1.01, 1.01                        | Depositor |

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |         | Bond angles |                  |
|-----|-------|--------------|---------|-------------|------------------|
|     |       | RMSZ         | # Z  >5 | RMSZ        | # Z  >5          |
| 1   | 3     | 0.26         | 0/2872  | 0.87        | 0/4479           |
| 2   | 5     | 0.29         | 0/1813  | 0.98        | 0/2826           |
| 3   | A     | 0.25         | 0/2121  | 0.44        | 0/2852           |
| 4   | B     | 0.26         | 0/1586  | 0.46        | 0/2134           |
| 5   | C     | 0.25         | 0/1571  | 0.42        | 0/2113           |
| 6   | D     | 0.26         | 0/1434  | 0.48        | 1/1926 (0.1%)    |
| 7   | E     | 0.25         | 0/1318  | 0.46        | 0/1786           |
| 8   | G     | 0.26         | 0/373   | 0.44        | 0/502            |
| 9   | H     | 0.25         | 0/1152  | 0.43        | 0/1551           |
| 10  | I     | 0.25         | 0/956   | 0.46        | 0/1279           |
| 11  | J     | 0.25         | 0/1052  | 0.45        | 0/1401           |
| 12  | K     | 0.25         | 0/1093  | 0.43        | 0/1460           |
| 13  | L     | 0.25         | 0/964   | 0.44        | 0/1289           |
| 14  | M     | 0.25         | 0/885   | 0.46        | 0/1187           |
| 15  | N     | 0.26         | 0/929   | 0.44        | 0/1242           |
| 16  | O     | 0.25         | 0/960   | 0.36        | 0/1278           |
| 17  | P     | 0.27         | 0/829   | 0.49        | 0/1107           |
| 18  | Q     | 0.24         | 0/864   | 0.44        | 0/1156           |
| 19  | R     | 0.24         | 0/720   | 0.43        | 0/962            |
| 20  | S     | 0.26         | 0/741   | 0.44        | 0/984            |
| 21  | T     | 0.25         | 0/758   | 0.42        | 0/1015           |
| 22  | U     | 0.26         | 0/582   | 0.44        | 0/769            |
| 23  | V     | 0.24         | 0/635   | 0.45        | 0/848            |
| 24  | W     | 0.24         | 0/492   | 0.41        | 0/655            |
| 25  | X     | 0.26         | 0/453   | 0.44        | 0/605            |
| 26  | Y     | 0.24         | 0/440   | 0.47        | 0/588            |
| 27  | Z     | 0.23         | 0/403   | 0.46        | 0/538            |
| 28  | AA    | 0.23         | 0/380   | 0.41        | 0/498            |
| 29  | AB    | 0.26         | 0/513   | 0.45        | 0/676            |
| 30  | AC    | 0.24         | 0/303   | 0.44        | 0/397            |
| 31  | 2     | 0.29         | 0/68117 | 0.89        | 68/106268 (0.1%) |
| 32  | a     | 0.25         | 0/1703  | 0.45        | 0/2305           |

| Mol | Chain | Bond lengths |          | Bond angles |                   |
|-----|-------|--------------|----------|-------------|-------------------|
|     |       | RMSZ         | # Z  >5  | RMSZ        | # Z  >5           |
| 33  | b     | 0.24         | 0/1528   | 0.43        | 0/2069            |
| 34  | c     | 0.24         | 0/1297   | 0.43        | 0/1740            |
| 35  | d     | 0.25         | 0/1159   | 0.47        | 0/1561            |
| 36  | e     | 0.24         | 0/843    | 0.50        | 0/1140            |
| 37  | f     | 0.24         | 0/750    | 0.43        | 0/1009            |
| 38  | g     | 0.25         | 0/989    | 0.45        | 0/1326            |
| 39  | h     | 0.24         | 0/960    | 0.49        | 0/1280            |
| 40  | i     | 0.23         | 0/735    | 0.45        | 0/991             |
| 41  | j     | 0.25         | 0/893    | 0.46        | 0/1205            |
| 42  | k     | 0.25         | 0/878    | 0.51        | 0/1176            |
| 43  | l     | 0.23         | 0/868    | 0.45        | 0/1161            |
| 44  | m     | 0.24         | 0/817    | 0.44        | 0/1088            |
| 45  | n     | 0.22         | 0/710    | 0.46        | 0/950             |
| 46  | o     | 0.24         | 0/659    | 0.46        | 0/884             |
| 47  | p     | 0.24         | 0/641    | 0.45        | 0/860             |
| 48  | q     | 0.24         | 0/449    | 0.42        | 0/604             |
| 49  | r     | 0.27         | 0/652    | 0.51        | 0/877             |
| 50  | s     | 0.24         | 0/661    | 0.38        | 0/876             |
| 51  | t     | 0.23         | 0/573    | 0.36        | 0/759             |
| 52  | 1     | 0.27         | 0/36240  | 0.90        | 40/56532 (0.1%)   |
| 53  | 4     | 0.27         | 0/1037   | 0.94        | 0/1616            |
| All | All   | 0.28         | 0/152351 | 0.81        | 109/228380 (0.0%) |

There are no bond length outliers.

The worst 5 of 109 bond angle outliers are listed below:

| Mol | Chain | Res  | Type | Atoms     | Z      | Observed(°) | Ideal(°) |
|-----|-------|------|------|-----------|--------|-------------|----------|
| 31  | 2     | 2794 | C    | N3-C2-O2  | -10.09 | 114.84      | 121.90   |
| 31  | 2     | 2210 | U    | C2-N1-C1' | 9.21   | 128.75      | 117.70   |
| 31  | 2     | 2210 | U    | N1-C2-O2  | 8.95   | 129.06      | 122.80   |
| 52  | 1     | 1141 | C    | N3-C2-O2  | -8.94  | 115.64      | 121.90   |
| 31  | 2     | 268  | C    | N3-C2-O2  | -8.67  | 115.83      | 121.90   |

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed      | Favoured  | Allowed  | Outliers | Percentiles |     |
|-----|-------|---------------|-----------|----------|----------|-------------|-----|
| 3   | A     | 269/273 (98%) | 255 (95%) | 14 (5%)  | 0        | 100         | 100 |
| 4   | B     | 207/209 (99%) | 200 (97%) | 7 (3%)   | 0        | 100         | 100 |
| 5   | C     | 199/201 (99%) | 193 (97%) | 6 (3%)   | 0        | 100         | 100 |
| 6   | D     | 175/179 (98%) | 161 (92%) | 14 (8%)  | 0        | 100         | 100 |
| 7   | E     | 171/177 (97%) | 159 (93%) | 12 (7%)  | 0        | 100         | 100 |
| 8   | G     | 46/149 (31%)  | 44 (96%)  | 2 (4%)   | 0        | 100         | 100 |
| 9   | H     | 140/142 (99%) | 137 (98%) | 3 (2%)   | 0        | 100         | 100 |
| 10  | I     | 121/123 (98%) | 116 (96%) | 5 (4%)   | 0        | 100         | 100 |
| 11  | J     | 141/144 (98%) | 136 (96%) | 5 (4%)   | 0        | 100         | 100 |
| 12  | K     | 134/136 (98%) | 132 (98%) | 2 (2%)   | 0        | 100         | 100 |
| 13  | L     | 117/127 (92%) | 110 (94%) | 7 (6%)   | 0        | 100         | 100 |
| 14  | M     | 112/117 (96%) | 103 (92%) | 9 (8%)   | 0        | 100         | 100 |
| 15  | N     | 112/115 (97%) | 101 (90%) | 11 (10%) | 0        | 100         | 100 |
| 16  | O     | 115/118 (98%) | 114 (99%) | 1 (1%)   | 0        | 100         | 100 |
| 17  | P     | 101/103 (98%) | 100 (99%) | 1 (1%)   | 0        | 100         | 100 |
| 18  | Q     | 108/110 (98%) | 104 (96%) | 4 (4%)   | 0        | 100         | 100 |
| 19  | R     | 88/100 (88%)  | 85 (97%)  | 3 (3%)   | 0        | 100         | 100 |
| 20  | S     | 92/104 (88%)  | 92 (100%) | 0        | 0        | 100         | 100 |
| 21  | T     | 91/94 (97%)   | 87 (96%)  | 4 (4%)   | 0        | 100         | 100 |
| 22  | U     | 73/85 (86%)   | 72 (99%)  | 1 (1%)   | 0        | 100         | 100 |
| 23  | V     | 75/78 (96%)   | 74 (99%)  | 1 (1%)   | 0        | 100         | 100 |
| 24  | W     | 58/63 (92%)   | 57 (98%)  | 1 (2%)   | 0        | 100         | 100 |
| 25  | X     | 56/59 (95%)   | 54 (96%)  | 2 (4%)   | 0        | 100         | 100 |
| 26  | Y     | 53/57 (93%)   | 51 (96%)  | 2 (4%)   | 0        | 100         | 100 |
| 27  | Z     | 46/55 (84%)   | 46 (100%) | 0        | 0        | 100         | 100 |

*Continued on next page...*

Continued from previous page...

| Mol | Chain | Analysed        | Favoured   | Allowed  | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 28  | AA    | 44/46 (96%)     | 44 (100%)  | 0        | 0        | 100         | 100 |
| 29  | AB    | 62/65 (95%)     | 59 (95%)   | 3 (5%)   | 0        | 100         | 100 |
| 30  | AC    | 36/38 (95%)     | 34 (94%)   | 2 (6%)   | 0        | 100         | 100 |
| 32  | a     | 218/241 (90%)   | 209 (96%)  | 9 (4%)   | 0        | 100         | 100 |
| 33  | b     | 193/233 (83%)   | 186 (96%)  | 7 (4%)   | 0        | 100         | 100 |
| 34  | c     | 158/206 (77%)   | 149 (94%)  | 9 (6%)   | 0        | 100         | 100 |
| 35  | d     | 155/167 (93%)   | 149 (96%)  | 6 (4%)   | 0        | 100         | 100 |
| 36  | e     | 99/135 (73%)    | 87 (88%)   | 12 (12%) | 0        | 100         | 100 |
| 37  | f     | 93/179 (52%)    | 88 (95%)   | 5 (5%)   | 0        | 100         | 100 |
| 38  | g     | 127/130 (98%)   | 124 (98%)  | 3 (2%)   | 0        | 100         | 100 |
| 39  | h     | 119/130 (92%)   | 106 (89%)  | 13 (11%) | 0        | 100         | 100 |
| 40  | i     | 85/103 (82%)    | 81 (95%)   | 4 (5%)   | 0        | 100         | 100 |
| 41  | j     | 115/129 (89%)   | 107 (93%)  | 8 (7%)   | 0        | 100         | 100 |
| 42  | k     | 107/124 (86%)   | 95 (89%)   | 12 (11%) | 0        | 100         | 100 |
| 43  | l     | 109/118 (92%)   | 101 (93%)  | 8 (7%)   | 0        | 100         | 100 |
| 44  | m     | 98/101 (97%)    | 92 (94%)   | 6 (6%)   | 0        | 100         | 100 |
| 45  | n     | 85/89 (96%)     | 82 (96%)   | 3 (4%)   | 0        | 100         | 100 |
| 46  | o     | 80/82 (98%)     | 77 (96%)   | 3 (4%)   | 0        | 100         | 100 |
| 47  | p     | 76/84 (90%)     | 66 (87%)   | 10 (13%) | 0        | 100         | 100 |
| 48  | q     | 52/75 (69%)     | 49 (94%)   | 3 (6%)   | 0        | 100         | 100 |
| 49  | r     | 77/92 (84%)     | 65 (84%)   | 12 (16%) | 0        | 100         | 100 |
| 50  | s     | 82/87 (94%)     | 79 (96%)   | 3 (4%)   | 0        | 100         | 100 |
| 51  | t     | 66/71 (93%)     | 63 (96%)   | 3 (4%)   | 0        | 100         | 100 |
| All | All   | 5236/5843 (90%) | 4975 (95%) | 261 (5%) | 0        | 100         | 100 |

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed       | Rotameric  | Outliers | Percentiles |     |
|-----|-------|----------------|------------|----------|-------------|-----|
| 3   | A     | 216/218 (99%)  | 214 (99%)  | 2 (1%)   | 78          | 90  |
| 4   | B     | 164/164 (100%) | 164 (100%) | 0        | 100         | 100 |
| 5   | C     | 165/165 (100%) | 165 (100%) | 0        | 100         | 100 |
| 6   | D     | 148/150 (99%)  | 142 (96%)  | 6 (4%)   | 30          | 59  |
| 7   | E     | 134/138 (97%)  | 134 (100%) | 0        | 100         | 100 |
| 8   | G     | 39/114 (34%)   | 38 (97%)   | 1 (3%)   | 46          | 72  |
| 9   | H     | 116/116 (100%) | 114 (98%)  | 2 (2%)   | 60          | 80  |
| 10  | I     | 104/104 (100%) | 104 (100%) | 0        | 100         | 100 |
| 11  | J     | 102/103 (99%)  | 100 (98%)  | 2 (2%)   | 55          | 77  |
| 12  | K     | 109/109 (100%) | 109 (100%) | 0        | 100         | 100 |
| 13  | L     | 99/103 (96%)   | 99 (100%)  | 0        | 100         | 100 |
| 14  | M     | 84/87 (97%)    | 81 (96%)   | 3 (4%)   | 35          | 63  |
| 15  | N     | 99/100 (99%)   | 96 (97%)   | 3 (3%)   | 41          | 68  |
| 16  | O     | 89/90 (99%)    | 88 (99%)   | 1 (1%)   | 73          | 86  |
| 17  | P     | 84/84 (100%)   | 84 (100%)  | 0        | 100         | 100 |
| 18  | Q     | 93/93 (100%)   | 93 (100%)  | 0        | 100         | 100 |
| 19  | R     | 77/84 (92%)    | 77 (100%)  | 0        | 100         | 100 |
| 20  | S     | 78/85 (92%)    | 77 (99%)   | 1 (1%)   | 69          | 84  |
| 21  | T     | 77/78 (99%)    | 75 (97%)   | 2 (3%)   | 46          | 72  |
| 22  | U     | 57/63 (90%)    | 55 (96%)   | 2 (4%)   | 36          | 65  |
| 23  | V     | 67/68 (98%)    | 67 (100%)  | 0        | 100         | 100 |
| 24  | W     | 54/55 (98%)    | 54 (100%)  | 0        | 100         | 100 |
| 25  | X     | 48/49 (98%)    | 48 (100%)  | 0        | 100         | 100 |
| 26  | Y     | 46/48 (96%)    | 46 (100%)  | 0        | 100         | 100 |
| 27  | Z     | 44/49 (90%)    | 44 (100%)  | 0        | 100         | 100 |
| 28  | AA    | 38/38 (100%)   | 38 (100%)  | 0        | 100         | 100 |
| 29  | AB    | 51/52 (98%)    | 49 (96%)   | 2 (4%)   | 32          | 61  |
| 30  | AC    | 34/34 (100%)   | 33 (97%)   | 1 (3%)   | 42          | 69  |
| 32  | a     | 171/199 (86%)  | 168 (98%)  | 3 (2%)   | 59          | 79  |
| 33  | b     | 152/190 (80%)  | 150 (99%)  | 2 (1%)   | 69          | 84  |
| 34  | c     | 134/173 (78%)  | 123 (92%)  | 11 (8%)  | 11          | 37  |
| 35  | d     | 117/126 (93%)  | 115 (98%)  | 2 (2%)   | 60          | 80  |

Continued on next page...



Continued from previous page...

| Mol | Chain | Analysed        | Rotameric  | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 36  | e     | 88/116 (76%)    | 88 (100%)  | 0        | 100         | 100 |
| 37  | f     | 77/147 (52%)    | 76 (99%)   | 1 (1%)   | 69          | 84  |
| 38  | g     | 104/105 (99%)   | 103 (99%)  | 1 (1%)   | 76          | 88  |
| 39  | h     | 97/107 (91%)    | 93 (96%)   | 4 (4%)   | 30          | 59  |
| 40  | i     | 80/90 (89%)     | 79 (99%)   | 1 (1%)   | 69          | 84  |
| 41  | j     | 90/99 (91%)     | 86 (96%)   | 4 (4%)   | 28          | 58  |
| 42  | k     | 93/104 (89%)    | 89 (96%)   | 4 (4%)   | 29          | 59  |
| 43  | l     | 90/96 (94%)     | 89 (99%)   | 1 (1%)   | 73          | 86  |
| 44  | m     | 83/84 (99%)     | 82 (99%)   | 1 (1%)   | 71          | 85  |
| 45  | n     | 75/77 (97%)     | 74 (99%)   | 1 (1%)   | 69          | 84  |
| 46  | o     | 65/65 (100%)    | 65 (100%)  | 0        | 100         | 100 |
| 47  | p     | 72/78 (92%)     | 71 (99%)   | 1 (1%)   | 67          | 83  |
| 48  | q     | 47/65 (72%)     | 47 (100%)  | 0        | 100         | 100 |
| 49  | r     | 70/79 (89%)     | 66 (94%)   | 4 (6%)   | 20          | 50  |
| 50  | s     | 64/66 (97%)     | 64 (100%)  | 0        | 100         | 100 |
| 51  | t     | 56/61 (92%)     | 56 (100%)  | 0        | 100         | 100 |
| All | All   | 4341/4768 (91%) | 4272 (98%) | 69 (2%)  | 64          | 81  |

5 of 69 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 42  | k     | 17  | LYS  |
| 42  | k     | 52  | CYS  |
| 49  | r     | 5   | LYS  |
| 22  | U     | 52  | ASP  |
| 22  | U     | 10  | ARG  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 52 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 33  | b     | 99  | GLN  |
| 36  | e     | 17  | GLN  |
| 50  | s     | 19  | HIS  |
| 34  | c     | 84  | ASN  |
| 34  | c     | 197 | HIS  |

### 5.3.3 RNA [i](#)

| Mol | Chain | Analysed        | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 1   | 3     | 119/120 (99%)   | 33 (27%)          | 1 (0%)          |
| 2   | 5     | 75/76 (98%)     | 19 (25%)          | 0               |
| 31  | 2     | 2831/2903 (97%) | 550 (19%)         | 9 (0%)          |
| 52  | 1     | 1505/1540 (97%) | 307 (20%)         | 6 (0%)          |
| 53  | 4     | 42/93 (45%)     | 10 (23%)          | 0               |
| All | All   | 4572/4732 (96%) | 919 (20%)         | 16 (0%)         |

5 of 919 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | 3     | 9   | G    |
| 1   | 3     | 12  | C    |
| 1   | 3     | 13  | G    |
| 1   | 3     | 14  | U    |
| 1   | 3     | 15  | A    |

5 of 16 RNA pucker outliers are listed below:

| Mol | Chain | Res  | Type |
|-----|-------|------|------|
| 52  | 1     | 1201 | A    |
| 52  | 1     | 1190 | G    |
| 31  | 2     | 2581 | G    |
| 52  | 1     | 509  | A    |
| 31  | 2     | 1340 | U    |

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 53 ligands modelled in this entry, 53 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21421. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 331



Y Index: 312



Z Index: 310

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 6.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 1184  $\text{nm}^3$ ; this corresponds to an approximate mass of 1070 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of  $0.294 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.294 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


| Resolution estimate (Å)   | Estimation criterion (FSC cut-off) |      |          |
|---------------------------|------------------------------------|------|----------|
|                           | 0.143                              | 0.5  | Half-bit |
| Reported by author        | 3.40                               | -    | -        |
| Author-provided FSC curve | 3.37                               | 4.14 | 3.44     |
| Unmasked-calculated*      | -                                  | -    | -        |

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-21421 and PDB model 6VWM. Per-residue inclusion information can be found in section 3 on page 15.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 6.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (6.0).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary







































The table lists the average atom inclusion at the recommended contour level (6.0) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion   | Q-score  |
|-------|--|--|
| All   |  0.7918   |  0.3850   |
| 1     |  0.8079   |  0.3310   |
| 2     |  0.8790   |  0.4250   |
| 3     |  0.8287   |  0.3480   |
| 4     |  0.3704   |  0.1060   |
| 5     |  0.6178   |  0.2380   |
| A     |  0.8478   |  0.4640   |
| AA    |  0.9324   |  0.4860   |
| AB    |  0.8615   |  0.4650   |
| AC    |  0.8322   |  0.4320   |
| B     |  0.8030   |  0.4750   |
| C     |  0.7454   |  0.4490   |
| D     |  0.4618   |  0.2700   |
| E     |  0.6093   |  0.3710   |
| G     |  0.4110  |  0.3160  |
| H     |  0.8318 |  0.4730 |
| I     |  0.8319 |  0.4750 |
| J     |  0.8136 |  0.4700 |
| K     |  0.8378 |  0.4630 |
| L     |  0.8467 |  0.4740 |
| M     |  0.6678 |  0.3490 |
| N     |  0.8041 |  0.4520 |
| O     |  0.8458 |  0.4690 |
| P     |  0.7578 |  0.4700 |
| Q     |  0.8206 |  0.4680 |
| R     |  0.7937 |  0.4480 |
| S     |  0.7469 |  0.4570 |
| T     |  0.7014 |  0.4250 |
| U     |  0.8408 |  0.4900 |
| V     |  0.8453 |  0.4470 |
| W     |  0.7223 |  0.4190 |
| X     |  0.7849 |  0.4630 |
| Y     |  0.8353 |  0.4720 |
| Z     |  0.3711 |  0.3860 |
| a     |  0.3311 |  0.2980 |



*Continued on next page...*

*Continued from previous page...*

| Chain | Atom inclusion   | Q-score  |
|-------|--|--|
| b     |  0.5123   |  0.2990   |
| c     |  0.4855   |  0.2900   |
| d     |  0.7149   |  0.3810   |
| e     |  0.5380   |  0.3210   |
| f     |  0.3633   |  0.2040   |
| g     |  0.6531   |  0.3520   |
| h     |  0.3814   |  0.2370   |
| i     |  0.3324   |  0.2660   |
| j     |  0.6190   |  0.3170   |
| k     |  0.6771   |  0.3500   |
| l     |  0.3776   |  0.2020   |
| m     |  0.4987   |  0.2650   |
| n     |  0.6779   |  0.3400   |
| o     |  0.6539   |  0.3650   |
| p     |  0.7192   |  0.3750   |
| q     |  0.6620   |  0.3500   |
| r     |  0.3446   |  0.2450   |
| s     |  0.7250  |  0.3240  |
| t     |  0.5279 |  0.3200 |