



## Full wwPDB EM Validation Report ⓘ

Nov 12, 2022 – 11:02 PM EST

PDB ID : 6VYU  
EMDB ID : EMD-21472  
Title : Escherichia coli transcription-translation complex C2 (TTC-C2) containing a  
27 nt long mRNA spacer  
Authors : Molodtsov, V.; Wang, C.; Su, M.; Ebright, R.H.  
Deposited on : 2020-02-27  
Resolution : 7.00 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 7.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	103	
2	1	110	
3	2	100	
4	3	104	
5	4	94	
6	5	36	
7	6	36	
8	7	16	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	A	76	
9	B	76	
10	AA	1342	
11	AB	181	
12	AC	329	
12	AD	329	
13	AE	1407	
14	AF	91	
15	C	75	
16	D	1542	
17	E	87	
18	F	71	
19	G	241	
20	H	557	
21	I	233	
22	J	206	
23	K	167	
24	L	135	
25	M	179	
26	N	130	
27	O	130	
28	P	103	
29	Q	129	
30	R	124	
31	S	101	



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
32	T	89	85% 13%
33	U	82	94% 6%
34	V	84	93% 5%
35	W	92	86% 10%
36	X	118	88% 10%
37	Y	3	33% 67%
38	a	2904	81% 18%
39	b	85	88% 11%
40	c	78	94% 5%
41	d	120	86% 14%
42	e	63	97%
43	f	59	95%
44	g	70	86% 9% 6%
45	h	273	93% 7%
46	i	57	88% 11%
47	j	209	97%
48	k	55	89% 5% 5%
49	l	201	93% 7%
50	m	46	93% 7%
51	n	179	89% 10%
52	o	65	91% 8%
53	p	177	97%
54	q	38	95% 5%
55	r	149	93% 7%
56	s	142	96%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
57	t	123	 95% 5%
58	u	144	 96% .
59	v	136	 96% .
60	w	127	 87% 6% 6%
61	x	117	 94% 5% .
62	y	115	 95% . .
63	z	118	 97% . .

## 2 Entry composition [i](#)

There are 65 unique types of molecules in this entry. The entry contains 299446 atoms, of which 125487 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	0	103	1655	516	839	153	145	2	0	0

- Molecule 2 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
2	1	110	1779	532	922	166	156	3	0	0

- Molecule 3 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
3	2	94	1557	470	811	140	134	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
4	3	103	1632	498	844	148	142	0	0

- Molecule 5 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
5	4	94	1533	479	780	137	134	3	0	0

- Molecule 6 is a DNA chain called NT DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
6	5	23	732	225	260	87	137	23	0	0

- Molecule 7 is a DNA chain called T DNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
7	6	27	847	259	305	89	167	27	0	0

- Molecule 8 is a RNA chain called mRNA with a 27 nt long spacer.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
8	7	16	515	154	168	62	115	16	0	0

- Molecule 9 is a RNA chain called E-site fMet-tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
9	A	76	2446	723	826	295	527	75	0	0
9	B	76	2433	723	813	295	527	75	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	U	deletion	GB 1848954948
B	?	-	U	deletion	GB 1848954948

- Molecule 10 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
10	AA	1322	20852	6539	10427	1817	2026	43	0	0

- Molecule 11 is a protein called Transcription termination/antitermination protein NusG.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
11	AB	98	1573	505	783	139	140	6	0	0

- Molecule 12 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
12	AC	230	3599	1112	1813	317	351	6	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace	
12	AD	228	Total	C	H	N	O	S	0	0
			3556	1100	1789	312	349	6		

- Molecule 13 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace	
13	AE	1335	Total	C	H	N	O	S	0	0
			20999	6526	10611	1854	1958	50		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	1384	VAL	MET	conflict	UNP A0A4S1NBU2

- Molecule 14 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms					AltConf	Trace	
14	AF	83	Total	C	H	N	O	S	0	0
			1318	399	663	123	132	1		

- Molecule 15 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace	
15	C	66	Total	C	H	N	O	S	0	0
			1103	344	559	102	97	1		

- Molecule 16 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
16	D	1524	Total	C	H	N	O	P	0	0
			49126	14585	16423	6003	10591	1524		

- Molecule 17 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace	
17	E	86	Total	C	H	N	O	S	0	0
			1388	414	719	138	114	3		

- Molecule 18 is a protein called 30S ribosomal protein S21.



Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
18	F	70	1218	366	629	125	97	1	0	0

- Molecule 19 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
19	G	225	3545	1113	1785	316	323	8	0	0

- Molecule 20 is a protein called 30S ribosomal protein S1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
20	H	259	3184	1073	1454	305	349	3	0	0

- Molecule 21 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
21	I	208	3346	1036	1710	307	290	3	0	0

- Molecule 22 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
22	J	205	3350	1026	1707	315	298	4	0	0

- Molecule 23 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
23	K	156	2348	717	1196	217	212	6	0	0

- Molecule 24 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
24	L	104	1694	536	846	153	152	7	0	0

- Molecule 25 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
25	M	151	2416	735	1235	227	215	4	0	0

- Molecule 26 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
26	N	129	2010	616	1031	173	184	6	0	0

- Molecule 27 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
27	O	127	2092	634	1070	206	179	3	0	0

- Molecule 28 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
28	P	99	1621	495	831	151	143	1	0	0

- Molecule 29 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
29	Q	117	1764	540	887	174	160	3	0	0

- Molecule 30 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
30	R	121	1940	580	1001	194	161	4	0	0

- Molecule 31 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
31	S	100	1649	499	844	164	139	3	0	0

- Molecule 32 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
32	T	88	Total	C	H	N	O	S	0	0
			1448	439	734	144	130	1		

- Molecule 33 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace	
33	U	82	Total	C	H	N	O	S	0	0
			1315	406	666	128	114	1		

- Molecule 34 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace	
34	V	80	Total	C	H	N	O	S	0	0
			1339	411	691	121	113	3		

- Molecule 35 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace	
35	W	83	Total	C	H	N	O	S	0	0
			1351	424	688	126	111	2		

- Molecule 36 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
36	X	116	Total	C	H	N	O	S	0	0
			1864	558	964	181	158	3		

- Molecule 37 is a RNA chain called mRNA in the ribosomal RNA entrance pore.

Mol	Chain	Residues	Atoms					AltConf	Trace	
37	Y	3	Total	C	H	N	O	P	0	0
			90	27	30	6	24	3		

- Molecule 38 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
38	a	2880	Total	C	H	N	O	P	0	0
			92918	27587	31077	11398	19976	2880		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	887	A	U	conflict	GB 937521852

- Molecule 39 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
39	b	76	1181	360	599	117	104	1	0	0

- Molecule 40 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
40	c	77	1277	388	652	129	106	2	0	0

- Molecule 41 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
41	d	120	3870	1144	1301	468	837	120	0	0

- Molecule 42 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
42	e	62	1032	308	531	98	94	1	0	0

- Molecule 43 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
43	f	58	936	281	488	87	78	2	0	0

- Molecule 44 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
44	g	66	1042	323	520	99	94	6	0	0

- Molecule 45 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
45	h	271	4236	1288	2154	423	364	7	0	0

- Molecule 46 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
46	i	56	903	269	459	94	80	1	0	0

- Molecule 47 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
47	j	209	3182	979	1617	288	294	4	0	0

- Molecule 48 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
48	k	52	890	275	464	78	73	0	0

- Molecule 49 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
49	l	201	3171	974	1619	283	290	5	0	0

- Molecule 50 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
50	m	46	795	228	418	90	57	2	0	0

- Molecule 51 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
51	n	177	2853	899	1443	249	256	6	0	0

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace	
52	o	64	Total	C	H	N	O	S	0	0
			1076	323	572	105	74	2		

- Molecule 53 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
53	p	175	Total	C	H	N	O	S	0	0
			2671	826	1358	241	244	2		

- Molecule 54 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace	
54	q	38	Total	C	H	N	O	S	0	0
			645	185	343	65	48	4		

- Molecule 55 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace	
55	r	149	Total	C	H	N	O	S	0	0
			2259	699	1148	197	214	1		

- Molecule 56 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
56	s	142	Total	C	H	N	O	S	0	0
			2291	714	1162	212	199	4		

- Molecule 57 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
57	t	123	Total	C	H	N	O	S	0	0
			1969	593	1023	181	166	6		

- Molecule 58 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
58	u	144	Total	C	H	N	O	S	0	0
			2182	654	1129	207	190	2		

- Molecule 59 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
59	v	136	2231	686	1157	205	177	6	0	0

- Molecule 60 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
60	w	119	1945	588	994	195	163	5	0	0

- Molecule 61 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
61	x	116	1815	552	923	178	162		0	0

- Molecule 62 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
62	y	114	1879	574	962	179	163	1	0	0

- Molecule 63 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
63	z	117	1967	604	1020	192	151		0	0

- Molecule 64 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
64	7	1	1	1	0


- Molecule 65 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
65	AA	2	2	2	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L21




- Molecule 2: 50S ribosomal protein L22




- Molecule 3: 50S ribosomal protein L23



- Molecule 4: 50S ribosomal protein L24




- Molecule 5: 50S ribosomal protein L25




- Molecule 6: NT DNA






• Molecule 7: T DNA




• Molecule 8: mRNA with a 27 nt long spacer




• Molecule 9: E-site fMet-tRNA




• Molecule 9: E-site fMet-tRNA





• Molecule 10: DNA-directed RNA polymerase subunit beta











• Molecule 14: DNA-directed RNA polymerase subunit omega



• Molecule 15: 30S ribosomal protein S18




• Molecule 16: 16S rRNA








Chain N:  97%




- Molecule 27: 30S ribosomal protein S9

Chain O:  93%





- Molecule 28: 30S ribosomal protein S10

Chain P:  87%




- Molecule 29: 30S ribosomal protein S11

Chain Q:  87%



- Molecule 30: 30S ribosomal protein S12

Chain R:  92%




- Molecule 31: 30S ribosomal protein S14

Chain S:  95%



- Molecule 32: 30S ribosomal protein S15

Chain T:  85%




- Molecule 33: 30S ribosomal protein S16

Chain U:  94% 6%





- Molecule 34: 30S ribosomal protein S17

Chain V:  93% 5%




- Molecule 35: 30S ribosomal protein S19

Chain W:  86% 5% 10%




- Molecule 36: 30S ribosomal protein S13

Chain X:  88% 12% 10%





- Molecule 37: mRNA in the ribosomal RNA entrance pore

Chain Y:  33% 67%




- Molecule 38: 23S rRNA


Chain a:  81% 18%








Chain b:  88% 11%





- Molecule 40: 50S ribosomal protein L28

Chain c:  94% 5%




- Molecule 41: 5S rRNA

Chain d:  86% 14%



- Molecule 42: 50S ribosomal protein L29

Chain e:  97%




- Molecule 43: 50S ribosomal protein L30

Chain f:  95%



- Molecule 44: 50S ribosomal protein L31

Chain g:  86% 9% 6%





- Molecule 45: 50S ribosomal protein L2

Chain h:  93% 7%




- Molecule 46: 50S ribosomal protein L32

Chain i:  88% 11%




- Molecule 47: 50S ribosomal protein L3

Chain j:  97%




- Molecule 48: 50S ribosomal protein L33

Chain k:  89% 5% 5%



- Molecule 49: 50S ribosomal protein L4

Chain l:  93% 7%





- Molecule 50: 50S ribosomal protein L34

Chain m:  93% 7%




- Molecule 51: 50S ribosomal protein L5

Chain n:  7% 89% 10%



- Molecule 52: 50S ribosomal protein L35

Chain o:  91% 8%



- Molecule 53: 50S ribosomal protein L6

Chain p:  97%





- Molecule 54: 50S ribosomal protein L36

Chain q:  95%



- Molecule 55: 50S ribosomal protein L9

Chain r:  59%



- Molecule 56: 50S ribosomal protein L13

Chain s:  96%



- Molecule 57: 50S ribosomal protein L14

Chain t:  95%




- Molecule 58: 50S ribosomal protein L15

Chain u:  96%




- Molecule 59: 50S ribosomal protein L16

Chain v:  96%




- Molecule 60: 50S ribosomal protein L17

Chain w:  87% 6% 6%




- Molecule 61: 50S ribosomal protein L18

Chain x:  94% 5%



- Molecule 62: 50S ribosomal protein L19

Chain y:  95%



- Molecule 63: 50S ribosomal protein L20

Chain z:  97%



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	8928	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	45	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.411	Depositor
Minimum map value	-0.108	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.023	Depositor
Recommended contour level	0.026	Depositor
Map size (Å)	564.28796, 564.28796, 564.28796	wwPDB
Map dimensions	192, 192, 192	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	2.939, 2.939, 2.939	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.38	0/829	0.67	0/1107
2	1	0.48	0/864	0.83	0/1156
3	2	0.42	0/752	0.71	0/1005
4	3	0.35	0/796	0.66	2/1062 (0.2%)
5	4	0.40	0/766	0.68	0/1025
6	5	1.13	6/528 (1.1%)	0.97	1/810 (0.1%)
7	6	1.11	4/603 (0.7%)	0.97	0/926
8	7	0.95	4/388 (1.0%)	1.04	0/604
9	A	0.39	0/1810	0.75	1/2821 (0.0%)
9	B	0.46	1/1810 (0.1%)	0.86	7/2821 (0.2%)
10	AA	0.58	2/10591 (0.0%)	0.76	19/14289 (0.1%)
11	AB	0.43	0/808	0.59	0/1088
12	AC	0.47	0/1808	0.61	1/2450 (0.0%)
12	AD	0.39	0/1789	0.56	0/2425
13	AE	0.51	4/10545 (0.0%)	0.66	5/14236 (0.0%)
14	AF	0.47	0/657	0.67	0/886
15	C	0.48	0/553	0.83	0/743
16	D	0.34	10/36610 (0.0%)	0.74	30/57091 (0.1%)
17	E	0.57	0/675	0.85	0/895
18	F	0.56	0/597	0.87	0/792
19	G	0.49	0/1791	0.71	0/2413
20	H	0.55	1/1746 (0.1%)	1.03	13/2382 (0.5%)
21	I	0.43	0/1663	0.71	0/2241
22	J	0.47	0/1665	0.73	0/2227
23	K	0.45	0/1165	0.75	0/1568
24	L	0.43	0/867	0.75	1/1171 (0.1%)
25	M	0.50	0/1195	0.81	0/1602
26	N	0.41	0/989	0.70	0/1326
27	O	0.43	0/1034	0.75	0/1375
28	P	0.43	0/800	0.75	0/1082
29	Q	0.40	0/893	0.70	0/1205
30	R	0.35	0/952	0.74	0/1274

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
31	S	0.49	0/817	0.79	0/1088
32	T	0.53	0/722	0.86	0/964
33	U	0.44	0/659	0.79	0/884
34	V	0.34	0/657	0.62	0/881
35	W	0.38	0/680	0.62	0/915
36	X	0.49	0/909	0.87	0/1215
37	Y	0.26	0/65	0.74	0/98
38	a	0.39	3/69247 (0.0%)	0.72	18/107985 (0.0%)
39	b	0.39	0/589	0.70	0/779
40	c	0.48	0/635	0.81	1/848 (0.1%)
41	d	0.30	0/2872	0.70	0/4478
42	e	0.54	0/502	0.83	0/667
43	f	0.45	0/452	0.78	0/605
44	g	0.43	0/531	0.68	0/709
45	h	0.39	0/2121	0.78	0/2852
46	i	0.40	0/450	0.79	0/599
47	j	0.44	0/1586	0.70	0/2134
48	k	0.35	0/433	0.65	0/576
49	l	0.46	0/1571	0.77	0/2113
50	m	0.53	0/380	0.99	0/498
51	n	0.49	0/1434	0.88	3/1926 (0.2%)
52	o	0.45	0/513	0.83	0/676
53	p	0.39	0/1333	0.67	0/1805
54	q	0.37	0/303	0.77	0/397
55	r	0.44	0/1122	0.69	0/1515
56	s	0.50	0/1152	0.75	0/1551
57	t	0.41	0/955	0.78	0/1279
58	u	0.40	0/1062	0.76	0/1413
59	v	0.47	0/1093	0.82	0/1460
60	w	0.52	0/964	0.87	0/1289
61	x	0.46	0/902	0.81	0/1209
62	y	0.41	0/929	0.72	1/1242 (0.1%)
63	z	0.60	0/960	0.91	0/1278
All	All	0.43	35/187139 (0.0%)	0.74	103/276026 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
9	A	0	2

*Continued on next page...*

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
9	B	0	2
10	AA	0	12
13	AE	0	5
14	AF	0	1
20	H	0	3
36	X	0	1
All	All	0	26

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
16	D	1516	G	O3'-P	-13.47	1.45	1.61
16	D	1339	A	O3'-P	10.59	1.73	1.61
10	AA	374	GLU	C-N	10.41	1.54	1.34
13	AE	88	CYS	CB-SG	-10.19	1.65	1.82
6	5	109	DT	O3'-P	8.67	1.71	1.61
16	D	145	G	O3'-P	8.54	1.71	1.61
16	D	196	A	O3'-P	8.35	1.71	1.61
7	6	10	DG	C1'-N9	-8.33	1.35	1.47
10	AA	850	ILE	N-CA	-8.23	1.29	1.46
16	D	1275	A	O3'-P	7.74	1.70	1.61
20	H	169	SER	N-CA	7.49	1.61	1.46
38	a	2434	A	O3'-P	7.47	1.70	1.61
16	D	1515	G	O3'-P	-7.30	1.52	1.61
6	5	121	DG	C1'-N9	-7.27	1.37	1.47
16	D	1395	C	O3'-P	7.18	1.69	1.61
16	D	1490	U	O3'-P	6.88	1.69	1.61
8	7	69	G	C1'-N9	-6.74	1.37	1.46
6	5	112	DG	C1'-N9	-6.66	1.38	1.47
38	a	1905	C	O3'-P	6.60	1.69	1.61
16	D	1492	A	O3'-P	6.55	1.69	1.61
38	a	2167	U	O3'-P	6.49	1.69	1.61
6	5	100	DA	C1'-N9	-6.47	1.38	1.47
7	6	21	DA	C1'-N9	-6.40	1.38	1.47
13	AE	93	THR	CA-C	6.23	1.69	1.52
6	5	116	DG	C1'-N9	-6.06	1.38	1.47
8	7	59	U	C1'-N1	6.05	1.57	1.48
6	5	115	DA	C1'-N9	-5.97	1.38	1.47
13	AE	70	CYS	CA-CB	-5.83	1.41	1.53
16	D	1397	C	O3'-P	5.81	1.68	1.61
9	B	36	U	O3'-P	5.71	1.68	1.61
7	6	28	DA	C1'-N9	-5.71	1.39	1.47

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	7	60	U	C1'-N1	5.70	1.57	1.48
8	7	64	U	C1'-N1	5.35	1.56	1.48
7	6	24	DT	C1'-N1	5.27	1.56	1.49
13	AE	801	VAL	CB-CG2	-5.01	1.42	1.52

All (103) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	D	1516	G	P-O3'-C3'	-18.97	96.94	119.70
16	D	1516	G	O3'-P-O5'	13.77	130.17	104.00
10	AA	1007	LYS	O-C-N	-13.03	101.85	122.70
10	AA	1250	SER	C-N-CA	11.17	149.62	121.70
38	a	2252	G	N9-C1'-C2'	-10.97	99.74	114.00
16	D	1401	G	N9-C1'-C2'	-10.72	100.06	114.00
51	n	73	SER	N-CA-CB	-10.64	94.54	110.50
10	AA	1008	GLN	CB-CA-C	10.28	130.96	110.40
16	D	1499	A	N9-C1'-C2'	-10.25	100.68	114.00
16	D	528	C	N1-C1'-C2'	-10.22	100.72	114.00
20	H	169	SER	N-CA-C	9.96	137.90	111.00
16	D	1339	A	P-O3'-C3'	9.83	131.50	119.70
9	B	29	G	N9-C1'-C2'	-9.81	101.21	112.00
9	B	28	C	P-O3'-C3'	9.57	131.19	119.70
13	AE	271	ARG	NE-CZ-NH2	-9.36	115.62	120.30
10	AA	375	PRO	CA-N-CD	-9.34	98.42	111.50
16	D	196	A	P-O3'-C3'	9.30	130.86	119.70
16	D	526	C	N1-C1'-C2'	-8.84	102.28	112.00
20	H	88	LYS	C-N-CA	8.75	143.58	121.70
38	a	2167	U	P-O3'-C3'	8.60	130.02	119.70
16	D	1208	C	N1-C1'-C2'	-8.54	102.60	112.00
10	AA	1007	LYS	CA-C-N	8.49	135.88	117.20
16	D	1206	G	N9-C1'-C2'	-8.30	102.87	112.00
38	a	2434	A	P-O3'-C3'	8.27	129.62	119.70
10	AA	995	ASP	O-C-N	-8.21	109.56	122.70
10	AA	376	PRO	N-CA-CB	-8.03	93.66	103.30
16	D	1406	U	N1-C1'-C2'	-7.79	103.43	112.00
16	D	1275	A	P-O3'-C3'	7.67	128.90	119.70
38	a	1905	C	P-O3'-C3'	7.67	128.90	119.70
16	D	1492	A	P-O3'-C3'	7.58	128.79	119.70
16	D	1490	U	P-O3'-C3'	7.57	128.78	119.70
20	H	305	HIS	N-CA-C	7.41	131.01	111.00
9	B	29	G	C3'-C2'-O2'	7.36	134.63	113.30
10	AA	1010	GLN	N-CA-CB	-7.25	97.54	110.60

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	35	A	P-O3'-C3'	7.17	128.30	119.70
16	D	1206	G	C4'-C3'-O3'	7.16	127.33	113.00
16	D	1493	A	C2'-C3'-O3'	7.08	125.09	109.50
38	a	2245	U	N1-C1'-C2'	-7.06	104.23	112.00
16	D	145	G	P-O3'-C3'	7.03	128.14	119.70
16	D	1516	G	OP1-P-O3'	-6.98	89.83	105.20
16	D	1395	C	P-O3'-C3'	6.96	128.06	119.70
10	AA	1010	GLN	CB-CA-C	6.94	124.29	110.40
10	AA	855	PRO	N-CA-CB	-6.92	94.99	102.60
10	AA	995	ASP	CA-C-N	6.70	131.94	117.20
51	n	73	SER	CB-CA-C	6.69	122.81	110.10
16	D	1515	G	O3'-P-O5'	-6.64	91.39	104.00
16	D	1401	G	C4'-C3'-O3'	6.61	126.23	113.00
38	a	1379	U	C2'-C3'-O3'	6.59	124.24	113.70
38	a	2250	G	C4'-C3'-O3'	-6.57	95.60	109.40
38	a	2243	U	N1-C1'-C2'	-6.52	104.83	112.00
20	H	339	ARG	C-N-CA	6.50	137.95	121.70
16	D	1515	G	P-O3'-C3'	6.48	127.47	119.70
16	D	1408	A	N9-C1'-C2'	-6.46	104.90	112.00
10	AA	935	THR	CA-CB-OG1	-6.45	95.46	109.00
16	D	515	G	N9-C1'-C2'	-6.43	104.92	112.00
9	B	34	C	P-O3'-C3'	6.40	127.38	119.70
16	D	1497	G	N9-C1'-C2'	-6.39	104.97	112.00
6	5	109	DT	P-O3'-C3'	6.36	127.33	119.70
10	AA	869	GLY	CA-C-O	-6.36	109.16	120.60
12	AC	117	HIS	CB-CA-C	-6.24	97.91	110.40
10	AA	849	GLU	C-N-CA	6.14	137.04	121.70
20	H	140	PRO	N-CA-CB	6.02	110.52	103.30
9	B	29	G	P-O3'-C3'	5.94	126.82	119.70
20	H	330	VAL	N-CA-C	5.91	126.96	111.00
10	AA	727	VAL	N-CA-C	-5.90	95.07	111.00
38	a	754	U	N1-C1'-C2'	5.86	121.62	114.00
20	H	336	ASP	CB-CA-C	-5.86	98.68	110.40
20	H	168	VAL	C-N-CA	5.79	136.18	121.70
20	H	132	PRO	N-CA-CB	5.77	110.22	103.30
13	AE	903	LEU	C-N-CA	5.75	136.08	121.70
16	D	517	G	C5'-C4'-C3'	5.75	125.20	116.00
38	a	2244	U	C1'-C2'-O2'	-5.66	93.61	110.60
51	n	127	ASN	CB-CA-C	5.65	121.70	110.40
20	H	344	LEU	CA-CB-CG	5.63	128.25	115.30
24	L	54	LEU	CA-CB-CG	5.61	128.20	115.30
13	AE	363	LEU	CA-CB-CG	5.58	128.12	115.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	AA	1233	LEU	CA-CB-CG	5.46	127.86	115.30
38	a	783	A	C4'-C3'-O3'	5.43	123.86	113.00
16	D	1397	C	P-O3'-C3'	5.39	126.17	119.70
16	D	1340	A	C5'-C4'-C3'	5.34	124.54	116.00
4	3	22	ARG	NE-CZ-NH1	5.31	122.95	120.30
10	AA	728	ASP	N-CA-C	5.28	125.26	111.00
16	D	1340	A	C5'-C4'-O4'	5.25	115.39	109.10
38	a	404	A	C2'-C3'-O3'	5.24	122.08	113.70
38	a	742	A	C8-N9-C1'	-5.24	118.27	127.70
20	H	169	SER	N-CA-CB	-5.21	102.69	110.50
4	3	22	ARG	NE-CZ-NH2	-5.20	117.70	120.30
62	y	109	ARG	NE-CZ-NH2	5.19	122.90	120.30
10	AA	817	LEU	CB-CG-CD2	-5.17	102.21	111.00
38	a	2244	U	C4'-C3'-O3'	5.16	123.31	113.00
40	c	28	ARG	NE-CZ-NH2	-5.15	117.73	120.30
9	B	48	C	N1-C1'-C2'	5.10	120.63	114.00
38	a	2252	G	C4'-C3'-O3'	5.10	123.20	113.00
10	AA	1009	ASN	CB-CA-C	5.08	120.56	110.40
38	a	742	A	C4-N9-C1'	5.07	135.42	126.30
13	AE	807	LEU	CB-CG-CD2	-5.05	102.42	111.00
9	A	48	C	N1-C1'-C2'	5.04	120.55	114.00
16	D	197	A	C2'-C3'-O3'	5.03	121.75	113.70
38	a	375	G	C2'-C3'-O3'	5.03	121.75	113.70
13	AE	73	GLY	N-CA-C	5.03	125.67	113.10
38	a	1141	U	N1-C1'-C2'	5.01	120.52	114.00
20	H	153	GLU	N-CA-C	-5.01	97.47	111.00
20	H	332	VAL	N-CA-C	5.00	124.51	111.00

There are no chirality outliers.

All (26) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	A	19	G	Sidechain
9	A	7	G	Sidechain
10	AA	1007	LYS	Mainchain
10	AA	1134	GLN	Peptide
10	AA	1157	GLN	Peptide
10	AA	1158	LYS	Peptide
10	AA	205	PRO	Peptide
10	AA	594	VAL	Peptide
10	AA	595	THR	Peptide
10	AA	596	ASP	Mainchain

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Group
10	AA	696	ASP	Peptide
10	AA	746	ALA	Peptide
10	AA	853	ASP	Mainchain
10	AA	859	GLU	Mainchain
13	AE	1184	ASP	Peptide
13	AE	1326	GLN	Peptide
13	AE	313	GLY	Peptide
13	AE	416	ILE	Peptide
13	AE	804	ALA	Peptide
14	AF	32	VAL	Peptide
9	B	19	G	Sidechain
9	B	7	G	Sidechain
20	H	274	TYR	Peptide
20	H	81	GLU	Peptide
20	H	82	THR	Peptide
36	X	100	GLN	Mainchain

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	101/103 (98%)	97 (96%)	3 (3%)	1 (1%)	15	54
2	1	108/110 (98%)	104 (96%)	4 (4%)	0	100	100
3	2	92/100 (92%)	90 (98%)	2 (2%)	0	100	100
4	3	101/104 (97%)	96 (95%)	4 (4%)	1 (1%)	15	54
5	4	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
10	AA	1318/1342 (98%)	1145 (87%)	140 (11%)	33 (2%)	5	32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	AB	94/181 (52%)	88 (94%)	6 (6%)	0	100	100
12	AC	228/329 (69%)	214 (94%)	12 (5%)	2 (1%)	17	57
12	AD	226/329 (69%)	212 (94%)	14 (6%)	0	100	100
13	AE	1329/1407 (94%)	1198 (90%)	122 (9%)	9 (1%)	22	63
14	AF	81/91 (89%)	74 (91%)	7 (9%)	0	100	100
15	C	64/75 (85%)	63 (98%)	1 (2%)	0	100	100
17	E	84/87 (97%)	83 (99%)	1 (1%)	0	100	100
18	F	68/71 (96%)	68 (100%)	0	0	100	100
19	G	223/241 (92%)	210 (94%)	13 (6%)	0	100	100
20	H	255/557 (46%)	189 (74%)	54 (21%)	12 (5%)	2	21
21	I	206/233 (88%)	196 (95%)	9 (4%)	1 (0%)	29	69
22	J	203/206 (98%)	198 (98%)	5 (2%)	0	100	100
23	K	154/167 (92%)	146 (95%)	7 (4%)	1 (1%)	25	66
24	L	102/135 (76%)	97 (95%)	4 (4%)	1 (1%)	15	54
25	M	149/179 (83%)	144 (97%)	4 (3%)	1 (1%)	22	63
26	N	127/130 (98%)	121 (95%)	5 (4%)	1 (1%)	19	60
27	O	125/130 (96%)	115 (92%)	9 (7%)	1 (1%)	19	60
28	P	97/103 (94%)	88 (91%)	8 (8%)	1 (1%)	15	54
29	Q	115/129 (89%)	104 (90%)	9 (8%)	2 (2%)	9	42
30	R	117/124 (94%)	116 (99%)	1 (1%)	0	100	100
31	S	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
32	T	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
33	U	80/82 (98%)	75 (94%)	4 (5%)	1 (1%)	12	48
34	V	78/84 (93%)	74 (95%)	4 (5%)	0	100	100
35	W	81/92 (88%)	78 (96%)	3 (4%)	0	100	100
36	X	114/118 (97%)	107 (94%)	5 (4%)	2 (2%)	8	40
39	b	74/85 (87%)	69 (93%)	5 (7%)	0	100	100
40	c	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
42	e	60/63 (95%)	57 (95%)	3 (5%)	0	100	100
43	f	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
44	g	64/70 (91%)	63 (98%)	1 (2%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
45	h	269/273 (98%)	259 (96%)	9 (3%)	1 (0%)	34	72
46	i	54/57 (95%)	51 (94%)	3 (6%)	0	100	100
47	j	207/209 (99%)	198 (96%)	9 (4%)	0	100	100
48	k	50/55 (91%)	50 (100%)	0	0	100	100
49	l	199/201 (99%)	190 (96%)	8 (4%)	1 (0%)	29	69
50	m	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
51	n	175/179 (98%)	162 (93%)	11 (6%)	2 (1%)	14	52
52	o	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
53	p	173/177 (98%)	161 (93%)	12 (7%)	0	100	100
54	q	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
55	r	147/149 (99%)	136 (92%)	11 (8%)	0	100	100
56	s	140/142 (99%)	135 (96%)	5 (4%)	0	100	100
57	t	121/123 (98%)	111 (92%)	10 (8%)	0	100	100
58	u	142/144 (99%)	135 (95%)	7 (5%)	0	100	100
59	v	134/136 (98%)	129 (96%)	5 (4%)	0	100	100
60	w	117/127 (92%)	107 (92%)	10 (8%)	0	100	100
61	x	114/117 (97%)	108 (95%)	6 (5%)	0	100	100
62	y	112/115 (97%)	105 (94%)	7 (6%)	0	100	100
63	z	115/118 (98%)	110 (96%)	4 (4%)	1 (1%)	17	57
All	All	9136/10149 (90%)	8457 (93%)	604 (7%)	75 (1%)	24	60

All (75) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
10	AA	596	ASP
10	AA	853	ASP
10	AA	859	GLU
10	AA	862	LEU
10	AA	937	ASP
10	AA	993	PRO
10	AA	1010	GLN
20	H	139	ARG
20	H	153	GLU
20	H	169	SER
20	H	306	VAL

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
20	H	340	ARG
27	O	56	ASP
36	X	103	LYS
10	AA	375	PRO
10	AA	856	ASN
10	AA	870	ILE
10	AA	873	ILE
10	AA	985	GLU
10	AA	1005	GLU
10	AA	1158	LYS
13	AE	175	GLU
20	H	108	VAL
20	H	309	MET
20	H	333	LEU
45	h	158	ALA
49	l	142	ALA
63	z	3	ARG
10	AA	376	PRO
10	AA	723	VAL
10	AA	728	ASP
10	AA	935	THR
10	AA	980	VAL
10	AA	1045	GLY
12	AC	164	ASP
12	AC	165	GLU
13	AE	51	PRO
13	AE	805	GLN
20	H	76	GLU
20	H	142	ARG
25	M	130	ASN
28	P	58	ASN
29	Q	119	ASN
10	AA	850	ILE
10	AA	940	GLU
10	AA	941	LYS
10	AA	943	LYS
10	AA	991	LYS
10	AA	995	ASP
13	AE	174	ASP
13	AE	193	ASP
21	I	80	LYS
36	X	105	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
51	n	40	VAL
10	AA	917	SER
10	AA	1003	THR
10	AA	1044	PRO
13	AE	91	GLU
20	H	70	VAL
20	H	82	THR
4	3	39	ILE
13	AE	49	PHE
13	AE	73	GLY
13	AE	904	ALA
24	L	96	VAL
1	0	44	GLY
10	AA	697	LYS
10	AA	1159	VAL
23	K	44	GLY
10	AA	1317	PRO
29	Q	74	VAL
33	U	64	GLY
51	n	62	GLY
10	AA	933	VAL
26	N	75	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	0	84/84 (100%)	78 (93%)	6 (7%)	14 39
2	1	93/93 (100%)	84 (90%)	9 (10%)	8 27
3	2	81/84 (96%)	76 (94%)	5 (6%)	18 43
4	3	84/85 (99%)	78 (93%)	6 (7%)	14 39
5	4	78/78 (100%)	74 (95%)	4 (5%)	24 48
10	AA	1140/1157 (98%)	1043 (92%)	97 (8%)	10 33
11	AB	86/158 (54%)	84 (98%)	2 (2%)	50 70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	AC	198/286 (69%)	184 (93%)	14 (7%)	14	39
12	AD	196/286 (68%)	194 (99%)	2 (1%)	76	86
13	AE	1120/1168 (96%)	1051 (94%)	69 (6%)	18	43
14	AF	70/75 (93%)	70 (100%)	0	100	100
15	C	57/65 (88%)	55 (96%)	2 (4%)	36	59
17	E	65/66 (98%)	60 (92%)	5 (8%)	13	37
18	F	60/61 (98%)	57 (95%)	3 (5%)	24	49
19	G	187/199 (94%)	178 (95%)	9 (5%)	25	50
20	H	137/461 (30%)	128 (93%)	9 (7%)	16	41
21	I	171/190 (90%)	165 (96%)	6 (4%)	36	59
22	J	172/173 (99%)	165 (96%)	7 (4%)	30	55
23	K	119/126 (94%)	112 (94%)	7 (6%)	19	45
24	L	91/116 (78%)	85 (93%)	6 (7%)	16	41
25	M	124/147 (84%)	116 (94%)	8 (6%)	17	42
26	N	104/105 (99%)	102 (98%)	2 (2%)	57	75
27	O	105/107 (98%)	100 (95%)	5 (5%)	25	50
28	P	86/90 (96%)	78 (91%)	8 (9%)	9	28
29	Q	90/99 (91%)	87 (97%)	3 (3%)	38	61
30	R	101/104 (97%)	94 (93%)	7 (7%)	15	40
31	S	83/84 (99%)	79 (95%)	4 (5%)	25	50
32	T	76/77 (99%)	64 (84%)	12 (16%)	2	13
33	U	65/65 (100%)	61 (94%)	4 (6%)	18	43
34	V	74/78 (95%)	72 (97%)	2 (3%)	44	65
35	W	72/79 (91%)	68 (94%)	4 (6%)	21	46
36	X	94/96 (98%)	85 (90%)	9 (10%)	8	27
39	b	58/63 (92%)	57 (98%)	1 (2%)	60	78
40	c	67/68 (98%)	64 (96%)	3 (4%)	27	52
42	e	54/55 (98%)	53 (98%)	1 (2%)	57	75
43	f	48/49 (98%)	46 (96%)	2 (4%)	30	54
44	g	59/62 (95%)	53 (90%)	6 (10%)	7	25
45	h	216/218 (99%)	199 (92%)	17 (8%)	12	35

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
46	i	47/48 (98%)	41 (87%)	6 (13%)	4	18
47	j	164/164 (100%)	157 (96%)	7 (4%)	29	53
48	k	47/49 (96%)	44 (94%)	3 (6%)	17	42
49	l	165/165 (100%)	151 (92%)	14 (8%)	10	33
50	m	38/38 (100%)	35 (92%)	3 (8%)	12	35
51	n	148/150 (99%)	134 (90%)	14 (10%)	8	27
52	o	51/52 (98%)	46 (90%)	5 (10%)	8	26
53	p	136/138 (99%)	132 (97%)	4 (3%)	42	64
54	q	34/34 (100%)	32 (94%)	2 (6%)	19	45
55	r	114/114 (100%)	104 (91%)	10 (9%)	10	31
56	s	116/116 (100%)	110 (95%)	6 (5%)	23	48
57	t	104/104 (100%)	98 (94%)	6 (6%)	20	45
58	u	103/103 (100%)	97 (94%)	6 (6%)	20	45
59	v	109/109 (100%)	103 (94%)	6 (6%)	21	47
60	w	99/103 (96%)	91 (92%)	8 (8%)	11	35
61	x	86/87 (99%)	80 (93%)	6 (7%)	15	40
62	y	99/100 (99%)	95 (96%)	4 (4%)	31	55
63	z	89/90 (99%)	87 (98%)	2 (2%)	52	71
All	All	7614/8421 (90%)	7136 (94%)	478 (6%)	21	43

All (478) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	10	LYS
1	0	13	ARG
1	0	48	LYS
1	0	51	VAL
1	0	68	ARG
1	0	86	GLN
2	1	7	HIS
2	1	19	LEU
2	1	30	SER
2	1	41	LYS
2	1	69	LEU
2	1	97	LEU
2	1	107	VAL

Continued on next page...

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
2	1	109	ASP
2	1	110	ARG
3	2	1	MET
3	2	24	MET
3	2	37	ASP
3	2	59	ASN
3	2	93	LEU
4	3	52	LEU
4	3	68	SER
4	3	72	ILE
4	3	89	ASP
4	3	99	ASN
4	3	101	GLU
5	4	40	ILE
5	4	41	GLU
5	4	69	GLU
5	4	71	LYS
10	AA	376	PRO
10	AA	723	VAL
10	AA	728	ASP
10	AA	731	ARG
10	AA	752	ASN
10	AA	817	LEU
10	AA	840	SER
10	AA	844	LYS
10	AA	845	LEU
10	AA	851	THR
10	AA	854	ILE
10	AA	855	PRO
10	AA	857	VAL
10	AA	862	LEU
10	AA	864	LYS
10	AA	866	ASP
10	AA	867	GLU
10	AA	868	SER
10	AA	871	VAL
10	AA	872	TYR
10	AA	873	ILE
10	AA	884	VAL
10	AA	886	LYS
10	AA	890	LYS
10	AA	911	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
10	AA	914	LYS
10	AA	918	LEU
10	AA	933	VAL
10	AA	936	ARG
10	AA	939	VAL
10	AA	941	LYS
10	AA	942	ASP
10	AA	943	LYS
10	AA	944	ARG
10	AA	949	GLU
10	AA	950	GLU
10	AA	951	MET
10	AA	952	GLN
10	AA	953	LEU
10	AA	954	LYS
10	AA	955	GLN
10	AA	957	LYS
10	AA	958	LYS
10	AA	959	ASP
10	AA	960	LEU
10	AA	962	GLU
10	AA	963	GLU
10	AA	964	LEU
10	AA	965	GLN
10	AA	967	LEU
10	AA	968	GLU
10	AA	971	LEU
10	AA	973	SER
10	AA	974	ARG
10	AA	979	LEU
10	AA	980	VAL
10	AA	985	GLU
10	AA	988	LYS
10	AA	989	LEU
10	AA	991	LYS
10	AA	992	LEU
10	AA	994	ARG
10	AA	995	ASP
10	AA	997	TRP
10	AA	999	GLU
10	AA	1004	ASP
10	AA	1005	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
10	AA	1007	LYS
10	AA	1010	GLN
10	AA	1013	GLN
10	AA	1019	ASP
10	AA	1020	GLU
10	AA	1022	LYS
10	AA	1023	HIS
10	AA	1024	GLU
10	AA	1025	PHE
10	AA	1026	GLU
10	AA	1027	LYS
10	AA	1029	LEU
10	AA	1030	GLU
10	AA	1032	LYS
10	AA	1034	ARG
10	AA	1035	LYS
10	AA	1038	GLN
10	AA	1041	ASP
10	AA	1042	LEU
10	AA	1046	VAL
10	AA	1047	LEU
10	AA	1048	LYS
10	AA	1151	LEU
10	AA	1159	VAL
10	AA	1250	SER
10	AA	1252	SER
10	AA	1253	LEU
10	AA	1254	VAL
10	AA	1256	GLN
10	AA	1259	LEU
11	AB	21	ARG
11	AB	47	GLU
12	AC	12	ARG
12	AC	72	GLU
12	AC	91	ARG
12	AC	134	THR
12	AC	158	ARG
12	AC	159	ILE
12	AC	160	HIS
12	AC	162	GLU
12	AC	163	GLU
12	AC	165	GLU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
12	AC	166	ARG
12	AC	168	ILE
12	AC	170	ARG
12	AC	171	LEU
12	AD	12	ARG
12	AD	208	ASN
13	AE	40	LYS
13	AE	42	GLU
13	AE	44	ILE
13	AE	46	TYR
13	AE	47	ARG
13	AE	49	PHE
13	AE	50	LYS
13	AE	52	GLU
13	AE	53	ARG
13	AE	54	ASP
13	AE	60	ARG
13	AE	67	ASP
13	AE	70	CYS
13	AE	72	CYS
13	AE	74	LYS
13	AE	76	LYS
13	AE	77	ARG
13	AE	78	LEU
13	AE	81	ARG
13	AE	87	LYS
13	AE	88	CYS
13	AE	91	GLU
13	AE	94	GLN
13	AE	95	THR
13	AE	99	ARG
13	AE	100	GLU
13	AE	117	LEU
13	AE	119	SER
13	AE	123	ARG
13	AE	132	LEU
13	AE	135	ILE
13	AE	142	GLU
13	AE	144	TYR
13	AE	145	VAL
13	AE	147	ILE
13	AE	152	THR

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
13	AE	154	LEU
13	AE	157	GLN
13	AE	159	ILE
13	AE	175	GLU
13	AE	180	MET
13	AE	190	LYS
13	AE	193	ASP
13	AE	196	GLN
13	AE	210	SER
13	AE	215	LYS
13	AE	216	LYS
13	AE	222	LYS
13	AE	223	LEU
13	AE	227	PHE
13	AE	232	ASN
13	AE	233	LYS
13	AE	237	MET
13	AE	238	ILE
13	AE	239	LEU
13	AE	240	THR
13	AE	244	VAL
13	AE	271	ARG
13	AE	385	LEU
13	AE	386	GLU
13	AE	390	LEU
13	AE	393	THR
13	AE	394	ILE
13	AE	395	LYS
13	AE	514	THR
13	AE	709	ARG
13	AE	836	ARG
13	AE	1172	LYS
13	AE	1373	ARG
15	C	33	ILE
15	C	74	HIS
17	E	6	SER
17	E	10	ARG
17	E	48	GLN
17	E	54	MET
17	E	64	LYS
18	F	34	ARG
18	F	62	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
18	F	67	ARG
19	G	8	ASP
19	G	23	TRP
19	G	45	LYS
19	G	105	LYS
19	G	108	ARG
19	G	128	LYS
19	G	129	LEU
19	G	132	LYS
19	G	208	ARG
20	H	9	PHE
20	H	54	LYS
20	H	273	ARG
20	H	305	HIS
20	H	336	ASP
20	H	337	GLU
20	H	338	GLU
20	H	339	ARG
20	H	340	ARG
21	I	14	ILE
21	I	75	ILE
21	I	89	LYS
21	I	164	ARG
21	I	185	ASN
21	I	200	VAL
22	J	47	ARG
22	J	48	LEU
22	J	95	GLU
22	J	104	ARG
22	J	116	GLN
22	J	138	SER
22	J	143	VAL
23	K	10	GLU
23	K	15	LEU
23	K	60	ILE
23	K	114	VAL
23	K	115	LEU
23	K	138	ARG
23	K	162	GLU
24	L	16	GLU
24	L	24	ARG
24	L	38	ARG

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
24	L	54	LEU
24	L	79	ARG
24	L	86	ARG
25	M	7	ILE
25	M	17	LYS
25	M	21	GLU
25	M	23	LEU
25	M	79	ARG
25	M	109	ARG
25	M	130	ASN
25	M	146	GLU
26	N	96	MET
26	N	121	LEU
27	O	12	ARG
27	O	27	LYS
27	O	60	LYS
27	O	63	LEU
27	O	118	LEU
28	P	5	ARG
28	P	17	LEU
28	P	24	GLU
28	P	25	ILE
28	P	27	GLU
28	P	37	ARG
28	P	87	LEU
28	P	90	LEU
29	Q	15	GLN
29	Q	56	ARG
29	Q	107	ILE
30	R	5	ASN
30	R	12	ARG
30	R	24	LEU
30	R	56	ARG
30	R	62	GLU
30	R	74	LEU
30	R	102	LEU
31	S	45	VAL
31	S	46	LEU
31	S	89	MET
31	S	92	GLU
32	T	10	LYS
32	T	17	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
32	T	22	THR
32	T	39	LEU
32	T	40	GLN
32	T	64	ARG
32	T	66	LEU
32	T	67	LEU
32	T	70	LEU
32	T	73	LYS
32	T	84	ARG
32	T	85	LEU
33	U	1	MET
33	U	2	VAL
33	U	6	LEU
33	U	19	VAL
34	V	75	LEU
34	V	81	LYS
35	W	12	ASP
35	W	21	LYS
35	W	33	THR
35	W	79	THR
36	X	11	ASP
36	X	16	VAL
36	X	25	VAL
36	X	29	ARG
36	X	59	GLU
36	X	92	ARG
36	X	93	ARG
36	X	101	ARG
36	X	117	LYS
39	b	70	GLU
40	c	48	THR
40	c	54	LYS
40	c	71	LEU
42	e	58	ASN
43	f	3	LYS
43	f	45	ARG
44	g	3	LYS
44	g	16	CYS
44	g	43	PHE
44	g	47	LYS
44	g	59	ARG
44	g	65	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
45	h	51	THR
45	h	52	ARG
45	h	118	SER
45	h	125	LYS
45	h	130	LEU
45	h	141	VAL
45	h	156	ARG
45	h	187	ASP
45	h	189	ARG
45	h	195	VAL
45	h	202	LEU
45	h	203	ARG
45	h	204	VAL
45	h	205	LEU
45	h	242	LYS
45	h	258	ARG
45	h	271	ARG
46	i	9	THR
46	i	12	LYS
46	i	26	THR
46	i	27	SER
46	i	29	SER
46	i	40	ARG
47	j	13	ARG
47	j	18	ASP
47	j	32	ASN
47	j	46	ARG
47	j	91	THR
47	j	103	ASP
47	j	131	ASP
48	k	5	ILE
48	k	24	THR
48	k	26	ASN
49	l	7	ASP
49	l	17	THR
49	l	22	ASP
49	l	40	ARG
49	l	48	THR
49	l	57	LYS
49	l	69	ARG
49	l	77	ILE
49	l	80	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
49	l	108	ILE
49	l	109	LEU
49	l	122	GLU
49	l	149	ILE
49	l	179	SER
50	m	22	MET
50	m	41	ARG
50	m	42	LEU
51	n	6	ASP
51	n	10	ASP
51	n	57	LEU
51	n	80	ARG
51	n	95	ARG
51	n	105	THR
51	n	115	ARG
51	n	117	LEU
51	n	122	PHE
51	n	123	ASP
51	n	133	ARG
51	n	140	GLU
51	n	152	LEU
51	n	163	ASP
52	o	8	ARG
52	o	30	ARG
52	o	31	HIS
52	o	54	ASP
52	o	55	LEU
53	p	39	ASP
53	p	95	ARG
53	p	125	CYS
53	p	171	THR
54	q	3	VAL
54	q	26	ILE
55	r	11	ASN
55	r	12	LEU
55	r	15	LEU
55	r	41	LYS
55	r	66	ASN
55	r	72	ILE
55	r	87	GLU
55	r	97	ARG
55	r	101	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
55	r	127	GLU
56	s	1	MET
56	s	14	ASP
56	s	30	THR
56	s	40	HIS
56	s	57	LEU
56	s	142	ILE
57	t	32	TYR
57	t	49	ARG
57	t	53	LYS
57	t	80	ASP
57	t	88	ASN
57	t	104	THR
58	u	5	THR
58	u	27	LEU
58	u	48	ARG
58	u	59	ARG
58	u	76	GLU
58	u	78	ARG
59	v	18	ARG
59	v	40	ARG
59	v	84	LYS
59	v	110	GLU
59	v	126	ILE
59	v	128	THR
60	w	2	ARG
60	w	20	MET
60	w	24	MET
60	w	51	LEU
60	w	63	ARG
60	w	65	LEU
60	w	69	ARG
60	w	95	THR
61	x	13	ARG
61	x	19	GLN
61	x	31	THR
61	x	47	VAL
61	x	48	LEU
61	x	91	SER
62	y	10	GLN
62	y	27	GLU
62	y	85	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
62	y	114	LEU
63	z	18	LEU
63	z	51	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
10	AA	1010	GLN
10	AA	1013	GLN
19	G	18	HIS
36	X	105	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
16	D	1515/1542 (98%)	289 (19%)	35 (2%)
37	Y	2/3 (66%)	2 (100%)	0
38	a	2859/2904 (98%)	531 (18%)	0
41	d	119/120 (99%)	17 (14%)	0
8	7	15/16 (93%)	7 (46%)	0
9	A	75/76 (98%)	29 (38%)	6 (8%)
9	B	75/76 (98%)	35 (46%)	6 (8%)
All	All	4660/4737 (98%)	910 (19%)	47 (1%)

All (910) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	7	56	U
8	7	57	G
8	7	58	A
8	7	59	U
8	7	60	U
8	7	62	G
8	7	63	G
9	A	2	G
9	A	6	G
9	A	7	G
9	A	8	U
9	A	10	G
9	A	13	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
9	A	14	A
9	A	15	G
9	A	16	C
9	A	17	C
9	A	18	G
9	A	19	G
9	A	20	U
9	A	21	A
9	A	22	G
9	A	23	C
9	A	46	G
9	A	47	U
9	A	48	C
9	A	49	G
9	A	52	G
9	A	57	A
9	A	58	A
9	A	59	A
9	A	61	C
9	A	66	C
9	A	69	C
9	A	71	C
9	A	73	A
9	B	2	G
9	B	6	G
9	B	7	G
9	B	8	U
9	B	10	G
9	B	13	C
9	B	14	A
9	B	15	G
9	B	16	C
9	B	17	C
9	B	18	G
9	B	19	G
9	B	20	U
9	B	21	A
9	B	22	G
9	B	23	C
9	B	30	G
9	B	31	G
9	B	32	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
9	B	36	U
9	B	37	A
9	B	38	A
9	B	46	G
9	B	47	U
9	B	48	C
9	B	49	G
9	B	52	G
9	B	57	A
9	B	58	A
9	B	59	A
9	B	61	C
9	B	66	C
9	B	69	C
9	B	71	C
9	B	73	A
16	D	4	U
16	D	5	U
16	D	9	G
16	D	22	G
16	D	29	U
16	D	32	A
16	D	39	G
16	D	41	G
16	D	47	C
16	D	48	C
16	D	50	A
16	D	51	A
16	D	52	C
16	D	54	C
16	D	69	G
16	D	70	U
16	D	71	A
16	D	72	A
16	D	74	A
16	D	76	G
16	D	82	G
16	D	83	C
16	D	84	U
16	D	87	C
16	D	90	C
16	D	94	G

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
16	D	95	C
16	D	96	U
16	D	108	G
16	D	120	A
16	D	122	G
16	D	128	G
16	D	131	A
16	D	141	G
16	D	144	G
16	D	148	G
16	D	149	A
16	D	160	A
16	D	164	G
16	D	173	U
16	D	181	A
16	D	182	A
16	D	197	A
16	D	198	G
16	D	204	G
16	D	208	U
16	D	209	U
16	D	210	C
16	D	211	G
16	D	212	G
16	D	216	U
16	D	226	G
16	D	245	U
16	D	247	G
16	D	251	G
16	D	253	A
16	D	258	G
16	D	262	A
16	D	266	G
16	D	267	C
16	D	271	C
16	D	279	A
16	D	289	G
16	D	299	G
16	D	306	A
16	D	321	A
16	D	328	C
16	D	329	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
16	D	332	G
16	D	347	G
16	D	352	C
16	D	353	A
16	D	354	G
16	D	355	C
16	D	367	U
16	D	372	C
16	D	373	A
16	D	376	G
16	D	382	A
16	D	384	G
16	D	392	C
16	D	393	A
16	D	397	A
16	D	406	G
16	D	412	A
16	D	413	G
16	D	414	A
16	D	421	U
16	D	422	C
16	D	424	G
16	D	429	U
16	D	446	G
16	D	451	A
16	D	457	G
16	D	458	U
16	D	460	A
16	D	463	U
16	D	464	U
16	D	467	U
16	D	468	A
16	D	469	C
16	D	478	A
16	D	479	U
16	D	481	G
16	D	484	G
16	D	485	U
16	D	486	U
16	D	505	G
16	D	509	A
16	D	511	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
16	D	518	C
16	D	519	C
16	D	526	C
16	D	531	U
16	D	532	A
16	D	533	A
16	D	542	G
16	D	547	A
16	D	559	A
16	D	562	U
16	D	568	G
16	D	572	A
16	D	573	A
16	D	576	C
16	D	577	G
16	D	579	A
16	D	596	A
16	D	628	G
16	D	633	G
16	D	642	A
16	D	649	A
16	D	650	G
16	D	653	U
16	D	665	A
16	D	666	G
16	D	687	A
16	D	700	G
16	D	723	U
16	D	724	G
16	D	731	G
16	D	734	G
16	D	747	A
16	D	748	G
16	D	755	G
16	D	760	G
16	D	777	A
16	D	793	U
16	D	794	A
16	D	815	A
16	D	817	C
16	D	828	U
16	D	829	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
16	D	832	G
16	D	841	C
16	D	844	G
16	D	845	A
16	D	849	G
16	D	874	G
16	D	887	G
16	D	902	G
16	D	914	A
16	D	916	U
16	D	926	G
16	D	934	C
16	D	935	A
16	D	954	G
16	D	960	U
16	D	963	G
16	D	969	A
16	D	972	C
16	D	975	A
16	D	976	G
16	D	991	U
16	D	992	U
16	D	993	G
16	D	996	A
16	D	999	C
16	D	1004	A
16	D	1008	U
16	D	1009	U
16	D	1017	U
16	D	1018	G
16	D	1021	A
16	D	1024	G
16	D	1026	G
16	D	1028	C
16	D	1030	U
16	D	1031	C
16	D	1037	C
16	D	1043	G
16	D	1044	A
16	D	1046	A
16	D	1065	U
16	D	1085	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
16	D	1086	U
16	D	1094	G
16	D	1095	U
16	D	1099	G
16	D	1101	A
16	D	1124	G
16	D	1133	G
16	D	1135	U
16	D	1136	C
16	D	1137	C
16	D	1139	G
16	D	1140	C
16	D	1141	C
16	D	1142	G
16	D	1143	G
16	D	1145	A
16	D	1146	A
16	D	1151	A
16	D	1152	A
16	D	1158	C
16	D	1159	U
16	D	1167	A
16	D	1171	A
16	D	1174	G
16	D	1175	G
16	D	1176	A
16	D	1184	G
16	D	1196	A
16	D	1197	A
16	D	1206	G
16	D	1211	U
16	D	1212	U
16	D	1213	A
16	D	1214	C
16	D	1215	G
16	D	1226	C
16	D	1227	A
16	D	1228	C
16	D	1238	A
16	D	1256	A
16	D	1257	A
16	D	1260	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
16	D	1275	A
16	D	1276	G
16	D	1278	G
16	D	1279	G
16	D	1280	A
16	D	1285	A
16	D	1286	U
16	D	1287	A
16	D	1299	A
16	D	1300	G
16	D	1302	C
16	D	1305	G
16	D	1312	G
16	D	1317	C
16	D	1320	C
16	D	1323	G
16	D	1329	A
16	D	1338	G
16	D	1340	A
16	D	1346	A
16	D	1347	G
16	D	1353	G
16	D	1363	A
16	D	1370	G
16	D	1378	C
16	D	1379	G
16	D	1381	U
16	D	1391	U
16	D	1396	A
16	D	1397	C
16	D	1398	A
16	D	1404	C
16	D	1419	G
16	D	1429	A
16	D	1441	A
16	D	1446	A
16	D	1447	A
16	D	1448	C
16	D	1452	C
16	D	1453	G
16	D	1475	G
16	D	1487	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
16	D	1492	A
16	D	1493	A
16	D	1494	G
16	D	1495	U
16	D	1497	G
16	D	1503	A
16	D	1506	U
16	D	1517	G
16	D	1529	G
16	D	1530	G
16	D	1534	A
37	Y	72	U
37	Y	73	U
38	a	10	A
38	a	15	G
38	a	34	U
38	a	35	G
38	a	46	G
38	a	58	G
38	a	60	G
38	a	63	A
38	a	71	A
38	a	74	A
38	a	75	G
38	a	83	A
38	a	84	A
38	a	85	G
38	a	93	G
38	a	96	C
38	a	102	U
38	a	103	A
38	a	110	G
38	a	114	U
38	a	118	A
38	a	119	A
38	a	120	U
38	a	122	G
38	a	131	A
38	a	136	G
38	a	139	U
38	a	140	C
38	a	141	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	145	C
38	a	163	C
38	a	165	A
38	a	181	A
38	a	196	A
38	a	200	U
38	a	215	G
38	a	216	A
38	a	222	A
38	a	225	C
38	a	248	G
38	a	249	C
38	a	261	G
38	a	264	C
38	a	265	A
38	a	266	G
38	a	267	C
38	a	271	G
38	a	272	A
38	a	275	C
38	a	276	U
38	a	278	A
38	a	285	G
38	a	311	A
38	a	324	A
38	a	329	G
38	a	330	A
38	a	353	C
38	a	359	G
38	a	361	G
38	a	362	A
38	a	371	A
38	a	372	G
38	a	373	U
38	a	375	G
38	a	383	C
38	a	386	G
38	a	396	G
38	a	405	U
38	a	411	G
38	a	412	A
38	a	420	C

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	424	G
38	a	435	C
38	a	451	U
38	a	456	C
38	a	457	A
38	a	477	A
38	a	481	G
38	a	491	G
38	a	501	A
38	a	503	A
38	a	504	A
38	a	505	A
38	a	509	C
38	a	522	A
38	a	529	A
38	a	532	A
38	a	543	G
38	a	546	U
38	a	547	A
38	a	548	G
38	a	549	G
38	a	551	G
38	a	563	A
38	a	569	U
38	a	573	U
38	a	575	A
38	a	588	U
38	a	603	A
38	a	609	A
38	a	613	A
38	a	614	A
38	a	615	U
38	a	616	A
38	a	618	G
38	a	621	A
38	a	627	A
38	a	637	A
38	a	645	C
38	a	647	G
38	a	654	A
38	a	664	G
38	a	668	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	685	A
38	a	686	U
38	a	710	U
38	a	717	C
38	a	730	A
38	a	738	G
38	a	757	G
38	a	764	A
38	a	765	C
38	a	775	G
38	a	776	G
38	a	782	A
38	a	784	G
38	a	785	G
38	a	800	A
38	a	802	A
38	a	805	G
38	a	812	C
38	a	819	A
38	a	827	U
38	a	828	U
38	a	845	A
38	a	846	U
38	a	858	G
38	a	859	G
38	a	869	G
38	a	878	A
38	a	881	G
38	a	884	U
38	a	885	C
38	a	888	C
38	a	891	G
38	a	892	A
38	a	893	C
38	a	895	U
38	a	896	A
38	a	897	C
38	a	899	A
38	a	907	G
38	a	910	A
38	a	914	G
38	a	915	C

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	931	U
38	a	941	A
38	a	945	A
38	a	946	C
38	a	953	G
38	a	961	C
38	a	974	G
38	a	983	A
38	a	995	C
38	a	996	A
38	a	999	U
38	a	1005	C
38	a	1012	U
38	a	1013	C
38	a	1022	G
38	a	1023	U
38	a	1026	G
38	a	1033	U
38	a	1041	G
38	a	1045	C
38	a	1046	A
38	a	1047	G
38	a	1060	U
38	a	1061	U
38	a	1062	G
38	a	1063	G
38	a	1064	C
38	a	1065	U
38	a	1066	U
38	a	1067	A
38	a	1068	G
38	a	1069	A
38	a	1070	A
38	a	1071	G
38	a	1073	A
38	a	1074	G
38	a	1076	C
38	a	1079	C
38	a	1080	A
38	a	1081	U
38	a	1082	U
38	a	1083	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	1084	A
38	a	1087	G
38	a	1088	A
38	a	1090	A
38	a	1095	A
38	a	1096	A
38	a	1107	G
38	a	1110	G
38	a	1111	A
38	a	1112	G
38	a	1119	U
38	a	1122	G
38	a	1132	U
38	a	1134	A
38	a	1135	C
38	a	1142	A
38	a	1169	A
38	a	1170	C
38	a	1173	U
38	a	1174	U
38	a	1175	A
38	a	1176	U
38	a	1177	G
38	a	1178	C
38	a	1179	G
38	a	1180	U
38	a	1186	G
38	a	1238	G
38	a	1248	G
38	a	1253	A
38	a	1256	G
38	a	1266	G
38	a	1271	G
38	a	1272	A
38	a	1273	U
38	a	1301	A
38	a	1321	A
38	a	1345	C
38	a	1352	U
38	a	1365	A
38	a	1368	G
38	a	1378	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	1379	U
38	a	1380	G
38	a	1383	A
38	a	1387	A
38	a	1395	A
38	a	1406	U
38	a	1407	G
38	a	1408	G
38	a	1411	U
38	a	1414	C
38	a	1415	U
38	a	1416	G
38	a	1417	C
38	a	1419	A
38	a	1420	A
38	a	1428	C
38	a	1452	G
38	a	1453	A
38	a	1460	U
38	a	1478	G
38	a	1482	G
38	a	1490	A
38	a	1497	U
38	a	1503	A
38	a	1508	A
38	a	1509	A
38	a	1510	G
38	a	1515	A
38	a	1529	G
38	a	1534	U
38	a	1535	A
38	a	1536	C
38	a	1537	G
38	a	1554	U
38	a	1559	U
38	a	1566	A
38	a	1569	A
38	a	1578	U
38	a	1580	A
38	a	1581	G
38	a	1582	C
38	a	1583	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	1584	U
38	a	1589	U
38	a	1590	A
38	a	1608	A
38	a	1609	A
38	a	1610	A
38	a	1647	U
38	a	1648	U
38	a	1649	G
38	a	1651	G
38	a	1674	G
38	a	1677	A
38	a	1703	G
38	a	1714	U
38	a	1715	G
38	a	1718	G
38	a	1729	U
38	a	1730	C
38	a	1732	C
38	a	1738	G
38	a	1750	G
38	a	1755	A
38	a	1758	U
38	a	1764	C
38	a	1773	A
38	a	1791	A
38	a	1800	C
38	a	1801	A
38	a	1808	A
38	a	1811	G
38	a	1816	C
38	a	1829	A
38	a	1833	C
38	a	1847	A
38	a	1848	A
38	a	1858	A
38	a	1859	U
38	a	1862	G
38	a	1864	U
38	a	1869	G
38	a	1870	C
38	a	1872	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	1873	G
38	a	1905	C
38	a	1906	G
38	a	1907	G
38	a	1913	A
38	a	1914	C
38	a	1919	A
38	a	1920	C
38	a	1922	G
38	a	1923	U
38	a	1924	C
38	a	1925	C
38	a	1926	U
38	a	1928	A
38	a	1929	G
38	a	1930	G
38	a	1936	A
38	a	1938	A
38	a	1955	U
38	a	1965	C
38	a	1967	C
38	a	1970	A
38	a	1971	U
38	a	1972	G
38	a	1987	A
38	a	1991	U
38	a	1992	G
38	a	1993	U
38	a	1997	C
38	a	2002	G
38	a	2022	U
38	a	2023	C
38	a	2027	G
38	a	2033	A
38	a	2043	C
38	a	2051	A
38	a	2052	A
38	a	2055	C
38	a	2056	G
38	a	2060	A
38	a	2061	G
38	a	2062	A

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	2077	A
38	a	2097	A
38	a	2099	U
38	a	2100	G
38	a	2108	A
38	a	2110	G
38	a	2111	U
38	a	2113	U
38	a	2115	G
38	a	2116	G
38	a	2117	A
38	a	2118	U
38	a	2121	G
38	a	2122	U
38	a	2124	G
38	a	2125	G
38	a	2126	A
38	a	2127	G
38	a	2128	G
38	a	2131	U
38	a	2132	U
38	a	2133	G
38	a	2134	A
38	a	2139	U
38	a	2141	G
38	a	2146	C
38	a	2147	A
38	a	2154	A
38	a	2157	G
38	a	2158	A
38	a	2159	G
38	a	2162	G
38	a	2163	A
38	a	2164	C
38	a	2165	C
38	a	2169	A
38	a	2171	A
38	a	2172	U
38	a	2178	C
38	a	2182	U
38	a	2183	A
38	a	2185	U

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	2188	U
38	a	2189	U
38	a	2190	G
38	a	2191	A
38	a	2193	G
38	a	2194	U
38	a	2198	A
38	a	2204	G
38	a	2210	U
38	a	2211	A
38	a	2212	A
38	a	2213	U
38	a	2225	A
38	a	2226	C
38	a	2229	U
38	a	2238	G
38	a	2239	G
38	a	2244	U
38	a	2250	G
38	a	2268	A
38	a	2278	A
38	a	2283	C
38	a	2287	A
38	a	2297	A
38	a	2305	U
38	a	2308	G
38	a	2309	A
38	a	2315	G
38	a	2322	A
38	a	2325	G
38	a	2327	A
38	a	2333	A
38	a	2339	C
38	a	2345	G
38	a	2347	C
38	a	2350	C
38	a	2361	G
38	a	2372	U
38	a	2376	A
38	a	2383	G
38	a	2385	C
38	a	2402	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	2403	C
38	a	2406	A
38	a	2423	U
38	a	2424	C
38	a	2425	A
38	a	2426	A
38	a	2429	G
38	a	2430	A
38	a	2431	U
38	a	2434	A
38	a	2435	A
38	a	2441	U
38	a	2447	G
38	a	2448	A
38	a	2470	G
38	a	2474	U
38	a	2476	A
38	a	2478	A
38	a	2484	G
38	a	2491	U
38	a	2502	G
38	a	2506	U
38	a	2507	C
38	a	2512	C
38	a	2513	A
38	a	2518	A
38	a	2520	C
38	a	2525	G
38	a	2529	G
38	a	2535	G
38	a	2547	A
38	a	2554	U
38	a	2566	A
38	a	2567	G
38	a	2572	A
38	a	2573	C
38	a	2574	G
38	a	2585	U
38	a	2586	U
38	a	2602	A
38	a	2603	G
38	a	2609	U

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
38	a	2610	C
38	a	2611	C
38	a	2613	U
38	a	2629	U
38	a	2663	G
38	a	2669	G
38	a	2671	G
38	a	2689	U
38	a	2690	U
38	a	2714	G
38	a	2722	G
38	a	2726	A
38	a	2744	G
38	a	2748	A
38	a	2757	A
38	a	2758	A
38	a	2765	A
38	a	2777	G
38	a	2778	A
38	a	2791	G
38	a	2793	C
38	a	2796	U
38	a	2797	U
38	a	2798	U
38	a	2799	A
38	a	2801	G
38	a	2818	U
38	a	2820	A
38	a	2823	A
38	a	2825	G
38	a	2849	U
38	a	2850	A
38	a	2859	G
38	a	2861	U
38	a	2867	G
38	a	2880	C
38	a	2884	U
38	a	2885	G
38	a	2891	U
38	a	2902	C
41	d	2	G
41	d	9	G

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
41	d	13	G
41	d	16	G
41	d	17	C
41	d	35	C
41	d	36	C
41	d	45	A
41	d	51	G
41	d	56	G
41	d	64	G
41	d	66	A
41	d	88	C
41	d	89	U
41	d	90	C
41	d	99	A
41	d	109	A

All (47) RNA pucker outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
9	A	6	G
9	A	7	G
9	A	9	G
9	A	22	G
9	A	60	U
9	A	70	G
9	B	6	G
9	B	7	G
9	B	9	G
9	B	22	G
9	B	37	A
9	B	60	U
16	D	7	A
16	D	70	U
16	D	121	U
16	D	181	A
16	D	183	C
16	D	197	A
16	D	209	U
16	D	305	G
16	D	328	C
16	D	428	G
16	D	496	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
16	D	517	G
16	D	531	U
16	D	532	A
16	D	562	U
16	D	641	U
16	D	722	G
16	D	793	U
16	D	991	U
16	D	992	U
16	D	1109	C
16	D	1145	A
16	D	1196	A
16	D	1211	U
16	D	1212	U
16	D	1213	A
16	D	1214	C
16	D	1225	A
16	D	1299	A
16	D	1396	A
16	D	1432	G
16	D	1447	A
16	D	1491	G
16	D	1492	A
16	D	1493	A

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21472. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 96



Y Index: 96




Z Index: 96


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 94



Y Index: 101



Z Index: 116

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.026. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.




## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 6037  $\text{nm}^3$ ; this corresponds to an approximate mass of 5453 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of 0.143 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-21472 and PDB model 6VYU. Per-residue inclusion information can be found in section 3 on page 16.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.026 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.026).

## 9.4 Atom inclusion [i](#)









































































At the recommended contour level, 96% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary































































The table lists the average atom inclusion at the recommended contour level (0.026) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9590	 0.0280
0	 0.9975	 0.0130
1	 0.9928	 0.0090
2	 0.9233	 -0.0270
3	 0.9149	 -0.0170
4	 0.9675	 0.0010
5	 1.0000	 0.0610
6	 1.0000	 0.0810
7	 0.9282	 0.0680
A	 0.9586	 0.0910
AA	 0.9778	 0.0610
AB	 0.3964	 -0.0310
AC	 0.9617	 0.0360
AD	 0.8804	 0.0020
AE	 0.9485	 0.0270
AF	 0.4867	 -0.0120
B	 0.9377	 0.0470
C	 0.9885	 -0.0290
D	 0.9793	 0.0400
E	 0.9312	 -0.0220
F	 0.9803	 0.0660
G	 0.9670	 -0.0190
H	 0.7634	 0.0160
I	 0.9119	 -0.0170
J	 0.9686	 -0.0280
K	 0.9673	 0.0090
L	 0.9589	 0.0160
M	 0.9580	 -0.0040
N	 0.9583	 -0.0300
O	 0.9428	 -0.0200
P	 0.9830	 0.0110
Q	 0.9801	 0.0160
R	 0.9646	 0.0570
S	 0.9961	 -0.0090
T	 0.9739	 0.0110



*Continued on next page...*

Continued from previous page...

Chain	Atom inclusion	Q-score
U	 0.9920	 -0.0330
V	 0.9335	 0.0290
W	 0.9304	 -0.0060
X	 0.8767	 -0.0230
Y	 0.9500	 0.0910
a	 0.9777	 0.0390
b	 1.0000	 -0.0210
c	 0.9634	 0.0090
d	 0.9541	 0.0150
e	 0.9714	 -0.0360
f	 0.9931	 0.0090
g	 0.9667	 0.0200
h	 0.9812	 0.0180
i	 0.9766	 -0.0220
j	 0.9538	 -0.0140
k	 0.9450	 -0.0030
l	 0.9816	 0.0020
m	 0.9915	 -0.0120
n	 0.9075	 0.0100
o	 0.9919	 -0.0180
p	 0.9814	 0.0150
q	 0.9932	 -0.0050
r	 0.3805	 -0.0470
s	 0.9664	 -0.0160
t	 0.9544	 0.0060
u	 0.9912	 0.0200
v	 0.9626	 0.0350
w	 0.9923	 -0.0270
x	 0.9930	 -0.0320
y	 0.9459	 -0.0190
z	 0.9879	 -0.0450